

Oracle® Retail Invoice Matching
User Guide
Release 12.1.0.11

April 2009

Copyright © 2009, Oracle. All rights reserved.

Primary Author: Rich Olson

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation shall be subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License (December 2007). Oracle USA, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

This software is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications which may create a risk of personal injury. If you use this software in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure the safe use of this software. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software in dangerous applications.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

This software and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Value-Added Reseller (VAR) Language

Oracle Retail VAR Applications

The following restrictions and provisions only apply to the programs referred to in this section and licensed to you. You acknowledge that the programs may contain third party software (VAR applications) licensed to Oracle. Depending upon your product and its version number, the VAR applications may include:

- (i) the software component known as **ACUMATE** developed and licensed by Lucent Technologies Inc. of Murray Hill, New Jersey, to Oracle and imbedded in the Oracle Retail Predictive Application Server – Enterprise Engine, Oracle Retail Category Management, Oracle Retail Item Planning, Oracle Retail Merchandise Financial Planning, Oracle Retail Advanced Inventory Planning, Oracle Retail Demand Forecasting, Oracle Retail Regular Price Optimization, Oracle Retail Size Profile Optimization, Oracle Retail Replenishment Optimization applications.
- (ii) the **MicroStrategy** Components developed and licensed by MicroStrategy Services Corporation (MicroStrategy) of McLean, Virginia to Oracle and imbedded in the MicroStrategy for Oracle Retail Data Warehouse and MicroStrategy for Oracle Retail Planning & Optimization applications.
- (iii) the **SeeBeyond** component developed and licensed by Sun Microsystems, Inc. (Sun) of Santa Clara, California, to Oracle and imbedded in the Oracle Retail Integration Bus application.
- (iv) the **Wavelink** component developed and licensed by Wavelink Corporation (Wavelink) of Kirkland, Washington, to Oracle and imbedded in Oracle Retail Mobile Store Inventory Management.
- (v) the software component known as **Crystal Enterprise Professional and/or Crystal Reports Professional** licensed by SAP and imbedded in Oracle Retail Store Inventory Management.
- (vi) the software component known as **Access Via™** licensed by Access Via of Seattle, Washington, and imbedded in Oracle Retail Signs and Oracle Retail Labels and Tags.
- (vii) the software component known as **Adobe Flex™** licensed by Adobe Systems Incorporated of San Jose, California, and imbedded in Oracle Retail Promotion Planning & Optimization application.
- (viii) the software component known as **Style Report™** developed and licensed by InetSoft Technology Corp. of Piscataway, New Jersey, to Oracle and imbedded in the Oracle Retail Value Chain Collaboration application.
- (ix) the software component known as **DataBeacon™** developed and licensed by Cognos Incorporated of Ottawa, Ontario, Canada, to Oracle and imbedded in the Oracle Retail Value Chain Collaboration application.

You acknowledge and confirm that Oracle grants you use of only the object code of the VAR Applications. Oracle will not deliver source code to the VAR Applications to you. Notwithstanding any other term or condition of the agreement and this ordering document, you shall not cause or permit alteration of any VAR Applications. For purposes of this section, “alteration” refers to all alterations, translations, upgrades, enhancements, customizations or modifications of all or any portion of the VAR Applications including all reconfigurations, reassembly or reverse assembly, re-engineering or reverse engineering and recompilations or reverse compilations of the VAR Applications or any derivatives of the VAR Applications. You acknowledge that it shall be a breach of the agreement to utilize the relationship, and/or confidential information of the VAR Applications for purposes of competitive discovery.

The VAR Applications contain trade secrets of Oracle and Oracle’s licensors and Customer shall not attempt, cause, or permit the alteration, decompilation, reverse engineering, disassembly or other reduction of the VAR Applications to a human perceivable form. Oracle reserves the right to replace, with functional equivalent software, any of the VAR Applications in future releases of the applicable program.

Contents

Preface	ix
Audience	ix
Related Documents	ix
Customer Support	ix
Review Patch Documentation	ix
Oracle Retail Documentation on the Oracle Technology Network	ix
Conventions	x
1 Oracle Retail Invoice Matching	1
Business Processes	1
Resolve Discrepancies	1
Enter and Review Invoices	1
Match Documents	1
Maintain Invoice Matching Settings	2
Navigate Invoice Matching	2
Log In and Exit ReIM	2
Navigate Within a Window	2
Filter and Sort Information	3
Flexible Columns	4
Comments	5
2 Enter Documents	7
Enter Document Groups	7
Create an Invoice Group	8
Add Documents Using Default Information	8
Add Documents Without Default Information	9
Complete the Document Group	10
Edit a Document Group	11
Delete a Document Group	13
Approve a Document Group	13
EDI Uploads	14
Review EDI Uploads	14
Correct a Rejected EDI Invoice	14
Delete EDI Invoices	15
Correct Multiple Rejected EDI Invoices	15
Delete Multiple Rejected EDI Invoices	16
Split Invoices	17
Splitting Invoices with Multiple Locations	17
Split Invoices with Multiple Locations	17
Set Default Child Invoice Information from a Purchase Order	19
Add Invoice Details to a Child Invoice	20

3 Create Documents	23
Merchandise Invoices	23
Create a Merchandise Invoice	23
Add Details to a Merchandise Invoice	26
Set Default Item Details from a Receipt or Purchase Order	28
Non-Merchandise Invoices	29
Create a Non-Merchandise Invoice	29
Document Maintenance	32
Edit a Document	32
Pay an Unmatched Invoice	34
View a Document	35
4 Match Documents	37
Match Credit Notes	37
Summary Match Credit Notes	37
Detail Match Credit Notes	39
Match Invoices	42
Summary Match Invoices	42
Detail Match Invoices	46
5 Resolve Discrepancies	51
Cost Discrepancies	51
Review Cost Discrepancies	51
Resolve Cost Discrepancies	51
Quantity Discrepancies	52
Review Quantity Discrepancies	52
Resolve Quantity Discrepancies	52
VAT Discrepancies	53
Review VAT Discrepancies	53
Resolve VAT Discrepancies	54
Resolve Header Level VAT Discrepancies	54
Create Memos and Requests	55
Create a Credit or Debit Document	56
Reverse a Debit Memo	58
Void a Credit Note Request	58
6 System Administration	61
System Options	61
Maintain System Options	61
Maintain the System Variables	61
Maintain the Document Prefixes	65
Supplier Options	66
Maintain Supplier Options	66
Maintain a Supplier	66
Create a Grouped Supplier	67

Delete a Grouped Supplier	68
General Ledger Accounts.....	69
Maintain General Ledger Accounts	69
Create a General Ledger Account Cross Reference.....	69
Define General Ledger Options	70
Reason Codes.....	70
Maintain Reason Codes	70
Create Reason Codes.....	71
Edit Reason Codes	72
Delete Reason Codes	73
User Groups.....	74
Maintain User Groups.....	74
Create a User Group	74
Delete a User Group	76
Assign Users to a User Group	77
Delete a User from a Group.....	79
Assign a Department/Class to a User Group	81
Delete a Department/Class from a User Group.....	83
Assign a Location to a User Group.....	85
Delete a Location from a User Group	87
Assign a Reason Code to a User Group	89
Delete a Reason Code from a User Group.....	91
Tolerance Levels.....	93
Maintain Tolerance Levels.....	93
Define the Tolerance Level for the System	93
Define the Tolerance Level for the System	94
Define the Tolerance Level for a Supplier, Supplier Trait, or Department.....	95
Delete a Tolerance Level for a Supplier, Supplier Trait, or Department.....	97
Set Default Tolerance Level for a Supplier, Supplier Trait, or Department.....	98
Glossary	101

Preface

The Oracle Retail Invoice Matching User Guide describes the application user interface and how to navigate through it.

Audience

This document is intended for the users and administrators of Oracle Retail Invoice Matching. This may include merchandisers, buyers, and business analysts.

Related Documents

For more information, see the following documents in the Oracle Retail Invoice Matching Release 12.1.0.11 documentation set:

- Oracle Retail Invoice Matching Data Model
- Oracle Retail Invoice Matching Online Help
- Oracle Retail Invoice Matching Operations Guide

Customer Support

To contact Oracle Customer Support, access My Oracle Support at the following URL:
<https://metalink.oracle.com>

When contacting Customer Support, please provide the following:

- Product version and program/module name
- Functional and technical description of the problem (include business impact)
- Detailed step-by-step instructions to re-create
- Exact error message received
- Screen shots of each step you take

Review Patch Documentation

If you are installing the application for the first time, you install either a base release (for example, 13.0) or a later patch release (for example, 13.0.2). If you are installing a software version other than the base release, be sure to read the documentation for each patch release (since the base release) before you begin installation. Patch documentation can contain critical information related to the base release and code changes that have been made since the base release.

Oracle Retail Documentation on the Oracle Technology Network

In addition to being packaged with each product release (on the base or patch level), all Oracle Retail documentation is available on the following Web site (with the exception of the Data Model which is only available with the release packaged code):

http://www.oracle.com/technology/documentation/oracle_retail.html

Documentation should be available on this Web site within a month after a product release. Note that documentation is always available with the packaged code on the release date.

Conventions

Navigate: This is a navigate statement. It tells you how to get to the start of the procedure and ends with a screen shot of the starting point and the statement “the Window Name window opens.”

Note: This is a note. It is used to call out information that is important, but not necessarily part of the procedure.

This is a code sample
It is used to display examples of code

[A hyperlink appears like this.](#)

Oracle Retail Invoice Matching

Oracle Retail Invoice Matching (ReIM) allows you to verify merchandise invoice costs and quantities before payment. ReIM receives invoice data through Electronic Data Interchange (EDI), or data can be entered manually.

An automatic matching process verifies Invoice records against associated receipts. If invoices are matched to receipts within tolerance at a summary level, they are evaluated for best payment terms and posted to a staging table. The staging table interfaces with your accounts payable system, where payments are processed and corresponding accounting entries are posted.

If invoices and receipts are not matched at the summary level after a specified period of time, the auto-matching process attempts to match at the line level within tolerances. If matches are not identified at the line level, the process calculates a cost or quantity discrepancy. Discrepancies are routed to defined user groups for resolution. You resolve discrepancies by applying reason codes based on a set of defined actions (for example, charge-back supplier). The reason codes determine disposition of the discrepancies.

The auto-match process routes discrepancies so that you can begin manual identification of summary and detail level matches. You can resolve line-level discrepancies, and you can access invoices and receipts.

Business Processes

Resolve Discrepancies

- Review cost discrepancies
- Review quantity discrepancies
- Review VAT discrepancies
- Create memos and requests

Enter and Review Invoices

- Review EDI uploads
- Split invoices with multiple locations
- Enter document groups
- Create a merchandise invoice
- Create a non-merchandise invoice

Match Documents

- Summary match invoices
- Detail match invoices
- Summary match credit notes
- Detail match credit notes

Maintain Invoice Matching Settings

- Maintain system options
- Maintain supplier options
- Maintain general ledger accounts
- Maintain reason codes
- Maintain user groups
- Maintain tolerance levels

Navigate Invoice Matching

This section describes how to navigate within ReIM. It describes how to:

- Log on to and exit ReIM
- Navigate within a window
- Sort and filter columns

Log In and Exit ReIM

Note: The way that you access ReIM depends on how the system is set up at your location. Contact your system administrator for instructions. After you have started ReIM, you are prompted to log on to the system.

Log In to ReIM


1. In the Login window, enter your user name in the Username field.
2. In the Password field, enter your password.
3. Click **Log In**. The ReIM Main Menu window is displayed.


Exit ReIM

1. From the Main Menu, select Log Out. You are prompted to confirm your decision.
2. Click **OK**. You return to the Login window.


Navigate Within a Window

Use a Drop-Down list


Some fields can accept values only from a predefined list of options. These fields have a down arrow  button on the right side of the field.

1. Click the down arrow  button. A drop-down list of options is displayed.
2. Select a value from the drop-down list. The selected option is entered in the field.

Use a List of Values Button

The List of Values  button is found to the right of a field. The button displays all defined values or options available for the field.

Note: The list of values is empty if no values have been defined for the list.

1. Click the LOV  button. A list of options is displayed.
2. Select an option from the list.
3. Click **OK**. The selected option is entered in the field.

Filter and Sort Information

You can sort and filter data so that you can view the information you want.

Filter Information

Many windows use filters. You can use a filter to limit the records listed to those that match certain criteria.


- To select the criteria, choose from the values in the drop-down list associated with the field. You can filter multiple columns at the same time.
- To display all records, select *All* from each drop-down list.

Sort Information


Many windows use underlined column headings to sort table data.


- To sort the list, click on the underlined column heading of the column you want to use for sorting. You can only sort by one column at a time. An arrow indicates the column that is currently sorted, as well as the sort order.
- To reverse the sort order, click the same column heading again.

Flexible Columns



You can customize your window view by clicking on the column  button. You can change the columns that are hidden or displayed, or the order in which columns appear. After you rearrange the columns, the window view is the same every time you open the window.

Hide or Display a Column

1. Click the column  button to the left of the window name. The Column Ordering window opens.






Column Ordering Window



2. Select a column heading.
3. Use the left arrow  button or the right arrow  button to move the column heading to the Hidden Columns or the Visible Columns area.

Note: Column headings with a double asterisk (**) cannot be hidden.

4. When the columns are in the Hidden Columns and Visible Columns as desired, click **Apply**. You return to your previous work area.

Change the Column Order


1. Click the column  button. The Column Ordering window opens.
2. Select a column heading. Click the up arrow  button or down arrow  button to move the column heading order.
 - a. Moving the column heading up on the list places it to the left side of the screen.
 - b. Moving the column heading down on the list places it to the right side of the screen.

- c. To move a column to the top of the list, select the column heading and click top  button
 - d. To move a column to the bottom of the list, select the column heading and click the bottom  button.
3. When the columns are in the desired order, click **Apply**. You are returned to your previous work area.


Comments

In the Comments window, you can add additional information about a specific area of a window.

1. Click **Comments**. The Comments window opens.



Comments Window

2. In the Usage Type field, select Internal or External.
3. In the Item field, enter the item ID, or click the LOV  button and select an item.
4. In the Comment field, enter your comments.
5. Click **Add**. Your comment is added to the table.
6. Click **OK** to save any changes and close the window.

Enter Documents

Enter Document Groups

Invoices can be loaded through Electronic Data Interchange (EDI), group entry, or single invoice entry. In the Group Entry window, you can manually enter merchandise invoices, non-merchandise invoices, and credit notes.

When you enter document groups, you can define default criteria that apply to multiple invoices. Alternatively, you can enter invoices without applying default information. After you have entered all the invoices in the group, the control quantity should match the calculated quantity, and the control cost should match the calculated cost of the documents you have entered. When the totals match, you can submit the group for approval. After the group is approved, you can begin matching the invoices.

This section includes the following document group instructions:

- Create an Invoice Group
- Edit a Document Group
- Delete an Document Group
- Approve a Document Group

Create an Invoice Group

Navigate: On the Document Entry tab, click Group Entry. The Group Entry List window opens.

Group Entry List Window




1. Click **New**. The Group Entry window opens.

Group Entry Window

2. In the Summary area, enter the Control Total and the Control Count for the group you are entering.


Add Documents Using Default Information

Note: Click **Show** to display the available fields in the Defaults area.





1. In the Document Type field, select the type of document that is being added to the group.
2. In the Vendor Type field, select the type of vendor that sent you the document.
3. Under the Vendor Type field, enter the vendor ID, or click the LOV  button and select the vendor.
4. In the Document Date field, enter the date the document was created, or click the calendar  button and select the date.
5. In the Terms field, enter the terms code, or click the LOV  button and select the terms.

6. In the Defaults area click **Apply Defaults**. The information is added to the Document Entry area.
7. In the Doc No. field, enter the document ID.
8. In the Order No. field, enter the purchase order number that is associated with the document.

Note: You can search for a purchase order by receipt and location information.

9. In the Location field, enter the location ID, or click the LOV  button and select a location ID.
10. In the Total Qty field, enter the total number of items on the document.
11. In the Total Cost Ex VAT field, enter the total cost on the document.
12. Complete the document group.

Add Documents Without Default Information

1. In the Document Type field, select the type of document that is being added to the group.
2. In the Vendor Type field, select the type of vendor that sent you the document.
3. Under the Vendor Type field, enter the vendor ID, or click the LOV  button and select the vendor.
4. In the Doc No. field, enter the document ID.
5. In the Document Date field, enter the date the document was created, or click the calendar  button and select the date.
6. In the Terms field, enter the terms code, or click the LOV  button and select the terms.
7. In the Order No. field, enter the purchase order number that is associated with the document.
8. In the Location field, enter the location ID, or click the LOV  button and select a location ID.
9. In the Total Qty field, enter the total number of items on the document.
10. In the Total Cost Ex VAT field, enter the total cost on the document.
11. Complete the document group.

Complete the Document Group

1. Add non-merchandise costs as necessary.
 - a. In the Document Entry area, click the amount in the Non-Merch field. The Non-Merchandise Cost window opens.

Non Merchandise Cost
Document ID : 1

	Amount
Carrier Credit Allowance	0.0000
Coop Ad/Merch Allowance (Perf)	0.0000
Currency Adjustment	0.0000
Currency Adjustment	0.0000
Customs Broker Fee	0.0000
Customs Duty	0.0000
Declared Value for Customs	0.0000
Defective Allowance	0.0000
Deliver	0.0000
Discount - Incentive	0.0000
...	0.0000

GL Cross-reference for

	Segment 1	Segment 2	Segment 3	Segment 4	Segment 5	Segment 6	Segment 7	Segment 8	Segment 9	Segment 10
Type: Company	Location	Account	Department	Class	Affiliate	Future1	Future2	Future3	Future4	

Total: 0.0000

OK Calculate Total Cancel

Non-Merchandise Cost Window

- b. In the non-merchandise fields, enter the needed charges.
 - c. In the VAT Code - Rate field, select the VAT information for the non-merchandise charge.
 - d. Click **Calculate Total**. The sum of the non-merchandise costs appears in the Total field.
 - e. Click **OK** to save your changes and close the window.
2. Add the invoice VAT cost.
 - a. In the Document Entry area, click the amount in the Total VAT Amt field. The VAT Breakdown window opens.

VAT Breakdown

Ex VAT Basis	VAT Code	VAT Rate	VAT Amounts
0.0000	O	1	0.0000
0.0000	P	5	0.0000
0.0000	C	1	0.0000
0.0000	E	0	0.0000
0.0000	Z	0	0.0000
0.0000	S	10	0.0000

Total: 0.0000

OK Calculate Total Cancel

VAT Breakdown Window

- b. In the Ex VAT Basis field, enter the amount on the invoice that is subject to VAT.
 - c. Click **Calculate Total**. The amount of VAT appears in the total field.
3. Click **Add**. The document is added to the Existing Documents area.
4. Click **Calculate Variance**. The remaining variance appears.
5. Continue adding documents until the totals and counts have no variance.
6. Click **OK** to submit the group for matching. You return to the Group Entry List window.

Edit a Document Group

Navigate: On the Document Entry tab, click Group Entry. The Group Entry List window opens.

Group Entry List Window

1. To search for a document group:
 - a. Click **Advanced Search**. The Group Entry Advanced Search window opens.

Group Entry Advanced Search Window

- b. Enter the criteria to restrict your search.
 - c. Click **Search**. The Group Entry List window opens.

2. In the Group ID column, click a group ID. The Group Entry Detail window opens.

ORACLE You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci@dvolr04. Data Source: rms12 Log
 Path: /u00/webadmin/product/10.1.3/OracleAS_2/2ee/reim13_MOSB_VatOff/log Authentication: DATABASE

Group Entry Detail
 Group ID 103 Entry Date 03-07-2008 Currency USD Status Worksheet

Existing Documents

Delete	Vendor	Vendor Desc	Doc No.	Document Type	Document Date	Terms	Due Date	Total Qty	Merch Cost	Non Merch Cost	Total Cost	Order No.	Location	Location Description
<input type="checkbox"/>	2400	Coca Cola - Charlotte	1	Merchandise Invoice	01-20-2008	02-1.5% 30 Days	02-19-2008	0	5.0000	0.0000	5.0000	3901	1421	Portland

Calculated Total	5.0000	Calculated Count	1
Control Total	0.0000	Control Count	0
Variance	5.0000	Variance	1

OK Worksheet Submit Approve Calculate Variance Add Delete Cancel

Group Entry Detail Window

3. To make changes to the document group, click **Worksheet**. You are prompted to confirm the status change.
4. Click **OK**. The document group status is changed to worksheet.
5. Click **Add**. The Group Entry window opens.
6. Add documents as necessary.
7. Delete documents from the document group as necessary:
 - a. In the Delete column, select the invoice you are deleting.
 - b. Click **Delete**. You are prompted to confirm the deletion.
 - c. Click **OK**. The invoice is deleted from the system.
8. Click **OK** to submit the group for matching. The Group Entry List window opens.

Delete a Document Group

Navigate: On the Document Entry tab, click Group Entry. The Group Entry Detail window opens.

ORACLE You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci:@dvol04, Data Source: rms12 Log
Path: /u00/webadmin/product/10.1.3/OracleAS_2/j2ee/reim13_MOSB_ValOff/log Authentication: DATABASE

Group Entry Detail
Group ID 103 Entry Date 03-07-2008 Currency USD Status Worksheet

Existing Documents

Delete	Vendor	Vendor Desc	Doc No.	Document Type	Document Date	Terms	Due Date	Total Qty	Merch Cost	Non Merch Cost	Total Cost	Order No.	Location	Location Description
<input type="checkbox"/>	2400	Coca Cola - Charlotte	1	Merchandise Invoice	01-20-2008	02-1.5% 30 Days	02-19-2008	0	5.0000	0.0000	5.0000	3901	1421	Portland

Calculated Total 5.0000 Calculated Count 1
Control Total 0.0000 Control Count 0
Variance 5.0000 Variance 1

OK Worksheet Submit Approve Calculate Variance Add Delete Cancel

Group Entry Detail Window

1. In the Delete column, select the document group you are deleting.
2. Click **Delete**. You are prompted to confirm the deletion.
3. Click **OK**. The document group is deleted from the system.
4. Click **Cancel** to close the window and save your changes.

Approve a Document Group

Navigate: On the Document Entry tab, click Group Entry. The Group Entry List window opens.

ORACLE You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci:@dvol04, Data Source: rms12 Log
Path: /u00/webadmin/product/10.1.3/OracleAS_2/j2ee/reim13_empty/log Authentication: DATABASE

Group Entry List III Default View

Delete	Group ID	Entry Date	Status	Control Total	Calculated Total	Variance Total	Control Count	Calculated Count	Variance Count	Currency Code	Create ID
<input type="checkbox"/>	201	01-23-2008	Worksheet	0.0000	10,000.0000	10,000.0000	0	1	1	1 USD	ADMIN

Advanced Search Clear Advanced Search New Delete Cancel

Group Entry List Window

Note: Once you have approved a document group, you can no longer make changes to it.

1. In the Group ID column, click the group ID of a document group that has a status of Submitted. The Group Entry Detail window opens.
2. Click **Approve**. You are prompted to confirm the document group's approval.
3. Click **OK**. You are returned to the Group Entry List window.
4. Click **Cancel** to close the window and save your changes.

EDI Uploads

Review EDI Uploads

Invoices can be loaded through Electronic Data Interchange (EDI), group entry, and single invoice entry. The majority of invoices are sent to Invoice Matching through EDI. When the data on the invoices can be verified, the invoices are ready to match. If the data cannot be verified, you must manually correct the inaccurate data on each invoice.

In the EDI Maintenance window, you can update invoice data for invoices that were uploaded with inaccurate data. You can correct the invoices one at a time, or you can correct the order number or item number on multiple invoices. If you correct the order number or item number for all invoices, all invoices with the old value are updated with the new value.

This section includes the following EDI instructions:

- Correct a Rejected EDI Invoice
- Delete EDI Invoices
- Correct Multiple Rejected EDI Invoices
- Delete Multiple Rejected EDI Invoices

Correct a Rejected EDI Invoice

Navigate: On the Document Entry tab, click EDI Maintenance. The EDI Maintenance window opens.

The screenshot shows the Oracle EDI Maintenance window. At the top, it says 'You are logged in as: Admin User ADMIN' and 'DB URL: jdbc:oracle:oci:@dvolr04'. Below this is a table with the following columns: Supplier, Invoice Number, Invoice Date, Total Invoice Cost, and Reject Reason. The table contains one row with the following data: 3020-Battery Supplier, EDIGEN12004848619960000000001, 12-22-2007, 50.0000, and Invalid order number and supplier combination. Below the table are three buttons: 'Mass Correction', 'Delete', and 'Cancel'.

EDI Maintenance Window

1. In the Invoice Number column, click an invoice number. The EDI Rejected Invoice Details window opens.
2. The fields that must be edited are enabled.
 - To select a different supplier, in the Supplier field, enter the correct supplier ID, or click the LOV button and select a supplier.
 - To select a different invoice date, in the Invoice Date field, enter the correct invoice date, or click the calendar button and select an invoice date.
 - To select different terms, in the Terms field, enter the correct term ID, or click the LOV button and select a term.
 - To select a different order number, in the Order No. field, enter the correct order number, or click the LOV button and select an order number.
 - To select a different location, in the Location field, enter the correct location, or click the LOV button and select a location.
 - To select a different UPC, on the table in the UPC/Supplement/SKU field, enter the correct UPC, or click the LOV button and select a UPC.

- Click **Retry Invoice**. You are returned to the EDI Maintenance window.

Note: If there are still errors on the invoice, you must repeat the procedure until clicking **Retry Invoice** returns you to the EDI Maintenance window.

- Click **Cancel** to save your changes and close the window.

Delete EDI Invoices

Navigate: On the Document Entry tab, click EDI Maintenance. The EDI Maintenance window opens.

EDI Maintenance Window

- In the Delete column, select the check box to the left of the invoice you are deleting.

Note: To select all of the invoices, select the check box in the header area.

- Click **Delete**. You are prompted to confirm the deletion.
- Click **OK**. The invoice is deleted.
- Click **Cancel** to close the window and save your changes.


Correct Multiple Rejected EDI Invoices

Navigate: On the Document Entry tab, click EDI Maintenance. The EDI Maintenance window opens.

EDI Maintenance Window


- Click **Mass Correction**. The EDI Reject Mass Correction window opens.

EDI Reject Mass Correction Window

2. In the Supplier field, enter the supplier ID, or click the LOV  button and select a supplier.
3. In the Type field, select the type of change you are making (item ID or an order ID).
4. In the Old field, enter the ID of the order or item that is being replaced.
5. In the New field, enter the ID of the order or item you are replacing.
6. Click **Replace** to save your changes and close the window.

Delete Multiple Rejected EDI Invoices

Navigate: On the Document Entry tab, click EDI Maintenance. The EDI Maintenance window opens.




EDI Maintenance Window


1. Click **Mass Correction**. The EDI Reject Mass Correction window opens.



EDI Reject Mass Correction Window

2. In the Supplier field, enter the supplier ID, or click the LOV  button and select a supplier.
3. In the Type field, select Order.

Note: You can only delete orders.

4. In the Old Order field, enter the order ID, or click the LOV  button and select the order that is being deleted.
5. Click **Delete**. You are prompted to complete the deletion.
6. Click **OK**. You return to the EDI Maintenance window.
7. Click **Cancel** to return to the main menu.

Split Invoices

Splitting Invoices with Multiple Locations

The parent invoice windows allow you take an invoice with multiple locations and simplify the invoice by splitting it into multiple invoices, each for a single location. An invoice with multiple locations (a parent invoice) cannot begin any matching process until it is split out into the single locations (child invoices). When you are splitting an invoice with multiple locations, you must assign the total cost and total quantity to the single locations before you can save your changes.

This section includes the following invoice splitting instructions:

- Split Invoices with Multiple Locations
- Set Default Child Invoice Information from a Purchase Order
- Add Invoice Details to a Child Invoice

Split Invoices with Multiple Locations

Navigate: On the Document Entry tab, click Parent Invoice List. The Parent Invoice List window opens.

ORACLE You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci:@dvolr04. Data Source: rms12 Log
Path: /u00/webadmin/product/10.1.3/OracleAS_2/2ee/reim13_empty/log Authentication: DATABASE

Parent Invoice List

Parent Invoice ID	Supplier	Purchase Order	Location	Currency	Total Invoice Cost	Total Quantity	Invoice Terms	Invoice Date	Split Indicator
EDIGENN120042054207900000000000	3020	5605	1111-Charlotte *	USD	50.0000	50	Net 30 Days	12-22-2007	N
EDIGENN120042054234600000000001	3020	5605	1121-Atlanta	USD	50.0000	50	Net 30 Days	12-22-2007	N

1

Cancel

Parent Invoice List Window

In the Parent Invoice ID column, click an invoice number. The Parent Invoice Header window opens.

ORACLE You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci:@dvolr04. Data Source: rms12 Log
Path: /u00/webadmin/product/10.1.3/OracleAS_2/2ee/reim13_empty/log Authentication: DATABASE

Parent Invoice Header

Parent Invoice ID: EDIGENN120042054207900000000000

Supplier: 3020-Battery Supplier

Purchase Order: 5605

Location: 1111-Charlotte *

Total Merchandise Cost: 50.0000

Total Non-merchandise Cost: 0.0000

Total Invoice Cost: 50.0000

Total Quantity: 50

Invoice Date: 12-22-2007

Invoice Terms: 04-Net 30 Days

Manually Paid: N

Default From Order:


Location: Child Merchandise Cost: Child Quantity:

Undistributed Cost: 50.0000 Undistributed Quantity: 50

Parent Invoice Header Window

Note: To begin splitting an invoice, select an invoice that has an N in the Split Indicator column.

Add Child Invoices

1. In the Location field, enter the location ID, or click the LOV  button and select the location.
2. In the Child Merchandise Cost field, enter the monetary amount that should be allocated to the child invoice.
3. In the Child Quantity field, enter the number of items that should be allocated to the child invoice.
4. Click **Apply**. The results are displayed in the table.

Edit Child Invoices

1. In the table, double-click a child invoice. The editable fields above the table are enabled.
2. Update the enabled fields as necessary.
3. Click **Update**.

Delete a Child Invoice

1. In the Delete column, select the child invoice you are deleting.
2. Click **Delete**. You are prompted to confirm the deletion.
3. Click **OK**.

Complete the Distribution

1. Completely distribute the cost and the quantity of the parent invoice.

Note: After you click **OK**, you cannot change the cost and quantity distributions.

2. Click **OK** to save the changes and close the window.

Set Default Child Invoice Information from a Purchase Order

Navigate: On the Document Entry tab, click Parent Invoice List. The Parent Invoice List window opens.

ORACLE You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci:@dvolr04 Data Source: rms12 Log
Path: /u00/webadmin/product/10.1.3/OracleAS_2/2ee/reim13_empty/log Authentication: DATABASE

Parent Invoice List

Parent Invoice ID	Supplier	Purchase Order	Location	Currency	Total Invoice Cost	Total Quantity	Invoice Terms	Invoice Date	Split Indicator
EDIGENN120042054207900000000000	3020	5605	1111-Charlotte *	USD	50.0000	50	Net 30 Days	12-22-2007	N
EDIGENN120042054234600000000001	3020	5605	1121-Atlanta	USD	50.0000	50	Net 30 Days	12-22-2007	N

1

Cancel

Parent Invoice List Window

1. In the Parent Invoice ID column, click an invoice number. The Parent Invoice Header window opens.


ORACLE You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci:@dvolr04 Data Source: rms12 Log
Path: /u00/webadmin/product/10.1.3/OracleAS_2/2ee/reim13_empty/log Authentication: DATABASE


Parent Invoice Header

Parent Invoice ID: EDIGENN120042054207900000000000
Supplier: 3020-Battery Supplier
Purchase Order: 5605
Location: 1111-Charlotte *

Total Merchandise Cost: 50.0000
Total Non-merchandise Cost: 0.0000
Total Invoice Cost: 50.0000
Total Quantity: 50

Invoice Date: 12-22-2007
Invoice Terms: 04-Net 30 Days
Manually Paid: N

Default From Order:  Defaults


Location:  Child Merchandise Cost: Child Quantity: Apply Update

Undistributed Cost: 50.0000 Undistributed Quantity: 50

OK Delete Cancel

Parent Invoice Header Window

Note: To begin splitting an invoice into single locations, select an invoice that has a N in the Split Indicator column.

2. In the Default From Order field, enter the purchase order number, or click the LOV  button and select a purchase order.

Note: You can search for a purchase order by receipt and location information.

3. Click **Defaults**. The location, merchandise cost, and quantity as assigned on the purchase order are displayed in the table.
4. Add, edit, and delete child invoices as necessary.
5. Complete the distribution.

Add Invoice Details to a Child Invoice

Navigate: On the Document Entry tab, click Parent Invoice List. The Parent Invoice List window opens.

ORACLE *You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci://dvol04, Data Source: ms12 Log
 Path: /u00/webadmin/product/10.1.3/OracleAS_2/j2ee/reim/13_empty/log Authentication: DATABASE

Parent Invoice List

Parent Invoice ID	Supplier All	Purchase Order	Location All	Currency	Total Invoice Cost	Total Quantity	Invoice Terms All	Invoice Date	Split Indicator All
EDIGENIN12004205420790000000000	3020	5605	1111-Charlotte *	USD	50.0000	50	Net 30 Days	12-22-2007	N
EDIGENIN120042054234600000000001	3020	5605	1121-Atlanta	USD	50.0000	50	Net 30 Days	12-22-2007	N

1

Cancel

Parent Invoice List Window

1. In the Parent Invoice ID column, click an invoice number. The Parent Invoice Header window opens.

ORACLE
You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci:@vol04 Data Source: rns12 Log Path: /u00/webadmin/product/10.1.3/GradeAS_2/2ee/reim13_empty/log Authentication: DATABASE

Parent Invoice Header

Parent Invoice ID: EDIGEN12004205420790000000000
Supplier: 3020-Battery Supplier
Purchase Order: 5605
Location: 1111-Charlotte *

Total Merchandise Cost: 50.0000
Total Non-merchandise Cost: 0.0000
Total Invoice Cost: 50.0000
Total Quantity: 50

Invoice Date: 12-22-2007
Invoice Terms: 04-Net 30 Days
Manually Paid: N

Default From Order: Defaults

Location: Child Merchandise Cost: Child Quantity: Apply Update

Undistributed Cost: 50.0000 Undistributed Quantity: 50

OK Delete Cancel

Parent Invoice Header Window

Note: To begin splitting an invoice into single locations, select an invoice that has a N in the Split Indicator column.

2. Add all child invoices to the parent invoice header.

Note: You must completely distribute the total cost and total quantity of a parent invoice before you may add details to the child invoice.

3. In the Child Invoice ID field, click the child invoice ID. The Child Invoice Detail window opens.

ORACLE You are logged in as Admin User ADMIN DB URL: jdbc:oracle:thin:@mqwip73.us.oracle.com:1521/xeor123 Data Source: mxeordev121 Authentication: DATABASE Log Path: /qm/Logs/OracleOnline.log

Child Invoice Detail

Invoice: NAK11122965589300300000000000, OC393391 Purchase Order: 1814 Total Merchandise Cost: 10.0000
 Supplier: 1103- Currency: USD Total Quantity: 10.0000
 Location: 393391-Unknown Location M

Items Invoice Qty Unit Cost VAT Code - Rate Add Item Update Item


Delete	Item	Description	Invoice Qty	Inv. Unit Cost	VAT Code	VAT Rate	Extended Cost Ex VAT
<input type="checkbox"/>	100015023		10.0000	1.0000	S	10.0	10.0000

select all
 clear all

Totals Total Items: 1.0000 Total Quantity: 10.0000 Total Extended Cost: 10.0000
 Quantity Variance: 0.0000 Extended Cost Variance: 0.0000

OK Delete Items Cancel

Child Invoice Detail Window

4. In the Item field, enter the item ID, or click the LOV  button and select an item ID.
5. In the Invoice Qty field, enter the number of units on the invoice.
6. In the Unit Cost field, enter the cost of one unit of the item.
7. In the VAT Code - Rate field, select the VAT rate that is applied for this invoice
8. Click **Add Item**. The item is added to the invoice.

Edit an Item

1. In the table, double-click an item. The editable fields above the table are enabled.
2. Update the enabled fields as necessary.
3. Click **Update Item**.

Delete an Item

1. In the Delete column, select the item you are deleting.

Note: To delete all items on the Child Invoice Detail window, click select all.

2. Click **Delete Items**. You are prompted to confirm the deletion.
3. Click **OK**. The item is deleted.

Complete the Invoice

1. Click **OK** to save the changes and close the Child Invoice Detail window.
2. Click **OK** to save the changes and close the Parent Invoice Header window.

Create Documents

Merchandise Invoices

There are three ways invoices are loaded into the system: EDI, group entry, and single invoice entry. An invoice is the bill for goods or services received from a supplier or partner. A merchandise invoice is a document that a supplier sends to a retailer for merchandise items. A merchandise invoice can also contain additional non-merchandise costs. Because a merchandise invoice must involve items, only suppliers can send merchandise invoices.

In addition, deal bill backs will be available for automatic invoicing, sent to the ReIM from the merchandising system. Any non-merchandise invoices resulting from a deal will be created in either Submitted or Approved status, depending on the system setting selected in the merchandising system.

This section includes the following merchandise invoice instructions:

- Create a Merchandise Invoice
- Add Details to a Merchandise Invoice
- Set Default Item Details from a Receipt or Purchase Order

Create a Merchandise Invoice

Navigate: On the Document Maintenance tab, click Document Search. The Document Search window opens.

Document Search Window

Create the Merchandise Invoice Header

1. In the Action field, select New.
2. In the Document Type field, select Merchandise Invoice.
3. Click **OK**. The Invoice Maintenance Header window opens.

Invoice Maintenance Header Window

4. In the Invoice field, enter the number of the invoice.
5. In the Vendor field, enter the supplier ID, or click the LOV button and select a supplier.
6. In the Order No. field, enter the purchase order number associated with the invoice, or click the LOV button and select a purchase order.

Note: You can search for a purchase order by receipt, receipt date, and location information.

7. In the Invoice Date field, enter the date the invoice was created, or click the calendar button and select a date.
8. In the Location field, enter the location ID, or click the LOV button and select a location.
9. To calculate the payment due date, click the calculator button, found to the right of the Due Date field.
10. In the Total Cost Ex VAT field, enter the total amount of the merchandise and non-merchandise costs of the invoice before VAT is applied.
11. In the Total Cost Inc VAT, enter the total amount of the merchandise and non-merchandise costs of the invoice after VAT is applied.
12. Click **Calculate** to calculate the total merchandise cost of the invoice.
13. In the Invoice Qty field, enter the number of items on the invoice.

14. Add the invoice VAT cost.

- a. In the Total VAT Cost field, click the amount. The VAT Breakdown window opens.

VAT Breakdown				
Ex VAT Basis	VAT Code	VAT Rate	VAT Amounts	
0.0000	O	1	0.0000	
0.0000	P	5	0.0000	
0.0000	C	1	0.0000	
0.0000	E	0	0.0000	
0.0000	Z	0	0.0000	
0.0000	S	10	0.0000	
Total: 0.0000				

OK Calculate Total Cancel

VAT Breakdown Window

- b. In the Ex VAT Basis field, enter the amount on the invoice that is subject to VAT.
 c. Click **Calculate Total**. The amount of VAT appears in the total field.
 d. Click **OK** to close the window.

15. Add non-merchandise costs as necessary.

- a. In the Total Non-Merch Cost field, click the amount. The Non-Merchandise Cost window opens.

Non Merchandise Cost										
Document ID : 1										
	Amount									
Carrier Credit Allowance	0.0000									
Coop Ad/Merch Allowance (Perf)	0.0000									
Currency Adjustment	0.0000									
Currency Adjustment	0.0000									
Customs Broker Fee	0.0000									
Customs Duty	0.0000									
Declared Value for Customs	0.0000									
Defective Allowance	0.0000									
Deliver	0.0000									
Discount - Incentive	0.0000									
GL Cross-reference for										
	Segment 1	Segment 2	Segment 3	Segment 4	Segment 5	Segment 6	Segment 7	Segment 8	Segment 9	Segment 10
Type: Company	Location	Account	Department	Class	Affiliate	Future1	Future2	Future3	Future4	
Total: 0.0000										

OK Calculate Total Cancel

Non-Merchandise Cost Window

- b. In the Amount field, enter the appropriate non-merchandise charges.
 c. In the VAT Code - Rate field, select the VAT code and rate that is appropriate for each non-merchandise charge.

- d. Click **Calculate Total**. The sum of the non-merchandise costs appears in the Total field.
 - e. Click **OK** to save your changes and close the window.
16. Add comments as necessary.
 17. Enter additional information in the enabled fields as necessary.

Add Details to a Merchandise Invoice

Navigate: On the Document Maintenance tab, click Document Search. The Document Search window opens.

ORACLE You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci:@dv01r04, Data Source: rms12 Log
Path: /u00/webadmin/product/10.1.3/OracleAS_2/j2ee/reim13_MOSB_VatOff/log Authentication: DATABASE

Document Search

Action: View

Document Type: [Dropdown] Document ID (% for partial search): [Text]

Status: ALL (Except Posted) [Dropdown]

Vendor Type: Supplier [Dropdown] Vendor: [Text]

Order Number: [Text]

Location: [Text]

AP Reviewer: [Text]

In Cost Review: [Dropdown]

Cost Reviewer Group: [Text]

In Quantity Review: [Dropdown]

Quantity Reviewer Group: [Text]

Document Date Range: [Date] to [Date]

Due Date Range: [Date] to [Date]

Currency: [Text]

Consignment: [Dropdown] Deal: [Dropdown]

Document Cost Range: [Text] to [Text]

Quantity Range: [Text] to [Text]

Receipt: [Text]

Item: [Text]

Payment Terms: [Text]

Freight Payment Type: [Dropdown]

Details Exist: [Dropdown]

Pre-paid Invoice: [Dropdown]

OK Search Refresh Cancel

Document Search Window

1. Create the merchandise invoice header.
2. Click **Details**. The Invoice Maintenance Detail window opens.

ORACLE You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci:@dvolr04, Data Source: rms12 Log
 Path: /u00/webadmin/product/10.1.3/OracleAS_2j2ee/reim13_MOSB_VatOff/log Authentication: DATABASE

Invoice Maintenance Detail
 Invoice: SKG1202162410099000000000000001
 Supplier: 2400-Coca Cola - Charlotte Currency: USD
 Total Invoice Merch Cost: 100.0000 Total Invoice Qty: 10

Select	Receipt	Receiving Location	Description	Order No.	Total Receipt Amount	Receipt Qty	Avail Total Qty	Receipt Date
<input type="checkbox"/>	4010	1511	Phoenix	4503	100.0000	10		01-18-2008

select all
clear all

Items

Item Invoice Qty Unit Cost

Delete	Item	Description	Invoice Qty	Supplier Unit Cost	Inv. Unit Cost	Extended Cost
<input type="checkbox"/>	100145004	SKG Item 100145004	10	10.0000	10.0000	100.0000

select all
clear all

Totals	Total Items: 1	Total Invoice Quantity: 10	Total Extended Cost: 100.0000
		Invoice Quantity Variance: 0	Extended Cost Variance: 0.0000

Invoice Maintenance Detail Window

3. In the Item field, enter the item ID, or click the LOV button and select an item ID.
4. In the Invoice Qty field, enter the number of units on the invoice.
5. In the Unit Cost field, enter the cost of one unit of the item.
6. Click **Add Item**. The item is added to the invoice.

Edit an Item

1. In the table, double-click an item. The editable fields above the table are enabled.
2. Update the enabled fields as necessary.
3. Click **Update Item**. The table is updated with the new information.

Delete an Item

1. In the Delete column, select the item you are deleting.

Note: To delete all items on the Invoice Maintenance Detail window, click select all.

2. Click **Delete Items**. You are prompted to confirm the deletion.
3. Click **OK**. The item is deleted.

Complete the Invoice

1. Click **OK** to save the changes and close the Invoice Maintenance Detail window.
2. Click **OK** to save the changes and close the Invoice Header Maintenance window.

Set Default Item Details from a Receipt or Purchase Order

Navigate: On the Document Maintenance tab, click Document Search. The Document Search window opens.

Oracle logo and login information: You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci:@dvolr04, Data Source: rms12 Log Path: /u00/webadmin/product/10.1.3/OracleAS_2/j2ee/reim13_MOSB_VatOff/log Authentication: DATABASE

Document Search

Action: View

Document Type: [Dropdown] Document ID (% for partial search): [Text Box]

Status: ALL (Except Posted) [Dropdown]

Vendor Type: Supplier [Dropdown] Vendor: [Text Box]

Order Number: [Text Box] Location: [Text Box]

AP Reviewer: [Text Box]

In Cost Review: [Dropdown] Cost Reviewer Group: [Text Box]

In Quantity Review: [Dropdown] Quantity Reviewer Group: [Text Box]

Document Date Range: [Date Range Picker] Due Date Range: [Date Range Picker]

Currency: [Text Box]

Document Cost Range: [Text Box] Consignment: [Dropdown] Deal: [Dropdown]

Quantity Range: [Text Box]

Receipt: [Text Box] Item: [Text Box]

Payment Terms: [Text Box] Freight Payment Type: [Dropdown]

Details Exist: [Dropdown] Pre-paid Invoice: [Dropdown]

Buttons: OK, Search, Refresh, Cancel

Document Search Window

1. Create the merchandise invoice header.
2. Click **Details**. The Invoice Maintenance Details window opens.

Oracle logo and login information: You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci:@dvolr04, Data Source: rms12 Log Path: /u00/webadmin/product/10.1.3/OracleAS_2/j2ee/reim13_MOSB_VatOff/log Authentication: DATABASE

Invoice Maintenance Detail

Invoice: SKG1202162410099000000000000001

Supplier: 2400-Coca Cola - Charlotte Currency: USD

Total Invoice Merch Cost: 100.0000 Total Invoice Qty: 10

Select	Receipt	Receiving Location	Description	Order No.	Total Receipt Amount	Receipt Qty	Avail Total Qty	Receipt Date
<input type="checkbox"/>	4010	1511	Phoenix	4503	100.0000	10		0 01-18-2008

select all
clear all

Default from Receipts Default from Order

Items

Item: [Text Box] Invoice Qty: [Text Box] Unit Cost: [Text Box] Add Item Update Item

Delete	Item	Description	Invoice Qty	Supplier Unit Cost	Inv. Unit Cost	Extended Cost
<input type="checkbox"/>	100145004	SKG Item 100145004	10	10.0000	10.0000	100.0000

select all
clear all

Totals Total Items: 1 Total Invoice Quantity: 10 Total Extended Cost: 100.0000
Invoice Quantity Variance: 0 Extended Cost Variance: 0.0000

Buttons: OK, Delete Items, Cancel

Invoice Maintenance Detail Window

3. To default item details from a purchase order, click **Default from Order**. The item details from the purchase order you assigned to the invoice are displayed in the table.

To default item details from a receipt, click **Default from Receipts**. The available item details from the receipts you assigned to the invoice are displayed in the table.

4. Add, edit, and delete items as necessary.
5. Complete the invoice.

Non-Merchandise Invoices

A non-merchandise invoice is a document for non-merchandise costs only. It can be created by a supplier or a partner. Non-merchandise invoices cannot contain a bill for merchandise items.

Create a Non-Merchandise Invoice

Navigate: On the Document Maintenance tab, click Document Search. The Document Search window opens.





Document Search Window

1. In the Action field, select New.
2. In the Document Type field, select Non-Merchandise Invoice.

- Click **OK**. The Invoice Maintenance Header window opens.

Oracle Invoice Maintenance Header window showing fields for Document Type, Invoice, Invoice Status, Invoice Date, Match Date, Invoice Terms, Order Terms, Supplier Terms, Vendor Type, Vendor, Order No., Location, Invoice Currency, Exchange Rate, Due Date, Freight Payment Type, Total Merchandise Cost, Total Non-Merch Cost, Total Cost, Invoice Qty, Total Allowances, Ref No. 1-4, TERMS, and SOURCE. The window includes buttons for OK, Details, Comments, and Cancel.

Invoice Maintenance Header Window

- In the Invoice field, enter the number of the invoice.
- In the Vendor Type field, select the type of vendor from whom you are receiving the invoice.
- In the Vendor field, enter the vendor ID, or click the LOV  button and select a vendor.
- In the Location field, enter the location ID, or click the LOV  button and select a location
- In the Invoice Date field, enter the date the invoice was created, or click the calendar  button and select a date.
- To calculate the payment due date, click the calculator  button found to the right of the Due Date field.
- Enter additional information in the enabled fields as necessary.
- Add the invoice VAT cost.
 - In the Total VAT Cost field, click the amount. The VAT Breakdown window opens.

VAT Breakdown				
Ex VAT Basis	VAT Code	VAT Rate	VAT Amounts	
0.0000	O	1	0.0000	
0.0000	P	5	0.0000	
0.0000	C	1	0.0000	
0.0000	E	0	0.0000	
0.0000	Z	0	0.0000	
0.0000	S	10	0.0000	
Total: 0.0000				

OK Calculate Total Cancel

VAT Breakdown Window

- b. In the Ex VAT Basis field, enter the amount on the invoice that is subject to VAT.
 - c. Click **Calculate Total**. The VAT amount appears in the total field.
 - d. Click **OK** to close the window.
12. Add non-merchandise costs as necessary.
- a. In the Total Non-Merch Cost field, click the amount. The Non-Merchandise Cost window opens.

Non Merchandise Cost	
Document ID : 1	
	Amount
Carrier Credit Allowance	0.0000
Coop Ad/Merch Allowance (Perf)	0.0000
Currency Adjustment	0.0000
Currency Adjustment	0.0000
Customs Broker Fee	0.0000
Customs Duty	0.0000
Declared Value for Customs	0.0000
Defective Allowance	0.0000
Deliver	0.0000
Discount - Incentive	0.0000
GL Cross-reference for	
Segment 1	Segment 2
Segment 3	Segment 4
Segment 5	Segment 6
Segment 7	Segment 8
Segment 9	Segment 10
Type: Company	Location
Account	Department
Class	Affiliate
Future1	Future2
Future3	Future4
Total: 0.0000	

OK Calculate Total Cancel

Non-Merchandise Cost Window

- b. In the Amount field, enter the appropriate non-merchandise charges.
 - c. In the VAT Code - Rate field, select the VAT code and rate that is appropriate for each non-merchandise charge.
 - d. Click **Calculate Total**. The sum of the non-merchandise costs appears in the Total field.
 - e. Click **OK** to save your changes and close the window.
13. Add comments as necessary.
14. Click **OK** to save the changes and close the window.

Document Maintenance

In the document maintenance windows, you can edit documents, pay unmatched invoices, and view documents.

This section includes the following document maintenance instructions:

- Edit a Document
- Pay an Unmatched Invoice
- View a Document

Edit a Document

You can edit documents of the following types:

- Merchandise Invoice
- Credit Memo - Cost or Quantity
- Credit Note
- Credit Note Request - Cost, Quantity, or VAT
- Debit Memo - Cost, Quantity, or VAT

Note: You can edit only those documents that were created manually. Documents that were created through system processes are not editable. An error message is displayed if a document you select cannot be edited.

Navigate: On the Document Maintenance tab, click Document Search. The Document Search window opens.

Document Search Window

1. In the Action field, select Edit.
2. In the Document Type field, select the type of document you want to update.
3. Enter additional criteria as needed to make the search more restrictive.

4. Click **Search**. The Document Find window lists the documents that match the search criteria.

ORACLE You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci:@dvols02 Data Source: rmsdunqa121 Authentication: DATABASE Log Path: /u00/webad

Document Find Default View

Select	Doc Type	Doc Prefix	Doc ID	Status	Doc Date	Order No.	Due Date	Vendor	Vendor Desc	Location	Location Description
<input type="checkbox"/>	Credit Note Request - Cost CNC	CNCPSD1234-1		Approved	07-03-2009	401	08-02-2009	2345670000	David Fashion Creations P/L	1000000012	New York City
<input type="checkbox"/>	Credit Note Request - Cost CNC	CNCMAYANKA123		Approved	07-03-2009	48603	08-02-2009	2345670000	David Fashion Creations P/L	1000000000	Fargo
<input type="checkbox"/>	Credit Note Request - Cost CNC	DEAL50008-07-04-2009		Approved	07-04-2009		04-09-2009	2345670000	David Fashion Creations P/L	1000000000	Fargo
<input type="checkbox"/>	Credit Note Request - Cost CNC	CNC47020		Approved	07-03-2009	47020	08-02-2009	2345670000	David Fashion Creations P/L	1000000009	Atlanta Catalog
<input type="checkbox"/>	Credit Note Request - Cost CNC	CNC47510		Approved	07-03-2009	47510	07-14-2009	2345670000	David Fashion Creations P/L	1000000000	Fargo
<input type="checkbox"/>	Credit Note Request - Cost CNC	CNCCNC 123		Approved	06-17-2009		07-17-2009	2345670000	David Fashion Creations P/L	1234512345	Dunnes_QA1
<input type="checkbox"/>	Credit Note Request - Cost CNC	CNCHSB DUE		Approved	07-03-2009	47528	07-04-2009	2345670000	David Fashion Creations P/L	1000000000	Fargo
<input type="checkbox"/>	Credit Note Request - Cost CNC	CNCFGR43		Approved	07-03-2009	48606	08-02-2009	2345670000	David Fashion Creations P/L	1000000000	Fargo
<input type="checkbox"/>	Credit Note Request - Cost CNC	CNC7654YTR		Approved	07-03-2009	48604	08-02-2009	2345670000	David Fashion Creations P/L	1000000000	Fargo
<input type="checkbox"/>	Credit Note Request - Cost CNC	CNCINVC-47903		Approved	07-03-2009	47903	07-04-2009	2345670000	David Fashion Creations P/L	1000000000	Fargo
<input type="checkbox"/>	Credit Note Request - Cost CNC	CNCINVC-47806		Approved	07-03-2009	47806	07-04-2009	2345670000	David Fashion Creations P/L	1000000000	Fargo
<input type="checkbox"/>	Credit Note Request - Cost CNC	DEAL50008-07-04-2009		Approved	07-04-2009		04-09-2009	2345670000	David Fashion Creations P/L	1000000000	Fargo
<input type="checkbox"/>	Credit Note Request - Cost CNC	CNC48601		Approved	07-03-2009	48601	08-02-2009	2345670000	David Fashion Creations P/L	1000000000	Fargo
<input type="checkbox"/>	Credit Note Request - Cost CNC	CNC47017		Approved	07-03-2009	47017	08-02-2009	2345670000	David Fashion Creations P/L	1000000009	Atlanta Catalog
<input type="checkbox"/>	Credit Note Request - Cost CNC	CNCCNC 11234		Approved	06-17-2009	45905	07-17-2009	2345670000	David Fashion Creations P/L	1234512345	Dunnes_QA1

1 2 [Next]

Pay Invoice Delete Cancel

Document Find Window

5. In the Doc ID column, click a document number.

If you select an invoice, the Invoice Maintenance Header window opens. For other document types, the Document Maintenance Header window opens.

ORACLE You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci:@dvols02 Data Source: rmsdunqa121 Authentication: DATABASE Log Path: /u00/webadmin/product/10.1.3/OracleAS_11j2ee/ncim121qa-instance/ncim-online.log

Document Maintenance Header

Document ID: CNC CNCFGR43

Supplier: 2345670000 David Fashion Creations P/L

Order No: 48606

Location: 1000000000 Fargo

Document Type: Credit Note Request - Cost

Document Status: Approved

RTV Chargeback Ind: ☐

RTV Order No:

Approve Date: 07-03-2009

Document Date: 07-03-2009

Payment Terms: 1 01 002.50% 030 060

Due Date: 08-02-2009

Deal:

Document Currency: USD Exchange Rate: 1.57

☐ Consignment

☐ Fixed Deal

☐ Complex Deal

Total Merchandise Cost: (1,000.0000)

Total Non-Merch Cost: 0.0000

Total Document Cost: (1,000.0000)

Document Qty: 100

Ref No. 1:

Ref No. 2:

Ref No. 3:

Ref No. 4:

OK OK+Repeat Details Approve Create Credit Note Reverse Void Comments Cancel

Document Maintenance Header Window

6. Edit the enabled fields as necessary.
7. Click **Details**.

For an invoice, the Invoice Maintenance Detail window opens. For other document types, the Document Maintenance Detail window opens.

8. Add items to the document as necessary.
 - a. In the Item field, enter an item ID or description and click the LOV button to select an item.
 - b. Complete the other enabled fields.

- c. Click **Add Item**. The item is added to the document.
9. Delete items from the document as necessary.
 - a. In the Delete column, select the item you are deleting.

Note: To select all of the items, click the **select all** link in the Items area. To deselect all, click the **clear all** link.
 - b. Click **Delete Items**. You are prompted to confirm the deletion.
 - c. Click **OK**. The item is deleted.
10. Click **OK** to save your changes to details and close the window.
11. Click **OK** again to save your changes to the header and close the window. You return to the Document Find window.

Pay an Unmatched Invoice

Navigate: On the Document Maintenance tab, click Document Search. The Document Search window opens.

Document Search Window

1. Search for a merchandise invoice in Edit mode. The Document Find window opens.

Select	Doc Type	Doc Prefix	Doc ID	Status	Doc Date	Order No.	Due Date	Vendor	Vendor Desc	Location	Location Desc
<input type="checkbox"/>	Merchandise Invoice	SKG1202162410099000000000000001		Matched	01-17-2008	4503	02-17-2008	2400	Coca Cola - Charlotte	1511	Phoenix
<input type="checkbox"/>	Merchandise Invoice	SKG1201813851545000000000000001		Ready for Match	01-14-2008	3901	03-31-2008	2400	Coca Cola - Charlotte	1511	Phoenix
<input type="checkbox"/>	Merchandise Invoice	INV_3001		Ready for Match	01-12-2008	3001	02-11-2008	3020	Battery Supplier	1111	Charlotte *
<input type="checkbox"/>	Merchandise Invoice	SKG1202162409853000000000000000		Matched	01-17-2008	4503	02-17-2008	2400	Coca Cola - Charlotte	1421	Portland
<input type="checkbox"/>	Merchandise Invoice	INV_3002		Ready for Match	01-12-2008	3002	02-11-2008	999	MISOB_Supplier1_US	400	MISOB_Store3_O
<input type="checkbox"/>	Merchandise Invoice	SKG1201813851323000000000000000		Ready for Match	01-14-2008	3901	03-31-2008	2400	Coca Cola - Charlotte	1421	Portland

Document Find Window

2. In the Select column, click the check box to the left of the invoice you want to pay.

3. Click **Pay Invoice**. You are prompted to confirm the payment.
4. Click **OK**. The invoice is sent to the financials system for payment.
5. Click **Cancel** to close the window.

View a Document

Navigate: On the Document Maintenance tab, click Document Search. The Document Search window opens.

Document Search Window

1. Search for a document in View mode. The Document Find window displays the documents that match the search criteria.

ORACLE®

You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci:@dvol04 Data Source: rms12 Log Path: /u00/webadmin/product/10.1.3/OracleAS_2

Document Find

Default View

Select	Doc Type	Doc Prefix	Doc ID	Status	Doc Date	Order No.	Due Date	Vendor	Vendor Desc	Location	Location De
				All	All	All	All	All	All	All	All
<input type="checkbox"/>	Merchandise Invoice		SKG120215241009900000000000000001	Matched	01-17-2008	4503	02-17-2008	2400	Coca Cola - Charlotte	1511	Phoenix
<input type="checkbox"/>	Merchandise Invoice		SKG120181385154500000000000000001	Ready for Match	01-14-2008	3901	03-31-2008	2400	Coca Cola - Charlotte	1511	Phoenix
<input type="checkbox"/>	Merchandise Invoice	INV 3001		Ready for Match	01-12-2008	3001	02-11-2008	3020	Battery Supplier	1111	Charlotte *
<input type="checkbox"/>	Merchandise Invoice		SKG120215240985300000000000000000	Matched	01-17-2008	4503	02-17-2008	2400	Coca Cola - Charlotte	1421	Portland
<input type="checkbox"/>	Merchandise Invoice	INV 3002		Ready for Match	01-12-2008	3002	02-11-2008	999	MSOB_Supplier1_US	400	MSOB_Store3_0
<input type="checkbox"/>	Merchandise Invoice		SKG120181385132300000000000000000	Ready for Match	01-14-2008	3901	03-31-2008	2400	Coca Cola - Charlotte	1421	Portland

1

Pay Invoice

Delete

Cancel

Document Find Window

- To view the detail of a document, click **Details**. Click **Cancel** to close the details window.
 - To view comments associated with the document, click **Comments**. Click **OK** to close the comments window.
 - If you are working with a debit memo or credit note request, click **Create Credit Note** to create a credit note associated with the debit memo or credit note request.
2. Click **Cancel** to close the header window. You return to the Document Find window.

Match Documents

Match Credit Notes

Summary Match Credit Notes

The summary matching windows allow you to match credit notes and credit notes requests. By limiting the credit note request and credit note criteria on the Summary Match Find window, you can view credit note requests and credit notes with similarities.

This section includes the following summary credit note matching instructions:

- Search for Credit Note Requests and Credit Notes to Match
- Summary Match Credit Notes and Credit Note Requests

Search for Credit Note Requests and Credit Notes to Match

Navigate: On the Credit Note Matching tab, click Summary Match. The Document Summary Match Find window opens.

The screenshot shows the 'Document Summary Match Find' window in Oracle. The top bar indicates the user is logged in as 'Admin User ADMIN' with a database URL and data source. The window is divided into two main sections: 'Credit Note' and 'Credit Note Request'. Each section has a set of search criteria including Order Number, Location, Document ID (with a partial search checkbox), Item, Due Date, Document Date, Details Exist (dropdown), Currency, and Document Cost. At the bottom, there are buttons for 'OK', 'Refresh', and 'Cancel'.

Document Summary Match Find Window

1. Enter criteria as desired to make the search more restrictive. You must enter at least one search criterion.

- Click **OK**. The Summary Match - Supplier List window displays the credit note requests and credit notes for each supplier that match the search criteria.

ORACLE You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci:@dvolr04, Data Source: rms12 Log
Path: /u00/webadmin/product/10.1.3/OracleAS_2/j2ee/reim13_MOSB_VatOff/log Authentication: DATABASE

Summary Match - Supplier List

Supplier Name	Supplier	No. of Invoices	No. of Receipts
MSOB Supplier1 US	999	1	8
General Book Supplier	3030	0	1
Local Supplier #1	2900	0	2
Local Grocery Supplier #1	6000	0	2
MSOB Supplier2 CZ	666	0	1
Battery Supplier	3020	1	0
Coca Cola - Charlotte	2400	2	4

Cancel

Summary Match - Supplier List Window

- In the Supplier Name field, click a supplier name. The Document Summary Match List window opens.
- Click **Cancel** to close the window without saving any changes.

Summary Match Credit Notes and Credit Note Requests

Navigate: On the Credit Note Matching tab, click Summary Match. The Document Summary Match Find window opens.

ORACLE You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci:@dvolr04, Data Source: rms12 Log
Path: /u00/webadmin/product/10.1.3/OracleAS_2/j2ee/reim13_MOSB_VatOff/log Authentication: DATABASE



Document Summary Match Find

AP Reviewer: ADMIN Q User: Admin
Supplier: Q
☒ Include Suppliers In Group

Credit Note	Credit Note Request
Order Number: Q	Order Number: Q
Location: Q	Location: Q
Document ID (% for partial search):	Document ID (% for partial search):
Item: Q	Item: Q
Due Date: to	Due Date: to
Document Date: to	Document Date: to
Details Exist: v	Details Exist: v
Currency: Q	Currency: Q
Document Cost: to	Document Cost: to

OK Refresh Cancel

Document Summary Match Find Window

- Search for and retrieve a supplier whose credit notes you want to match. The Document Summary Match List window opens.
- In the unmatched area, select the credit notes and credit note requests you want to match.
 - To add credit notes or credit note requests to the matching area, select the check box to the left of the invoice or the receipt you want to add. Click the down arrow  button.
 - To remove credit notes or credit note requests from the matching area, select the check box to the left of the invoice or the receipt you want to remove. Click the up arrow  button.

3. If the Credit Notes and the Credit Note Requests match within tolerance, click **Online Match**. You return to the main menu.

Note: If you fail to create a summary match, you may begin detail matching. Click **Details** to open the Detail Matching window. If details are not present, you can add details to a credit note. Click the Document Number to begin adding details.

4. When you are finished making summary matches, click **Cancel** to close the window and return to the main menu.

Detail Match Credit Notes

Detail matching provides the last level of matching possible. The Document Detail Match List window contains two tabs to help you match credit notes and credit note requests at the line item level.

- In Discrepancy Items tab: Use this tab to match line items on credit notes and credit note requests. Discrepancies can be sent for cost resolution or quantity resolution.
- In Balance Items tab: Use this tab to view line items on a credit note and credit note request that match within tolerance.

This section includes the following detail credit note matching instructions:





- Group Credit Notes and Credit Note Requests for Detail Matching
- View the In Balance Items Tab

Group Credit Notes and Credit Note Requests for Detail Matching

Navigate: On the Credit Note Matching tab, click Summary Match. The Document Summary Match Find window opens.

Document Summary Match Find Window

1. Search for and retrieve credit notes and credit note requests for detail matching. The Document Summary Match List window opens.

2. In the unmatched area, select the credit notes and credit note requests you want to match.
 - To add credit notes or credit note requests to the matching area, select the check box to the left of the credit note or the credit note request you want to add. Click the down arrow  button.
 - To remove credit notes or credit note requests from the matching area, select the check box to the left of the credit note or the credit note request you want to remove. Click the up arrow  button.
3. Click **Details**. The Document Detail Match List window opens.
4. To match items on credit notes to items on credit note requests:
 - a. On the In Discrepancy Items tab, select the check box to the left of the item you want to match.
 - b. Click the down arrow  button. The document is added to the Detail Item Grouping area.
5. Remove line items as necessary:
 - a. In the Detail Item Grouping area, select the check box to the line item you want to remove.
 - b. Click the up  arrow button. The line item is removed from the Detail Item Grouping area.
6. Resolve discrepancies:
 - Click **Cost Resolution** to resolve cost discrepancies. The Cost Selection window opens.
 - Click **Qty Resolution** to resolve quantity discrepancies. The Quantity Selection window opens.
 - Click **VAT Resolution** to resolve VAT discrepancies. The VAT Selection window opens.
7. Click **Detail Match**. The items are ready to match.
8. After you have matched all the credit notes and credit note requests, click **OK**.

View the In Balance Items Tab

Navigate: On the Credit Note Matching tab, click Summary Match. The Document Summary Match Find window opens.

ORACLE You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci:@vol04 Data Source: rms12 Log
Path: /u00/webadmin/product/10.1.3/OracleAS_2/j2ee/reim13_MQSB_ValOfflog Authentication: DATABASE

Document Summary Match Find

AP Reviewer: ADMIN [User: Admin]
Supplier: []
☒ Include Suppliers in Group

Credit Note

Order Number []
Location []
Document ID (% for partial search) []
Item []
Due Date [] to []
Document Date [] to []
Details Exist []
Currency []
Document Cost [] to []

Credit Note Request

Order Number []
Location []
Document ID (% for partial search) []
Item []
Due Date [] to []
Document Date [] to []
Details Exist []
Currency []
Document Cost [] to []

OK Refresh Cancel

Document Summary Match Find Window

1. Search for and retrieve credit notes and credit note requests for detail matching. The Document Summary Match List window opens.
2. Click **Details**. The Document Detail Match List window opens.
3. Click the In Balance Items tab.
4. Click **OK** to close the window.

Match Invoices

Summary Match Invoices

In the summary matching windows, you can match invoices and receipts that have not been matched previously through the auto-match process. By limiting the invoice and receipt criteria on the Summary Match Find window, you can view similar invoices and receipts.

After you find the invoices and receipts you want to match, you can match auto-groups or manual groups. Auto-groups are created when you enter the Summary Match window. An auto-group is created by ReIM and consists of potential matches between receipts and invoices. If you modify an auto-group in any way, it becomes a manual group.

Manual groups are created when you select an invoice and a receipt in the unmatched area. Your selection is held in the Group - Manual area until you verify that the variances fall within tolerance.

This section includes the following summary invoice matching instructions:

- Search for Invoices and Receipts to Match
- Create Groups
- Summary Match Invoices and Receipts

Search for Invoices and Receipts to Match

Navigate: On the Invoice Matching tab, click Summary Match. The Invoice Summary Match Find window opens.

The screenshot shows the 'Oracle Invoice Summary Match Find' window. At the top, a status bar indicates the user is logged in as 'Admin User ADMIN' with a database URL and data source. Below this, the window title is 'Invoice Summary Match Find'. The main area is divided into two columns: 'Invoice' and 'Receipt'. Each column has several search criteria with input fields and dropdown menus. The 'Invoice' column includes fields for Order Number, Location, Status, Document ID, Item, Due Date, Document Date, Details Exist, Currency, and Document Cost. The 'Receipt' column includes fields for Order Number, Location, Receipt, Item, Receipt Date, Currency, and Receipt Cost. There are checkboxes for 'Include Suppliers In Group', 'Limit to invoice driven search', and 'Hide groups with receipt overages'. At the bottom, there are buttons for 'OK', 'Refresh', and 'Cancel'.

Invoice Summary Match Find Window

1. Enter criteria to make the search more restrictive. You must enter at least one search criterion.

2. Click **OK**. The Summary Match - Supplier List window displays the invoices and receipts for each supplier that match the search criteria.

ORACLE You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci:@dv01r04, Data Source: rms12 Log
Path: /u00/webadmin/product/10.1.3/OracleAS_2/j2ee/reim13_MOSB_ValOff/ilog Authentication: DATABASE

Summary Match - Supplier List

Supplier Name	Supplier	No. of Invoices	No. of Receipts
MSOB_Supplier1_US	999	1	8
General Book Supplier	3030	0	1
Local Supplier #1	2900	0	2
Local Grocery Supplier #1	6000	0	2
MSOB_Supplier2_CZ	666	0	1
Battery Supplier	3020	1	0
Coca Cola - Charlotte	2400	2	4

Cancel

Summary Match - Supplier List Window

3. In the Supplier Name field, click a supplier name. The Summary Match List window opens.

ORACLE

You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci:@dv01r04, Data Source: rms12 Log

Path: /u00/webadmin/product/10.1.3/OracleAS_2/j2ee/reim13_MOSB_ValOff/ilog Authentication: DATABASE

Summary Match List

Supplier: 3030-General Book Supplier

Invoices - Unmatched

Select	Order No.	Supp Name	Location	Invoice	Invoice Date	Total Qty	Total Merch Cost	Curr Code	In Rev	Dets Ext
No records found										

Receipts - Unmatched

Select	Order No.	Supp Name	Location	Receipt	Receipt Date	Avail Total Qty	Avail Total Merch Cost	Curr Code
<input type="checkbox"/>	3601	General Book Supplier	1111	3301	01-12-2008	30	300.0000	USD

Selected Totals:

Total Qty:

Total Cost:

Total Qty:

Total Cost:

Calculate Totals

Group

Groups - Auto

Select	Order No.	Location	Earliest Due Date	Cost Variance	Quantity Variance	Currency
No records found						

Groups - Manual

Select	Manual Group Number	Earliest Due Date	Cost Variance	Quantity Variance	Currency
No records found					

Combine

Cancel

Summary Match List Window

- a. If the records for that supplier are in use, the **View Locks** button appears.
- b. Click **View Locks**. The View Locks window opens.

Note: To switch between the locked invoices and locked receipts views, click the tabs.
- c. Click **Cancel** to close the window.
4. Click **Cancel** to close the window without saving any changes.

Create Groups

Navigate: On the Invoice Matching tab, click Summary Match. The Invoice Summary Match Find window opens.

ORACLE You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci:@dvolr04. Data Source: rms12 Log
Path: /u00/webadmin/product/10.1.3/OracleAS_2/j2ee/reim13_MOSB_VatOff/log Authentication: DATABASE

Invoice Summary Match Find

AP Reviewer: ADMIN User, Admin
Supplier:
☒ Include Suppliers In Group

Invoice

Order Number:
Location:
Status:
Document ID (% for partial search):
Item:
Due Date: to
Document Date: to
Details Exist:
Currency:
Document Cost: to
☐ Limit to invoice driven search

Receipt

Order Number:
Location:
Receipt:
Item:
Receipt Date: to
Currency:
Receipt Cost: to
☒ Hide groups with receipt overages

OK Refresh Cancel

Invoice Summary Match Find Window

1. Search for and retrieve a supplier whose invoices you want to match. The Summary Match - Supplier List window opens.

ORACLE You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci:@dvolr04. Data Source: rms12 Log
Path: /u00/webadmin/product/10.1.3/OracleAS_2/j2ee/reim13_MOSB_VatOff/log Authentication: DATABASE

Summary Match - Supplier List

Supplier Name	Supplier	No. of Invoices	No. of Receipts
MSOB Supplier1 US	999	1	8
General Book Supplier	3030	0	1
Local Supplier #1	2900	0	2
Local Grocery Supplier #1	6000	0	2
MSOB Supplier2 CZ	666	0	1
Battery Supplier	3020	1	0
Coca Cola - Charlotte	2400	2	4

Cancel

Summary Match List Window

2. To create a manual group:
 - a. In the Invoices - Unmatched area, select the check box to the left of the invoice you want to match.
 - b. In the Receipts - Unmatched area, select the check box to the left of the receipt you want to match.
 - c. Click **Group**. The match appears in the Manual Match - Group area.

3. To combine multiple groups:
 - a. Select the check boxes to the left of groups you want to combine.

Note: You can combine auto-groups with auto-groups, auto-groups with manual groups, or manual groups with manual groups.

- b. Click **Combine**. Your new group appears in the Manual Match - Group area.
4. Click **OK** to continue creating manual groups.

Summary Match Invoices and Receipts

Navigate: On the Invoice Matching tab, click Summary Match. The Invoice Summary Match Find window opens.



The screenshot shows the 'Oracle Invoice Summary Match Find' window. At the top, it displays the user's login information: 'You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci:@dv04 Log Path: /u00/webadmin/product/10.1.3/OracleAS_2/j2ee/reim13_MOSB_VatO#log Authentication: DATABASE'. The window is divided into two main sections: 'Invoice' and 'Receipt'. Each section contains search criteria fields such as Order Number, Location, Status, Document ID, Item, Due Date, Document Date, Details Exist, Currency, and Document Cost. There are also checkboxes for 'Include Suppliers In Group' and 'Limit to invoice driven search'. At the bottom, there are buttons for 'OK', 'Refresh', and 'Cancel'.

Invoice Summary Match Find Window

1. Search for and retrieve a supplier whose invoices you want to match. The Summary Match List window opens.

The screenshot shows the 'Oracle Summary Match List' window. It displays a table of unmatched invoices and receipts for the supplier '3030-General Book Supplier'. The table has columns for Order No., Supp Name, Location, Invoice Date, Total Qty, Total Merch Cost, Curr Code, In Rev, and Dets Ext. There are also buttons for 'Calculate Totals' and 'Group'. At the bottom, there are buttons for 'Combine' and 'Cancel'.

Summary Match List Window

2. To begin matching, in the Groups area:
 - In the Groups - Auto area, click the Order No. The Summary Match - Auto Match area appears.
 - In the Groups - Manual area, click the Manual Group Number. The Summary Match - Manual Match area appears.
3. Groups must fall within tolerance before you can match them. You can try to eliminate the tolerance by:
 - Adding invoices or receipts to the matching area. In the unmatched area, select the check box to the left of the invoice or the receipt you want to add. Click the down arrow  button.
 - Removing invoices or receipts from the matching area. In the Summary Match area, select the check box to the left of the invoice or the receipt you want to remove. Click the up arrow  button.
4. Click **Online Match**. If a match is created, the Summary Match List window displays the auto-groups and manual groups.

Note: If you fail to create a summary match, you can begin detail matching. Click **Details** to open the Detail Matching window.
5. When you are finished making summary matches, click **Cancel** to close the windows and return to the main menu.

Detail Match Invoices

Detail matching provides the last level of matching possible. The Detail Matching window contains two tabs to help you match invoices and receipts at the line item level.

- In Discrepancy Items tab: Use this tab to match line items on invoices and receipts. Discrepancies can be sent for cost resolution or quantity resolution, or you can split a receipt quantity.
- In Balance Items tab: Use this tab to view line items on an invoice and receipts that match within tolerance.

This section includes the following detail invoice matching instructions:

- Group Invoices and Receipts for Detail Matching
- Split a Receipt
- View the In Balance Items Tab
- View Deals Associated with Invoices or Orders

Group Invoices and Receipts for Detail Matching

Navigate: On the Invoice Matching tab, click Summary Match. The Invoice Summary Match Find window opens.

ORACLE You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci:@dv01r04, Data Source: rms12 Log
Path: /u00/webadmin/product/10.1.3/OracleAS_2/j2ee/reim13_MOSB_VaIOfflog Authentication: DATABASE

Invoice Summary Match Find

AP Reviewer: ADMIN User, Admin
Supplier:
☒ Include Suppliers In Group

Invoice

Order Number:
Location:
Status:
Document ID (% for partial search):
Item:
Due Date: to
Document Date: to
Details Exist:
Currency:
Document Cost: to
☐ Limit to invoice driven search

Receipt

Order Number:
Location:
Receipt:
Item:
Receipt Date: to
Currency:
Receipt Cost: to
☒ Hide groups with receipt overages

OK Refresh Cancel

Invoice Summary Match Find Window

1. Search for and retrieve invoices and receipts for detail matching. The Summary Match List window opens.

ORACLE You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci:@dv01r04, Data Source: rms12 Log
Path: /u00/webadmin/product/10.1.3/OracleAS_2/j2ee/reim13_MOSB_VaIOfflog Authentication: DATABASE

Summary Match List
Supplier: 3030-General Book Supplier

Invoices - Unmatched

Select	Order No.	Supp Name	Location	Invoice Date	Total Qty	Total Merch Cost	Curr Code	In Rev	Details

No records found

Receipts - Unmatched

Select	Order No.	Supp Name	Location	Receipt Date	Avail Total Qty	Avail Total Merch Cost	Curr Code
<input type="checkbox"/>	3601	General Book Supplier	1111	01-12-2008	30	300.0000	USD

Selected Totals: Total Qty: Total Cost: Calculate Totals Group

Groups - Auto

Select	Order No.	Location	Earliest Due Date	Cost Variance	Quantity Variance	Currency

No records found

Groups - Manual



Select	Manual Group Number	Earliest Due Date	Cost Variance	Quantity Variance	Currency

No records found

Combine Cancel


Summary Match List Window

2. Group invoices and receipts as necessary.
3. In the selected totals area:
 - In the Groups - Auto area, click the Order No. The Summary Match - Auto Match area opens.
 - In the Groups - Manual area, click the Manual Group Number. The Summary Match - Manual Match area opens.

4. Click **Details**. The Detail Matching window opens.
5. To match items on invoices to items on receipts:
 - a. On the In Discrepancy Items tab, select the check box to the left of the item you want to match.
 - b. Click the down arrow  button. The document is added to the Detail Item Grouping area.
6. Remove line items as necessary:
 - a. In the Detail Item Grouping area select the check box to the line item you want to remove.
 - b. Click the up  arrow button. The line item is removed from the Detail Item Grouping area.
7. If the invoice and receipt match within tolerance:
 - Click **Cost Resolution** to resolve cost discrepancies. The Cost Selection window opens.
 - Click **Qty Resolution** to resolve quantity discrepancies. The Quantity Selection window opens.
8. Click **Detail Match**. The items are posted for payment.
9. After you have matched all the items on an invoice, click **OK** to post the invoice for payment.

Split a Receipt

Navigate: On the Invoice Matching tab, click Summary Match. The Invoice Summary Match Find window opens.



The screenshot shows the 'Oracle Invoice Summary Match Find' window. At the top, it displays the Oracle logo and a status bar with user information: 'You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci:@dvolr04. Data Source: rms12 Log Path: /u00/webadmin/product/10.1.3/OracleAS_2/j2ee/reim13_MOSB_VaIO#log Authentication: DATABASE'. The main window is divided into two main sections: 'Invoice' and 'Receipt'. The 'Invoice' section contains fields for Order Number, Location, Status (a dropdown menu), Document ID (% for partial search), Item, Due Date (with a date range selector), Document Date (with a date range selector), Details Exist (a dropdown menu), Currency, and Document Cost (with a range selector). There is also a checkbox for 'Limit to invoice driven search'. The 'Receipt' section contains fields for Order Number, Location, Receipt, Item, Receipt Date (with a date range selector), Currency, and Receipt Cost (with a range selector). There is a checkbox for 'Hide groups with receipt overages'. At the bottom of the window are three buttons: 'OK', 'Refresh', and 'Cancel'.

Invoice Summary Match Find Window

1. Search for and retrieve invoices and receipts for detail matching.
2. Group invoices and receipts as necessary.

3. In the Detail Item Grouping area, select the check box to the left of the receipt you want to split.
4. Click **Split Receipt**. The Split Receipt window opens.
5. In the Excess Quantity field, enter the amount you want to remove from the receipt.
6. Click **OK**. The Detail Matching window opens.

Note: The quantity you removed from the receipt appears on the In Discrepancy Item tab on the Detail Matching window.

View the In Balance Items Tab

Navigate: On the Invoice Matching tab, click Summary Match. The Invoice Summary Match Find window opens.

The screenshot shows the 'Invoice Summary Match Find' window in Oracle. The top bar indicates the user is logged in as 'Admin User ADMIN' with a database URL and data source. Below this, there are search fields for 'AP Reviewer' (set to 'ADMIN') and 'Supplier'. A checkbox labeled 'Include Suppliers In Group' is checked. The main content area is split into two panels: 'Invoice' and 'Receipt'. Each panel contains multiple search criteria: Order Number, Location, Status (a dropdown menu), Document ID (% for partial search), Item, Due Date (with a date range selector), Document Date (with a date range selector), Details Exist (a dropdown menu), Currency, and Document Cost (with a range selector). At the bottom of the window, there are three buttons: 'OK', 'Refresh', and 'Cancel'.

Invoice Summary Match Find Window

1. Search for and retrieve invoices and receipts for detail matching.
2. Click on the In Balance Items tab.
3. Click **OK** to close the window.

View Deals Associated with Invoices or Orders

Navigate: On the Invoice Matching tab, click Summary Match. The Invoice Summary Match Find window opens.

Oracle
You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci://@svolr04... Data Source: rms12 Log
Path: /u00/webadmin/product/10.1.3/OracleAS_2/j2ee/reim13_MOSB_VatO#log Authentication: DATABASE

Invoice Summary Match Find

AP Reviewer: ADMIN User, Admin
Supplier:
☒ Include Suppliers In Group

Invoice	Receipt
Order Number	Order Number
Location	Location
Status	Receipt
Document ID (% for partial search)	Item
Item	Receipt Date
Due Date	Currency
Document Date	Receipt Cost
Details Exist	<input checked="" type="checkbox"/> Hide groups with receipt overages
Currency	
Document Cost	
<input type="checkbox"/> Limit to invoice driven search	

OK Refresh Cancel

Invoice Summary Match Find Window

1. Search for and retrieve invoices and receipts for detail matching.
2. Group invoices and receipts as necessary.
3. To view deal associations:
 - In the Invoice area, click Yes in the Invoice Deals Exist column. The Invoice Deals window opens.
 - In the Receipt area, click Yes in the Order Deals Exist column. The Invoice Deals window opens.
4. Click **OK** to close the window.

Resolve Discrepancies

Cost Discrepancies

Review Cost Discrepancies

A cost discrepancy is the difference between the cost on a receipt and the cost on a merchandise invoice. When there is a cost discrepancy in the system, in either the retailer's or supplier's favor, a reviewer must do a cost review.

When a cost discrepancy is identified, you must review and reconcile the discrepancy. Discrepancies are routed to reviewer groups. The cost discrepancy is based on a comparison between the invoice and the receipt. If a receipt is not available, the invoice is compared to the purchase order. Depending on your user permissions, you may or may not be able to access this window or all discrepancies.

Cost discrepancies are created during the auto-match process when the invoice cost does not match the purchase order cost. Cost discrepancies are also created when a debit memo is disputed.


This section includes the following cost discrepancy resolution instructions:

- Resolve Cost Discrepancies


Resolve Cost Discrepancies

Navigate: On the Invoice Matching tab, click Cost Review List. The Cost Review List window opens.

Cost Review List Window

1. In the No. of Line Exceptions column, click the line exception. The Cost Review Detail window opens.
2. In the Item column, click the item number of the line you want to resolve. The Cost Selection window opens.
3. In the Correct Unit Cost area, select the correct cost of the item: order, invoice, or other. If you select Other, enter the amount in the field to the right.
4. Click **Next**. The Cost Variance Resolution window opens.
5. In the Apply area:
 - a. In the Enter Reason ID field, enter the reason ID, or click the LOV  button to select a reason.

Note: You cannot apply a reason code of Debit Memo Cost or Credit Memo Cost to a child invoice that results from a split invoice. The invoice must be routed to Accounts Payable for resolution.

- b. In the Amount field, enter the monetary amount of the discrepancy.
 - c. Add comments as necessary.
 - d. If necessary, in the Re-route to Group field, enter the ID of the review group to which you want to send this, or click the LOV  button to select a group.
 - e. Click **Apply**. The information is added to the Resolution area.
6. To delete a resolution you have added:
 - a. On the list of cost discrepancy resolutions, select the check box next to the resolution you want to delete.
 - b. Click **Delete**.
 - c. You are prompted to confirm the deletion. Click **OK**.
7. Click **OK** to save your changes and close the window.

Quantity Discrepancies


Review Quantity Discrepancies

When a quantity discrepancy has been identified, you must review and reconcile the discrepancy. Discrepancies are routed to reviewer groups. The quantity discrepancy is based on a comparison between the invoice and the receipt. If a receipt is not available, the invoice is compared to the purchase order. Depending on your user permissions, you may or may not be able to access this window or all discrepancies.


Quantity discrepancies are created during the auto-match process when the invoice quantity does not match the purchase order quantity. Quantity discrepancies are also created when a debit memo is disputed.

Resolve Quantity Discrepancies


Navigate: On the Invoice Matching tab, click Quantity Review List. The Quantity Review List window opens.



Quantity Review List Window

1. In the Quantity Difference column, click the amount. The Quantity Review Detail window opens.
2. In the Item column, click the item number of the line you want to resolve. The Quantity Selection window opens.
3. In the Correct Quantity area, select the quantity of the item. If you select Other, enter the quantity in the field to the right.
4. Click **Next**. The Quantity Variance Resolution window opens.
5. In the Apply area:
 - a. In the Enter Reason field, enter the reason ID, or click the LOV  button to select a reason.

Note: You cannot apply a reason code of Debit Memo Quantity or Credit Memo Quantity to a child invoice that results from a split invoice. The invoice must be routed to Transportation for resolution.

- b. In the Quantity field, enter the number of units in dispute.
 - c. Add comments as necessary.
 - d. If necessary, in the Re-route to Group field, enter the ID of the group to which you want to send this, or click the LOV  button to select a group.
 - e. In the Receipt field, identify the receipt associated with the discrepancy.
 - f. Click **Apply**. The information is added to the Resolution area.
6. To delete a resolution you have added:
 - a. On the list of quantity discrepancy resolutions, select the check box next to the resolution you want the delete.
 - b. Click **Delete**.
 - c. You are prompted to confirm the deletion. Click **OK**.
 7. Click **OK** to save your changes and close the window.

VAT Discrepancies

Review VAT Discrepancies

A value added tax (VAT) discrepancy is the difference between the VAT on a receipt and the VAT on a merchandise invoice. When there is a VAT discrepancy in either the retailer's or supplier's favor, a reviewer must do a VAT review. VAT discrepancies can also exist for header-only invoices.

When a VAT discrepancy is identified, you must review and reconcile the discrepancy. Discrepancies are routed to reviewer groups. The VAT discrepancy is based on a comparison between the invoice and the receipt. If a receipt is not available, the invoice is compared to the purchase order. Depending on your user permissions, you may or may not be able to access these windows or all discrepancies. Header-only VAT discrepancies are resolved on the Invoice Maintenance Header and Detail windows.

VAT discrepancies for header-level-only invoices are created during the auto-match process when the invoice VAT does not match the purchase order VAT.

VAT discrepancies for invoices with details are created after the invoice is created, when the entered VAT information for an item does not match the system-maintained VAT information for the item.


This section includes the following VAT discrepancy resolution instructions:

- Resolve VAT Discrepancies
- Resolve Header Level VAT Discrepancies

Resolve VAT Discrepancies

Navigate: On the Invoice Matching tab, click VAT Review List. The VAT Review List window opens.

VAT Review List Window

1. In the No. of Line Exceptions column, click a numbered line exception. The VAT Discrepancy Detail window opens.
2. In the Item column, click the item number of the line you want to resolve. The VAT Discrepancy Detail Selection window opens.
3. In the Correct VAT area, select the correct VAT for the item: System VAT or Invoice VAT.
4. Click **Next**. The VAT Discrepancy Detail Resolution window opens.
5. In the Apply area:
 - a. In the Enter Reason ID field, enter the reason ID, or click the LOV  button to select a reason.
 - b. Add comments as necessary.
6. Click **OK** to save your changes and close the window.

Resolve Header Level VAT Discrepancies

Navigate: On the Invoice Matching tab, click VAT Review List. The VAT Review List window opens.

VAT Review List Window

1. In the No. of Line Exceptions column, click a 0 line exception. The Invoice Maintenance Header window opens.
2. Add or Update the VAT breakdown:
 - a. Click the Total VAT Cost hyperlink. The VAT Breakdown window opens.

VAT Breakdown			
Ex VAT Basis	VAT Code	VAT Rate	VAT Amounts
0.0000	O	1	0.0000
0.0000	P	5	0.0000
0.0000	C	1	0.0000
0.0000	E	0	0.0000
0.0000	Z	0	0.0000
0.0000	S	10	0.0000
			Total: 0.0000

OK Calculate Total Cancel

VAT Breakdown Window

- In the Ex VAT Basis field, enter the amount on the invoice that is subject to VAT.
- Click **Calculate Total**. The amount of VAT appears in the Total field.

Add Invoice Details

- Click **Details**. The Invoice Maintenance Detail window opens.
- Add details as necessary. (See "Add Details to a Merchandise Invoice" for more information.)
- Click **OK** to save the changes and close the Invoice Maintenance Detail window.
- Click **OK** to save the changes and close the Invoice Header Maintenance window. You return to the VAT Review List window.

Create Memos and Requests

In addition to creating merchandise and non-merchandise invoices, you can create different types of memos, notes, and requests. You can create the following types of documents:

- Credit memo - cost
- Credit memo - quantity
- Credit note
- Credit note request - cost
- Credit note request - quantity
- Credit note request - VAT
- Debit memo - cost
- Debit memo - quantity
- Debit memo - VAT

This section includes the following credit memo and request instructions:

- Create a Credit or Debit Document
- Reverse a Debit Memo
- Void a Credit Note Request



Create a Credit or Debit Document

Navigate: On the Document Maintenance tab, click Document Search. The Document Search window opens.


Document Search Window


1. In the Action field, select New.
2. In the Document Type field, select the document type.
3. Click **OK**. The Document Maintenance Header window opens.

Document Maintenance Header Window

4. In the Document ID field, enter the number of the document.
5. In the Supplier field, enter the supplier ID, or click the LOV  button to select a supplier.
6. In the Order No. field, enter the order ID associated with the document, or click the LOV  button to select a document number.

Note: You can search for a purchase order by receipt, receipt date, and location information.

7. In the Location field, enter the location ID, or click the LOV  button to select a location.
8. Add non-merchandise costs as necessary.
 - a. In the Total Non-Merch Cost field, click the amount. The Non-Merchandise Cost window opens.



The screenshot shows the 'Non Merchandise Cost' window for Document ID: 1. It features a table with columns for various cost types and an 'Amount' column. The 'Amount' column contains values of 0.0000 for each row. Below the table is a 'GL Cross-reference for' section with a grid of 10 segments (Segment 1 to Segment 10) and their corresponding labels (Type: Company, Location, Account, Department, Class, Affiliate, Future1, Future2, Future3, Future4). At the bottom right, there is a 'Total' field showing 0.0000 and three buttons: 'OK', 'Calculate Total', and 'Cancel'.

	Amount
Carrier Credit Allowance	0.0000
Coop Ad/Merch Allowance (Perf)	0.0000
Currency Adjustment	0.0000
Currency Adjustment	0.0000
Customs Broker Fee	0.0000
Customs Duty	0.0000
Declared Value for Customs	0.0000
Defective Allowance	0.0000
Deliver	0.0000
Discount - Incentive	0.0000

Segment 1	Segment 2	Segment 3	Segment 4	Segment 5	Segment 6	Segment 7	Segment 8	Segment 9	Segment 10
Type: Company	Location	Account	Department	Class	Affiliate	Future1	Future2	Future3	Future4

Total: 0.0000

OK Calculate Total Cancel

Non-Merchandise Cost Window

- b. In the non-merchandise fields, enter the non-merchandise charges.
 - c. Click **Calculate Total**. The sum of the costs appears in the Total field.
 - d. Click **OK** to save your changes and close the window.
9. Add comments as necessary.

Add Details to the Document

1. Click **Details**. The Document Maintenance Detail window opens.

ORACLE You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci:@dvolr04 Data Source: rms12 Log
 Path: /u00/webadmin/product/10.1.3/OracleAS_2/j2ee/reim13_MOSB_VatOff/log Authentication: DATABASE

Document Maintenance Detail
 Document ID: 1 Document Type: Credit Note
 Currency: USD Supplier: 3020-Battery Supplier

Items

Item Amount Per Unit Doc Prefix Document ID Add All Items
 Reason Quantity Add Item
 Code

Delete	Item	Description	Reason Code Description	Amt Per Unit	Quantity	Extended Cost
No records found						

[select all](#)
[clear all](#)

Total Items: 0 Totals 0 0.0000

OK Delete Items Cancel

Document Maintenance Detail Window

2. In the Item field, enter the item ID, or click the LOV button to select an item.
3. In the Amount per Unit field, enter the unit cost of the item.
4. In the Reason Code field, enter the reason that the item is in dispute.
5. In the Quantity field, enter the number of units in dispute.
6. In the VAT Code - Rate field, select the VAT information.
7. Click **Add Item**.
8. Click **OK** to save your changes and close the window.
9. Click **OK** to save the changes and close the window.

Reverse a Debit Memo

Navigate: On the Document Maintenance tab, click Document Search. The Document Search window opens.

1. Search for and retrieve a debit memo in View mode. The Document Maintenance Header window opens.
2. Click **Details**. The Document Maintenance Detail window opens.
3. Adjust the details so that the quantities and amounts in question remain.
4. Click **OK**. The Document Maintenance Header window opens.
5. Click **Reverse**. A credit memo is created in disputed status.

Void a Credit Note Request

Navigate: On the Document Maintenance tab, click Document Search. The Document Search window opens.

1. In the Action field, select Void Credit Note Requests.
2. In the Document Type field, select the appropriate document type.
3. Click **Search**. The Document Find window displays the documents that match the search criteria.
4. To display the item information, click a document number. The Document Maintenance Header window opens.

5. Click **Void**.
6. Click **OK** to close the window.

System Administration

System Options

Maintain System Options

In the System Options window, you can define system-wide parameters that affect the functions of Oracle Retail Invoice Matching. You indicate how long the system maintains various documents, and you enter the unique codes that ReIM uses to identify document types.

Updated settings are available for all users who log on after the changes are made. To see the changes reflected in Oracle Retail Invoice Matching, you must log out and log on again.

This section includes the following system options instructions:

- Maintain the System Variables
- Maintain the Document Prefixes

Maintain the System Variables

Navigate: On the Administration tab, click System Options. The System Options window opens.

ORACLE You are logged in as: Admin User ADMIN DB URL: _____

System Options

Document History Days	<input type="text" value="20"/>	Close Open Receipt Days	<input type="text" value="90"/>
Post Dated Document Days	<input type="text" value="10"/>	Cost Resolution Due Days	<input type="text" value="3"/>
Debit Memo Send Days	<input type="text" value="1"/>	Qty Resolution Due Days	<input type="text" value="2"/>
Max Tolerance %	<input type="text" value="100.000"/>	Days Before Due Date	<input type="text" value="3"/>
Default Pay Now Terms	<input type="text" value="163"/> <input type="button" value="Q"/>	<input type="text" value="01.001.00% 045 045"/>	
Include VAT Processing	<input type="text" value="No"/>	VAT Resolution Due Days	<input type="text" value="0"/>
Calc Tolerance <input checked="" type="radio"/> Percent <input type="radio"/> Amount	<input type="text" value="10.0000"/> %	VAT Validation Type	<input type="text"/>
Default Header VAT from Details	<input type="text" value="No"/>	VAT Document Creation Level	<input type="text" value="Item"/>

Debit Memo Prefix-Cost	<input type="text" value="DMC"/>	Debit Memo Prefix-Qty	<input type="text" value="DMQ"/>
Credit Note Request Prefix-Cost	<input type="text" value="CNC"/>	Credit Note Request Prefix-Qty	<input type="text" value="CNQ"/>
Credit Memo Prefix-Cost	<input type="text" value="CMC"/>	Credit Memo Prefix-Qty	<input type="text" value="CMQ"/>
Debit Memo Prefix-VAT	<input type="text" value="DMV"/>	Credit Note Request Prefix-VAT	<input type="text" value="CNV"/>
Allow lookup items by VPN	<input type="text" value="Yes"/>		

Auto-resolution Reason Code For Credit Note Request-Cost	<input type="text"/>	<input type="button" value="Q"/>	<input type="text"/>
Auto-resolution Reason Code For Credit Note Request-Qty	<input type="text"/>	<input type="button" value="Q"/>	<input type="text"/>
Auto-resolution Reason Code For Credit Memo-Cost	<input type="text"/>	<input type="button" value="Q"/>	<input type="text"/>
Auto-resolution Reason Code For Credit Memo-Qty	<input type="text"/>	<input type="button" value="Q"/>	<input type="text"/>
Match Using Reference 3 Field	<input type="text" value="Yes"/>	Match using Reference 4 Field	<input type="text" value="No"/>

Note: To activate any system option changes made, you must first log out of Invoice Matching.

System Options Window

- On the upper part of the screen, edit the enabled fields as necessary.

Field	Description
Document History Days	The number of days documents stay the Invoice Matching system before they are purged.
Post Dated Document Days	How many days old a document can be when entered into the system.
Debit Memo Send Days:	The number of days after the receipt of an invoice before a debit memo can be sent.
Max Tolerance %	The maximum tolerance allowed for any invoice throughout the system.
Default Pay Now Terms	The terms applied to an invoice that is due immediately.
Close Open Receipt Days	The number of days that a shipment can remain in Ready for Match status before it is automatically closed.
Cost Resolution Due Days	The number of days in which a reviewer must resolve a cost discrepancy.
Qty Resolution Due Days	The number of days in which the buyer must resolve a quantity discrepancy (also seen as Qty Resolution Due Days).

Field	Description
Days Before Due Date	The number of days you must wait before routing begins.
Include VAT Processing	Whether Invoice Matching should check for value added tax on invoices and differences between the value added tax on invoices and receipts.
Calc Tolerance %	The percentage by which header and detail amounts can differ and still be considered equal. This is used to account for insignificant errors in rounding between header and detail level totals. For example, a header may show an invoice total as \$1025.31, while the detail area may show it as \$1025.308. If the percentage difference is less than the Calc Tolerance % value, the amounts will be considered equal.
Default Header VAT from Details	Whether header level VAT information must be entered before invoice details can be entered. Set this to Yes to be able to proceed to the details screen without entering VAT information. Set this to No to require VAT information in the header before invoice details can be entered.
VAT Resolution Due Days	The number of days in which VAT discrepancies should be resolved.
VAT Validation Type	The method to use when matching value added tax amounts. VAT resolution requires the VAT on the invoice and receipt to match. Invoice VAT uses the VAT on the invoice. System VAT uses the VAT on the receipt.
VAT Document Creation Level	Whether VAT debit memos and VAT credit note requests are created at the Item or Full Invoice level.
Debit Memo Prefix-Cost	The prefix that indicates that a document is a debit memo due to cost.
Credit Note Request Prefix-Cost	The prefix that indicates that a document is a credit note request due to cost.
Credit Memo Prefix-Cost	The prefix that indicates a document is a credit memo due to cost.
Debit Memo Prefix-VAT	The prefix that indicates that a document is a debit memo due to VAT quantity.
Debit Memo Prefix-Qty	The prefix that indicates that a document is a debit memo due to quantity.
Credit Note Request Prefix-Qty	The prefix that indicates that a document is a credit note request due to quantity.
Credit Memo Prefix-Qty	The prefix that indicates that a document is a credit memo due to quantity.
Credit Note Request Prefix-VAT	The prefix that indicates that a document is a credit note request due to VAT quantity.
Auto-resolution Reason Code for Credit Note Request-Cost	The business reason code used for credit note matching when a cost discrepancy is matched automatically with the generation of a Credit Note Request-Cost. If this field is empty, automatic cost discrepancy resolution using credit note requests is not performed.

Field	Description
Auto-resolution Reason Code for Credit Note Request-Qty	The business reason code used for credit note matching when a cost discrepancy is matched automatically with the generation of a Credit Note Request-Qty. If this field is empty, automatic cost discrepancy resolution using credit note requests is not performed.
Auto-resolution Reason Code for Credit Memo-Cost	The business reason code used for credit note matching when a cost discrepancy is matched automatically with the generation of a Credit Memo-Cost. If this field is empty, automatic cost discrepancy resolution using credit memos is not performed.
Auto-resolution Reason Code for Credit Memo-Qty	The business reason code used for credit note matching when a cost discrepancy is matched automatically with the generation of a Credit Memo-Qty. If this field is empty, automatic cost discrepancy resolution using credit memos is not performed.
Match Using Reference 3 Field	If the value of this option is Yes, automatic credit note matching uses the value in the Reference 3 field to attempt matching.
Match Using Reference 4 Field	If the value of this option is Yes, automatic credit note matching uses the value in the Reference 4 field to attempt matching.

2. Click **OK** to save your changes and close the window.

Note: Changes are available to users who log on after you have completed the changes. To see the changes reflected, you must log out and log on again.

Maintain the Document Prefixes

Navigate: On the Administration tab, click System Options. The System Options window opens.

ORACLE You are logged in as: Admin User ADMIN DB URL: ...

System Options

Document History Days	<input type="text" value="20"/>	Close Open Receipt Days	<input type="text" value="90"/>
Post Dated Document Days	<input type="text" value="10"/>	Cost Resolution Due Days	<input type="text" value="3"/>
Debit Memo Send Days	<input type="text" value="1"/>	Qty Resolution Due Days	<input type="text" value="2"/>
Max Tolerance %	<input type="text" value="100.000"/>	Days Before Due Date	<input type="text" value="3"/>
Default Pay Now Terms	<input type="text" value="163"/> <input type="button" value="Q"/>		
Include VAT Processing	<input type="text" value="No"/>	VAT Resolution Due Days	<input type="text" value="0"/>
Calc Tolerance <input checked="" type="radio"/> Percent <input type="radio"/> Amount	<input type="text" value="10.0000"/> %	VAT Validation Type	<input type="text"/>
Default Header VAT from Details	<input type="text" value="No"/>	VAT Document Creation Level	<input type="text" value="Item"/>

Debit Memo Prefix-Cost	<input type="text" value="DMC"/>	Debit Memo Prefix-Qty	<input type="text" value="DMQ"/>
Credit Note Request Prefix-Cost	<input type="text" value="CNC"/>	Credit Note Request Prefix-Qty	<input type="text" value="CNQ"/>
Credit Memo Prefix-Cost	<input type="text" value="CMC"/>	Credit Memo Prefix-Qty	<input type="text" value="CMQ"/>
Debit Memo Prefix-VAT	<input type="text" value="DMV"/>	Credit Note Request Prefix-VAT	<input type="text" value="CNV"/>
Allow lookup items by VPN	<input type="text" value="Yes"/>		

Auto-resolution Reason Code For Credit Note Request-Cost	<input type="text"/> <input type="button" value="Q"/>	<input type="text"/>
Auto-resolution Reason Code For Credit Note Request-Qty	<input type="text"/> <input type="button" value="Q"/>	<input type="text"/>
Auto-resolution Reason Code For Credit Memo-Cost	<input type="text"/> <input type="button" value="Q"/>	<input type="text"/>
Auto-resolution Reason Code For Credit Memo-Qty	<input type="text"/> <input type="button" value="Q"/>	<input type="text"/>
Match Using Reference 3 Field	<input type="text" value="Yes"/>	Match using Reference 4 Field <input type="text" value="No"/>

Note: To activate any system option changes made, you must first log out of Invoice Matching.

System Options Window

1. On the lower part of the screen, edit the enabled fields as necessary.
2. Click **OK** to save your changes and close the window.

Note: Changes are available to users who log on after you have completed the changes. To see the changes reflected, you must log out and log on again.

Supplier Options

Maintain Supplier Options

In the Supplier Options window, you can indicate how invoices from each supplier should be matched. You can associate a specific accounts payable reviewer to a supplier, and you can create linked suppliers.



This section includes the following supplier options instructions:

- Maintain a Supplier
- Create a Grouped Supplier
- Delete a Grouped Supplier

Maintain a Supplier

Navigate: On the Administration tab, click Supplier Options. The Supplier Options window opens.

Supplier Options Window

1. In the Supplier field, enter the supplier ID, or click the LOV  button to select a supplier.
2. Click **Query**. The supplier details are displayed.
3. In the AP Reviewer field, enter the ID of an accounts payable reviewer, or click the LOV  button to select the reviewer that you want to associate with the supplier.
4. Edit the enabled fields as necessary:
 - Invoices for Supplier Manually Paid: Select the check box to indicate that invoices from this supplier should be paid manually.
 - Match Invoices to Receipts from Other Suppliers: Select the check box to indicate that the retailer can pay suppliers other than the one listed for the invoice.
 - Always Use Invoice Terms: Select the check box to indicate that the terms date on the invoice is always used to pay an invoice.
 - ROG Date Allowed: Select the check box to use the receipt of goods date to determine the due date of an invoice.
 - Send Debit Memo: Select the frequency to indicate when to send a debit memo.


- Close Open Receipt Days: Enter the number of days that a receipt remains in the system without an invoice. After the number of days has passed, the receipt is posted for payment.
 - Discrepancy Days Before Routing: Enter the number of days that quantity discrepancies should be held before routing for resolution.
5. Click **OK** to save your changes and close the window.

Create a Grouped Supplier

Note: Any changes you make to one supplier in a group applies to all suppliers in the group

Navigate: On the Administration tab, click Supplier Options. The Supplier Options window opens.

Supplier Options Window

1. In the Supplier field, enter the supplier ID, or click the LOV  button to select a supplier.
2. Click **Query**. The supplier details are displayed.
3. Click **Supplier Group Options**. The Supplier Group Options window opens.

Supplier Group Options Window


4. In the Supplier field, enter the supplier ID, or click the LOV  button to select a supplier.
5. Click **Add**.

6. Select the enabled options as necessary:
 - Total Header Quantity Required: Select the check box to indicate that each invoice requires a total quantity be entered.
 - Match Total Quantity: Select the check box to indicate that the total quantity must be matched for the invoice and the receipt.
7. Click **OK** to save your changes and close the window.

Delete a Grouped Supplier

Navigate: On the Administration tab, click Supplier Options. The Supplier Options window opens.

Supplier Options Window

1. In the Supplier field, enter the supplier ID, or click the LOV  button and select a supplier.
2. Click **Query**. The supplier details are displayed.
3. Click **Supplier Group Options**. The Supplier Group Options window opens.

Supplier Group Options Window

4. On the list of suppliers that are linked to the original supplier, select the check box next to the supplier you want to delete.
5. Click **Delete**.
6. You are prompted to confirm the deletion. Click **OK**.
7. Click **OK** to save your changes and close the window.

General Ledger Accounts

Maintain General Ledger Accounts

Use the general ledger accounts windows to maintain the parameters that determine the accounts to which the invoices are exported in the financial system. You must create the accounts to which the invoices are assigned.

In the GL Option window, you can create a template for the general ledger account that your company uses. You can also assign dynamic segments to accounts, so that invoices post to accounts based on company, department, class, or location. After the general ledger account format has been assigned, it cannot be changed.


This section includes the following general ledger accounts instructions:

- Create a General Ledger Account Cross Reference
- Define General Ledger Options

Create a General Ledger Account Cross Reference

Navigate: On the Administration tab, click GL Cross Reference. The GL Cross-Reference window opens.

GL Cross Reference Window

1. In the Cross Reference Type field, select the account category.
2. In the next field, enter the ID of the type of account you are creating, or click the LOV  button to select an account type.
3. Click **Query**. The account segment fields are enabled.
4. In the Segment fields, enter the account segments.

Note: If a segment has been marked dynamic, you can leave the field blank.

5. Click **OK** to save your changes and close the window.

Define General Ledger Options

Navigate: On the Administration tab, click GL Options. The GL Options window opens.

Segment Label	Segment Position	Dynamic
Company	Test Segment 1	<input type="checkbox"/>
Location	Test Segment 2	<input type="checkbox"/>
Account	Test Segment 3	<input type="checkbox"/>
Department	Test Segment 4	<input checked="" type="checkbox"/>
Class	Test Segment 5	<input checked="" type="checkbox"/>
Affiliate	Test Segment 6	<input type="checkbox"/>
Future1	Test Segment 7	<input type="checkbox"/>
Future2	Test Segment 8	<input type="checkbox"/>
Future3	Test Segment 9	<input type="checkbox"/>
Future4	Test Segment 10	<input type="checkbox"/>
Test 3		<input type="checkbox"/>
Test 4		<input type="checkbox"/>
Test 5		<input type="checkbox"/>
Test 6		<input type="checkbox"/>

GL Options Window

1. For each segment label, select the location in the account number for that segment.
2. If the segment is dynamic, select the Dynamic check box in the Dynamic column.
3. Click **OK** to save your changes and close the window.

Note: After you have created the account format, you cannot edit the account format.

Reason Codes

Maintain Reason Codes

In the Reason Code Maintenance window, you can set up and maintain reason codes. Reason codes are used to resolve discrepancies between receipts and invoices. A discrepancy originates when the price or quantity variance exceeds acceptable tolerance levels. After you create the reason code, you must associate it with an action that helps you resolve the discrepancies.

This section includes the following reason code instructions:

- Create Reason Codes
- Edit Reason Codes
- Delete a Reason Code

Create Reason Codes

Navigate: On the Administration tab, click Reason Code Maintenance. The Reason Code Maintenance window opens.

Reason Code Maintenance

You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci:@dvol04 Data Source: rms12 Log Path: /u00/webadmin/product/10.1.3/OracleAS_2/2ee/reim13_MQSB_VatOff/log Authentication: DATABASE

Reason Code Type: Cost Discrepancy Reason Code: Reason Code Description: Action: Discrepancy Write-Off Accounting Distribution: Comment Required: ☐

Comments Hint:

Apply

Delete	Reason Code Type	Reason Code	Reason Code Description	Action	Accounting Distribution	Comment Required	Comments Hint
<input type="checkbox"/>	Cost Discrepancy	105	Pos. Cost Discrep-Price Protection not taken	Receiver Cost Adjustment Order/Receipt/Supplier Cost	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	Cost Discrepancy	110	Pos. Cost Discrep-Price Drop	Receiver Cost Adjustment Order/Receipt/Supplier Cost	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	Cost Discrepancy	115	Pos. Cost Discrep-MDF DFI Allowance not taken	Receiver Cost Adjustment Order and Receipt Only	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	Cost Discrepancy	120	Pos. Cost Discrep-Freight Allowance not taken	Receiver Cost Adjustment Order and Receipt Only	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	Cost Discrepancy	125	Pos. Cost Discrep-Defective Allowance not taken	Receiver Cost Adjustment Order and Receipt Only	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	Cost Discrepancy	130	Pos. Cost Discrep-DFI1 Allowance not taken	Receiver Cost Adjustment Order and Receipt Only	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	Cost Discrepancy	135	Pos. Cost Discrep-DFI2 Allowance not taken	Receiver Cost Adjustment Order and Receipt Only	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	Cost Discrepancy	140	Pos. Cost Discrep-DFI3 Allowance not taken	Receiver Cost Adjustment Order and Receipt Only	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	Cost Discrepancy	145	Cost Discrep-Requires Accounts Payable action	Reroute Cost Discrepancy	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
<input type="checkbox"/>	Cost Discrepancy	150	Cost Discrep-Requires Buyer action	Reroute Cost Discrepancy	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
<input type="checkbox"/>	Cost Discrepancy	205	Cost Claim-Price Protection not given on invoice	Debit Memo Cost	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	Cost Discrepancy	210	Cost Claim-Price Drop not given on invoice	Debit Memo Cost	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	Cost Discrepancy	215	Cost Claim-MDF DFI Allow not given on invoice	Debit Memo Cost	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	Cost Discrepancy	220	Cost Claim-Freight Allow not given on invoice	Debit Memo Cost	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

OK Delete Cancel

Reason Code Maintenance Window

1. In the Reason Code Type field, select the type of discrepancy for which you are creating a reason code.
2. In the Reason Code field, enter an ID for the reason code.
3. In the Reason Code Description field, enter the description of the reason code.
4. In the Action field, select the action to resolve the discrepancy.
5. In the Comments Hint field, enter additional information that may be needed to resolve the discrepancy.
6. If a comment is required when a reviewer is resolving the discrepancy, select the Comments Required check box.

Associate a General Ledger Account with a Reason Code

1. Click **Accounting Distribution**. The GL Cross Reference window opens.

GL Cross-reference

You are logged in as: Demo 1 User DEMO1 DB URL: jdbc:oracle:oci:@dvol02 Data Source: rmsdunqa121 Authentication: DATABASE Log Path: /u00/webadmin/product/10.1.3/OracleAS_1/2ee/reim121qa-instance /log/reim-online.log

Cross-reference Type: Non-merchandise Codes

Query

OK OK+Repeat Cancel

GL Cross Reference Window

2. Create the general ledger account cross reference.
3. Click **Apply**. The reason code is added to the table.
4. Click **OK** to save your changes and close the window.

Edit Reason Codes

Navigate: On the Administration tab, click Reason Code Maintenance. The Reason Code Maintenance window opens.

ORACLE *You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci:@dvol04; Data Source: rms12 Log Path: /u00/webadmin/product/10.1.3/OracleAS_2/j2ee/reim13_MOSB_VatOff/log Authentication: DATABASE

Reason Code Maintenance

Reason Code Type: Cost Discrepancy Reason Code: Reason Code Description: Action: Discrepancy Write-Off Accounting Distribution: Comment Required: ☐

Comments Hint

Apply

Delete	Reason Code Type	Reason Code	Reason Code Description	Action	Accounting Distribution	Comment Required	Comments Hint
<input type="checkbox"/>	Cost Discrepancy	105	Pos. Cost Discrep-Price Protection not taken	Receiver Cost Adjustment Order/Receipt/Supplier Cost	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	Cost Discrepancy	110	Pos. Cost Discrep-Price Drop	Receiver Cost Adjustment Order/Receipt/Supplier Cost	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	Cost Discrepancy	115	Pos. Cost Discrep-MDF DFI Allowance not taken	Receiver Cost Adjustment Order and Receipt Only	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	Cost Discrepancy	120	Pos. Cost Discrep-Freight Allowance not taken	Receiver Cost Adjustment Order and Receipt Only	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	Cost Discrepancy	125	Pos. Cost Discrep-Defective Allowance not taken	Receiver Cost Adjustment Order and Receipt Only	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	Cost Discrepancy	130	Pos. Cost Discrep-DFI1 Allowance not taken	Receiver Cost Adjustment Order and Receipt Only	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	Cost Discrepancy	135	Pos. Cost Discrep-DFI2 Allowance not taken	Receiver Cost Adjustment Order and Receipt Only	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	Cost Discrepancy	140	Pos. Cost Discrep-DFI3 Allowance not taken	Receiver Cost Adjustment Order and Receipt Only	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	Cost Discrepancy	145	Cost Discrep-Requires Accounts Payable action	Reroute Cost Discrepancy	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
<input type="checkbox"/>	Cost Discrepancy	150	Cost Discrep-Requires Buyer action	Reroute Cost Discrepancy	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
<input type="checkbox"/>	Cost Discrepancy	205	Cost Claim-Price Protection not given on invoice	Debit Memo Cost	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	Cost Discrepancy	210	Cost Claim-Price Drop not given on invoice	Debit Memo Cost	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	Cost Discrepancy	215	Cost Claim-MDF DFI Allow not given on invoice	Debit Memo Cost	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	Cost Discrepancy	220	Cost Claim-Freight Allow not given on invoice	Debit Memo Cost	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

OK Delete Cancel

Reason Code Maintenance Window

1. In the table, double-click the reason code you want to edit.
2. Update the enabled fields as necessary.
3. Click **Apply**. The reason code is updated.
4. Click **OK** to save your changes and close the window.

Delete Reason Codes

Navigate: On the Administration tab, click Reason Code Maintenance. The Reason Code Maintenance window opens.



ORACLE® You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci:@dvol04; Data Source: rms12 Log Path: /u00/webadmin/product/10.1.3/OracleAS_2/2ee/reim13_MQSB_VatOff/log Authentication: DATABASE

Reason Code Maintenance

Reason Code Type: Cost Discrepancy Reason Code: Reason Code Description: Discrepancy Write-Off Action: Accounting Distribution Comment Required: ☐

Comments Hint

Apply

Delete	Reason Code Type	Reason Code	Reason Code Description	Action	Accounting Distribution	Comment Required	Comments Hint
<input type="checkbox"/>	Cost Discrepancy	105	Pos. Cost Discrep-Price Protection not taken	Receiver Cost Adjustment Order/Receipt/Supplier Cost	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	Cost Discrepancy	110	Pos. Cost Discrep-Price Drop	Receiver Cost Adjustment Order/Receipt/Supplier Cost	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	Cost Discrepancy	115	Pos. Cost Discrep-MDF DFI Allowance not taken	Receiver Cost Adjustment Order and Receipt Only	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	Cost Discrepancy	120	Pos. Cost Discrep-Freight Allowance not taken	Receiver Cost Adjustment Order and Receipt Only	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	Cost Discrepancy	125	Pos. Cost Discrep-Defective Allowance not taken	Receiver Cost Adjustment Order and Receipt Only	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	Cost Discrepancy	130	Pos. Cost Discrep-DFI1 Allowance not taken	Receiver Cost Adjustment Order and Receipt Only	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	Cost Discrepancy	135	Pos. Cost Discrep-DFI2 Allowance not taken	Receiver Cost Adjustment Order and Receipt Only	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	Cost Discrepancy	140	Pos. Cost Discrep-DFI3 Allowance not taken	Receiver Cost Adjustment Order and Receipt Only	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	Cost Discrepancy	145	Cost Discrep-Requires Accounts Payable action	Reroute Cost Discrepancy	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
<input type="checkbox"/>	Cost Discrepancy	150	Cost Discrep-Requires Buyer action	Reroute Cost Discrepancy	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
<input type="checkbox"/>	Cost Discrepancy	205	Cost Claim-Price Protection not given on invoice	Debit Memo Cost	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	Cost Discrepancy	210	Cost Claim-Price Drop not given on invoice	Debit Memo Cost	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	Cost Discrepancy	215	Cost Claim-MDF DFI Allow not given on invoice	Debit Memo Cost	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
<input type="checkbox"/>	Cost Discrepancy	220	Cost Claim-Freight Allow not given on invoice	Debit Memo Cost	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

OK Delete Cancel

Reason Code Maintenance Window

1. On the list of reason codes, select the check box next to the reason code you want to delete.
2. Click **Delete**.
3. You are prompted to confirm the deletion. Click **OK**.
4. Click **OK** to save your changes and close the window.

User Groups

Maintain User Groups


In the user group windows, you can define the level of access that each user has to Oracle Retail Invoice Matching. You can assign the same level of access to a group of people. After you create a role, you can further limit a user to specific locations, departments/classes, or reason codes.

This section includes the following user group instructions:

- Create a User Group
- Delete a User Group
- Assign Users to a User Group
- Delete a User from a Group
- Assign a Department/Class to a User Group
- Delete a Department/Class from a User Group
- Assign a Location to a User Group
- Delete a Location from a User Group
- Assign a Reason Code to a User Group
- Delete a Reason Code from a User Group

Create a User Group

Navigate: On the Administration tab, click User Group Maintenance. The User Groups window opens.



User Groups Window

1. Click **New**. The User Group Details window opens.

ORACLE You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci:@dvol04, Data Source: rms12 Log Path: /u00/webadmin/product/10.1.3/OracleAS_2/j2ee/reim13_MOSB_VatOff/log Authentication: DATABASE

User Group Details

User Group	Admin
System Options	Edit
Supplier Options	Edit
User Group Maintenance	Edit
Reason Code Maintenance	Edit
General Ledger Account Maintenance	Edit
Tolerance Maintenance	Edit
Invoice Entry	Edit
Document Entry	Edit
Invoice Delete	Yes
Group Entry Approval	Yes
EDI Review	Edit
Group Entry	Edit
Invoice Matching	Edit
Cost Discrepancy Maintenance	Edit
Quantity Discrepancy Maintenance	Edit
VAT Discrepancy Maintenance	Edit
Cost Discrepancies Review	All
Quantity Discrepancies Review	All
Accounts Payable Review	Yes
Deal Document Approval	Yes

Note: To activate any user group changes made, the user must first log out of Invoice Matching.


OK Members Department/Classes Locations Reason Codes Cancel

User Group Details Window

2. In the User Group field, enter the name of the user group.
3. In the remaining fields, select the type of permissions a member of the user group will have:
 - **Edit:** User group members can add to and update the areas they are assigned to.
 - **View:** User group members can access the designated areas, but they cannot make any changes.
 - **None:** User group members cannot edit or view the designated areas.
 - **Yes:** User group members can perform the designated task.
 - **No:** User group members cannot perform the designated task.
 - **All:** All user group members can perform the designated function.
 - **Users Only:** Only designated users within the group can perform the designated function.
4. Click **OK** to save any changes and close the window.

Delete a User Group

Navigate: On the Administration tab, click User Group Maintenance. The User Groups window opens.




User Groups Window

1. Select a user group.
2. Click **Delete**.
3. You are prompted to confirm the deletion. Click **OK**.
4. Click **OK** to save any changes and close the window.

Assign Users to a User Group

Navigate: On the Administration tab, click User Group Maintenance. The User Groups window opens.



User Groups Window

1. Select a user group.
2. Click **Edit**. The User Group Details window opens.

ORACLE *You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci:@dvol04, Data Source: rms12 Log Path: /u00/webadmin/product/10.1.3/OracleAS_2/j2ee/reim13_MOSB_VatOff/log Authentication: DATABASE

User Group Details

User Group	Admin
System Options	Edit
Supplier Options	Edit
User Group Maintenance	Edit
Reason Code Maintenance	Edit
General Ledger Account Maintenance	Edit
Tolerance Maintenance	Edit
Invoice Entry	Edit
Document Entry	Edit
Invoice Delete	Yes
Group Entry Approval	Yes
EDI Review	Edit
Group Entry	Edit
Invoice Matching	Edit
Cost Discrepancy Maintenance	Edit
Quantity Discrepancy Maintenance	Edit
VAT Discrepancy Maintenance	Edit
Cost Discrepancies Review	All
Quantity Discrepancies Review	All
Accounts Payable Review	Yes
Deal Document Approval	Yes

Note: To activate any user group changes made, the user must first log out of Invoice Matching.

OK Members Department/Classes Locations Reason Codes Cancel

User Group Details Window

- Click **Members**. The User Group Members window opens.

ORACLE *You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci:@dvol04, Data Source: rms12 Log Path: /u00/webadmin/product/10.1.3/OracleAS_2/j2ee/reim13_MOSB_VatOff/log Authentication: DATABASE

User Group Members

User Group Admin


Available Members		Selected Members	
Select	User	Select	User
<input type="checkbox"/>	User, Demo 1	<input type="checkbox"/>	User, Admin
<input type="checkbox"/>	User, Demo 2		
<input type="checkbox"/>	User, Demo 3		
<input type="checkbox"/>	User, Demo 4		
<input type="checkbox"/>	User, Demo 5		
<input type="checkbox"/>	User, Demo 6		
<input type="checkbox"/>	User, Limited Privs		

OK Cancel

User Group Members Window


- In the Available Members column, select the check box in the Select column next to each user you want to add to the user group.

Note: To select all members, select the check box in the header area.

5. Click the right arrow  button to move the users into the Selected Members column.
6. Click **OK** to save any changes and close the window.

Delete a User from a Group

Navigate: On the Administration tab, click User Group Maintenance. The User Groups window opens.



User Groups Window

1. Select a user group.
2. Click **Edit**. The User Group Details window opens.

ORACLE *You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci:@dvol04, Data Source: rms12 Log Path: /u00/webadmin/product/10.1.3/OracleAS_2/j2ee/reim13_MOSB_VatOff/log Authentication: DATABASE

User Group Details

User Group	Admin
System Options	Edit
Supplier Options	Edit
User Group Maintenance	Edit
Reason Code Maintenance	Edit
General Ledger Account Maintenance	Edit
Tolerance Maintenance	Edit
Invoice Entry	Edit
Document Entry	Edit
Invoice Delete	Yes
Group Entry Approval	Yes
EDI Review	Edit
Group Entry	Edit
Invoice Matching	Edit
Cost Discrepancy Maintenance	Edit
Quantity Discrepancy Maintenance	Edit
VAT Discrepancy Maintenance	Edit
Cost Discrepancies Review	All
Quantity Discrepancies Review	All
Accounts Payable Review	Yes
Deal Document Approval	Yes

Note: To activate any user group changes made, the user must first log out of Invoice Matching.

OK Members Department/Classes Locations Reason Codes Cancel

User Group Details Window

- Click **Members**. The User Group Members window opens.

ORACLE *You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci:@dvol04, Data Source: rms12 Log Path: /u00/webadmin/product/10.1.3/OracleAS_2/j2ee/reim13_MOSB_VatOff/log Authentication: DATABASE

User Group Members

User Group Admin


Available Members			Selected Members		
Select	User	Group	Select	User	Group
<input type="checkbox"/>	User, Demo 1	Demo Users	<input type="checkbox"/>	User, Admin	Admin
<input type="checkbox"/>	User, Demo 2	Demo Users			
<input type="checkbox"/>	User, Demo 3	Demo Users			
<input type="checkbox"/>	User, Demo 4	Demo Users			
<input type="checkbox"/>	User, Demo 5	Demo Users			
<input type="checkbox"/>	User, Demo 6	Demo Users			
<input type="checkbox"/>	User, Limited Privs	Limited Privs Users			

OK Cancel

User Group Members Window


- In the Selected Members column, select the check box in the Select column next to each user you want to remove from the user group.

Note: To select all members, select the check box in the header area.

5. Click the left arrow  button to move the users into the Available Members column.
6. Click **OK** to save any changes and close the window.

Assign a Department/Class to a User Group

Navigate: On the Administration tab, click User Group Maintenance. The User Groups window opens.



User Groups Window

1. Select a user group.
2. Click **Edit**. The User Group Details window opens.

ORACLE You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci:@dvol04, Data Source: rms12 Log Path: /u00/webadmin/product/10.1.3/OracleAS_2/j2ee/reim13_MOSB_VatOff/log Authentication: DATABASE

User Group Details

User Group	Admin
System Options	Edit
Supplier Options	Edit
User Group Maintenance	Edit
Reason Code Maintenance	Edit
General Ledger Account Maintenance	Edit
Tolerance Maintenance	Edit
Invoice Entry	Edit
Document Entry	Edit
Invoice Delete	Yes
Group Entry Approval	Yes
EDI Review	Edit
Group Entry	Edit
Invoice Matching	Edit
Cost Discrepancy Maintenance	Edit
Quantity Discrepancy Maintenance	Edit
VAT Discrepancy Maintenance	Edit
Cost Discrepancies Review	All
Quantity Discrepancies Review	All
Accounts Payable Review	Yes
Deal Document Approval	Yes

Note: To activate any user group changes made, the user must first log out of Invoice Matching.

OK Members Department/Classes Locations Reason Codes Cancel

User Group Details Window

- Click **Department/Classes**. The User Group Department/Classes window opens.

ORACLE You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci:@dvol04, Data Source: rms12 Log Path: /u00/webadmin/product/10.1.3/OracleAS_2/j2ee/reim13_MOSB_VatOff/log Authentication: DATABASE

User Group Department/Classes

User Group Admin


Available Department/Classes		Selected Department/Classes			
Select	Department	Select	Department	Dept ID	Class
<input type="checkbox"/>	Detergents*	No records found			
<input type="checkbox"/>	Detergents*				
<input type="checkbox"/>	Paint*				
<input type="checkbox"/>	Paint*				
<input type="checkbox"/>	Paint*				
<input type="checkbox"/>	Activity/Learning				
<input type="checkbox"/>	Activity/Learning				
<input type="checkbox"/>	Activity/Learning				
<input type="checkbox"/>	Alcohol and Liqueurs				
<input type="checkbox"/>	Alcohol and Liqueurs				
<input type="checkbox"/>	Alcohol and Liqueurs				
<input type="checkbox"/>	Analgesics				
<input type="checkbox"/>	Analgesics				
<input type="checkbox"/>	Art Supplies				
<input type="checkbox"/>	Art Supplies				
<input type="checkbox"/>	Art Supplies				

OK Cancel

User Group Department/Classes Window


- In the Available Department/Classes column, select the check box in the Select column next to each department/class you want to add to the user group.

Note: To select all department/classes, select the check box in the header area.

5. Click the right arrow  button to move the department/classes into the Selected Department/Classes column.
6. Click **OK** to save any changes and close the window.

Delete a Department/Class from a User Group

Navigate: On the Administration tab, click User Group Maintenance. The User Groups window opens.



User Groups Window

1. Select a user group.
2. Click **Edit**. The User Group Details window opens.

ORACLE You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci:@dvol04, Data Source: rms12 Log Path: /u00/webadmin/product/10.1.3/OracleAS_2/j2ee/reim13_MOSB_VatOff/log Authentication: DATABASE

User Group Details

User Group	Admin
System Options	Edit
Supplier Options	Edit
User Group Maintenance	Edit
Reason Code Maintenance	Edit
General Ledger Account Maintenance	Edit
Tolerance Maintenance	Edit
Invoice Entry	Edit
Document Entry	Edit
Invoice Delete	Yes
Group Entry Approval	Yes
EDI Review	Edit
Group Entry	Edit
Invoice Matching	Edit
Cost Discrepancy Maintenance	Edit
Quantity Discrepancy Maintenance	Edit
VAT Discrepancy Maintenance	Edit
Cost Discrepancies Review	All
Quantity Discrepancies Review	All
Accounts Payable Review	Yes
Deal Document Approval	Yes

Note: To activate any user group changes made, the user must first log out of Invoice Matching.

OK Members Department/Classes Locations Reason Codes Cancel

User Group Details Window

- Click **Department/Classes**. The User Group Department/Classes window opens.

ORACLE You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci:@dvol04, Data Source: rms12 Log Path: /u00/webadmin/product/10.1.3/OracleAS_2/j2ee/reim13_MOSB_VatOff/log Authentication: DATABASE

User Group Department/Classes

User Group Admin


Available Department/Classes		Selected Department/Classes				
Select	Department	Select	Department	Dept ID	Class	Class ID
<input type="checkbox"/>	Detergents*	No records found				
<input type="checkbox"/>	Detergents*					
<input type="checkbox"/>	Paint*					
<input type="checkbox"/>	Paint*					
<input type="checkbox"/>	Paint*					
<input type="checkbox"/>	Activity/Learning					
<input type="checkbox"/>	Activity/Learning					
<input type="checkbox"/>	Activity/Learning					
<input type="checkbox"/>	Alcohol and Liqueurs					
<input type="checkbox"/>	Alcohol and Liqueurs					
<input type="checkbox"/>	Alcohol and Liqueurs					
<input type="checkbox"/>	Analgesics					
<input type="checkbox"/>	Analgesics					
<input type="checkbox"/>	Art Supplies					
<input type="checkbox"/>	Art Supplies					
<input type="checkbox"/>	Art Supplies					

OK Cancel

User Group Department/Classes Window


4. In the Selected Department/Classes column, select the check box in the Select column next to each department/class you want to remove from the user group.

Note: To select all department/classes, select the check box in the header area.

5. Click the left arrow  button to move the department/classes into the Available Department/Classes column.
6. Click **OK** to save any changes and close the window.

Assign a Location to a User Group

Navigate: On the Administration tab, click User Group Maintenance. The User Groups window opens.



User Groups Window

1. Select a user group.

- Click **Edit**. The User Group Details window opens.

ORACLE *You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci:@dvol04, Data Source: rms12 Log Path: /u00/webadmin/product/10.1.3/OracleAS_2/j2ee/reim13_MOSB_VatOff/log Authentication: DATABASE

User Group Details

User Group: Admin

System Options	Edit
Supplier Options	Edit
User Group Maintenance	Edit
Reason Code Maintenance	Edit
General Ledger Account Maintenance	Edit
Tolerance Maintenance	Edit
Invoice Entry	Edit
Document Entry	Edit
Invoice Delete	Yes
Group Entry Approval	Yes
EDI Review	Edit
Group Entry	Edit
Invoice Matching	Edit
Cost Discrepancy Maintenance	Edit
Quantity Discrepancy Maintenance	Edit
VAT Discrepancy Maintenance	Edit
Cost Discrepancies Review	All
Quantity Discrepancies Review	All
Accounts Payable Review	Yes
Deal Document Approval	Yes

Note: To activate any user group changes made, the user must first log out of Invoice Matching.

OK Members Department/Classes Locations Reason Codes Cancel

User Group Details Window

- Click **Locations**. The User Group Locations window opens.

ORACLE *You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci:@dvol04, Data Source: rms12 Log Path: /u00/webadmin/product/10.1.3/OracleAS_2/j2ee/reim13_MOSB_VatOff/log Authentication: DATABASE

User Group Locations

User Group Admin


Available Locations					Selected Locations				
Select	Location	Loc ID	Loc Type	Group	Select	Location	Loc ID	Loc Type	Group
<input type="checkbox"/>	MSOB Test Loc for list	201	Store		<input type="checkbox"/>	MSOB_store1_OU1_USD	200	Store	
<input type="checkbox"/>	MSOB_Test_Store_Vikas	8585	Store		<input type="checkbox"/>	MSOB_Store2_OU2_USD	2000000000	Store	
<input type="checkbox"/>	Test store for loc list	202	Store		<input type="checkbox"/>	jb company store 1	7003	Store	
<input type="checkbox"/>	test1	10000000	Store		<input type="checkbox"/>	Charlotte *	1111	Store	
<input type="checkbox"/>	Store-A	7440	Store		<input type="checkbox"/>	Toronto	3211	Store	
<input type="checkbox"/>	Store-B	7441	Store		<input type="checkbox"/>	Ottawa	3212	Store	
<input type="checkbox"/>	Store-C	7442	Store		<input type="checkbox"/>	Vancouver	3311	Store	
<input type="checkbox"/>	Store-D	7443	Store		<input type="checkbox"/>	Atlanta	1121	Store	
<input type="checkbox"/>	Store-E	7444	Store		<input type="checkbox"/>	Jacksonville	1131	Store	
<input type="checkbox"/>	test store - do not use	123456	Store		<input type="checkbox"/>	Sydney*	5111	Store	
<input type="checkbox"/>	MSOB_Store4_OU2_EUR	4000000000	Store		<input type="checkbox"/>	Melbourne	5141	Store	
<input type="checkbox"/>	MSOB_inter_comp_1st_store	203	Store		<input type="checkbox"/>	Oceania Outlet	6000	Store	
<input type="checkbox"/>	Test Old Feature WH	996633	Warehouse		<input type="checkbox"/>	Nashville	1141	Store	
<input type="checkbox"/>	PS Warehouse	9999	Warehouse		<input type="checkbox"/>	Dallas	1151	Store	
<input type="checkbox"/>	WH-STA	744020	Warehouse		<input type="checkbox"/>	Boston	1211	Store	
<input type="checkbox"/>	Test_warehouse_Raj	1100	Warehouse		<input type="checkbox"/>	New York	1221	Store	
					<input type="checkbox"/>	Philadelphia*	1231	Store	
					<input type="checkbox"/>	Cleveland	1241	Store	

OK Cancel

User Group Locations Window


- In the Available Locations column, select the check box in the Select column next to the each location you want to add to the user group.

Note: To select all locations, select the check box in the header area.

5. Click the right arrow  button to move the locations into the Selected Locations column.
6. Click **OK** to save any changes and close the window.

Delete a Location from a User Group

Navigate: On the Administration tab, click User Group Maintenance. The User Groups window opens.



User Groups Window

1. Select a user group.
2. Click **Edit**. The User Group Details window opens.

ORACLE *You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci:@dvol04, Data Source: rms12 Log Path: /u00/webadmin/product/10.1.3/OracleAS_2/j2ee/reim13_MOSB_VatOff/log Authentication: DATABASE

User Group Details

User Group	Admin
System Options	Edit
Supplier Options	Edit
User Group Maintenance	Edit
Reason Code Maintenance	Edit
General Ledger Account Maintenance	Edit
Tolerance Maintenance	Edit
Invoice Entry	Edit
Document Entry	Edit
Invoice Delete	Yes
Group Entry Approval	Yes
EDI Review	Edit
Group Entry	Edit
Invoice Matching	Edit
Cost Discrepancy Maintenance	Edit
Quantity Discrepancy Maintenance	Edit
VAT Discrepancy Maintenance	Edit
Cost Discrepancies Review	All
Quantity Discrepancies Review	All
Accounts Payable Review	Yes
Deal Document Approval	Yes

Note: To activate any user group changes made, the user must first log out of Invoice Matching.

OK Members Department/Classes Locations Reason Codes Cancel

User Group Details Window

- Click **Locations**. The User Group Locations window opens.

ORACLE *You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci:@dvol04, Data Source: rms12 Log Path: /u00/webadmin/product/10.1.3/OracleAS_2/j2ee/reim13_MOSB_VatOff/log Authentication: DATABASE

User Group Locations

User Group Admin


Available Locations					Selected Locations				
Select	Location	Loc ID	Loc Type	Group	Select	Location	Loc ID	Loc Type	Group
<input type="checkbox"/>	MSOB Test Loc for list	201	Store		<input type="checkbox"/>	MSOB_store1_OU1_USD	200	Store	
<input type="checkbox"/>	MSOB_Test_Store_Vikas	8585	Store		<input type="checkbox"/>	MSOB_Store2_OU2_USD	2000000000	Store	
<input type="checkbox"/>	Test store for loc list	202	Store		<input type="checkbox"/>	jb company store 1	7003	Store	
<input type="checkbox"/>	test1	10000000	Store		<input type="checkbox"/>	Charlotte *	1111	Store	
<input type="checkbox"/>	Store-A	7440	Store		<input type="checkbox"/>	Toronto	3211	Store	
<input type="checkbox"/>	Store-B	7441	Store		<input type="checkbox"/>	Ottawa	3212	Store	
<input type="checkbox"/>	Store-C	7442	Store		<input type="checkbox"/>	Vancouver	3311	Store	
<input type="checkbox"/>	Store-D	7443	Store		<input type="checkbox"/>	Atlanta	1121	Store	
<input type="checkbox"/>	Store-E	7444	Store		<input type="checkbox"/>	Jacksonville	1131	Store	
<input type="checkbox"/>	test store - do not use	123456	Store		<input type="checkbox"/>	Sydney*	5111	Store	
<input type="checkbox"/>	MSOB_Store4_OU2_EUR	4000000000	Store		<input type="checkbox"/>	Melbourne	5141	Store	
<input type="checkbox"/>	MSOB_Inter_comp_1st_store	203	Store		<input type="checkbox"/>	Oceania Outlet	6000	Store	
<input type="checkbox"/>	Test Old Feature VH	996633	Warehouse		<input type="checkbox"/>	Nashville	1141	Store	
<input type="checkbox"/>	PS Warehouse	9999	Warehouse		<input type="checkbox"/>	Dallas	1151	Store	
<input type="checkbox"/>	VH-STA	744020	Warehouse		<input type="checkbox"/>	Boston	1211	Store	
<input type="checkbox"/>	Test_warehouse_Raj	1100	Warehouse		<input type="checkbox"/>	New York	1221	Store	
					<input type="checkbox"/>	Philadelphia*	1231	Store	
					<input type="checkbox"/>	Cleveland	1241	Store	

OK Cancel

User Group Locations Window


4. In the Selected Locations column, select the check box in the Select column next to each location you want to remove from the user group.

Note: To select all locations, select the check box in the header area.

5. Click the left arrow  button to move the users into the Available Locations column.
6. Click **OK** to save any changes and close the window.

Assign a Reason Code to a User Group

Navigate: On the Administration tab, click User Group Maintenance. The User Groups window opens.



User Groups Window

1. Select a user group.

- Click **Edit**. The User Group Details window opens.

ORACLE You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci:@dvol04, Data Source: rms12 Log Path: /u00/webadmin/product/10.1.3/OracleAS_2/j2ee/teim13_MOSB_VatOff/log Authentication: DATABASE

User Group Details

User Group	Admin
System Options	Edit
Supplier Options	Edit
User Group Maintenance	Edit
Reason Code Maintenance	Edit
General Ledger Account Maintenance	Edit
Tolerance Maintenance	Edit
Invoice Entry	Edit
Document Entry	Edit
Invoice Delete	Yes
Group Entry Approval	Yes
EDI Review	Edit
Group Entry	Edit
Invoice Matching	Edit
Cost Discrepancy Maintenance	Edit
Quantity Discrepancy Maintenance	Edit
VAT Discrepancy Maintenance	Edit
Cost Discrepancies Review	All
Quantity Discrepancies Review	All
Accounts Payable Review	Yes
Deal Document Approval	Yes

Note: To activate any user group changes made, the user must first log out of Invoice Matching.

OK Members Department/Classes Locations Reason Codes Cancel

User Group Details Window

- Click **Reason Codes**. The User Group Reason Codes window opens.

ORACLE You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci:@dvol04, Data Source: rms12 Log Path: /u00/webadmin/product/10.1.3/OracleAS_2/j2ee/teim13_MOSB_VatOff/log Authentication: DATABASE

User Group Reason Codes

Available Reason Codes

Select	Reason Codes	Reason Codes Description	Action Types	Group
<input type="checkbox"/>	Reason Codes	No records found	All	

Selected Reason Codes


Select	Reason Codes	Reason Codes Description	Action Types
<input type="checkbox"/>	105	Pos. Cost Discrep-Price Protection not taken	Receiver Cost Adjustment Order/Receipt/Supplier Cost
<input type="checkbox"/>	110	Pos. Cost Discrep-Price Drop	Receiver Cost Adjustment Order/Receipt/Supplier Cost
<input type="checkbox"/>	115	Pos. Cost Discrep-MDF DFI Allowance not taken	Receiver Cost Adjustment Order and Receipt Only
<input type="checkbox"/>	120	Pos. Cost Discrep-Freight Allowance not taken	Receiver Cost Adjustment Order and Receipt Only
<input type="checkbox"/>	125	Pos. Cost Discrep-Defective Allowance not taken	Receiver Cost Adjustment Order and Receipt Only
<input type="checkbox"/>	130	Pos. Cost Discrep-DFI1 Allowance not taken	Receiver Cost Adjustment Order and Receipt Only
<input type="checkbox"/>	135	Pos. Cost Discrep-DFI2 Allowance not taken	Receiver Cost Adjustment Order and Receipt Only

OK Cancel

User Group Reason Codes Window


- In the Available Reason Codes column, select the check box in the Select column next to each reason code you want to add to the user group.

Note: To select all reason codes, select the check box in the header area.

5. Click the right arrow  button to move the reason codes into the Selected Reason Codes column.
6. Click **OK** to save any changes and close the window.

Delete a Reason Code from a User Group

Navigate: On the Administration tab, click User Group Maintenance. The User Groups window opens.



User Groups Window

1. Select a user group.

- Click **Edit**. The User Group Details window opens.

ORACLE You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci:@dvol04, Data Source: rms12 Log Path: /u00/webadmin/product/10.1.3/OracleAS_2/j2ee/teim13_MOSB_VatOff/log Authentication: DATABASE

User Group Details

User Group	Admin
System Options	Edit
Supplier Options	Edit
User Group Maintenance	Edit
Reason Code Maintenance	Edit
General Ledger Account Maintenance	Edit
Tolerance Maintenance	Edit
Invoice Entry	Edit
Document Entry	Edit
Invoice Delete	Yes
Group Entry Approval	Yes
EDI Review	Edit
Group Entry	Edit
Invoice Matching	Edit
Cost Discrepancy Maintenance	Edit
Quantity Discrepancy Maintenance	Edit
VAT Discrepancy Maintenance	Edit
Cost Discrepancies Review	All
Quantity Discrepancies Review	All
Accounts Payable Review	Yes
Deal Document Approval	Yes

Note: To activate any user group changes made, the user must first log out of Invoice Matching.

OK Members Department/Classes Locations Reason Codes Cancel

User Group Details Window

- Click **Reason Codes**. The User Group Reason Codes window opens.

ORACLE You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci:@dvol04, Data Source: rms12 Log Path: /u00/webadmin/product/10.1.3/OracleAS_2/j2ee/teim13_MOSB_VatOff/log Authentication: DATABASE

User Group Reason Codes

Available Reason Codes

Select	Reason Codes	Reason Codes Description	Action Types	Group
<input type="checkbox"/>	Reason Codes	No records found	All	

Selected Reason Codes


Select	Reason Codes	Reason Codes Description	Action Types
<input type="checkbox"/>	105	Pos. Cost Discrep-Price Protection not taken	Receiver Cost Adjustment Order/Receipt/Supplier Cost
<input type="checkbox"/>	110	Pos. Cost Discrep-Price Drop	Receiver Cost Adjustment Order/Receipt/Supplier Cost
<input type="checkbox"/>	115	Pos. Cost Discrep-MDF DFI Allowance not taken	Receiver Cost Adjustment Order and Receipt Only
<input type="checkbox"/>	120	Pos. Cost Discrep-Freight Allowance not taken	Receiver Cost Adjustment Order and Receipt Only
<input type="checkbox"/>	125	Pos. Cost Discrep-Defective Allowance not taken	Receiver Cost Adjustment Order and Receipt Only
<input type="checkbox"/>	130	Pos. Cost Discrep-DFI1 Allowance not taken	Receiver Cost Adjustment Order and Receipt Only
<input type="checkbox"/>	135	Pos. Cost Discrep-DFI2 Allowance not taken	Receiver Cost Adjustment Order and Receipt Only

OK Cancel

User Group Reason Codes Window

- In the Selected Reason Codes column, select the check box in the Select column next to each reason codes you want to remove from the user group.

Note: To select all reason codes, select the check box in the header area.

5. Click the left arrow  button to move the users into the Available Reason Codes column.
6. Click **OK** to save any changes and close the window.

Tolerance Levels

Maintain Tolerance Levels

In the tolerance windows, you can define the amount of variance allowed between an invoice and a receipt. If the variance is within the defined tolerances, the invoice can be considered a match. You can define the following types of tolerances at the system level, supplier level, supplier trait level, or department level:

- Invoice/document summary cost
- Invoice/document summary quantity
- Invoice/document line item cost
- Invoice/document line item quantity


You can define a tolerance only to the maximum percentage of system tolerance. When you define a tolerance, the lower tolerance is included when calculating variance, while the upper tolerance is excluded.

This section includes the following tolerance level instructions:

- Define the Tolerance Level for the System
- Delete a Tolerance Level for the System
- Define the Tolerance Level for a Supplier, Supplier Trait, or Department
- Delete a Tolerance Level for a Supplier, Supplier Trait, or Department
- Set Default Tolerance Level for a Supplier, Supplier Trait, or Department

Define the Tolerance Level for the System

Navigate: On the Administration tab, click Tolerance Maintenance. The Tolerance Maintenance window opens.



Tolerance Maintenance Window

1. In the Tolerance Level column, select System.

- Click **Next**. The Tolerance Maintenance Detail window opens.

Oracle *You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci:@dvol04, Data Source: rms12 Log Path: /u00/webadmin/product/10.1.3/OracleAS_2/j2ee/reim13_MOSB_VatOff/log Authentication: DATABASE

Tolerance Maintenance Detail
Tolerance Level: System Currency: USD

Tolerance: All Difference In Favor: Of All

Delete	Tolerance	Difference In Favor Of	Lower Limit Inclusive	Upper Limit Exclusive	Tolerance Value	Tolerance Type
<input type="checkbox"/>	Invoice/Document Summary Cost	Supplier	0.0000	1,000,000,000.0000	5%	Percent
<input type="checkbox"/>	Invoice/Document Line Item Qty	Supplier	0	1,000,000,000	4.5%	Percent
<input type="checkbox"/>	Invoice/Document Line Item Qty	Retailer	0	1,000,000,000	5.5%	Percent
<input type="checkbox"/>	Invoice/Document Summary Qty	Retailer	0	1,000,000,000	6%	Percent
<input type="checkbox"/>	Invoice/Document Line Item Cost	Retailer	0.0000	1,000,000,000.0000	5.5%	Percent
<input type="checkbox"/>	Invoice/Document Summary Cost	Retailer	0.0000	1,000,000,000.0000	6%	Percent
<input type="checkbox"/>	Invoice/Document Summary Qty	Supplier	0	1,000,000,000	5%	Percent
<input type="checkbox"/>	Invoice/Document Line Item Cost	Supplier	0.0000	1,000,000,000.0000	4.5%	Percent

OK OK+Repeat Refresh Add Defaults Delete Cancel

Tolerance Maintenance Detail Window

- In the Tolerance field, select the type of tolerance you are creating.
- In the Difference in Favor field, indicate in whose favor the tolerance should be.
- Click **Add**. The next available line is enabled.
- In the Lower Limit Inclusive and Upper Limit Exclusive fields, enter the tolerance values.
- In the Tolerance Value field, indicate the total amount allowed for the variance.
- In the Tolerance Type field, indicate how the variance should be measured.
- Click **OK** to save your changes and close the window.

Define the Tolerance Level for the System

Navigate: On the Administration tab, click Tolerance Maintenance. The Tolerance Maintenance window opens.

Oracle *You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci:@dvol04, Data Source: rms12 Log Path: /u00/webadmin/product/10.1.3/OracleAS_2/j2ee/reim13_MOSB_VatOff/log Authentication: DATABASE

Tolerance Maintenance

Tolerance Level

☐ Supplier
☐ Supplier Trait
☐ Department
☒ System

Next Cancel

Tolerance Maintenance Window

- In the Tolerance Level column, select System.

- Click **Next**. The Tolerance Maintenance Detail window opens.

Oracle *You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci:@dvol04, Data Source: rms12 Log Path: /u00/webadmin/product/10.1.3/OracleAS_2/j2ee/reim13_MOSB_VatOff/log Authentication: DATABASE

Tolerance Maintenance Detail
Tolerance Level: System Currency: USD

Tolerance: All Difference In Favor: Of All

Delete	Tolerance	Difference In Favor Of	Lower Limit Inclusive	Upper Limit Exclusive	Tolerance Value	Tolerance Type
<input type="checkbox"/>	Invoice/Document Summary Cost	Supplier	0.0000	1,000,000,000.0000	5%	Percent
<input type="checkbox"/>	Invoice/Document Line Item Qty	Supplier	0	1,000,000,000	4.5%	Percent
<input type="checkbox"/>	Invoice/Document Line Item Qty	Retailer	0	1,000,000,000	5.5%	Percent
<input type="checkbox"/>	Invoice/Document Summary Qty	Retailer	0	1,000,000,000	6%	Percent
<input type="checkbox"/>	Invoice/Document Line Item Cost	Retailer	0.0000	1,000,000,000.0000	5.5%	Percent
<input type="checkbox"/>	Invoice/Document Summary Cost	Retailer	0.0000	1,000,000,000.0000	6%	Percent
<input type="checkbox"/>	Invoice/Document Summary Qty	Supplier	0	1,000,000,000	5%	Percent
<input type="checkbox"/>	Invoice/Document Line Item Cost	Supplier	0.0000	1,000,000,000.0000	4.5%	Percent

OK OK+Repeat Refresh Add Defaults Delete Cancel

Tolerance Maintenance Detail Window

- In the Tolerance field, select the type of tolerance you are creating.
- In the Difference in Favor field, indicate in whose favor the tolerance should be.
- Click **Add**. The next available line is enabled.
- In the Lower Limit Inclusive and Upper Limit Exclusive fields, enter the tolerance values.
- In the Tolerance Value field, indicate the total amount allowed for the variance.
- In the Tolerance Type field, indicate how the variance should be measured.
- Click **OK** to save your changes and close the window.

Define the Tolerance Level for a Supplier, Supplier Trait, or Department

Navigate: On the Administration tab, click Tolerance Maintenance. The Tolerance Maintenance window opens.

Oracle *You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci:@dvol04, Data Source: rms12 Log Path: /u00/webadmin/product/10.1.3/OracleAS_2/j2ee/reim13_MOSB_VatOff/log Authentication: DATABASE




Tolerance Maintenance

Tolerance Level

☐ Supplier
☐ Supplier Trait
☐ Department
☒ System

Next Cancel

Tolerance Maintenance Window

1. In the Tolerance Level column:
 - Select Supplier to create a supplier tolerance level. In the Supplier field, enter the supplier ID, or click the LOV  button to select a supplier.
 - Select Supplier Trait to create a supplier trait tolerance level. In the Supplier Trait field, enter the supplier trait ID, or click the LOV  button to select a supplier trait.
 - Select Department to create a department tolerance level. In the Department field, enter the department ID, or click the LOV  button to select a department.
2. Click **Next**. The Tolerance Maintenance Detail window opens.

ORACLE *You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci@dvoid04, Data Source: rms12 Log Path: /u00/webadmin/product/10.1.3/OracleAS_2/2ee/reim13_MOSB_VatOfn.log Authentication: DATABASE

Tolerance Maintenance Detail
Tolerance Level: System Currency: USD

Tolerance: All Difference In Favor: Of All

Delete	Tolerance	Difference In Favor Of	Lower Limit Inclusive	Upper Limit Exclusive	Tolerance Value	Tolerance Type
<input type="checkbox"/>	Invoice/Document Summary Cost	Supplier	0.0000	1,000,000,000.0000	5%	Percent
<input type="checkbox"/>	Invoice/Document Line Item Qty	Supplier	0	1,000,000,000	4.5%	Percent
<input type="checkbox"/>	Invoice/Document Line Item Qty	Retailer	0	1,000,000,000	5.5%	Percent
<input type="checkbox"/>	Invoice/Document Summary Qty	Retailer	0	1,000,000,000	6%	Percent
<input type="checkbox"/>	Invoice/Document Line Item Cost	Retailer	0.0000	1,000,000,000.0000	5.5%	Percent
<input type="checkbox"/>	Invoice/Document Summary Cost	Retailer	0.0000	1,000,000,000.0000	6%	Percent
<input type="checkbox"/>	Invoice/Document Summary Qty	Supplier	0	1,000,000,000	5%	Percent
<input type="checkbox"/>	Invoice/Document Line Item Cost	Supplier	0.0000	1,000,000,000.0000	4.5%	Percent

OK OK+Repeat Refresh Add Defaults Delete Cancel

Tolerance Maintenance Detail Window

3. In the Tolerance field, select the type of tolerance you are creating.
4. In the Difference in Favor field, indicate in whose favor the tolerance should be.
5. Click **Add**. The next available line is enabled.
6. In the Lower Limit Inclusive and Upper Limit Exclusive fields, enter the tolerance values.
7. In the Tolerance Value field, indicate the total amount allowed for the variance.
8. In the Tolerance Type field, indicate how the variance should be measured.
9. Click **OK** to save your changes and close the window.

Delete a Tolerance Level for a Supplier, Supplier Trait, or Department

Navigate: On the Administration tab, click Tolerance Maintenance. The Tolerance Maintenance window opens.

Tolerance Maintenance Window

- In the Tolerance Level column:
 - Select Supplier to create a supplier tolerance level. In the Supplier field, enter the supplier ID, or click the LOV button to select a supplier.
 - Select Supplier Trait to create a supplier trait tolerance level. In the Supplier Trait field, enter the supplier trait ID, or click the LOV button to select a supplier trait.
 - Select Department to create a department tolerance level. In the Department field, enter the department ID, or click the LOV button to select a department.
- Click **Next**. The Tolerance Maintenance Detail window opens.

Delete	Tolerance	Difference In Favor Of	Lower Limit Inclusive	Upper Limit Exclusive	Tolerance Value	Tolerance Type
<input type="checkbox"/>	Invoice/Document Summary Cost	Supplier	0.0000	1,000,000,000.0000	5%	Percent
<input type="checkbox"/>	Invoice/Document Line Item Qty	Supplier	0	1,000,000,000	4.5%	Percent
<input type="checkbox"/>	Invoice/Document Line Item Qty	Retailer	0	1,000,000,000	5.5%	Percent
<input type="checkbox"/>	Invoice/Document Summary Qty	Retailer	0	1,000,000,000	6%	Percent
<input type="checkbox"/>	Invoice/Document Line Item Cost	Retailer	0.0000	1,000,000,000.0000	5.5%	Percent
<input type="checkbox"/>	Invoice/Document Summary Cost	Retailer	0.0000	1,000,000,000.0000	6%	Percent
<input type="checkbox"/>	Invoice/Document Summary Qty	Supplier	0	1,000,000,000	5%	Percent
<input type="checkbox"/>	Invoice/Document Line Item Cost	Supplier	0.0000	1,000,000,000.0000	4.5%	Percent

Tolerance Maintenance Detail Window

3. In the Delete column, select the type of tolerance you are deleting.

Note: To select all tolerances, select the check box in the header area.

4. Click **Delete**. You are prompted to confirm the deletion.
5. Click **OK**.
6. Click **OK** to close the window and save your changes.

Set Default Tolerance Level for a Supplier, Supplier Trait, or Department

Navigate: On the Administration tab, click Tolerance Maintenance. The Tolerance Maintenance window opens.

Tolerance Maintenance Window

1. In the Tolerance Level column:
 - Select Supplier to create a supplier tolerance level. In the Supplier field, enter the supplier ID, or click the LOV button to select a supplier.
 - Select Supplier Trait to create a supplier trait tolerance level. In the Supplier Trait field, enter the supplier trait ID, or click the LOV button to select a supplier trait.
 - Select Department to create a department tolerance level. In the Department field, enter the department ID, or click the LOV button to select a department.

2. Click **Next**. The Tolerance Maintenance Detail window opens.

ORACLE *You are logged in as: Admin User ADMIN DB URL: jdbc:oracle:oci:@dvo104, Data Source: rms12 Log Path: /u00/webadmin/product/10.1.3/OracleAS_2/2ee/reim13_MOSB_VatOfn/og Authentication: DATABASE

Tolerance Maintenance Detail
Tolerance Level: System Currency: USD

Tolerance: All Difference In Favor: Of All

Delete	Tolerance	Difference In Favor Of	Lower Limit Inclusive	Upper Limit Exclusive	Tolerance Value	Tolerance Type
<input type="checkbox"/>	Invoice/Document Summary Cost	Supplier	0.0000	1,000,000,000.0000	5%	Percent
<input type="checkbox"/>	Invoice/Document Line Item Qty	Supplier	0	1,000,000,000	4.5%	Percent
<input type="checkbox"/>	Invoice/Document Line Item Qty	Retailer	0	1,000,000,000	5.5%	Percent
<input type="checkbox"/>	Invoice/Document Summary Qty	Retailer	0	1,000,000,000	6%	Percent
<input type="checkbox"/>	Invoice/Document Line Item Cost	Retailer	0.0000	1,000,000,000.0000	5.5%	Percent
<input type="checkbox"/>	Invoice/Document Summary Cost	Retailer	0.0000	1,000,000,000.0000	6%	Percent
<input type="checkbox"/>	Invoice/Document Summary Qty	Supplier	0	1,000,000,000	5%	Percent
<input type="checkbox"/>	Invoice/Document Line Item Cost	Supplier	0.0000	1,000,000,000.0000	4.5%	Percent

OK OK+Repeat Refresh Add Defaults Delete Cancel

Tolerance Maintenance Detail Window

3. Click **Defaults**. You are prompted to confirm the restoration.
4. Click **OK**. The system defaults are displayed.
5. Click **OK** to save your changes and close the window.

Glossary

A

Accounts Payable: The amount due to a creditor on an account.

Accounts payable reviewer: The user who can review invoices from a supplier. Also seen as AP reviewer.

Action: The type of task that will be accomplished for the module.

Amount: The monetary number or quantity.

AP reviewer: The accounts payable (AP) associate that reviews the invoices from a supplier.

Auto match: The process that compares billing information from the supplier with purchase order and receipt information. If the information matches within predefined tolerances, the bill is passed onto the accounts payable system for payment. If the information does not match because there is a cost or quantity discrepancy manual matching will be required.

Avail Total Qty: The unmatched quantity from a partially matched receipt.

B

Best terms: The term that gives the retailer the opportunity to pay the least amount on an invoice. Calculating the best terms involves comparing the invoice terms, the purchase order terms, and the supplier's default terms to see which term is most advantageous for the retailer.

C

Calc tolerance %: The percentage by which header and detail amounts can differ and still be considered equal. This is used to account for insignificant errors in rounding between header and detail level totals. For example, a header may show an invoice total as \$1025.31, while the detail area may show it as \$1025.308. If the percentage difference is less than the calc tolerance %, the amounts will be considered equal.

Calculated count: The number of invoices in the group that have been entered to this point.

Calculated total: The total monetary amount of the invoices that have been entered into the system.

Cash Discount: The monetary value of discounts credited by the vendor during the time period at the selected location. Cash discounts increase the gross profit margin.

Child invoice ID: A unique number that identifies an invoice that originated from an invoice with multiple locations.

Child merchandise cost: The merchandise cost assigned to a location when splitting an invoice into multiple locations.

Child quantity: The number of items assigned to a location when splitting an invoice into multiple locations.

Class: The fifth level in the merchandise hierarchy. The class breaks down the merchandise hierarchy. A class can belong to one department.

Class ID: The number that identifies a class. Each class ID within a department is unique.

Close open receipt days: The number of days that a shipment can remain in "Ready for Match" status before it is automatically closed.

Comments: Additional information added to a record.

Consignment: A marketing arrangement where physical control of merchandise, but not the title of ownership is transferred from one business, the consignor (in our case the vendor) to another, the consignee, (in our case the retailer). The title to the goods remains with the consignor until the goods are sold. Upon sale of the goods, the consignor bills the consignee via an invoice.

Consignment Rate: Represents the consignor's share of the sale. The consignment rate is predetermined by both parties.

Control count: The number of invoices in the group that should be in the system after they have been entered.

Control total: The monetary amount that the invoices should total after they have been entered in the system.

Cost: The amount of money that must be paid to take ownership of something; expense or purchase price.

Cost discrepancy: The difference between the cost on a purchase order and the cost on a merchandise invoice. When there is a cost discrepancy in the system, in either the retailer's or supplier's favor, a reviewer will have to do a cost review if the discrepancy is outside tolerances.

Cost resolution due days: The number of days a reviewer has to resolve a cost discrepancy.

Cost review: A cost review is the process where the reviewer examines a cost discrepancy and determines how to resolve it

Cost variance: The amount of difference between the invoice cost and the receipt cost.

Create ID: The user name of the person who entered the group.

Credit memo: A document created to pay back a supplier for a under invoiced amount.

Credit memo prefix-cost: The prefix that indicates a document is a credit memo due to cost.

Credit memo prefix-qty: The prefix that indicates a document is a credit memo due to quantity.

Credit note: A response from the supplier indicating agreement to the terms outlined in a credit note request. A credit note may also be sent by a supplier without a credit note request being sent to the supplier.

Credit note request: A document that is sent from the retailer to the supplier, requesting a credit note for an over invoiced amount.

Credit note request prefix-cost: The prefix that indicates a document is a credit note request due to cost.

Credit note request prefix-qty: The prefix that indicates a document is a credit note request due to quantity.

Cross reference: The association between a general ledger account number and a ReIM transaction code.

Currency: Coins, treasury notes, and banknotes in circulation, used as the medium of exchange.

Currency code: The abbreviation used to indicate which currency the invoice uses. Also seen as Curr code.

Current order cost: The cost of the item from the purchase order at the time of the invoice.

D

Date range: A period of time. Date ranges allow you to limit a search by the dates you specify. You may specify ranges for documents, due dates, or receipt dates.

Days before due date: The number of days you have to wait before routing begins.

Deal: The agreement between a retailer and a vendor for rebates or discounts applied to an item when ordered from the supplier or sold to the customer in certain quantities.

Debit memo: A document created to charge a supplier of an over invoiced amount resulting from a price or quantity discrepancy.

Debit memo prefix-cost: The prefix that indicates a document is a debit memo due to cost.

Debit memo prefix-qty: The prefix that indicates a document is a debit memo due to quantity.

Debit Memo Send Days: The number of days following the receipt of an invoice before a debit memo can be sent out.

Debit memo VAT prefix-qty: The prefix that indicates a document is a debit memo due to VAT quantity.

Default header VAT from details: Indicates whether header level VAT information must be entered before invoice details can be entered. Set to Yes to be able to proceed to the details screen without entering VAT information. Set to No to require VAT information in the header before invoice details can be entered.

Default pay now terms: The terms that are applied to an invoice that is due immediately.

Department: Belongs to a group in the merchandise hierarchy and provides a way to define the areas of a group. A department is the fourth division in the merchandise hierarchy.

Department ID: The number that identifies a department. Each department ID within a group is unique.

Description: The name or identifying note for an ID or code.

Detail matching: Detail matching is the process of comparing purchase orders and invoices to find matches or discrepancies. This means looking at the quantity and cost of each item at every location. Detail matching generally occurs after summary matching has failed to match the purchase order and the invoice.

Discrepancy comments: Comments that pertain to a discrepancy on an invoice.

Document: Accounting paperwork. Document can refer to invoices, debit memos, credit notes, credit note requests and credit memos.

Document cost: The total cost of the items from the document.

Document date: The date the document was created.

Document group: A document group is a collection of documents. Only documents that are manually entered belong to a document group. The document group is a means of facilitating data entry.

Document group status: The status of a document group indicates the availability of the invoices to process in the system. A document group may be in Worksheet or Submitted status.

Document history days: The length of time documents stay the ReIM system before they are purged.

Document ID: A unique number that identifies a document. Also seen as Document number.

Document type: The type of document. The types of documents that ReIM supports are: Merchandise Invoices, Non-Merchandise Invoices, Credit Memo - Cost, Credit Memo - Quantity, Credit Notes, Credit Note Request - Cost, Credit Note Request - Quantity, Debit Memo - Cost, Debit Memo - Quantity. Also seen as Doc type.

Due date: The date that invoice payment is due to a supplier. The due date is calculated based on the document date and the number of days defined as part of the term.

Dynamic: When selected, indicates that the account segment varies, depending on the value assigned to the field.

E

Earliest due date: The soonest date that an invoice must be paid.

EDI invoice: An invoice that has been entered into the system via electronic data interchange (EDI).

Electronic data interchange (EDI): The standard term for electronic transmission of data. ReIM uses EDI to upload and download documents, such as invoices, memos, and notes.

Entry date: The date an invoice or group of invoices was entered into the system.

Exchange Rate: The factor used to convert a monetary amount of one currency to another.

Extended cost: The total cost of an invoice after unit cost is multiplied by invoice quantity.

Extended cost variance: The difference between the invoice extended cost and the purchase order extended cost.

F

Freight payment type: Indicates how the merchandise was shipped, and how shipping was paid for.

G

General Ledger: A company's accounting records. It contains all of the financial accounts and statements.

Group: The sixth level of the merchandise hierarchy.

Group entry: The manual entry of multiple invoices at a single time. An ID is assigned to each invoice group entered.

Group ID: The number that identifies a group of invoice. Each group ID is unique.

I

Include VAT Processing: Indicates whether ReIM should check for Value Added Tax on invoices and differences between the Value Added Tax on invoices and receipts.

Invoice: The bill for goods or services received from a supplier or partner. In the system, the invoice field or column will display the invoice number, the invoice description, or both.

Invoice cost: The unit cost of the items, according to the invoice.

Invoice date: The date the invoice was created.

Invoice date range: The series of dates when the invoice was issued by the supplier.

Invoice number: A unique number that identifies an invoice. Also seen as Invoice.

Invoice quantity: The total number or amount of an item on an invoice. Also seen as Invoice qty.

Invoice quantity variance: The difference between the invoice quantity and the receipt quantity.

Invoice status: The status of the invoice indicates where in the matching process.

Invoice unit cost: The cost for one unit of one item on an invoice.

Item: The merchandise received from a supplier. In the system, the item field or column will display the item number, the item description, or both.

L

Linked supplier: A linked supplier is two or more suppliers that are connected within the system. For example, a receipt to the supplier can be matched to purchase orders from any of the linked suppliers.

Location: The store or warehouse involved in an event. In the system, the location field or column will display the location number, the location description, or both.

Location description: The name or identifying note for a location.

Location ID: The number that identifies a location.

Location type: Indicates whether the location is a store or a warehouse.

Lower limit: The lowest valid dollar amount that can have a specific tolerance variance can be applied to it. The lower limit figure is included when calculating variances.

M

Manual group number: The number assigned to invoices and receipts that have been grouped together by the user for summary and detail matching.

Manual matching: A process that occurs after auto-matching has failed to reconcile documents and receipts. Manual matching consists of summary matching and, if summary matching fails to produce results, detail matching.

Manually paid: An invoice that had been paid without matching.

Matched: The invoice has been matched to receipts based on a common supplier, purchase order, and location relationship.

Matching: The process in which invoices and receipts are compared. If the goods have not yet been received, the purchase order and the receipt are compared. Invoices can be matched by auto-matching or manual matching. The unit cost and quantities of all items on the invoice are compared to the unit cost and quantities on the receipt. If the cost and quantity on the invoice and receipt match within the tolerances defined, there is a match. If the cost and quantity do not match, there will need to be some kind of intervention. This intervention can include creating one of the credit types of documents so that the retailer gets the refund he deserves.

Max tolerance %: The maximum tolerance that is allowed for any invoice throughout the system.

Merchandise costs: Costs that are associated with items on documents. Any other costs on an invoice are non-merchandise costs. The sum of the merchandise costs and non-merchandise costs is the total document cost. Also seen as Merch cost, Total merchandise cost, Total invoice merch cost, Total invoice merchandise cost.

Merchandise invoice: The bill that a supplier sends to a retailer for actual merchandise items. A merchandise invoice can also contain additional non-merchandise costs. Because a merchandise invoice must involve items, only suppliers can send merchandise invoices.

Multi-unresolved match: An invoice can be matched to more than one receipt. Alternatively, a receipt can be matched to more than one invoice. Manual intervention is required to define the match.

N

Non-merchandise costs: Costs that are not associated with items, such as shipping charges. A document may have both merchandise and non-merchandise costs. A non-merchandise invoice can only have non-merchandise costs and will never have merchandise costs. A merchandise invoice can have merchandise costs for the items on a purchase order and non-merchandise costs for the cost of shipping the items. Also seen as Non-merch costs, Total non-merchandise cost.

Non-merchandise invoice: Bills for non-merchandise costs only. Non-merchandise invoices can not contain items. Either suppliers or partners can create non-merchandise invoices.

Number of invoices: The number of invoices available to be matched to receipts. Also seen as No. of invoices.

Number of line exceptions: The number of line items that are in discrepancy. Also seen as No. of line exceptions.

Number of receipts: The number of receipts available to be matched to invoices. Also seen as No. of receipts.

O

Open receipt: A receipt is open if no invoice is received to match it against. After a set amount of time has passed, it is written off to a general ledger account. A receipt remains open while the retailer is waiting for invoices.

Order comments: Comments associated with the purchase order.

Order cost source: Indicates the source of the cost, as stated on the purchase order.

Order Number: The identifying number on a purchase order.

Order terms: The order term defines the discounts that apply if the invoice is paid early and the number of days until payment is due.

Order UPC: Indicates the UPC associated with the item.

Original Order Cost: The cost of the purchase order after the off invoice deals are deducted.

P

Parent invoice ID: A unique number that identifies an invoice with multiple locations.

Partner: A person or entity that has an association with your organization in various areas of the procurement process. Partners can include those involved in transporting goods, escheatment, providing credit, and providing services. A partner does not provide items for resale to a retailer.

Past due indicator: When selected, indicates that the due date for the invoice has passed.

Payment date: The date the invoice was paid.

Post dated document days: How many days old a document can be when entered into the system.

Posted: The matched invoice and receipt has been exported to an external accounts payable system.

Pre-paid invoice: The process of sending an invoice to accounts payable without matching it to any receipts. Also seen as Pre-paid.

Prefix: Identifies the document type by attaching the appropriate code to the beginning of the document ID. Also seen as Doc prefix.

Purchase order: An agreement between a retailer and a supplier for the purchase of goods. The retailer records the quantity, cost, and delivery location of items from the supplier. On a single purchase order, the same item going to different locations can have different costs.

Q

Quantity: The total number of an item.

Quantity difference: The difference between the quantity on a receipt and the quantity on a merchandise invoice.

Quantity discrepancy: The difference between the quantity on a receipt and the quantity on a merchandise invoice. ReIM searches for quantity discrepancies so that the retailer does not pay for goods that were not received. If the quantity discrepancy is not in the retailers favor, a buyer initiates a resolution document to dispute quantity and get a refund for the missing units.

Quantity discrepancy days before routing: The number of days a quantity can exist before it is sent for payment.

Quantity discrepancy review: The process of reviewing variances between the invoice, the receipt, and the purchase order, to determine the correct amount to pay.

Quantity resolution due days: The number of days the buyer has to resolve a quantity discrepancy. Also seen as Qty resolution due days.

Quantity variance: The amount of difference between the invoice quantity and the receipt quantity.

R

Ready for match: The invoice has not been matched to a receipt. The match is based on a common supplier, purchase order, and location.

Reason code: The resolution or reason that is applied to an event that occurs within a system.

Receipt: A receipt is a document stating that the goods that have arrived to the store or warehouse. For the purposes of ReIM, only goods associated with purchase order are considered.

Receipt cost: The unit cost of the items, according to the receipt.

Receipt date: The date the goods arrived to the store or warehouse.

Receipt quantity: The number of item that were received at the location

Receiving location: The store or warehouse where the items arrived.

Reject reason: Indicates the reason that the document could not be loaded into the system via EDI.

Resolution document: A resolution document can be used to resolve an invoice-to-receipt discrepancy: debit memo, credit memo, credit note, and credit note requests.

Resolve by date: The date by which invoice issues should be completed by in order to pay the invoice.

Reviewer group: Indicates which group will review the invoice discrepancy.

ROG: Receipt of goods.

ROG date: The day the items on a purchase order were actually received at the location.

Route date: The day the invoice was sent for discrepancy review.

S

Segment 1 - 10: Used to build the correct account numbers and ensure that transactions are credited/debited from the appropriate financial accounts.

Segment label: The name for the numeric section of the account number.

Segment position: The place in the account number where the segment label is found.

Shipment: A shipment is a group of items that are in transit. A shipment may be the result on an intra-company transfer or the goods on a purchase order.

Source: The origin of the terms that are applied to an invoice.

Status: When an invoice or group of invoices is added to the system, it must go through a series of checks before it is accessible in the system. Depending on your user role, you may not be able to move the invoice or group of invoices to the next status.

Summary matching: The process of comparing invoice and receipt totals to find matches or discrepancies.

Supplier: The person or entity that provides items to a retailer.

Supplier name: The name or identifying note for a supplier. Also seen as Supplier, Supp name.

Supplier terms: The terms of payment as defined at the supplier level. A term defines the discount that apply if the invoice is paid early and the number of days until payment is due.

Supplier Trait: An attribute assigned to a supplier.

System: Oracle Retail Invoice Matching (ReIM). When something is defined at the system level, it is a parameter that applies to all levels of ReIM.

System Unit Gross: The total amount a unit costs before any deals are applied.

T

Terms: The discount that applies if the document is paid early and the number of days until payment is due. Terms are the payment conditions negotiated between suppliers and retailers. Terms are associated with suppliers, purchase orders, invoices, and other documents.

Terms date: The date the payment is due, in order to take advantage of the discount according to the terms.

Tolerance: The range that the receipt can vary from the invoice in terms of amount and quantity and still be considered a match. Tolerances are used in the auto-match and manual match process to determine when quantities are 'close enough' that the difference is not worth the time and effort to investigate and possibly dispute. Summary matching uses supplier level tolerance to manually match the invoice. Detail matching uses department level tolerances to manually match the invoice. The system level tolerances are used if department level tolerances do not exist for an item being detail matched, or supplier level tolerances do not exist for a document being summary matched.

Total allowances: The amount that a deal has saved for all merchandise items across an invoice.

Total cost: The sum of all merchandise and non-merchandise costs on the document. Also seen as Total invoice cost, Invoice total cost, Total document amount, Document amount.

Total extended cost: The total cost of an invoice after unit cost is multiplied by invoice quantity for all items on an invoice.

Total items: The number of items on an invoice.

Total line item cost: The sum of a line item on an invoice. This is calculated by multiplying the quantity of line item by the unit cost of the line item.

Total quantity: The sum of all merchandise items on an invoice. Also seen as total invoice quantity, invoice total quantity.

Total quantity variance: The difference between the invoice quantity and the receipt quantity.

U

Undistributed cost: The amount remaining on a multiple location invoice that needs to be distributed to a single location.

Undistributed quantity: The number of items remaining on a multiple location invoice that needs to be distributed to a single location.

Unit Cost: The cost per unit of the item.

Unit cost variance: The difference between the current order cost and the current invoice cost.

Unit cost variance percent: The percentage representation of the unit cost variance.

Unresolved match: An invoice has been matched to a receipt based on a common supplier, purchase order, and location relationship, but the cost and/or the quantity does not match within tolerance.

UPC: Indicates the Universal Product Code (UPC) for the item selected.

Upper limit: The highest valid dollar amount that can have a specific tolerance variance can be applied to it. The upper limit figure is excluded when calculating variances.

User: A person who is authorized to use the system.

User group: A grouping to associate users by the common functional permissions they are allowed to perform within a system. Also seen as Group.

V

Variance: The difference between the calculated and the control totals and counts, or the difference between the invoice and receipt.

VAT: Value Added Taxes. A common taxation system that adds taxes when value is added to the production of items. It applies to both the purchase and sale of items.

VAT document creation level: Indicates whether VAT debit memos and VAT credit note requests are created at the Item or Full Invoice level.

VAT resolution due days: The number of days VAT discrepancies should be resolved in.

VAT validation type: The method the system uses when matching Value Added Tax amounts. VAT Resolution requires the VAT on the invoice and receipt to match. Invoice VAT uses the VAT on the invoice. System VAT uses the VAT on the receipt.

Vendor: A generic, inclusive term used to mean either partner or supplier.

Vendor description: The name of the vendor.

Vendor Type: See Vendor.