

Oracle® Retail Workspace

Release Notes

Release 13.0.1 Patch

June 2008

This document highlights fixed issues and defects and technical enhancements for the Oracle Retail Workspace (ORW) Release 13.0.1 Patch.

Technical Enhancements

The following technical enhancements are included in this release.

Operating System Certification

In addition to the support of Linux in Workspace 13.0, the 13.0.1 patch release introduces certification with the following operating systems:

- IBM AIX 5.3
- HP-UX Itanium 11.23
- Sun Solaris 10

Fixed Defect

In Workspace 13.0, some of the images used were not transparent when viewed in Internet Explorer 6. This defect is fixed in Workspace 13.0.1.

Known Issues

Table 1 lists known issues discovered during the development of this release of Workspace. Administrators and users should review this information before they begin implementation.

Table 1 Known Issues

Issue	Area	Functional Impact	Mitigation
The Demo Executive dashboard has been developed as a JSF subview of the Workspace page, rather than as an external application. This means that this dashboard was coded as part of the Workspace application. (Its content is still configurable, however.) Because of the way the ADF security framework is designed and the way in which the subview is imported into the Workspace page, this dashboard needs to be granted the "anyone" permission.	Dashboards	The Demo Executive dashboard is viewable outside the Workspace application.	Customers should not use the Demo Executive dashboard if the data displayed in it is sensitive
Internet Explorer has a URL length limitation of 2,083 characters.	Dashboard launching	If the URL for an external dashboard (including parameters) exceeds the 2,083 character limit, the dashboard will not display in the content area of Workspace.	Customers should limit the individual size of the URLs and other parameters for each of the portlets within the dashboard. See the Troubleshooting section of the Implementation Guide for more details.
Right-clicking over a dashboard link and selecting Open in New Window from the browser context menu does not change the selection, and it does not launch that link in a new browser window. Instead, a new copy of Workspace is launched.	User interface	This has impact for any link in the navigation panel that is configured as show-in-content-area = "true", such as links in the Dashboard work list. This also affects the About link. Selecting Open in New Window launches a new copy of Workspace, with the currently selected work item displayed in the content area.	This is the expected behavior of the ADF "command link" component used to render the link.
Oracle BI "Bookmark Link Error On Windows With FAT32"-see Section 1.4.7 at the following URL: http://download.oracle.com/docs/cd/E10415_01/doc/bi.1013/e10404/cha-pter.htm	Reports URLs	The portlet on the dashboard displays an error instead of the Oracle BI report.	This issue occurs when Oracle BI Presentation Services is running on a Microsoft Windows machine with a FAT32 file system. Convert the FAT volumes to NTFS. Refer to your Windows operating system documentation for instructions for the file system conversion.

Table 1 (Cont.) Known Issues

Issue	Area	Functional Impact	Mitigation
Some Oracle Retail applications such as Promote do not support multibyte user names and passwords. Therefore, when Promote is enabled for Oracle Single Sign-On, user names and passwords setup in Oracle Internet Directory (OID) should not be multibyte values.	Single Sign-On	User IDs and passwords cannot be set up as multibyte values if applications not supporting multibyte values are to be included in Oracle Single Sign-On.	Do not use multibyte values for user IDs and passwords in OID. Another option is not to enable applications for Oracle Single Sign-On if they do not support multibyte values for user IDs and passwords.
If the server name for different content configured to display in Workspace is not fully qualified (for example, server01 rather than server01.us.mycompany.com), the content may not be displayed.	Dashboards launching / Portlets content	Dashboards may not launch, or content such as reports within portlets may not appear.	All server names used in the Workspace configuration should be fully qualified, especially when used in URLs.

Table 1 (Cont.) Known Issues

Issue	Area	Functional Impact	Mitigation
Content in portlets within dashboards sometimes does not appear when a dashboard is first launched.	Portlets content	Content within portlets such as reports may not appear.	Right-click inside the portlet. When the drop-down menu appears, click Refresh.
<p>The Workspace application uses JSF session-scoped managed beans to maintain user interface state information in the browser session.</p> <p>The application also uses the ADF Session Change Manager to track the expansion/selection state of interface components. This affects the application behavior if the browser session times out.</p> <p>The default Workspace session timeout period is 35 minutes.</p> <p>User interface state information that may be affected includes:</p> <ul style="list-style-type: none"> ■ The expansion state of tree nodes and containers in the navigation panel ■ The role-based lists of work items to display in the navigation panel ■ The currently selected work item 	User Interface	<p>If the browser session times out because of a prolonged period of inactivity, either of the following may occur:</p> <ul style="list-style-type: none"> ■ When you interact with a tree or with buttons or links on the Workspace page, nodes in the trees may collapse unexpectedly. If your Single Sign-On session has also timed out concurrently, tree nodes may also disappear, if unauthenticated users have not been given permission to view the work items. ■ When you interact with a tree, work list, buttons, or links on the Workspace page, the content displayed in the page content may revert to the default home page associated with the roles to which you have been assigned. 	<p>This is the expected behavior when the session times out. To prevent session timeout, users should not leave the application open for prolonged periods of inactivity. Log out of Workspace and close the browser window if you plan to be away from your desk for a prolonged period.</p> <p>If it appears your session has timed out:</p> <ul style="list-style-type: none"> ■ Refresh the Workspace application using the browser Refresh button. ■ After you refresh the page, if you are no longer logged in to the application, click the Login link and log in again. <p>It is possible for customers to change the Workspace web.xml deployment descriptor to increase the value of <session-timeout>, but this is not recommended.</p>

Table 1 (Cont.) Known Issues

Issue	Area	Functional Impact	Mitigation
<p>The Workspace application uses JSF session-scoped managed beans to maintain user interface state information in the browser session. This affects the application behavior if multiple browser windows share the same session.</p> <p>User interface state information that may be affected includes:</p> <ul style="list-style-type: none"> ■ The role-based lists of work items to display in the navigation panel ■ The currently selected work item 	User Interface	<p>If you open multiple browser windows associated with a single browser session, you will notice that selecting an item in the navigation pane in one window may affect what is displayed in the other browser windows when they are refreshed.</p> <p>To observe this behavior, open the Workspace application in Internet Explorer and log in. If you right-click on one of the application hyperlinks and select Open in New Window from the browser context menu, the application opens in a new browser window. You will be logged into the application, and the dashboard that was displayed in the original window will be displayed in the new browser window. Select a different dashboard in either of the browser windows, and then refresh the other window. Both windows will show the same dashboard.</p>	<p>This is the expected behavior when multiple Workspace windows share the same browser session. To avoid this behavior, do not open multiple browser windows that share the same session.</p>

Related Documentation

For more information, see the following documents in the Oracle Retail Workspace Release 13.0.1 Patch documentation set:

- *Oracle Retail Workspace Administration Guide*
- *Oracle Retail Workspace Implementation Guide*
- *Oracle Retail Workspace Installation Guide*

Supplemental Documentation in Metalink Notes

The following documents are available through Metalink. Access Metalink at the following URL:

<https://metalink.oracle.com>

Metalink Note 559554.1: Oracle Retail Reports Resizing Guide

Due to the space constraints of the content area in Oracle Retail Workspace, reports accessed in a dashboard may need to be resized. This guide provides a quick and simple step-by-step process for resizing reports in both Oracle Business Intelligence Enterprise Edition (Oracle BI) and Oracle BI Publisher.

Metalink Note 559552.1: Oracle Retail Workspace Dashboard Examples Guide

This document includes dashboard examples that provide content examples for the Executive, Merchant, Planner, and Store Manager roles in a retail organization. These dashboard examples can help you assess and plan the Workspace content you need for your business. For more information on creating or customizing your dashboards, see the Oracle Retail Workspace Implementation Guide.

Oracle Retail Data Warehouse Release Notes, Release 13.0.1 Patch

Copyright © 2008, Oracle. All rights reserved.

The Programs (which include both the software and documentation) contain proprietary information; they are provided under a license agreement containing restrictions on use and disclosure and are also protected by copyright, patent, and other intellectual and industrial property laws. Reverse engineering, disassembly, or decompilation of the Programs, except to the extent required to obtain interoperability with other independently created software or as specified by law, is prohibited.

The information contained in this document is subject to change without notice. If you find any problems in the documentation, please report them to us in writing. This document is not warranted to be error-free. Except as may be expressly permitted in your license agreement for these Programs, no part of these Programs may be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose.

If the Programs are delivered to the United States Government or anyone licensing or using the Programs on behalf of the United States Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the Programs, including documentation and technical data, shall be subject to the licensing restrictions set forth in the applicable Oracle license agreement, and, to the extent applicable, the additional rights set forth in FAR 52.227-19, Commercial Computer Software--Restricted Rights (June 1987). Oracle USA, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

The Programs are not intended for use in any nuclear, aviation, mass transit, medical, or other inherently dangerous applications. It shall be the licensee's responsibility to take all appropriate fail-safe, backup, redundancy and other measures to ensure the safe use of such applications if the Programs are used for such purposes, and we disclaim liability for any damages caused by such use of the Programs.

Oracle, JD Edwards, PeopleSoft, and Siebel are registered trademarks of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

The Programs may provide links to Web sites and access to content, products, and services from third parties. Oracle is not responsible for the availability of, or any content provided on, third-party Web sites. You bear all risks associated with the use of such content. If you choose to purchase any products or services from a third party, the relationship is directly between you and the third party. Oracle is not responsible for: (a) the quality of third-party products or services; or (b) fulfilling any of the terms of the agreement with the third party, including delivery of products or services and warranty obligations related to purchased products or services. Oracle is not responsible for any loss or damage of any sort that you may incur from dealing with any third party.

Value-Added Reseller (VAR) Language

(i) the software component known as **ACUMATE** developed and licensed by Lucent Technologies Inc. of Murray Hill, New Jersey, to Oracle and imbedded in the Oracle Retail Predictive Application Server - Enterprise Engine, Oracle Retail Category Management, Oracle Retail Item Planning, Oracle Retail Merchandise Financial Planning, Oracle Retail Advanced Inventory Planning and Oracle Retail Demand Forecasting applications.

(ii) the **MicroStrategy** Components developed and licensed by MicroStrategy Services Corporation (MicroStrategy) of McLean, Virginia to Oracle and imbedded in the MicroStrategy for Oracle Retail Data Warehouse and MicroStrategy for Oracle Retail Planning & Optimization applications.

(iii) the **SeeBeyond** component developed and licensed by Sun Microsystems, Inc. (Sun) of Santa Clara, California, to Oracle and imbedded in the Oracle Retail Integration Bus application.

(iv) the **Wavelink** component developed and licensed by Wavelink Corporation (Wavelink) of Kirkland, Washington, to Oracle and imbedded in Oracle Retail Store Inventory Management.

(v) the software component known as **Crystal Enterprise Professional and/or Crystal Reports Professional** licensed by Business Objects Software Limited ("Business Objects") and imbedded in Oracle Retail Store Inventory Management.

(vi) the software component known as **Access Via™** licensed by Access Via of Seattle, Washington, and imbedded in Oracle Retail Signs and Oracle Retail Labels and Tags.

(vii) the software component known as **Adobe Flex™** licensed by Adobe Systems Incorporated of San Jose, California, and imbedded in Oracle Retail Promotion Planning & Optimization application.

(viii) the software component known as **Style Report™** developed and licensed by InetSoft Technology Corp. of Piscataway, New Jersey, to Oracle and imbedded in the Oracle Retail Value Chain Collaboration application.

(ix) the software component known as **WebLogic™** developed and licensed by BEA Systems, Inc. of San Jose, California, to Oracle and imbedded in the Oracle Retail Value Chain Collaboration application.

(x) the software component known as **DataBeacon™** developed and licensed by Cognos Incorporated of Ottawa, Ontario, Canada, to Oracle and imbedded in the Oracle Retail Value Chain Collaboration application.