

# Oracle® Retail MICROS Retail-J

Release Notes  
Release 11.0\_SP26  
March 2018

---

---

This document highlights the major changes for Release 11.0\_SP26 of Oracle Retail MICROS Retail-J.

---

---

**Note:** The rebranding for the latest version of this documentation set is in development as part of post MICROS acquisition activities. References to former MICROS product names may exist throughout the existing 11.0.x documentation set.

---

---

## Release Overview

This document contains the release notes for the Oracle Retail MICROS Retail-J 11.0\_SP26 release which is regarded as a general maintenance release.

This release enables the retailer to process end-user requests for data access and deletion of individual data records stored in Oracle Retail MICROS Retail-J.

Retail-J now provides an API to fetch customer data or employee data given the customer identifier or employee identifier respectively. It also provides an API to delete the employee data or customer data stored by Oracle Retail MICROS Retail-J. Each and every aforementioned API's calls are logged for auditing purposes.

## Certified Platforms

The Oracle Retail MICROS Retail-J 11.0\_SP26 release is supported on the following platforms:

Type	Software and Version
Operating System	Windows 7 Professional *64 bit Windows 8 Windows 8.1 Pro *64 bit Linux
Database <sup>1</sup>	Oracle 11g Microsoft SQL Server 2008 SP3 Microsoft SQL Server R2 SP1 Microsoft SQL Server 2012 Microsoft SQL Server 2014 *64 bit MySQL5.6
Web Application Server	Tomcat 6.0 (32 bit)
Browsers	Internet Explorer 9, Firefox

## Retail-J Web Services

DataPrivacyServlet has been added. It is a servlet with a set of APIs to read Employee data and Customer Data and to delete the same.

The servlet provides four methods (getCustomerData, getEmployeeData, deleteCustomerData, and deleteEmployeeData), to fetch and delete the data for both employee and customer.

---

<sup>1</sup> All Oracle Retail MICROS Retail-J databases support unicode or double-byte data.

## Access Customer Data

https://<hostname>:<port>/rjWebServices/DataPrivacyServlet?method=getCustomerData&deviceID=<deviceID> &uid=<userID>&pwd=<password> &id=<customerID>

```
<Customer> <CustomerNumber>1</CustomerNumber>
<Title>Mr</Title>
<Initials>LR</Initials>
<Forename>Lee</Forename>
<Surname>Clinton|Bill</Surname>
<Sex>M</Sex>
<DateOfBirth>1980-06-05T00:00:00+05:30</DateOfBirth>
<VATNumber>653443243</VATNumber>
<Address>
<XMLSchemaVersion>1</XMLSchemaVersion>
<OrganisationName>TOREX</OrganisationName>
<Street1>Houghton Hall Business Park</Street1>
<Street2>Houghton Regis</Street2>
<Street3>234</Street3>
<Town>Dunstable</Town>
<County>London</County>
<PostCode>LU5 5YG</PostCode>
<Country>UK</Country>
<Phone1>34645235</Phone1>
<Phone2>4565233</Phone2>
<MobilePhone>565345</MobilePhone>
<Email>mail@lee.com</Email>
<Fax>56542434</Fax>
<AddressAttributes>
<XMLSchemaVersion>1</XMLSchemaVersion>
<Attribute>
<Name>244</Name>
<Value>cust address1</Value>
</Attribute>
</AddressAttributes>
<CountryDescription>United Kingdom</CountryDescription>
<Latitude>40.0</Latitude>
<Longitude>50.0</Longitude>
</Address>
<NameAttributes>
<XMLSchemaVersion>1</XMLSchemaVersion>
<Attribute>
<Name>24</Name>
<Value>Cust attribute</Value>
</Attribute>
</NameAttributes>
<CustomerAttributes>
<XMLSchemaVersion>1</XMLSchemaVersion>
<Attribute>
<Name>2444</Name>
<Value>Customer attri</Value>
</Attribute>
</CustomerAttributes>
<CustomerCard>
<Pan>*****4984</Pan>
<ExpiryDate>0514</ExpiryDate>
<IssueDate/>
<CardType>0</CardType>
<IssueNumber/>
</CustomerCard>
<CustomerCard>
<Pan>*****6356</Pan>
<ExpiryDate>0514</ExpiryDate>
<IssueDate/>
<CardType>0</CardType>
<IssueNumber/>
```

```

</CustomerCard>
<CustomerLoyalty>
<IsLoyaltyAccount>true</IsLoyaltyAccount>
<LoyaltySchemeID>1</LoyaltySchemeID>
<LoyaltyBalance>499900</LoyaltyBalance>
<RecentLoyaltyCreditsTotal>234</RecentLoyaltyCreditsTotal>
<RecentLoyaltyDebitsTotal>3464653</RecentLoyaltyDebitsTotal>
<MobilePhoneNumber>97987987</MobilePhoneNumber>
</CustomerLoyalty>
<Image>
<OriginalFileName>reg.jpg</OriginalFileName>
</Image>
</Customer>

```

## Access Employee Data

https://<hostname>:<port>/rjWebServices/DataPrivacyServlet?method=getEmployeeData&deviceID=<deviceID> &uid=<userID>&pwd=<password> &id=<employeeID>

```

<Employee>
<EmployeeID>0001000011</EmployeeID>
<Title>Mr</Title>
<Initials>JS</Initials>
<Forename>John</Forename>
<Surname>Smith</Surname>
<DateOfBirth>1970-01-01T00:00:00+05:30</DateOfBirth>
<ContactName>Tie Smith</ContactName>
<ContactRelationship>Brother</ContactRelationship>
<ContactAddress>
<XMLSchemaVersion>1</XMLSchemaVersion>
<OrganisationName>hh</OrganisationName>
<Street1>3, Hilton St.</Street1>
<Street2>Golden Ball</Street2>
<Street3>bbnm</Street3>
<Town>Wolf town</Town>
<County> WorkShire </County>
<PostCode>098765</PostCode>
<Country>UK</Country>
<Phone1>0987654321</Phone1>
<Phone2>0967546788</Phone2>
<MobilePhone>9856465476</MobilePhone>
<Email>mn@gmail.com</Email>
<Fax>248976</Fax>
<CountryDescription>United Kingdom</CountryDescription>
<Latitude>53.7306N</Latitude>
<Longitude>1.2345W</Longitude>
<Elevator>1</Elevator>
</ContactAddress>
<Address>
<XMLSchemaVersion>1</XMLSchemaVersion>
<OrganisationName>Oracle Corporation</OrganisationName>
<Street1>Redwood Shores</Street1>
<Street2>Funland</Street2>
<Street3>32 West</Street3>
<Town>New Town</Town>
<County>Workshire</County>
<PostCode>976857</PostCode>
<Country>UK</Country>
<Phone1>97698658745</Phone1>
<Phone2>78435354</Phone2>
<MobilePhone>75587687</MobilePhone>
<Email>vbc@hotmail.com</Email>
<Fax>12358789</Fax>
<CountryDescription>United Kingdom</CountryDescription>
<Latitude>9.0</Latitude>
<Longitude>17.0</Longitude>

```

```
<Elevator>1</Elevator>
</Address>
<BankAddress>
<XMLSchemaVersion>1</XMLSchemaVersion>
<OrganisationName>J & J Bank</OrganisationName>
<Street1>..</Street1>
<Street2>..</Street2>
<Street3>..</Street3>
<Town>..</Town>
<County>..</County>
<PostCode>...</PostCode>
<Country>UK</Country>
<Phone1>9768746547586</Phone1>
<Phone2>978674647657</Phone2>
<MobilePhone>786564562453</MobilePhone>
<Email>mnkl@gmail.com</Email>
<Fax>kljkj</Fax>
<CountryDescription>United Kingdom</CountryDescription>
<Latitude>3.0</Latitude>
<Longitude>9.0</Longitude>
<Elevator>1</Elevator>
</BankAddress>
<BankAccountNumber>*****4787</BankAccountNumber>
<SocialSecurityNumber>**8765</SocialSecurityNumber>
<ImageFilename>emn.jpg</ImageFilename>
<ImageFilepath>C:\fakepath\emn.jpg</ImageFilepath>
</Employee>
```

### Delete a Customer

```
https://<hostname>:<port>/rjWebServices/DataPrivacyServlet?method=deleteCustomerData&deviceId=<deviceId> &uid=<userID>&pwd=<password> &id=<customerID>
<Result>Processing delete.</Result>
```

### Delete Employee Data

```
https://<hostname>:<port>/rjWebServices/DataPrivacyServlet?method=deleteEmployeeData&deviceId=<deviceId> &uid=<userID>&pwd=<password> &id=<employeeID>
<Result>Processing delete.</Result>
```

The userID and password are the credentials of the person accessing it.

---

**Note:** Upon customer deletion, the deletion of a related basket can be controlled based on a flag named DeleteTransactionForPrivacy, added to organization.

---

The deleteTransactionForPrivacy can be controlled in the organization as follows:

### Organization Registration

You are editing Organization RJ 13

Field	Value
Organisation ID	RJ13
Organisation Name	RJ13
License Serial Number	73DA41424ED8E0151BB847DBA192B7F2DA81D8D5D38A0CF16E7F1413ED9C2D53
Contact Name	System Owner
Base Currency ID	UK Sterling
Start Of Week	Sunday
Primary Estate Manager Device ID	ALL.RJ13
Encrypt Sensitive XML	<input checked="" type="checkbox"/>
PCI Compliant Information Display	<input type="checkbox"/>
Message Broker	-
Back Office UI Theme	test classic
Delete Customer Transactions for Data Privacy	<input type="checkbox"/>
<b>User Details</b>	
Location Unique User IDs	<input type="checkbox"/>
User ID Length	-
<b>Inventory Management Details</b>	
All Inventory Levels Held Centrally	<input checked="" type="checkbox"/>
No Container Tracking	<input type="checkbox"/>
Central Serial Number URL	
<b>Edit Address</b>	

## Data Model Changes

A table named DataPrivacyEvents has been added to store the events triggered by invoking the getCustomerData, getEmployeeData, deleteCustomerData, and deleteEmployeeData methods. The events are Access\_Customer event, Access\_Employee event, Forget\_Customer event, and Forget\_Employee event. The DataPrivacyServlet logs every call to the DataPrivacyEvents table based on the method invoked.


## Activity Log

The DataPrivacy Events will appear in the Activity log and thus be available for audits. An activity log entry for a data privacy event will look like the following example:

	04/01/18 11:41	Insert	DataPrivacyEvent	221120180104114126141	ADMIN	ALL.RJ13
	04/01/18 11:41	Card Number View	ReportCriteria	Card Details	ADMIN	ALL.RJ13
	04/01/18 11:40	Card Number View	ReportCriteria	Customer Spend History Report	ADMIN	ALL.RJ13

## Purging Events

The Data Privacy Events are purgable, same as other entities, as part of purge dynamic data.



## Technical Enhancement

The technical enhancement described below is included in this release:

Internal Reference Number	Description
MRJ-28062	Secure by Default

## Noteworthy Fixed Issues

The following noteworthy defect fixes are included in this release:

Internal Reference Number	Description
23257519	Third party libraries - ingenicousbsupport.jar – remediation.
26721211	Third party libraries - jama remediation.
26721235	Third party libraries - jakarta taglibs.
26721273	Third party libraries - xalan (v2.3) remediation.
24733798	Third party libraries - linear barcode replacement - itext barcode servlet.
24742105	Third party libraries - struts-1.2.9.jar remediation.
24734088	Third party libraries - solvelink jar remediation.
24734058	Third party libraries - smarttpsagentconnector.jar, smarttpstlvcomms.j remediation.
24734038	Third party libraries - rtxcomm.jar remediation.
24733993	Third party libraries - qas jars remediation.
24733951	Third party libraries - imsrtribspecsdk-270c.jar, mspcommapi.jar remediation.
24733929	Third party libraries - ftp2.jar remediation.
24733915	Third party libraries - ftp.jar remediation.
24733860	Third party libraries - dwxml4.3.jar remediation.
24733838	Third party libraries - dijkstra remediation.
24733818	Third party libraries - commons-net-3.1 jar remediation.
26721327	Third party libraries - remove jpos172 dependency.
26721282	POS browser hot key fails to log in.
24917930	Transaction totals report displays items outside of the filter.
23123178	SQL Exception in MYSQLSERVERUPDATE.

## Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

### Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Copyright © 2018, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

#### Value-Added Reseller (VAR) Language

##### Oracle Retail VAR Applications

The following restrictions and provisions only apply to the programs referred to in this section and licensed to you. You acknowledge that the programs may contain third party software (VAR applications) licensed to Oracle. Depending upon your product and its version number, the VAR applications may include:

- (i) the **MicroStrategy** Components developed and licensed by MicroStrategy Services Corporation (MicroStrategy) of McLean, Virginia to Oracle and imbedded in the MicroStrategy for Oracle Retail Data Warehouse and MicroStrategy for Oracle Retail Planning & Optimization applications.
- (ii) the **Wavelink** component developed and licensed by Wavelink Corporation (Wavelink) of Kirkland, Washington, to Oracle and imbedded in Oracle Retail Mobile Store Inventory Management.
- (iii) the software component known as **Access Via™** licensed by Access Via of Seattle, Washington, and imbedded in Oracle Retail Signs and Oracle Retail Labels and Tags.
- (iv) the software component known as **Adobe Flex™** licensed by Adobe Systems Incorporated of San Jose, California, and imbedded in Oracle Retail Promotion Planning & Optimization application.

You acknowledge and confirm that Oracle grants you use of only the object code of the VAR Applications. Oracle will not deliver source code to the VAR Applications to you. Notwithstanding any other term or condition of the agreement and this ordering document, you shall not cause or permit alteration of any VAR Applications. For purposes of this section, "alteration" refers to all alterations, translations, upgrades, enhancements, customizations or modifications of all or any portion of the VAR Applications including all reconfigurations, reassembly or reverse assembly, re-engineering or reverse engineering and recompilations or reverse compilations of the VAR Applications or any derivatives of the VAR Applications. You acknowledge that it shall be a breach of the agreement to utilize the relationship, and/or confidential information of the VAR Applications for purposes of competitive discovery.

The VAR Applications contain trade secrets of Oracle and Oracle's licensors and Customer shall not attempt, cause, or permit the alteration, decompilation, reverse engineering, disassembly or other reduction of the VAR Applications to a human perceivable form. Oracle reserves the right to replace, with functional equivalent software, any of the VAR Applications in future releases of the applicable program.