

Name list-components– lists deployed components

Synopsis list-components
[`--help`]
[`--type` {application|connector|ejb|jruby|web|webservice}]
[*target*]

Description The `list-components` subcommand lists all deployed Java EE components. If the `--type` option is not specified, all components are listed. The possible types are as follows:

- application (default)
- connector
- ejb
- jruby
- web
- webservice

This subcommand is supported in remote mode only.

Options `--help`
Displays the help text for the subcommand.

`--type`
Specifies the type of the components that are to be listed. The options are as follows:

- application (default)
- connector
- ejb
- jruby
- web
- webservice

If no type is specified, all components are listed.

Operands *target*
Do not specify this option. This option is retained for compatibility with other releases. If you specify this option, a syntax error does not occur. Instead, the subcommand runs successfully and the option is silently ignored.

Examples **EXAMPLE 1** Listing Components

This example lists the connector components.

```
asadmin> list-components --type connector
cciblackbox-tx connector-module
Command list-components executed successfully
```

Note: `cciblackbox-tx.rar` was deployed.

Exit Status 0 subcommand executed successfully
1 error in executing the subcommand

See Also `list-applications(1)`, `list-sub-components(1)`, `show-component-status(1)`

[asadmin\(1M\)](#)

Sun GlassFish Enterprise Server v3 Preview Application Deployment Guide

