

Name restart-domain– restarts the DAS of the specified domain

Synopsis restart-domain [--help] [--domaindir *domaindir*] [*domain_name*]

Description The restart-domain subcommand stops and then restarts the Domain Administration Server (DAS) of the specified domain. If a domain is not specified, the default domain is assumed. If there are two or more domains, the *domain_name* operand must be specified. If the server is not already running, the subcommand attempts to restart it.

The restart-domain subcommand does not exit until the subcommand has verified that the domain has been stopped and restarted.

This subcommand is supported in local or remote mode. If you specify a host name, the subcommand assumes you are operating in remote mode, which means you must correctly authenticate to the remote server. In local mode, you normally do not need to authenticate to the server as long as you are running the subcommand as the same user who started the server.

Options --help

-?

Displays the help text for the subcommand.

--domaindir

The directory of the domain that is to be restarted. If specified, the path must be accessible in the file system. If not specified, the domain in the default *as-install/glassfish/domains* directory is restarted.

Operands *domain_name* The name of the domain you want to restart. Default is the name specified during installation, usually domain1.

Examples EXAMPLE 1 Restarting a Domain

This example restarts mydomain4 in the default domains directory.

```
asadmin> restart-domain mydomain4
Successfully restarted the domain
Command restart-domain executed successfully.
```

Exit Status 0 subcommand executed successfully

1 error in executing the subcommand

See Also delete-domain(1), list-domains(1), start-domain(1), stop-domain(1)

[asadmin\(1M\)](#)