

Name create-connector-resource– registers the connector resource with the specified JNDI name

Synopsis create-connector-resource [--help]
--poolname *connectorConnectionPoolName*
[--enabled={true|false}]
[--description *description*]
[--objecttype *objecttype*]
[--property (*name=value*)[*:name=value*]*]
[--target *target*]
jndi_name

Description The create-connector-resource subcommand registers the connector resource with the specified JNDI name.

This subcommand is supported in remote mode only.

Options --help

--?

Displays the help text for the subcommand.

--poolname

The name of the connection pool. When two or more resource elements point to the same connection pool element, they use the same pool connections at runtime.

--enabled

This option determines whether the resource is enabled at runtime. The default value is true.

--objecttype

Defines the type of the connector resource. Default is user. Allowed values are:

system-all

A system resource for all server instances and the domain application server.

system-admin

A system resource only for the domain application server.

system-instance

A system resource for all server instances only.

user

A user resource.

--description

Text providing details about the connector resource.

--property

Optional attribute name value pairs for configuring the resource.

--target

Do not specify this option. This option is retained for compatibility with other releases. If you specify this option, a syntax error does not occur. Instead, the subcommand runs

successfully and the option is silently ignored.

Operands *jndi_name*

The JNDI name of this connector resource.

Examples **EXAMPLE 1** Creating a Connector Resource

This example creates a connector resource named `jms/qConnFactory`.

```
asadmin> create-connector-resource --poolname jms/qConnPool
--description "sample connector resource" jms/qConnFactory
Command create-connector-resource executed successfully
```

Exit Status	0	subcommand executed successfully
	1	error in executing the subcommand

See Also `delete-connector-resource(1)`, `list-connector-resources(1)`

[asadmin\(1M\)](#)

