

Name delete-connector-connection-pool– removes the specified connector connection pool

Synopsis delete-connector-connection-pool [--help] [--target *target*]
[--cascade={false|true}] *poolname*

Description The delete-connector-connection-pool subcommand removes the specified connector connection pool.

This subcommand is supported in remote mode only.

Options --help

-?

Displays the help text for the subcommand.

--target

Do not specify this option. This option is retained for compatibility with other releases. If you specify this option, a syntax error does not occur. Instead, the subcommand runs successfully and the option is silently ignored.

--cascade

When set to true, all connector resources associated with the pool, and the pool itself, are deleted. When set to false, the deletion of pool fails if any resources are associated with the pool. The resource must be deleted explicitly or the option must be set to true. Default is false.

Operands *poolname*

The name of the connection pool to be removed.

Examples EXAMPLE 1 Deleting a Connector Connection Pool

This example deletes the connector connection pool named `jdbc/qConnPool`.

```
asadmin> delete-connector-connection-pool
```

```
--cascade=false jdbc/qConnPool
```

```
Command delete-connector-connection-pool executed successfully
```

Exit Status 0 subcommand executed successfully

1 error in executing the subcommand

See Also [create-connector-connection-pool\(1\)](#), [list-connector-connection-pools\(1\)](#),
[ping-connection-pool\(1\)](#)

[asadmin\(1M\)](#)