

**Name** create-resource-adapter-config– creates the configuration information for the connector module

**Synopsis** create-resource-adapter-config [--help] [--threadpoolid *threadpool*] [--objecttype *user*] [--property (*property-name=value*)[:*name=value*]\*] *raname*

**Description** The create-resource-adapter-config subcommand creates configuration information for the connector module. This subcommand can be run before deploying a resource adapter, so that the configuration information is available at the time of deployment. The resource adapter configuration can also be created after the resource adapter is deployed. In this case, the resource adapter is restarted with the new configuration. You must first create a thread pool, using the create-threadpool subcommand, and then identify that thread pool value as the ID in the --threadpoolid option.

This command is supported in remote mode only.

**Options**

- help  
-?  
Displays the help text for the subcommand.
- target  
This option has been deprecated.
- threadpoolid  
The thread pool ID from which the work manager gets the thread. This option takes only one thread pool ID.
- objecttype
- property  
This option specifies the configuration properties of the resource adapter java bean. The properties can be specified as name value pairs separated by a colon (:). Names of setter methods of the class referenced by the resourceadapter-class element in the ra.xml file.

**Operands** *raname*  
Indicates the connector module name. It is the value of the resource-adapter-name in the domain.xml file.

**Examples** **EXAMPLE 1** Creating a Resource Adapter Configuration

This example creates a resource adapter configuration for ra1.

```
asadmin> create-resource-adapter-config --property foo=bar --threadpoolid  
mycustomerthreadpool ra1  
Command create-resource-adapter-config executed successfully
```

**Exit Status** 0 subcommand executed successfully  
1 error in executing the subcommand

**See Also** [create-threadpool\(1\)](#), [delete-resource-adapter-config\(1\)](#),  
[list-resource-adapter-configs\(1\)](#)  
[asadmin\(1M\)](#)

