

**Name** create-connector-security-map– creates a security map for the specified connector connection pool

**Synopsis** create-connector-security-map [--help]  
--poolname *connector\_connection\_pool\_name*  
--principals *principal-name1[, principal-name2]\** |  
--usergroups *user-group1[, user-group2\*]*  
--mappedusername *user-name*  
*mapname*

**Description** The create-connector-security-map subcommand creates a security map for the specified connector connection pool. If the security map is not present, a new one is created. This subcommand can also map the caller identity of the application (principal or user group) to a suitable enterprise information system (EIS) principal in container-managed transaction-based scenarios. The EIS is any system that holds the data of an organization. It can be a mainframe, a messaging system, a database system, or an application. One or more named security maps can be associated with a connector connection pool. The connector security map configuration supports the use of the wild card asterisk (\*) to indicate all users or all user groups.

For this subcommand to succeed, you must have first created a connector connection pool using the create-connector-connection-pool subcommand.

This subcommand is supported in remote mode only.

**Options** --help  
-?  
    Displays the help text for the subcommand.

--poolname  
    Specifies the name of the connector connection pool to which the security map belongs.

--principals  
    Specifies a list of backend EIS principals. More than one principal can be specified using a comma-separated list. Use either the --principals or --usergroups options, but not both in the same command.

--usergroups  
    Specifies a list of backend EIS user group. More than one user groups can be specified using a comma separated list. Use either the --principals or --usergroups options, but not both in the same command.

--mappedusername  
    Specifies the EIS username.

**Operands** *mapname*  
    The name of the security map to be created or updated.

**Examples** **EXAMPLE 1** Creating a Connector Security Map

This example creates securityMap1 for the existing connection pool named connector-pool1.

```
asadmin> create-connector-security-map --poolname connector-pool1
--principals principal1, principal2 --mappedusername backend-username securityMap1
Command create-connector-security-map executed successfully
```

<b>Exit Status</b>	0	subcommand executed successfully
	1	error in executing the subcommand

**See Also** delete-connector-security-map(1), list-connector-security-maps(1),  
update-connector-security-map(1)

[asadmin\(1M\)](#)

