

Name create-connector-work-security-map– creates a work security map for the specified resource adapter

Synopsis create-connector-work-security-map [--help] --raname *raname*
[--principalsmap *eis-principal1=principal_name1[, eis-principal2=principal_name2]**
|--groupsmap *eis-group1=server-group1[, eis-group2=server-group2]**]
[--description *description*]
mapname

Description The create-connector-work-security-map subcommand maps the caller identity of the work submitted by the resource adapter EIS principal or EIS user group to a suitable principal or user group in the application server security domain. One or more work security maps may be associated with a resource adapter. The connector work security map configuration supports the use of the wild card asterisk (*) to indicate all users or all user groups.

The enterprise information system (EIS) is any system that holds the data of an organization. It can be a mainframe, a messaging system, a database system, or an application.

This subcommand is supported in remote mode only.

Options --help

-?

Displays the help text for the subcommand.

--description

Text providing descriptive details about the connector work security map.

--groupsmap

Specifies a map of the backend EIS user group to the application server user group. Use a comma-separated list to specify more than one mapping. Use either the --principalsmap option or the --groupsmap option, but not both.

--principalsmap

Specifies a map of the backend EIS principal to the application server principal. Use a comma-separated list to specify more than one mapping. Use either the --principalsmap option or the --groupsmap option, but not both.

--raname

Indicates the connector module name, which is the name of the resource adapter.

Operands *mapname*

The name of the work security map to be created.

Examples **EXAMPLE 1** Creating a Connector Work Security Map (Principal)

This example creates connector work security map workSecurityMap1 that maps the backend EIS principal to the application server principal.

```
asadmin create-connector-work-security-map --raname my-resource-adapter
--principalsmap eis-principal-1=server-principal-1,eis-principal-2
=server-principal-2,eis-principal-3=server-principal-1
```

EXAMPLE 1 Creating a Connector Work Security Map (Principal) *(Continued)*

workSecurityMap1

Command `create-connector-work-security-map` executed successfully.

EXAMPLE 2 Creating a Connector Work Security Map (Group)

This example creates connector work security map `workSecurityMap2` that maps the backend EIS user group to the application server user group.

```
asadmin create-connector-work-security-map --raname my-resource-adapter
--groupsmap eis-group-1=server-group-1,eis-group-2=server-group-2,
eis-group-3=server-group-1 workSecurityMap2
```

Command `create-connector-work-security-map` executed successfully.

Exit Status	0	subcommand executed successfully
	1	error in executing the subcommand

See Also `delete-connector-work-security-map(1)`, `list-connector-work-security-maps(1)`,
`update-connector-work-security-map(1)`

`asadmin(1M)`

