



GlassFish V3: Webtier Planning

Santa Clara
June 5th, 2008

Goals

- Feature compatibility with GlassFish V2
- Better alignment with Tomcat 6
- Alignment with OSGi

Feature Compatibility with GlassFish V2

- Java EE 5 compatible webtier, including Servlet, JSP, EL, JSTL, and JSF (V3 lite)
- Separate any networking and connection thread pool configuration from `<http-service>` into new, top-level `<grizzly-service>` in `domain.xml` (V3 lite)
 - > New `domain.xml` DTD
 - > Only web-related configuration (e.g., virtual hosting, HTTP access logging) will remain under `<http-service>`
 - > Consolidate all existing `<xxx-listener>` elements into `<grizzly-service>`
- Restore/Add support for dynamic reconfiguration of web-related and `<grizzly-service>` configuration (V3 lite)

Feature Compatibility with GlassFish V2 (cont.)

- Monitoring (V3 lite?)
 - > Dependency on monitoring framework
- Avoid double-mapping of HTTP requests (V3 lite)
- Comet
 - > Bundle Grizzly/Comet (V3 lite)
 - > Add support for Atmosphere (abstraction layer on top of Grizzly/Comet, Tomcat/Comet, Jetty/Comet) through UC
 - > Reduced set of APIs?

Better Alignment with Tomcat

- Port outstanding bug fixes from Tomcat codebase (V3 lite)
- Add support for SSI and Webdav (V3 lite)
 - > Already there, but not tested
- Add support for Tomcat Valve (V3 lite)
 - > Valve adaptor? (May not be feasible)
 - > Align Valve interface in GlassFish with Tomcat?
 - > Move from flattened to “stacked” Valve invocation
 - > Valve interface exposed in GlassFish V2
- Out-of-the-box support for latest mod_jk release (V3 lite)
 - > Port Tomcat Connector changes to GlassFish
 - > Make mod_jk available from UC

Better Alignment with Tomcat (cont.)

- Breaking backwards compatibility with Production Web Container (PWC) interfaces unavoidable
- Add support for server.xml
 - > Map server.xml to domain.xml XML bindings
 - > Configure GrizzlyService with basic <connector> settings (e.g., port number, request encoding)
 - > May not be able to support all <connector> settings
 - > Dynamic reconfiguration not supported in this mode
 - > Admin and deployment teams impacted the most!
- Add support for Tomcat-style directory deployments off of a designated root directory (/webapps)
 - > Admin and deployment teams impacted the most!

Alignment with OSGi

- Improved modularization of webcontainer codebase
 - > Remove dependency on com.sun.org.apache.commons (V3 lite)
 - > Binary integrations of Jasper, JSTL, and EL (and eventually Servlet) from corresponding java.net repositories (V3 lite)
 - > Provide implementation of OSGi HttpService



GlassFish V3: Webtier Planning

Santa Clara
June 5th, 2008

