

FIS-ID	Module	Problem description	Comment
3781	BOM	When copying a document with a relation to an item via selection EDB-DMS-COP-STR (menu EDB-DOC-CPY) then the position number will not be increased if a record already exists.	
5568	PAC	Error message when saving the notes in the form of content of folder Reproduce steps: 1.Insert a folder(e.g. folder-1) to item(e.g. item-1) 2.Select the record item-1 > select references >> folder(usage) from the context menu> the form item in folders appear 3.Select folder-1 in the form > select contents >> tabular > the form content of folder appear 4.Click the refresh button > select the record item-1 > select notes from the context menu 5.Insert a record in the note field > save the record Bug: get a message: Field "T_PAC_MUL.C_ID" does not exist in "EDB-PAC-MUL-RLI" ! Field "T_PAC_MUL.NTM_REF" does not exist in "EDB-PAC-MUL-RLI" !	
5671	ROL	In the role concept a position needs to be assigned to each users, which is uncomfortable for a large number of users. Better handling will be ensured by the assistant.	In Agile e6 there will be the possibility to create project specific job functions in a sub-list of the project form. Also it will be possible to create job-functions which assign a role to a group (instead of a user). Both improvements will significantly
6828	OTH	Changing status in the mask EDB-PPL-POP-ALI -> following error messages will be displayed: The field "T_PPL_DAT.LEV_IND" does not exist in "EDB-PPL-POP-ALI" !Element with same index already exist ! (Trash empty ?)	
7520	LGV	If the amount of float number is larger than the largest integer number then it seems as if the rounding in LGV with rnd() does not work. It creates a negative value.	
7634	DTV	Search criterias are not taken over under certain conditions: 1) Search item with structure in the navigator. 2) Open the item list and select an entry 3) Open these umlauts in the same navigator 4) Change into the search mode.	
7646	LGV	When calling the function "lgv_par_log_wri" with a parameter of type 'L' (logical variable) you get the error "Invalid index for field element CSSUSX_ITmp[1].". The reason is an error in "lgv_par_log_wri", the parameter number (last parameter) is wrong	

8176	WFL	<p>1. Create a workflow process with an activity, assign a process variable to the activity (at least read/write mode)</p> <p>2. Start the workflow process, open the inbox, choose the work item which resulted from the activity</p> <p>3. Execute the work item. In the field which represents the process variable, enter the following characters:</p> <p>!"\$%&/>)=<</p> <p>==> The following message appears in the DataView message window:</p> <p>Unknown error occurred within workflow executor: null null Callstack: (EpWorkflowExecutor.cpp,266) : completeWorkItem</p>	From Agile e5.1- Load ASCII file on server: \$sep_root/axalant/dmp/lgv_cal_203776.dat in Overwrite Mode
8178	LGV	German Version only: If an export of a logic model is started a dialog mask appears (probably called from the userexit xief_loa_exp_fin) and asks for the file name of the loaded logic model. This dialog box appears only in English language.	From Agile e5.1- Load ASCII file on server: \$sep_root/axalant/dmp/dtv_fis_08178.dat in Insert Mode
8273	DOC	On the PLM Product CD, there is a dmo.zip file there are old files that should be pulled from the image. The axaadr.gif is old and has the old U.S. address (Burlington) and our old company name in it.	
8298	GTM	Create attribute from type money (M10.2). Try to insert a minimum or a maximum value (10,00 or 10.00). Error messages appears that this value is not allowed.	From Agile e5.1- Load ASCII file on server: : \$sep_root/axalant/dmp/lgv_cal_203919.dat in Update Mode
8300	WEB	Start > Classification> Attribute Pool: on the Web client the second "Name" field is missing a label. It appears on the DTV client, but not on the Java client either. Maybe it is because it is the second "name" field.	From Agile e5.1- Load ASCII file on server: \$sep_root/axalant/dmp/dtv_cal_203770.dat in Update Mode
8532	DFM	If the module file replication (DFM) is activated the selection of the vault is done by the program and the file is saved in the local vault.	Load before FIS-ID: 08870 !!! Delete LGV procedure EP_DFM/DFM_CHECK_OUT und EP_DFM DFM_ORD_CAD and load loader files "lgv_dfm_fis_08532.bld" and "dtv_dfm_fis_08532.bld" in Insert Mode.
8744	OTH	The input of a factor for mm3 to m3 (1 x 10e9) leads to a database error: Internal database error in "dmi_ins_mas_tab" (EPSQL "EPQINS") Code -910. Reason is the too small accuracy of the field BVB_MASSEH.MASSEHUFKT.	Field "BVB_MASSEH.MASSEHUFKT" was changed to F38.9. Field "BVB_MASSEH.MASSEHID" was changed to S10.
8785	GTM	To define attribute fields in a class they have to be inserted into the attribute pool first. On insert, however, only formats up to 12.3 are supported. If the format size is bigger, it is rejected.	The loaderfile changes the line 230 in lgv procedure EP_GRP/GRP_CheckClaType from: if (RES == 1 & GRP_FLOAT_TEMP1 > 0.0 & GRP_FLOAT_TEMP1 <= 12.3) to if (RES == 1 & GRP_FLOAT_
8846	HLP	When a workflow is started automatically in batch mode, the userexit "xwfl_prc_ins_tpl" returns the error code = 1, which causes the workflow not to start. If the same command is executed with the same user in the DTV-client, it just works fine.	
8870	DFM	We have detected an error in DFM which comes up after each upgrade: there are three modes in DFM: Mode 1 = Online, 2 = Batch, 3 = Cancele Before checkout it is checked whether the user belongs to the group which is set in the system parameter EDB-DFM-ONLIN.	!! Load loader files for FIS-ID: 08532 first !! Delete LGV procedure EP_DFM/DFM_CHECK_OUT and EP_DFM DFM_ORD_CAD and load oader files name="lgv_dfm_fis_08870.bld" aund name="dtv_dfm_fis_08870.bld" in Insert Mode.

8896	ECI	The ECI does not detect a field menu layout change. Example: "Manager->Configure System->Other parameters" Mask EDB-CFG-CFR, Field EDB_ID2 The pre-field trigger modifies the field menu according to the contents of EDB_TYPE field.	
8985	OTH	In the function description of widget_id() the information is missing that the function with parameters "SRC" and "DST" returns the estimated values only in the Edit-Action-Trigger of the target widget but not in other action userexits of that mask.	
9020	PAC	The View V_PAC_OBJ perform a full table scan on the tables t_pro_dat ,t_master_dat, t_doc_dat, t_file_dat and t_ppl_dat.	Solved by a new view V_PAC_OBJ.
9250	HLP	Documentation concerning function strstr: This function replaces the first occurrence in a string expression.	
9269	HLP	There was trouble, that folders were visible in the Windows client in a combined form although they had the ending "-{H}" and therefore that selection should appear only in the webclient.	The Userexit xedb_prm must be defined as Pre-Mask-Userexit.
9274	WFL	Symptom: Deleting the duration and limit in an activity template has no effect.	
9291	WFL	The documentation should have example values for the configuration of notifiers and watchdog in production environments (.../jboss/conf/<environment>/ABS_<env>.ini) notifier -> delay=2000 Watchdog -> PeriodBase=12:00 Watchdog -> Period=0:08 Watchdog	notifier -> delay=2000 (in sec. resp. >=30 minutes don't change) Watchdog -> PeriodBase=12:00 Watchdog -> Peod=0:08 (min -> increase to 15 - 20 min) Watchdog -> MaxBatchStartupTime=0:30 (min -> don't change)
9309	OFS	with your full text search over Office documents the AND combination of search strings does not seem to work. I have a document where the two terms "Knoch" and "test design" occur, therefore with " " - as well as the "&"-linkage the document should be found.	Search strings have to be combined with 'AND' or 'OR' This additional information is inserted now in the appropriate How to document.
9331	HLP	The online help für installation of the office client still contains the old description for PLM5.01. The installation process was changed in PLM5.1 and is described in a pdf-file on the installation cd/dvd called OfficeSuite.pdf	With Agile e6 this is solved. The old installation description for the client has been removed.
9342	HLP	Documentation for default edv-ver-increment is incomplete: blank as a start value is possible with parameter A by choosing a blank in the mask standard value on the concerned field.	

9343	WFL	The field T_MAIL_DAT.CUR_STAT is too short in standard-dump PLM 5.0.1 and in all dumps after upgrade from xxx to PLM 5.0.1. VARCHAR2(20) instead of VARCHAR2(40). For example error after rejecting an activity -> state open.not_running.rejected.	Change the length of the field T_MAIL_DAT.CUR_STAT from varchar(2)20 to varchar(2)40 in the database directly with the following SQL command: ALTER TABLE T_MAIL_DAT MODIFY ("CUR_STAT" VARCHAR2(40)); The Dataview repository needs to be changed in addition - thus all mask-field data in which is this field is used with the SQL command: UPDATE T_MAS_FLD SET C_WID_VIR = 40, C_UPD_DAT = to_date('2004-06-09 17:00:00','YYYY-MM-DD HH24:MI:SS'), C_VERSION=C_VERSION+1 WHERE C_ID IN (SELECT MASKFIELD.C_ID FROM T_MASK MASK, T_MAS_FLD MASKFIELD, T_FIELD FIELD WHERE FIELD.C_ID = 1811210264 AND FIELD.C_NAME = 'T_MAIL_DAT.CUR_STAT' AND MASK.C_ID = MASKFIELD.C_ID_1 AND MASKFIELD.C_ID_2 = FIELD.C_ID); UPDATE T_FIELD SET C_TYPE='S40', C_UPD_DAT = to_date('2004-06-09 17:00:00','YYYY-MM-DD HH24:MI:SS'), C_VERSION=C_VERSION+1 WHERE C_ID = 1811210264d.h. alle
9351	OTH	The international country code for China is "CN" and not "TJ" like it is mentioned in the country list of PLM.	
9407	EIP	EIP 1.2: When the BOM contains a large number of data, it cannot be transferred to SAP.	Fixed with EIP 2.1
9425	OFS	Select more than one record in the office document list and try to update these records. As soon as the update button is pressed an hour glass appears, PLM hangs and has to be killed. Error isolation: it comes from the Edit action userexit GdmMask/Edit.	
9436	OTH	There is a problem in the multilevel structure explosion if in the T_MASTER_STR additional fields besides POS_NO are set for identifying a position (Index).	
9472	OFS	The comment of the LogiView procedure GdmData/Example has to be put to the online documentation as it describes the way how Officesuite works through the field "function" of the document template properties.	
9476	DTV	Goal: Please provide documentation for the errors that occur during startup for Dataview.	Separate documentation (see Agile e5/e6 support web page)
9487	DFM	There are problems with the processing of replication orders in the batch on LINUX: The replication orders - processed in batch, runs all on errors - however as successful are marked.	

9554	DFM/DOC	There is no description of the following DFM parameters in the online documentation. (EDB-DFM-ACTIVATE) EDB-DFM-REP-ORD-CRE EDB-DFM-REP-ORD-EXE EDB-DFM-REP-ORD-EXE-SUC EDB-DFM-REP-ORD-EXE-ERR EDB-DFM-REP-ORD-REL EDB-DFM-ORD-POS-REL EDB-DFM-REP-ORD-DIALOG	Solved with Agile e6.0
9556	PDW	There is no installation documentation for project driven working available on cd.	Obsolete. Is part of e6.0 installation now.
9613	DTV	Select several records in the office document list mask EDB-DOC-GDM-TLI and set the mask in edit mode. This causes the client to hang.	Same as FIS-ID 09425: Solved in the standard dump of Agile e6.0.
9674	UPG	upg2.0.0:The Plotsuite upgrade to Agile e5.1 does not work correctly.	
9683	OTH	It is possible to leave a field with a dropdown menu with a non existing entry even if cch_chk_men is used as post-field userexit.	For multi column entries a pipe has to be attached like cch_chk_men See only help of userexit for further explanation
9687	WEB	The Userexit xpdw_cre_acc_tmp called in the procedure S01_PRODLOGDM/DocMemCrePreSel returns 0 in the windows client, in the web-client it returns -1 when called twice	
9702	HLP	In the Online Help the information concerning loaded userexits is missing	Inserted in "Getting Started"
9790	WEB	Webclient: In the "Normen"-catchword catalog the server process crashes, if the assignment to "Normen" (more than one record) is opened (for example catchword "Kugel").	
9791	WEB	In the folderform of "Normen" different errors appear: relation records cannot be displayed in folders and sometimes even folders cannot be changed at all. Usually the server process has crashed already then.	
9822	OFS	If you try to check in a file folder through the office document mask by drag&drop following error message appears: File <foldername> is still not accessible and will not be checked in! However, the access rights on the folder are correct.	Solved with Agile e6.0. There was an adaptation in the LogiView function GdmFncOle/Init necessary.
9836	EIP	Wrong date conversion.	Fixed with EIP 2.1 and Agile e6.
9843	DFM	Symptom: DFM not working on e5.1, the xfile function that executes replication, xfile_ord_fil_rep function located in the shared object, libepsrv_fms.so seems to be the culprit. When running this function the file is getting deleted locally. Using the old libraries 32.2 from PLM 5.01 worked fine.	
9846	DFM	When the status is changed from 230 -> 235 the file which is attached to the document is copied into a backup vault. Now for the same document two records exist in the document file relation.	
9867	OTH	When in the order form (EDB-CNF-ORD-CFR) a specification assignment (EDB-CNF-GRP-ORD-ALI) was added by "Inclusion", it cannot be deleted any more. Error message: Cannot change or delete a Specification from source.	
9872	OFS	The checkout of Excel files with the Officesuite is very slow compared to Word files with the same size. After detailed examinations it seems the error comes from the LogiView procedure GdmOffice/XIsLinkCellProp.	
9878	BAS	xedbusr_tor_upd_val causes an error with AIX5.2	
9895	OTH	Add a redlining to an image and save, results in a network error java.lang.Exception: RemoteException occurred in server thread...	The problem was the long filename of the image. In the mask and on the database the field T_DOC_RDL.BASE_FILE_NAME was only 40 characters long. Changed to 255 characters

9906	MAL	The userexit xmail_snd_to_usr returns always 1 (wrong parameters) although the parameters are set up corresponding to the online help. If the result of that call is checked, however, everything is ok	The reason for the behavior is a missing default: The default EDB-MAL-SND-EXT for the user "GLOBAL" (Type: "S") must be there. Value set to 0: An internal mail is sent; value set to 1: An additional external mail is sent. The documentation of this userexit.
9922	OFS	We have been playing around to load and execute Addin's of Excel when loading in PLM. This does not seem to be working. I know addins are not loaded when using the createobject (ole) -> see http://support.microsoft.com/kb/108888/en-us for details.	
9953	INS	At the end of the script axalant_srv.cmd you can find a "endlocal", without an appropriate "setlocal" After inserting this "setlocal" - the Daemon does not hang any longer if a wrong environment or username was entered (see FIS ID: 8994)	
9957	OTH	Error in online hlep concerning revisioning. Objects can only be revisioned in status "In Change"	Note added to doc.
10072	WFL	It is necessary to execute an edit action trigger with a work item. For that purpose the mask EDB-WFL-TEMPLATE is adapted as this mask is used as template for generating work item masks for activities attached to a process.	