

FIS-ID	Module	Problem Description
7872	DTV	If you create a new DTV user via the wizard, you have to select a prefix title (in the person widget). This choice box contains "Mr." and "Mrs." but no "Ms".
8283	OTH	The description of the configuration parameters EDB-GTM-INHERIT-ATT and EDB-GTM-LOCAL-FIRST is missing in the dump. The configuration parameter EDB-GTM-TIT is not contained in the standard dump. Besides that the parameters are not in the Online help.
8554	WFL	1. Creating a change order with reference to a process submittal. 2. Close the mask and reopen it (that all widget buffers are empty). 3. Searching after the before created change order (use only the ID field for it !). 4. Now copy (and enter thereby only the ID field and modify its content). An error message occurs while saving.
8555	WFL	Creating a change order with reference to a project. After saving the record edit once again and enter the field "Project" (but do not modify) and save it. Now copy the change order, only enter another ID but do not enter the field "Project". The error message Error while inserting the change order - project conjunction
8863	WFL	In the user inbox tasks are marked as due although the date of the latest beginning is not yet reached. This happens as soon as a task in the inbox is really due. All following tasks are marked as due then, too, although they are not due at that time. After the due task is executed all due markings of the following tasks disappear again.
9038	WFL	A workflow process (main process) is created and a project assigned. Afterwards the main process gets also some sub-processes. If the sub processes are started the project assignment is missing. The assignment of the main process must be taken over for all sub processes.
9114	WFL	Customer reports that if the English description field is blank then they will get the German description. Also, if both the English description field and the German description field is blank then it will use the German activity name field.
9250	HLP	Documentation concerning function strsub: This function replaces the first occurrence in a string expression instead of This function replaces part of a string expression ...
9678	WEB	The online documentation states that the wdh_upd_lis is listed as unsupported under "Customizing the web client" > "unsupported userexits" > "unsupported Dataview Service functions" but then it shows an example under logiview support with this function. The wdh_upd_lis function works fine in the web client and should be removed from this list of unsupported userexits.

FIS-ID	Module	Problem Description
9698	PAC	<p>Error in the "Affected Objects Mask" for ECR's and ECO's (EDB-PAC-OBJ-CLI). Select an item and click with the right mouse button brings up the noselect menu instead if the select menu.</p> <p>Deselect all records and try to insert a further record by drag&drop brings up the message The destination mask is in update mode!</p> <p>Afterwards the system gets instable and a crash is possible (especially when you keep working with ECRs resp. ECOs).</p>
9716	WFL	<p>Using distribution list with 2 people from manufacturing, each person has 100% weight, first person does an initial reject and the activity remains in the inbox for the second person. Vote required is set to "No" but it appears that the activity is not properly completed.</p>
9763	WFL	<p>A moneyfield is defined as process variable. The appropriate process is not started. Error: Unknown quantity type of object: M10.2</p>
9767	WFL	<p>In the Workflow notification (workflow message), caused by the Reject of the Work item, the link is wrong.</p>
9797	WFL	<p>Low priority error in the Intray: If you select a record marked "new" and accept it, the "new" value stays there. First after a refresh of the mask or opening the link in the description field this value is deleted.</p>
9859	OFS	<p>Following error message appears after a second PDF document was checked-in: 'Call to AcroExch.Application failed, check if file exists and OS-Permission!'.</p>
9904	WFL	<p>The contents of the email - sent by notifier or watchdog - is sent away in principle as appendix, that should not be.</p>
9928	WFL	<p>External Mailing via Notifier does not evaluate the parameter -u</p>
9971	WFL	<p>Workflow-Hotfix 8 was installed. Now in the workflow editor two templates are opened. From one of the templates activities, roles and distribution lists are copied to the other template. Afterwards that template is stored and closed.</p> <p>If the temlate is reopened (or checked in the Windows client) following error occurs:</p> <p>The copied roles and distribution lists are missing while all the activities were copied correctly.</p> <p>BUT: if the copied roles / distribution lists were searched with the query functionality of the workflow editor before then the mentioned copy and store action works just fine!</p> <p>Workaround: When copying the used roles / distribution lists have to be taken before from the database into the editor cache.</p>

FIS-ID	Module	Problem Description
9997	WFL	<p>Changes in the ABS_xxx.ini -> parameter sLayoutFilePath=lay/notifier/Message_eng.HTML to sLayoutFilePath=lay/notifier/Message_eng.txt to send the Mails via Notifier as plain text.</p> <p>A.) the variables in the layout file are not replaced b.) the format of the mailbody is not correct. All information comes in one line.</p>
10000	VAR	<p>By an external application ascii files are created which contain data for orders with neutral BOM and criterias how the order specific BOM should be created. The order specific BOM is created automatically (by LogiView). Sometimes it can happen that certain order variants are not derived and that finally the order specific BOM doesn't exist (for a certain order position). In this case an error message is thrown out at the export of the data, indicating that a specific element doesn't have a structure. It can be seen in the LogiViewtrace that the userexit xord_cre_ord_str delivers a return value 0, but that no LogiView functions are executed which are deposited to the single order positions (actually this is supposed to happen when calling up xord_cre_ord_str which in a successful case happens this way). The error seems to be up to the amount of the derivable positions: an abnormal behaviour appears if more than 31 positions have to be derived.</p>
10014	OFS	<p>Checkin of a file through an office application (here: Excel) with the help of the button "Save to PLM": This file was not saved to disc before and is then stored by Excel with the name "book1.xls" and then closed that it can be checked in afterwards by Officesuite. If the saving to disc by Excel does not work by any reasons it is not recognized by Officesuite but instead a new PLM client is started up. Her an information for the user is needed which informs him that the file cannot be found and therefore the checkin is aborted. The start of a further PLM client must be avoided.</p> <p>Reproduce: Create for example by Excel a new file and save it with the standard name (book1.xls) to the default file location. Close Excel and restart it again. Create another file and press the button "Save to PLM" without saving to disc before. Now the user is prompted that the file "book1.xls" is already there in the mentioned path and the user may overwrite it. If the user then clicks to "No" (do not overwrite) the same effect appears: a new PLM client is started without any information or error messages.</p>
10025	VAR	<p><Knownbugs> Modul: Workflow Prerequisite: - Description: When opening the work item form the following message is shown: 'Userexit "cch_nop-del" does not exist !' Workaround: Adapt the userexit name to cch_nop_del at the pre-action trigger of the form EDB</p>
10029	WFL	<p>Modul: Workflow Prerequisite: Web-Client Description: After forwarding or rejecting a work item in a workflow, the dialog window remains open and the dialog can't be closed manually.</p>

FIS-ID	Module	Problem Description
10034	OTH	Module: Configurator Prerequisite: - Description: The "Resolve Item" runs in an endless loop if item structure contains a recursive structure Workaround: Avoid recursive item structures
10043	OTH	<Knownbugs> Modul: Browser Prerequisite: - Description: Copy & paste a project which has a structure in the browser results in a logview runtime error. This problem is caused by the copy procedure which also copies the internal relations used for the module "Multi Project Access Rights". Workaround: </Knownbugs>
10044	OFS	<Knownbugs> Modul: Browser Prerequisite: - Description: Duplicating objects via the Copy&Paste function of the browser may lead to the following error message: "Element with identical index already exists ! (Trashbasket empty)" Workaround: Define number
10066	BOM	When inserting an item a value from the number server "EDB-EDBID" is assigned into the field T_MASTER_DAT.EDB_ID. When inserting an item structure element (to the BOM) a value from the number server "EDB-ITM-STR-EDBID" is assigned to the field T_MASTER_STR.EDB_ID. If now an item is revisioned which is used in BOMs of other items the new created item is also inserted into these BOMs (ok). The new BOM records get values in the field T_MASTER_STR.EDB_ID from the number server "EDB-EDBID" instead of "EDB-ITM-STR-EDBID"! This is a very bad condition if there are more BOM records than item records (which is probably the usual condition at the customer) The revisioning of the item is aborted then with following database error message: "OCI Error: -1 'ORA-00001: unique constraint (PLM60DM.EDB_ITM_STR) violated". Error only appears if Changemanagement for the entity EDB-ARTICLE is disabled.
10079	WFL	If in the table T_MAIL_DAT data records are present, the field entry is e.g. 0 and no user is found to this data in T_USER, the notifier sends no mails (also for the correct datasets). The same could happen if the user was deleted.
10080	WFL	If a Workflow process is assigned to a project, this project is not passed to the SUB processes. Project allocation stands at Main process, but not at Sub process. see also Fis ID: 09038
10085	OTH	Installation of Agile e6.0 on Windows platforms: After installation of Felics 3.0, the product database (file 'C:\programme\Unicon\products') is not updated. For this reason, Rembrand does not show the description of the licensed products/modules.
10090	WFL	Positions (jobs) that are expired - date "valid until" field: T_POS_DAT-VALID_UNTIL is in the past - are recognized by the workflow module because the field T_POS_DAT.VALID_UNTIL is not evaluated.

FIS-ID	Module	Problem Description
10091	BAS	The license for PDM is available and activated in Agile e6. Problem: Office Suite is not available. To activate it, the license for DMS must be installed too. This is wrong as Officesuite is said to be licensed under the PDM license.
10117	DFM	<p>If a replication order contains a file position for which the file record in T_FILE_DAT is locked (C_LOCK > 0) this can be seen in the module trace (Function xfile_set_lck() > terminated with error 1), but it has no impact on the replication order. The replication functions all return 0 (OK).</p> <p>...</p> <p>EDB-FMS 3 "xfile_dis_OrderFileReplication"< terminated o.k. EDB-FMS 3 "xfile_lgv_ord_fil_rep"> terminated o.k.</p> <p>...</p> <p>The final result is that the replication order has the status "successful" although the related file was not replicated (see also FIS-ID 10003).</p>
10118	DFM	<p>If following constellation is present (by error for example): a file has the status "actual" on one site but is not located in the vault which is entered in the field T_FILE_DAT.STORAGE_AREA then the file cannot be replicated any more (the replication order is set to "successful" afterward, though, see FIS-ID 10003). In the FMS module trace it can be seen that the userexit file_dis_GetFileStatusFromFilStore returns 15111 because it checks the file only in the vault which is mentioned in T_FILE_DAT.STORAGE_AREA instead of the vault where the file actual is.</p>
10128	INS	After the installation of Agile e6.0 with the Oracle silent installation the oradata areas are missing. This happens only if the Oracle template for the database type "Huge" was selected. The reason seems to be a write error in one of the installation scripts as an empty template with the name plm_prod_hugh.dbt was created. But it should be called plm_prod_huge.dbt and should be filled with data.
10147	OFS	<p>If a Winword document is opened the first time from Agile e6 (GdmMenu/Run), the reservation is set correctly.</p> <p>If then the document is stored back to Agile and the user continues working on it (Message [082] is deleted from GDM_MSG_NO and answered with "Yes") the document is suddenly unreserved. After the next storing back and continuing to work on the document it is then reserved again and so on.</p> <p>It seems an error has crept into the reservation via Officesuite.</p>
10150	LGV	In the mask edb-lgv-lm-cfr, the export button doesn't work, function ZAG_FRM_RET_VAL has malfunction.
10162	ECI	If you start a LGV-procedure with 2 delivery parameters over a ECI function eci_lgv_run , the 2.te parameter (string) is evaluated wrongly.

FIS-ID	Module	Problem Description
10167	OFS	Error in GDM-function property exchange when using LogiView with parameter. When a string is handed over with the entry VB/ET(test) in field T_GDM_TPL_PRP.FUNCTION LGV will get test)(1026620000 (the number after the string corresponds T_DOC_DAT.C_ID).
10168	FMS	Server-checkout does not work : User exit xfile_chk_out with parameters C/SERVER=#SERVER DISCPATH=/tmp tries to start fms_cli(.exe) from the Client. The error message: "File "cadimlgo.bmp" could not be copied! Server Message: FMS Client : /tmp/EDBCUSTO/c
10172	WEB	In the event report->action form the folder "persons" does not work correctly. It is not possible to insert a person. The Web client does not change into Insert mode. In the message window the following text appears: "Unable to insert record".
10216	OTH	In the mask EDB-DOC-TXT-SBF-GDM the select action trigger "GdmTools/LoadBlob(T_DOC_DAT.DOC_BLOB)" is missing. As the trigger is included in the masks EDB-ART-SBF-GDM and EDB-PRO-SBF-GDM it should also be included for the document mask. It cares for the blob being updated in the navigator folder when the user browses through the records.
10225	DTV	Set DTV-Default VIDEOHYPERLINK to 52. (Colour/color 5 = blue, 2 =yellow). ALL Hyperlink fields should have yellow background and blue text.
10226	OFS	If a document is checked in via the office suite form the meta data is not retrieved for the tab properties. If the document is saved from within the office application properties are also not saved. Only saving the file in the office application, switch to tab properties and checking in the file works.
10232	ROL	If an access rule is defined in the privileges for status changes as a LogiView procedure which is called with lgv_noselect_run and this procedure uses "actual" to access the current record (as described in the online help) a runtime error occurs that "actual" cannot be used as no record is selected (which is obviously not true): Runtime error: "actual" not permitted, because no data record is selected ! Error in procedure test_plm60/SR237742 (row 20) ! If the access rule is called via lgv_sel_run it works but it could be, however, that if more than one record is selected the action is executed only for the first one.
10233	OTH	In the mask EDB-DOC-SLI a noselect menu with the name EDB-BAS-SLN-RSPQ-HIT is mentioned. But as this menu does not exist in the standard dump no nos-menu is there at EDB-DOC-SLI.

FIS-ID	Module	Problem Description
10261	OTH	If for example a project is revisioned the new revision gets a level indicator of 240 instead of 110. Prerequisites: No standard value for field T_PRO_DAT.LEV_IND is set; the value of the first step of the release procedure should be entered. When inserting a new record it works correctly: 110 is inserted.
10268	EIP	The user exit cch_set_blb does not evaluate the third parameter which tells if the client-side or server-side mode is used. In addition cch_sel_blb tries to create a file with this name instead of reading it! Problem only occurs in JavaClient and WebClient only.
10287	JCL	Querying in date fields in the Java client does not work. If a query in a date field is executed in the Java client and the query string '> 01.01.2005' was inserted no results will be found for this query. Instead of this an error message is displayed: 'value must be in mask dateformat "M/D/Y H:M:S" !' Reason: The value in the date field was converted to 'Sat Oct 01 14:03:12 CEST 2005'.
10288	WFL	Error message in step analyse after DTV-upgrade: DTV Field T_ACT_CLA.C_LEN_VIS has type I10 but its data is incomplete Message/Error cause: Error in the standard dump Agile e6.0: Entries for the following fields are wrong in T_FIELD: T_ACT_CLA.C_LEN_VIS, T_ACT_CLA.C_LEN_VIR, T_ACT_CLA.C_WID_VIS
10300	CRM	A user without manager rights loads a released item (access = "rrr", no reservation) and opens the document relation. Then queries for a document in the document list that belongs to the user (status = "In Work", access = „ddr", no reservation) and puts it with Drag&Drop into the open item-document relation list. The following two error messages appear in the message window (Following setting is chosen: System->Rights -> Control insert into relations by: Access to parent record): No access on element! Element may not be copied because it is reserved. The second message is misleading as neither item nor document are reserved!
10308	OTH	The userexit xedb_inf_vie is not able to determine global view in Agile e6.0 and issues the following message: 'Current View: ' or 'Current View: Development'.
10309	OTH	The view is changed with the userexit xedb_set_vie this view change is not visible with the topmenu selection View->Filter->View. There the value remains unchanged and cannot be changed in any other way from outside. Therefore the standard user cannot check which view is set.

FIS-ID	Module	Problem Description
10325	INS	<p>The Agile e6 Windows client is called with the script plm.cmd. This leads to problems in combination with CAX interfaces and other situations when more than 9 parameters have to be passed. Only the first 9 parameters are passed, the rest is lost.</p>
10332	OTH	<p>If an object is reserved that was already reserved by the same user the reservation is deleted "1000030" is already reserved by user "DEMOEP"! Reservation of "1000030" has been removed.</p> <p>If this is performed with another user (tested with EDBCUSTO) the same message appears "1000030" is already reserved by user "DEMOEP"! Reservation of "1000030" has been removed.</p> <p>But the reservation is not removed.</p>
10338	DMS	<p>If a document is reserved and a user tries to execute a status change for this document usually a message appears that the status change cannot be executed because the element is reserved. However, this mechanism does not work in document type masks in Agile e6.0.</p>
10353	OTH	<p>When opening the mask version view none of the three selection fields is selected and it none can be selected. When closing the window with the cross in the upper right corner following message appears: >>> DATAVIEW EXCEPTION >>> Exception code: 0022 (DTVEXC_SERVER_ERROR) Exception text: Error in server application (probably logic, programming or customization error). Exception info: ### ERROR during action "ACTION_FIELD - fldEdit - 00000000!" Missing mask "0 (00000000)". D:\Develop\Post\make500\dtv_stb\src\dtvstb.cxx(3261): Exception origin Call stack: <<< not available >>> <<< End Of Exception Data <<< When pressing the button OK: Mandatory field "View (EDB_DFV_01)" must have entry!</p> <p>When pressing the button Cancel: Internal database error in "dbi_get_acc_elm"(EPSQL "EPQFET") Code -925</p> <p>The SQL-Trace states: -- 2005-11-08 14:12:35 SELECT C_UIC,C_GIC,C_ACC_OGW FROM T_CENTRAL WHERE C_ID = 0 /* :V0 */ ; ; -- 2005-11-08 14:12:35 -- OCI Error: -904 'ORA-00904: "C_ID": invalid identifier -- '</p> <p>Reason: The configuration parameter EDB-ERR-ACTIVATE was set to the value 1. When it is set back to 0 this erroneous behavior is gone again.</p>