

**DTD or Node Name: AttrFormat****Version: 10.3.4****DD Type:****DD Level: Child Node**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
locale	varchar2	10			1 Yes	The locale of the localized String
localized_string	varchar2	255			2 Yes	The localized string

**DTD or Node Name: Attribute****Version: 10.3.4****DD Type:****DD Level: Child Node**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
attr_oid	number	10	0		2 Yes	This is the internal Identifier for this attribute
attr_scale	number	3	0		6 Yes	How many decimal spots this requires.
element_code	varchar2	30			7 Yes	represents the type of attribute it is.
calculated	varchar2	10			8 Yes	Is this a calculated attribute or not
diff_ind	varchar2	10			9 Yes	States whether the Attribute is used as a differentiator
multi_select	varchar2	10			10 Yes	Represents whether the user can use this attribute as a multi - select or not.

**DTD or Node Name: AttributeVal****Version: 10.3.4****DD Type: DTD****DD Level: Child Node**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
attribute_name	varchar2	255			1 Yes	Name of the attribute
attribute_value	varchar2	255			2 Yes	Value of the attribute
dynamic_attribute	varchar2	10			3 No	



<b>DTD or Node Name:</b> AttrLabel <b>DD Type:</b> <b>DD Level:</b> Child Node	<b>Version: 10.3.4</b>
--	------------------------

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
locale	varchar2	10			1 Yes	The locale of the localized String
localized_string	varchar2	255			1 Yes	Localized string value

<b>DTD or Node Name:</b> AttrType <b>DD Type:</b> <b>DD Level:</b> Child Node	<b>Version: 10.3.4</b>
---	------------------------

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
locale	varchar2	10			1 Yes	The locale of the localized String
localized_string	varchar2	255			2 Yes	The localized string

<b>DTD or Node Name:</b> BooleanAttributeType <b>DD Type:</b> DTD <b>DD Level:</b> Child Node	<b>Version: 10.3.4</b>
---	------------------------

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
name	varchar2	30			1 Yes	
boolean_value	varchar2	5			2 Yes	

<b>DTD or Node Name:</b> Client <b>DD Type:</b> DTD <b>DD Level:</b> Base DTD	<b>Version: 10.3.4</b>
---	------------------------

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
----------	----------	--------	-----------	----------	-----	------------------------

**Retek****RIB Elements Report Release: 10.3.4**

user_id	varchar2	30	1	Yes
thread_id	varchar2	20	2	Yes
process_id	varchar2	30	3	Yes
hostname	varchar2	50	4	Yes

**DTD or Node Name: ConfigurationItemType****DD Type: DTD****DD Level: Child Node****Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
item_configuration	varchar2	20			1 Yes	
package_configuration	varchar2	20			2 Yes	
udex_category	varchar2	40			4 Yes	
version	varchar2	10			8 Yes	This is the version of the message for the specific item.

**DTD or Node Name: CostZn****DD Type:****DD Level: Child Node****Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
zone_id	number	10	0		1 Yes	The zone ID's under the price zone group's.The zone ID for all the Zone group ID's sent from RMS to ISO
costzngrp_desc	varchar2	30			2 Yes	Cost Zone Group description
currency_code	varchar2	3			3 Yes	The currency code
base_cost_ind	varchar2	1			4 Yes	Base cost indicator

**DTD or Node Name: CostZnGrpDesc****DD Type: DTD****DD Level: Base DTD****Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
zone_group_id	number	4	0	1	Yes	The Zone Group ID being sent across to ISO
cost_level	varchar2	1		2	Yes	Cost level
costzngrp_desc	varchar2	30		3	Yes	Cost Zone Group description

**DTD or Node Name: CostZnGrpLoc****DD Type:****DD Level: Child Node****Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
location	number	10		1	Yes	Stock-holding location where item had a cost change or new item location event happen.
loc_type	varchar2	1		2	Yes	Location type

**DTD or Node Name: CostZnGrpLocRef****DD Type:****DD Level: Child Node****Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
location	number	10		1	Yes	Stock-holding location where item had a cost change or new item location event happen.
loc_type	varchar2	1		2	Yes	Location type

**DTD or Node Name: CostZnGrpRef****DD Type: DTD****DD Level: Base DTD****Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
zone_group_id	number	4	0	1	Yes	The Zone Group ID being sent across to ISO

**DTD or Node Name: CostZnRef****DD Type:****DD Level: Child node****Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
zone_id	number	10	0	1	Yes	The zone ID's under the price zone group's.The zone ID for all the Zone group ID's sent from RMS to ISO

**DTD or Node Name: CountryDesc****DD Type: DTD****DD Level: Base DTD****Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
country_id	varchar2	3		1	Yes	Identifier of the country of origin
country_desc	varchar2	40		2	Yes	Country description

**DTD or Node Name: CountryRef****DD Type: DTD****DD Level: Base DTD****Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
country_id	varchar2	3		1	Yes	Identifier of the country of origin

**Retek****DTD or Node Name: CurrencyDesc****DD Type: DTD****DD Level: Base DTD****Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
currency_code	varchar2	3		1	Yes	The currency code
currency_desc	varchar2	20		2	Yes	Currency description
rate_effective_date	date			3	No	Currency rate on an effective date
exchange_type	varchar2	1		4	No	Exchange type
exchange_rate	number	20	10	5	No	The rate of exchange used for the purchase order between the order and primary currencies.

**DTD or Node Name: CurrencyRef****DD Type: DTD****DD Level: Base DTD****Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
currency_code	varchar2	3		1	Yes	The currency code
currency_desc	varchar2	20		2	Yes	Currency description
rate_effective_date	date			3	No	Currency rate on an effective date
exchange_type	varchar2	1		4	No	Exchange type

**DTD or Node Name: DateAttributeType****DD Type: DTD****DD Level: Child Node****Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
name	varchar2	30		1	Yes	Name
date_value	date			2	Yes	

**DTD or Node Name: EnumOption****Version: 10.3.4****DD Type:****DD Level: Child Node**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
enum_value	varchar2	30		1	No	This is the value of the enum Option
enum_oid	number	10	0	2	No	This is the internal identifier of the enum option
enum_parent_code	varchar2	30		3	No	If the enum values include a parent value this is the code that would represent that identifier
enum_code	varchar2	30		4	Yes	Represents the code used to identify the enum value
level_code	Varchar2	30		5	No	The level of the attribute hierarchy this enum value belongs to.
uom_code	varchar2	30		6	No	The Unit of Measure for this enum value

**DTD or Node Name: EnumOptionSet****Version: 10.3.4****DD Type: DTD****DD Level: Base DTD**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
element_code	varchar2	30		2	Yes	This is the field that identifies the object within MDM

**DTD or Node Name: Group****Version: 10.3.4****DD Type:****DD Level: Child Node**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
group_code	varchar2	30		4	No	This is the code used to identify the group in the source application
party_code	varchar2	5		5	No	This is the code that identifies the application sending this information
element_code	varchar2	30		6	Yes	



Retek

DTD or Node Name: GroupElementType	Version: 10.3.4
DD Type:	
DD Level: Child Node	

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
simple_object_id	Varchar2	30		0	No	

DTD or Node Name: Identifier	Version: 10.3.4
DD Type: DTD	
DD Level: Child Node	

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
ident_code	varchar2	20		2	Yes	This is the identifier code that the sender knows this object by.
ident_value	varchar2	30		3	Yes	

DTD or Node Name: InductItemHeaderType	Version: 10.3.4
DD Type: DTD	
DD Level: Child Node	

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
action	varchar2	20		1	Yes	
publish_date	date			3	Yes	
source_message	blob			4	Yes	
start_date	date			5	Yes	
correlation_id	varchar2	200		6	Yes	



**DTD or Node Name: InductItemResponse****DD Type: DTD****DD Level: Base DTD****Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
correlation_id	varchar2	200			1 Yes	
action	varchar2	20			2 Yes	
auth_status	varchar2	20			3 Yes	
date_processed	date				5 Yes	
responder_name	varchar2	40			6 Yes	
from_gln	varchar2	24			7 Yes	
to_gln	varchar2	24			8 Yes	

**DTD or Node Name: ISCDimDesc****DD Type: DTD****DD Level: Base DTD****Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
item	varchar2	25			1 Yes	Item ID
supplier	varchar2	10			2 Yes	Contains the vendor number who will provide the merchandise specified in the order.
origin_country	varchar2	3			3 Yes	The country where the item was manufactured or significantly altered.
dim_object	varchar2	6			4 Yes	Specific object whose dimensions are specified in this record (e.g. case, pallet, each).
object_desc	varchar2	40			5 Yes	Description of the object
presentation_method	varchar2	6			6 Yes	Describes the packaging (if any) being taken into consideration in the specified dimensions. Valid values for this field are in the code type 'PCKT' on the code_head and code_detail tables.
method_desc	varchar2	40			7 Yes	Description of the method
length	number	12	4		8 Yes	Length of dim_object measured in units specified in lwh_uom.
width	number	12	4		9 Yes	Width of dim_object measured in units specified in lwh_uom.

**Retek****RIB Elements Report Release: 10.3.4**

height	number	6	2	10	Yes	Height of dim_object measured in units specified in lwh_uom.
lwh_uom	varchar2	4		11	Yes	Unit of measurement for lenght, weight and height
weight	number	12	4	12	Yes	Height of dim_object measured in units specified in lwh_uom.
net_weight	varchar2	12		13	Yes	Contains the Net/net Weight of the item.
weight_uom	varchar2	4		14	Yes	Unit of measurement for weight (e.g. pounds, kilograms).
liquid_volume	number	12	4	15	Yes	Liquid volume, or capacity, of dim_object measured in units specified in volume_uom.
liquid_volume_uom	varchar2	4		16	Yes	Unit of measurement for liquid_volume (e.g. ounces, liters). Liquid volumes are only convertible to other liquid volumes.
stat_cube	varchar2	12		17	Yes	Statistical value of the dim_object's dimensions to be used for loading purposes.
tare_weight	number	12	4	18	Yes	Amount of weight to be subtracted for packaging materials. Used to calculate the true net weight of the dim_object.
tare_type	varchar2	6		19	Yes	Indicates if tare weight for this dim_object is wet or dry.

**DTD or Node Name: ItemBOMDesc****DD Type: DTD****DD Level: Base DTD****Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
pack_no	varchar2	25			1 Yes	Alphanumeric value that uniquely identifies the pack.
item	varchar2	25			2 Yes	Item ID
pack_qty	number	12	4		3 Yes	Contains the quantity of items within the pack.

**DTD or Node Name: ItemDescription****DD Type:****DD Level: Child Node****Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
local_short_desc	varchar2	20			1 No	Local short description
local_item_desc	varchar2	100			2 No	Local item description
locale	varchar2	10			3 No	The local of the POS description

**Retek**

local\_pos\_desc

varchar2

3000

4 No

Local POS description

**RIB Elements Report Release: 10.3.4****DTD or Node Name: ItemHdrDesc****DD Type: DTD****DD Level: Base DTD****Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
item	varchar2	25		1	Yes	Item ID
item_number_type	varchar2	6		2	Yes	Code specifying what type the item is.
format_id	varchar2	1		3	Yes	This field will hold the format ID that corresponds to the item's variable UPC.
prefix	number	2		4	Yes	This column holds the prefix for variable weight UPCs.
item_parent	varchar2	25		5	Yes	Alphanumeric value that uniquely identifies the item/group at the level above the item.
item_grandparent	varchar2	25		6	Yes	Alphanumeric value that uniquely identifies the item/group two levels above the item.
pack_ind	varchar2	1		7	Yes	Indicates if the item is a pack.
item_level	number	1		8	Yes	The item level determines if the item stands alone or if it is part of a family of related items.
tran_level	number	1		9	Yes	Number indicating which of the three levels transactions occur for the item's group.
diff_1	varchar2	10		10	Yes	Diff_group or diff_id that differentiates the current item from its item_parent.
diff_1_type	varchar2	6		11	Yes	This field will hold a value of all possible differential types.
diff_2	varchar2	10		12	Yes	Diff_group or diff_id that differentiates the current item from its item_parent.
diff_2_type	varchar2	6		13	Yes	This field will hold a value of all possible differential types.
diff_3	varchar2	10		14	Yes	Diff_group or diff_id that differentiates the current item from its item_parent.
diff_3_type	varchar2	6		15	Yes	This field will hold a value of all possible differential types.
diff_4	varchar2	10		16	Yes	Diff_group or diff_id that differentiates the current item from its item_parent.
diff_4_type	varchar2	6		17	Yes	This field will hold a value of all possible differential types.
dept	number	4		18	Yes	Contains the department number for orders limited to a single department and will be Null for orders involving items in more than one department.
dept_name	varchar2	20		19	Yes	Department name

**Retek****RIB Elements Report Release: 10.3.4**

class	varchar2	7		20	Yes	Contains the class number where the cycle count will occur. This field is not required, because the cycle count can take be specified to be at the dept, class, or subclass level.
class_name	varchar2	20		21	Yes	Contains the name of the class which, along with the class number, identifies the class.
subclass	varchar2	4		22	Yes	Contains the subclass number where the cycle count will occur. This field is not required, because the cycle count can take be specified to be at the dept, class, or subclass level.
sub_name	varchar2	20		23	Yes	Contains the name of the subclass which, along with the subclass number, uniquely identifies the subclass.
status	varchar2	1		24	Yes	DS=Details Selected, DU=Details Unselected, PP=Pick Pending, PU=Undistributed, SR=Store Reassign, NI=No Inventory, EX=Expired, RS=Return to Stock, and SC=Store Cancelled.
item_desc	varchar2	100		25	Yes	Long description of the item.
short_desc	varchar2	50		26	Yes	Shortened description of the item.
desc_up	varchar2	100		27	Yes	All upper case description of the item.
primary_ref_item_ind	varchar2	1		28	Yes	Indicates if the sub-transaction level item is designated as the primary sub-transaction level item.
retail_zone_group_id	number	4		29	Yes	This field contains the retail zone group number of the given item.
cost_zone_group_id	number	4		30	Yes	This field contains the costl zone group number of the given item.
standard_uom	varchar2	4		31	Yes	Unit of measure in which stock of the item is tracked at a corporate level.
uom_conv_factor	number	20	10	32	Yes	Conversion factor between an "Each" and the standard_uom when the standard_uom is not in the quantity class (e.g. if standard_uom = lb and 1 lb = 10 eaches,this factor will be 10).
package_size	number	12	4	33	Yes	Holds the size of the product printed on any packaging
package_uom	varchar2	4		34	Yes	Holds the unit of measure associated with the package size.
merchandise_ind	varchar2	1		35	Yes	Indicates if the item is a merchandise item
store_ord_mult	varchar2	1		36	Yes	'C'ase/'I'nnner/'E'ach
forecast_ind	varchar2	1		37	Yes	This field indicates whether or not Retek will be interfaced to an external forecasting system.
mfg_rec_retail	number	20	4	38	Yes	Manufacturer's recommended retail price for the item.
retail_label_type	varchar2	6		39	Yes	This field indicates any special lable type associated with an item (i.e. pre-priced or cents off).
retail_label_type_desc	varchar2	40		40	Yes	Describes the type of retail label
retail_label_value	number	20	4	41	Yes	This field represents the value associated with the retail label type.



## RIB Elements Report Release: 10.3.4

**Retek**

handling_temp	varchar2	6		42	Yes	Holds the temperature information associated with the item.
handling_temp_desc	varchar2	40		43	Yes	Descriptions of the temperature information associated with the item.
handling_sensitivity	varchar2	6		44	Yes	Holds the sensitivity information associated with the item.
handling_sensitivity_desc	varchar2	40		45	Yes	Describes the sensitivity information associated with the item.
catch_weight_ind	varchar2	1		46	Yes	Indicates whether the item should be weighed when it arrives at a location.
waste_type	varchar2	6		47	Yes	This column will hold the waste_type associated with a given item.
waste_type_desc	varchar2	40		48	Yes	Description of waste type
waste_pct	number	12	4	49	Yes	Average percent of wastage for the item over its shelf life.
default_waste_pct	number	12	4	50	Yes	Default daily wastage percent for spoilage type wastage items.
const_dimen_ind	varchar2	1		51	Yes	Indicates that the dimensions of the product are always the same, regardless of the supplier.
simple_pack_ind	varchar2	1		52	Yes	Indicates if pack item is a simple pack or not.
contains_inner_ind	varchar2	1		53	Yes	Indicates if pack item contains inner packs.
sellable_ind	varchar2	1		54	Yes	Indicates if pack item may be sold as a unit. If it is 'Y' then the pack will have its own unique unit retail. If it is 'N' then the pack's unit retail is the sum of each individual item's total retail within the pack.
orderable_ind	varchar2	1		55	Yes	Indicates if pack item is orderable. If it is 'Y' then the suppliers of the pack must supply all components in the pack. If it is 'N' then the components may have different suppliers.
pack_type	varchar2	1		56	Yes	Indicates if pack item is a vendor pack or a buyer pack.
order_as_type	varchar2	1		57	Yes	Indicates if pack item is receivable at the component level or at the pack level .
comments	varchar2	300		58	Yes	The comments associated with an ASN
unit_retail	number	20	4	59	Yes	This field holds the unit retail in the standard unit of measure for the item/zone combination. This field is stored in the local currency.
item_service_level	varchar2	6		60	Yes	Holds a value that restricts the type of shipment methods that RCOM can select for an item.
gift_wrap_ind	varchar2	1		61	Yes	This field will contain a value of 'Y' if the item is eligible to be gift wrapped.
ship_alone_ind	varchar2	1		62	Yes	Indicates if the item must be shipped by itself
vendor_style	varchar2	15		63	No	A vendor's designation which identifies one of that vendor's products.
std_unit_weight	number	20	10	64	No	The standard weight that an item will be sent in. An item master attribute
single_price_flag	varchar2	1		65	No	Whether or not a single price will be reflected on a ticket or multiple prices
preticket_flag	varchar2	1		66	No	An indicator that items are already ticketed

**Retek****RIB Elements Report Release: 10.3.4**

planned_residual	varchar2	1	67	No	If the round up flag is set to Y during distribution and remaining items will not be sent to a store but will be placed back into reserve.
autopackable	number	8	68	No	Sorter Autopackable indicator
sortable	varchar2	1	69	No	Indicates whether the item can be placed on a sorter
item_master_uda1	varchar2	20	70	No	Item Master User Defined Attribute
item_master_uda2	varchar2	20	71	No	Item Master User Defined Attribute
item_master_uda3	varchar2	20	72	No	Item Master User Defined Attribute
item_master_uda4	varchar2	20	73	No	Item Master User Defined Attribute
item_master_uda5	varchar2	20	74	No	Item Master User Defined Attribute
item_master_uda6	varchar2	20	75	No	Item Master User Defined Attribute
item_master_uda7	varchar2	20	76	No	Item Master User Defined Attribute
item_master_uda8	varchar2	20	77	No	Item Master User Defined Attribute
item_master_uda9	varchar2	20	78	No	Item Master User Defined Attribute
item_master_uda10	varchar2	20	79	No	Item Master User Defined Attribute
item_master_uda11	varchar2	20	80	No	Item Master User Defined Attribute
item_master_uda12	varchar2	20	81	No	Item Master User Defined Attribute
item_master_uda13	varchar2	20	82	No	Item Master User Defined Attribute
item_master_uda14	varchar2	20	83	No	Item Master User Defined Attribute
item_master_uda15	varchar2	20	84	No	Item Master User Defined Attribute
ship_alone	varchar2	1	85	No	Indicates if the item must be shipped by itself
slottable	varchar2	1	86	No	Indicates whether an item can be slotted (Y/N)
freight_class	varchar2	4	87	No	Class identifier
new_item	varchar2	1	88	No	Indicator to mark an item as new
brand	varchar2	10	89	No	Item Identifier for Brand classification
break_case_ups	varchar2	4	90	No	Unit Pick Sorter System for Break Case Operation
rigid	varchar2	1	91	No	Indicate if one or more of the item dimensions is rigid
fragile	varchar2	1	92	No	Fragile item indicator.
container_type	varchar2	6	93	No	Type of the container, used to supply default container dimensions.
conveyable_flag	varchar2	1	94	No	A flag that indicates that merchandise can be placed on the conveyor/sortation system.

**Retek****RIB Elements Report Release: 10.3.4**

hazard_matl_code	varchar2	6		95	No	A code that identifies an item as belonging to a class of DOT specified hazardous materials.
velocity	number	12	4	96	No	Distribution rate of the product.
high_value_ind	varchar2	1		97	No	A flag that identifies an item as being high values item.
ticket_type	varchar2	4		98	No	A code that indicates the merchandise ticketing format.
color	varchar2	24		99	No	Weight of an individual item
size1	varchar2	6		100	No	Indicates the size of the item.
fit	varchar2	6		101	No	Indicates the fit of the item.
shade	varchar2	6		102	No	Indicates the shade of the item.
single_contain_bulk	varchar2	1		103	No	Indicator that specifies if a single container is found whether to treat it as a single container pick or as a bulk pick
unit_pick_system_code	varchar2	4		104	No	A pick system to be used for unit picking
roundable_flag	varchar2	1		105	No	Indicates if the value could be rounded to the next number
perishable_ind	varchar2	1		106	No	Used for items that may spoil or any item with a best before date
division	number	4		107	No	Item master attribute
vendor_nbr	varchar2	10		108	No	The vendor number for the return of merchandise.
kitting_wip_code	varchar2	6		109	No	Wip code used to designate the Kitting process used in item_master
unit_ticket_qty	number	3		110	No	Item Master User Defined Attribute
item_length	number	12	4	111	No	Length of an individual item
item_width	number	12	4	112	No	Width of an individual item
item_height	number	12	4	113	No	Height of an individual item
item_weight	number	12	4	114	No	Weight of an individual item
item_cube	number	12	4	115	No	Cubic dimension of an individual item
std_unit_factor	number	6	2	116	No	Used for putaway by volume. The percentage of the standard number of units that will fit into a location type
std_unit_qty	number	12	4	117	No	The number of items that normally fit on/in the container type.
expiration_days	number	4		118	No	The number of days before inventory is deemed to be no longer distributable
putaway_by_volume	varchar2	6		119	No	If set to Y, putaway will be determined by cube or volume. If set to N putaway will be determined by capacity
putaway_plan	varchar2	6		120	No	Plan used for putaway
item_type	varchar2	4		121	No	This column contains a character indicator to determine if the item being ordered is a pack or not.

**Retek****RIB Elements Report Release: 10.3.4**

sorter_group	varchar2	6	122	No	Sorter Group identifier
sku_optimization	varchar2	1	123	No	Indicator for inclusion in SKU optimization
ext_source_system	varchar2	6	124	No	

**DTD or Node Name: ItemIdentifierType****DD Type: DTD****DD Level: Child Node****Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
identifier_value	varchar2	100		1	Yes	This is the value of the Identifier
identifier_type	varchar2	20		2	Yes	This is the type of identifier

**DTD or Node Name: ItemImageDesc****DD Type: DTD****DD Level: Base DTD****Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
item	varchar2	25		1	Yes	Item ID
image_name	varchar2	64		2	Yes	The name of the image.
image_addr	varchar2	255		3	Yes	Path where the file of the image is stored.

**DTD or Node Name: ItemNode****DD Type: DTD****DD Level: Base DTD****Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
level_code	Varchar2	30		10	Yes	Level with the hierarchy that this node belongs to.
item_config_type	varchar2	50		12	Yes	Simple item/hierarchy level or Item Config(Pack)
item_effective_datetime	date			13	No	This is the node effective date.



**DTD or Node Name: ItemSupCtyDesc****DD Type: DTD****DD Level: Base DTD****Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
item	varchar2	25		1	Yes	Item ID
supplier	varchar2	10		2	Yes	Contains the vendor number who will provide the merchandise specified in the order.
origin_country_id	varchar2	3		3	Yes	Represents the country of origin for the order.
primary_supp_ind	varchar2	3		4	Yes	This field indicates whether this supplier is the primary supplier for the item.
primary_country_ind	varchar2	1		5	Yes	This field indicates whether this country is the primary country for the item/supplier.
unit_cost	number	20	4	6	Yes	Unit cost associated with an item
lead_time	number	4		7	Yes	This field contains the lead time in days for the item/supplier relationship
pickup_lead_time	number	4		8	Yes	Contains time it takes to get the item from the Supplier to the Initial Receiving Location.
supp_pack_size	number	12	4	9	Yes	Contains the supplier pack size for the order/item.
inner_pack_size	number	12	4	10	Yes	This field contains the break pack size for the item for the supplier
round_lvl	varchar2	6		11	Yes	This field determines how order quantities will be rounded to Case, Layer and Pallet.
min_order_qty	number	12	4	12	Yes	This field contains the minimum quantity that can be ordered at one time from the supplier for the item.
max_order_qty	number	12	4	13	Yes	This field contains the maximum quantity that can be ordered at one time from the supplier for the item.
packing_method	varchar2	6		14	Yes	This field indicates whether the packing method of the item in the container is Flat or Hanging.
default_uop	varchar2	6		15	Yes	Contains the default unit of purchase for the item/supplier/country.
ti	number	12	4	16	Yes	Number of shipping units (cases) that make up one tier of a pallet.
hi	number	12	4	17	Yes	Number of tiers that make up a complete pallet (height).

**DTD or Node Name: ItemSupDesc****DD Type: DTD****DD Level: Base DTD****Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
item	varchar2	25		1	Yes	Item ID
supplier	varchar2	10		2	Yes	Contains the vendor number who will provide the merchandise specified in the order.
primary_supp_ind	varchar2	3		3	Yes	This field indicates whether this supplier is the primary supplier for the item.
vpn	varchar2	30		4	Yes	Vendor Product Number
supp_label	varchar2	15		5	Yes	This field contains the supplier label.
consignment_rate	number	12	4	6	Yes	This field contains the consignment rate for this item for the supplier.
supp_diff_1	varchar2	80		7	Yes	This field contains the first supplier differentiator and/or description. This field may only contain a value for items with an item_parent.
supp_diff_2	varchar2	80		8	Yes	This field contains the second supplier differentiator and/or description. This field may only contain a value for items with an item_parent.
supp_diff_3	varchar2	80		9	Yes	This field contains the third supplier differentiator and/or description. This field may only contain a value for items with an item_parent.
supp_diff_4	varchar2	80		10	Yes	This field contains the fourth supplier differentiator and/or description. This field may only contain a value for items with an item_parent.
pallet_name	varchar2	6		11	Yes	Code referencing the name used to refer to the pallet.
case_name	varchar2	6		12	Yes	Code referencing the name used to refer to the case.
inner_name	varchar2	6		13	Yes	Code referencing the name used to refer to the inner.
supp_discontinue_date	date			14	Yes	Date which the supplier discontinues an item.
direct_ship_ind	varchar2	1		15	Yes	This field will contain a value of 'Y'es to indicate that any item associated with this supplier is eligible for a direct shipment from the supplier to the customer.

**DTD or Node Name: ItemTcktDesc****DD Type: DTD****DD Level: Base DTD****Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
----------	----------	--------	-----------	----------	-----	------------------------

**Retek****RIB Elements Report Release: 10.3.4**

item	varchar2	25	1	Yes	Item ID
ticket_type_id	varchar2	4	2	Yes	This field contains a character string which uniquely identifies the ticket type which is associated with the item.

**DTD or Node Name: ItemUDADateDesc****DD Type: DTD****DD Level: Base DTD****Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
item	varchar2	25			1	Yes
uda_id	number	5			2	Yes
uda_date	date				3	Yes

**DTD or Node Name: ItemUDAFFDesc****DD Type: DTD****DD Level: Base DTD****Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
item	varchar2	25			1	Yes
uda_id	number	5			2	Yes
uda_text	varchar2	250			3	Yes

**DTD or Node Name: ItemUDALOVDesc****DD Type: DTD****DD Level: Base DTD****Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
item	varchar2	25			1	Yes
uda_id	number	5			2	Yes
uda_value	varchar2	30			3	Yes

**DTD or Node Name: ItemUPCDesc****DD Type: DTD****DD Level: Base DTD****Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
item_id	varchar2	25		1	Yes	The item number for an item.The item ID to be returned on the RTV.Contains the item # for which the stock order status change applies.Unique identifier for the item.
item_parent	varchar2	25		2	Yes	Alphanumeric value that uniquely identifies the item/group at the level above the item.
primary_ref_item_ind	varchar2	1		3	Yes	Indicates if the sub-transaction level item is designated as the primary sub-transaction level item.
format_id	varchar2	1		4	Yes	This field will hold the format ID that corresponds to the item's variable UPC.
prefix	number	2		5	Yes	This column holds the prefix for variable weight UPCs.
item_number_type	varchar2	6		6	Yes	Code specifying what type the item is.

**DTD or Node Name: Label****DD Type: DTD****DD Level: Child Node****Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
locale	varchar2	10		1	No	The locale of the localized String
localized_string	varchar2	255		2	Yes	The localized String

**DTD or Node Name: LocalizedItemDescriptionType****DD Type: DTD****DD Level: Child Node****Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
locale	varchar2	10		1	Yes	
label	varchar2	200		2	Yes	

**Retek****RIB Elements Report Release: 10.3.4**

short_desc	varchar2	50	3	No	Shortened description of the item.
description	varchar2	1000	4	No	
pos_desc	varchar2	50	5	No	

**DTD or Node Name: LocalizedStringAttributeType****Version: 10.3.4****DD Type: DTD****DD Level: ChildNode**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
name	varchar2	30			1 Yes	Name of the string

**DTD or Node Name: LocalizedStringType****Version: 10.3.4****DD Type: DTD****DD Level: ChildNode**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
locale	varchar2	10			1 Yes	The locale of the localized String
value	varchar2	255			2 Yes	The localized String

**DTD or Node Name: LocIdentifier****Version: 10.3.4****DD Type:****DD Level: Child Node**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
ident_code	varchar2	20			0 No	Identifier of the Location
ident_value	varchar2	30			0 No	Identifier type

**DTD or Node Name: LocListDesc****DD Type: DTD****DD Level: Base DTD****Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
loc_list	number	10			1 Yes	Location list
loc_list_desc	varchar2	40			2 No	Location list description
create_date	date				3 No	Date and Time record created
create_id	varchar2	30			4 No	Create ID
static_ind	varchar2	1			5 No	Static indicator
batch_rebuild_ind	varchar2	1			6 No	Batch rebuild indicator
last_rebuild_date	date				7 No	Last rebuild date
source	varchar2	6			8 No	Source
external_ref_no	number	4			9 No	External Reference Number
comment_desc	varchar2	255			10 No	Any miscellaneous comments attached to the purchase order

**DTD or Node Name: LocListDtl****DD Type:****DD Level: Child Node****Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
location	number	10			1 Yes	Stock-holding location where item had a cost change or new item location event happen.
loc_type	varchar2	1			2 Yes	Location type



Retek

DTD or Node Name: LocListDtIRef DD Type: DD Level: Child Node	Version: 10.3.4
---	-----------------

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
location	number	10		1	Yes	Stock-holding location where item had a cost change or new item location event happen.
loc_type	varchar2	1		2	Yes	Location type

DTD or Node Name: LocListRef DD Type: DTD DD Level: Base DTD	Version: 10.3.4
--	-----------------

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
loc_list	number	10		1	Yes	Location list

DTD or Node Name: LocNode DD Type: DTD DD Level: Base DTD	Version: 10.3.4
---	-----------------

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
location_end_datetime	date			3	No	The end date of the location.
location_effective_datetime	date			4	No	The day this location is available to use.
level_code	Varchar2	30		7	Yes	This is the level of the hierarchy that this node is at.



Retek

**RIB Elements Report Release: 10.3.4**

**DTD or Node Name: MeasurementAttributeType**

**Version: 10.3.4**

**DD Type: DTD**

**DD Level: ChildNode**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
name	varchar2	30			1 Yes	

**DTD or Node Name: MeasurementType**

**Version: 10.3.4**

**DD Type: DTD**

**DD Level: Child Node**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
decimal_value	number	20	2		1 Yes	
unit_of_measure	varchar2	20			2 Yes	

**DTD or Node Name: MoneyAttributeType**

**Version: 10.3.4**

**DD Type: DTD**

**DD Level: Child Node**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
name	varchar2	30			1 Yes	

**DTD or Node Name: MoneyType**

**Version: 10.3.4**

**DD Type: DTD**

**DD Level: Child Node**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
decimal_value	number	20	2		1 Yes	
currency_code	varchar2	3			2 Yes	





Retek

<b>DTD or Node Name:</b> MrchHrClsDesc <b>DD Type:</b> DTD <b>DD Level:</b> Base DTD	<b>Version:</b> 10.3.4
--	------------------------

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
class	number	4			1 Yes	Contains the class number where the cycle count will occur. This field is not required, because the cycle count can take be specified to be at the dept, class, or subclass level.
class_name	varchar2	20			2 Yes	
class_vat_ind	varchar2	1			3 No	Containd indicator if class is included in value added tax.
dept	number	4			4 Yes	

<b>DTD or Node Name:</b> MrchHrClsRef <b>DD Type:</b> DTD <b>DD Level:</b> Base DTD	<b>Version:</b> 10.3.4
---	------------------------

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
class	number	4			1 Yes	
dept	number	4			2 Yes	

<b>DTD or Node Name:</b> MrchHrDeptDesc <b>DD Type:</b> DTD <b>DD Level:</b> Base DTD	<b>Version:</b> 10.3.4
---	------------------------

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
dept	number	4			1 Yes	
dept_name	varchar2	20			2 No	
buyer	number	4			3 No	
purchase_type	varchar2	6			4 No	
total_market_amt	number	24	4		5 No	

**Retek****RIB Elements Report Release: 10.3.4**

merch	number	4		6	No
group_no	number	4		7	No
bud_mkup	number	12	4	8	No
profit_calc_type	number	1		9	No
markup_calc_type	varchar2	2		10	No
otb_calc_type	varchar2	1		11	No
max_avg_counter	number	5		12	No
avg_tolerance_pct	number	12	4	13	No
bud_int	number	12	4	14	No
dept_vat_incl_ind	varchar2	1		15	No

**DTD or Node Name: MrchHrDeptRef****DD Type: DTD****DD Level: Base DTD****Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
----------	----------	--------	-----------	----------	-----	------------------------

dept	number	4			1	Yes
------	--------	---	--	--	---	-----

**DTD or Node Name: MrchHrDivDesc****DD Type: DTD****DD Level: Base DTD****Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
----------	----------	--------	-----------	----------	-----	------------------------

division	number	4			1	Yes
div_name	varchar2	20			2	Yes
buyer	number	4			3	No
merch	number	4			4	No
total_market_amt	number	24	4		5	No



Retek

**RIB Elements Report Release: 10.3.4**

**DTD or Node Name: MrchHrDivRef**

**DD Type: DTD**

**DD Level: Base DTD**

**Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
division	number	4			1 Yes	

**DTD or Node Name: MrchHrGrpDesc**

**DD Type: DTD**

**DD Level: Base DTD**

**Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
group_no	number	4			1 Yes	
group_name	varchar2	20			2 Yes	
buyer	number	4			3 No	
merch	number	4			4 No	
division	number	4			5 Yes	Division identifier.

**DTD or Node Name: MrchHrGrpRef**

**DD Type: DTD**

**DD Level: Base DTD**

**Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
group_no	number	4			1 Yes	

**DTD or Node Name: MrchHrScIsDesc****DD Type: DTD****DD Level: Base DTD****Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
subclass	number	4			1 Yes	Contains the subclass number where the cycle count will occur. This field is not required, because the cycle count can take be specified to be at the dept, class, or subclass level.
subclass_name	varchar2	20			2 Yes	
class	number	4			3 Yes	
dept	number	4			4 Yes	

**DTD or Node Name: MrchHrScIsRef****DD Type: DTD****DD Level: Base DTD****Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
subclass	number	4			1 Yes	Contains the subclass number where the cycle count will occur. This field is not required, because the cycle count can take be specified to be at the dept, class, or subclass level.
class	number	4			2 Yes	
dept	number	4			3 Yes	

**DTD or Node Name: NumericAttributeType****DD Type: DTD****DD Level: Child Node****Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
name	varchar2	30			1 Yes	
decimal_value	number	20	2		2 Yes	

**DTD or Node Name: OrgHierDesc****DD Type: DTD****DD Level: Base DTD****Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
hier_level	varchar2	2		1	Yes	The level of the Organizational Hierarchy of the message. Valid values are; Chain, Area, Region, District
hier_value	number	10		2	Yes	Hierarchy value.
hier_desc	varchar2	20		3	No	Hierarchy description.
mgr_name	varchar2	32		4	No	Manager name.
currency_code	varchar2	3		5	No	The currency code for the Hierarchy entity
parent_id	number	10		6	No	Contains the number that identifies the Hierarchy level.
parent_level	varchar2	2		7	No	Contains the parent level of the current Organizational Hierarchy level. Valid values are; for Area parent - Chain, for Region parent - Area, for District parent - Region

**DTD or Node Name: OrgHierRef****DD Type: DTD****DD Level: Base DTD****Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
hier_level	varchar2	2		1	Yes	The level of the Organizational Hierarchy of the message. Valid values are; Chain, Area, Region, District
hier_value	number	10		2	Yes	Hierarchy value.
parent_id	number	10		3	No	Contains the number that identifies the Hierarchy level.
parent_level	varchar2	2		4	No	Contains the parent level of the current Organizational Hierarchy level. Valid values are; for Area parent - Chain, for Region parent - Area, for District parent - Region

**DTD or Node Name: ParentIdentifier****DD Type: DTD****DD Level: Child Node****Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
ident_code	varchar2	20		2	Yes	This is the way you differentiate each sources identifiers.
ident_value	varchar2	30		3	Yes	Value of the identifier. It represents the code in which the user knows this object by.

**DTD or Node Name: PartnerDesc****DD Type: DTD****DD Level: Base DTD****Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
partner_type	varchar2	6		1	Yes	Partner type
partner_id	varchar2	10		2	Yes	Partner ID
partner_desc	varchar2	40		3	Yes	Partner description
currency_code	varchar2	3		4	Yes	The currency code for the zone ID
lang	number	6		5	No	This field contains the supplier's preferred language. This field is provided for custom purchase orders in a specified language.
status	varchar2	1		6	Yes	DS=Details Selected, DU=Details Unselected, PP=Pick Pending, PU=Undistributed, SR=Store Reassign, NI=No Inventory, EX=Expired, RS=Return to Stock, and SC=Store Cancelled.
contact_name	varchar2	30		7	Yes	Contains the name of the contact for the supplier at this address.
contact_phone	varchar2	20		8	Yes	Contains the phone number of the contact for the supplier at this address.
contact_fax	varchar2	20		9	No	Contains the fax number of the contact for the supplier at this address.
contact_telex	varchar2	20		10	No	This field contains the telex number of the partner or supplier's representative contact.
contact_email	varchar2	100		11	No	This field contains the email address of the partner or supplier's representative contact.
mfg_id	varchar2	18		12	No	Manufacturing ID



## RIB Elements Report Release: 10.3.4

**Retek**

principal_country_id	varchar2	3		13	No	Principal country ID
line_of_credit	number	20	4	14	No	Line of credit
outstanding_credit	number	20	4	15	No	Outstanding credit
open_credit	number	20	4	16	No	Open credit
ytd_credit	number	20	4	17	No	YTD Credit
ytd_drawdowns	number	20	4	18	No	YTD Drawdowns
tax_id	varchar2	18		19	No	Tax ID
terms	varchar2	15		20	Yes	Indicator identifying the sales terms for the order. These terms specify when payment is due and if any discounts exist for early payment.
service_perf_req_ind	varchar2	1		21	Yes	Indicates if the supplier's services (e.g. shelf stocking) must be confirmed as performed before paying an invoice from that supplier. Valid values are 'Y' and 'N'
invc_pay_loc	varchar2	6		22	No	Indicates where invoices from this supplier are paid - at the store or centrally through corporate accounting. Valid values are 'S' (paid at the store) and 'C' (paid centrally).
invc_receive_loc	varchar2	6		23	No	Indicates where invoices from this supplier are received - at the store or centrally through corporate accounting. Valid values are 'S' (received at the store) and 'C' (received centrally)
import_country_id	varchar2	3		24	No	Import Country ID
primary_ia_ind	varchar2	1		25	Yes	Primary IA Indicator
comment_desc	varchar2	255		26	No	Any miscellaneous comments attached to the purchase order

**DTD or Node Name: PartnerRef**

**DD Type: DTD**

**DD Level: Base DTD**

**Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
partner_type	varchar2	6		1	Yes	Partner type
partner_id	varchar2	10		2	Yes	Partner ID



Retek

**RIB Elements Report Release: 10.3.4**

**DTD or Node Name: SeasonDesc**

**DD Type: DTD**

**DD Level: Base DTD**

**Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
season_id	number	3			1 Yes	Season ID
season_desc	varchar2	20			2 No	Season description
start_date	date				3 No	Start date
end_date	date				4 No	End date

**DTD or Node Name: SeasonDtl**

**DD Type:**

**DD Level: Child Node**

**Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
phase_id	number	3			1 Yes	Phase ID
phase_desc	varchar2	20			2 No	Phase description
start_date	date				3 No	Start date
end_date	date				4 No	End date

**DTD or Node Name: SeasonRef**

**DD Type: DTD**

**DD Level: Base DTD**

**Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
season_id	number	3			1 Yes	Season ID



**DTD or Node Name: SeasonRefDtl****Version: 10.3.4****DD Type:****DD Level: Child Node**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
phase_id	number	3		1	Yes	Phase ID

**DTD or Node Name: StaticContents****Version: 10.3.4****DD Type:****DD Level: Child Node**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
member_code	varchar2	30		0	No	This is the code used to identify the group in the source application

**DTD or Node Name: Status****Version: 10.3.4****DD Type: DTD****DD Level: Base DTD**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
status_code	varchar2	10		1	Yes	
status_desc	varchar2	255		2	Yes	

**DTD or Node Name: StringAttributeType****Version: 10.3.4****DD Type: DTD****DD Level: Child Node**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
name	varchar2	30		2	Yes	
value	varchar2	255		3	Yes	



<b>DTD or Node Name: SupIdentifier</b> <b>DD Type:</b> <b>DD Level: Child Node</b>	<b>Version: 10.3.4</b>
--	------------------------

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
ident_code	varchar2	20		0	No	Identifier Code
ident_value	varchar2	30		0	No	Identifier type

<b>DTD or Node Name: SupNode</b> <b>DD Type: DTD</b> <b>DD Level: Base DTD</b>	<b>Version: 10.3.4</b>
--	------------------------

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
supplier_end_datetime	date			3	Yes	
supplier_effective_datetime	date			4	Yes	
level_code	Varchar2	30		7	Yes	The Level within the Supplier Hierarchy.

<b>DTD or Node Name: VendorAddrDesc</b> <b>DD Type: DTD</b> <b>DD Level: Base DTD</b>	<b>Version: 10.3.4</b>
---	------------------------

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
module	varchar2	20		1	Yes	This field will hold the code for the module that the address is attached to.
key_value_1	varchar2	20		2	Yes	This field will hold the specific id or type that the address is attached to.If the module is Partner then key_value_1 will hold the type of Partner ; otherwise it will hold the supplier number.
key_value_2	varchar2	20		3	Yes	If the module is Partner ('PTNR') then this field will hold the partner's ID,otherwise this field will be null.
seq_no	number	8		4	Yes	Indicates the order in which the criteria should be applied.
addr_type	varchar2	2		5	Yes	Indicates the type for the address. Valid values are: 01 - Business, 02 - Postal, 03 - Returns, 04 - Order, 05 - Invoice

**Retek****RIB Elements Report Release: 10.3.4**

primary_addr_ind	varchar2	1	6	Yes	Indicates whether the address is the primary address for the address type.
add_1	varchar2	30	7	Yes	Contains the first line of the address
add_2	varchar2	30	8	Yes	Contains the second line of the address
add_3	varchar2	30	9	Yes	Contains the third line of the address
city	varchar2	25	10	Yes	Address city
state	varchar2	3	11	Yes	Contains the state of the supplier's address for returns.
country_id	varchar2	3	12	Yes	Identifier of the country of origin
post	varchar2	10	13	Yes	Contains the zip code for the address
contact_name	varchar2	30	14	Yes	Contains the name of the contact for the supplier at this address.
contact_phone	varchar2	20	15	Yes	Contains the phone number of the contact for the supplier at this address.
contact_telex	varchar2	20	16	Yes	This field contains the telex number of the partner or supplier's representative contact.
contact_fax	varchar2	20	17	Yes	Contains the fax number of the contact for the supplier at this address.
contact_email	varchar2	100	18	Yes	This field contains the email address of the partner or supplier's representative contact.
oracle_vendor_site_id	number	15	19	Yes	This Oracle vendor site id is the unique identifier of the address on the Oracle side

**DTD or Node Name: VendorHdrDesc****DD Type: DTD****DD Level: Base DTD****Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
supplier	varchar2	10		1	Yes	Contains the vendor number who will provide the merchandise specified in the order.
sup_name	varchar2	32		2	Yes	Contains the supplier's trading name.
contact_name	varchar2	30		3	Yes	Contains the name of the contact for the supplier at this address.
contact_phone	varchar2	20		4	Yes	Contains the phone number of the contact for the supplier at this address.
contact_fax	varchar2	20		5	Yes	Contains the fax number of the contact for the supplier at this address.
contact_pager	varchar2	20		6	Yes	Contains the number for the pager of the supplier's representative contact.
sup_status	varchar2	1		7	Yes	Determines whether the supplier is currently Active or Inactive



## RIB Elements Report Release: 10.3.4

qc_ind	varchar2	1		8	Yes	Determines whether or not quality control will be required when items for this order are received. Valid values are 'Y' and 'N'
qc_pct	number	12	4	9	Yes	Indicates the percentage of items per receipt that will be marked for quality checking.
qc_freq	number	2		10	Yes	Indicates the frequency in which items per receipt will be marked for quality checking.
vc_ind	varchar2	1		11	Yes	Determines whether orders from this supplier will default as requiring vendor control.
vc_pct	number	12	4	12	Yes	Indicates the percentage of items per receipt that will be marked for vendor checking.
vc_freq	number	2		13	Yes	Indicates the frequency in which items per receipt will be marked for vendor checking.
currency_code	varchar2	3		14	Yes	The currency code for the zone ID
lang	number	6		15	Yes	This field contains the supplier's preferred language. This field is provided for custom purchase orders in a specified language.
terms	varchar2	15		16	Yes	Indicator identifying the sales terms for the order. These terms specify when payment is due and if any discounts exist for early payment.
freight_terms	varchar2	30		17	Yes	Indicator that references what freight terms will default when a order is created for the supplier.
ret_allow_ind	varchar2	1		18	Yes	Indicate if returns are allowed
ret_auth_req	varchar2	1		19	Yes	Indicates if returns must be accompanied by an authorization number when sent back to the vendor. Valid values are 'Y' and 'N'.
ret_min_dol_amt	number	20	4	20	Yes	Contains a value if the supplier requires a minimum dollar amount to be returned in order to accept the return.
ret_courier	varchar2	20		21	Yes	Contains the name of the courier that should be used for all returns to the supplier.
handling_pct	number	12	4	22	Yes	Percentage multiplied by the total order cost to determine the handling cost for the return.
edi_po_ind	varchar2	1		23	Yes	Indicates whether purchase orders will be sent to the supplier via Electronic Data Interchange.
edi_po_chg	varchar2	1		24	Yes	Indicates whether purchase order changes will be sent to the supplier via Electronic Data Interchange. Valid values are 'Y' and 'N'.
edi_po_confirm	varchar2	1		25	Yes	Indicates whether this supplier will send acknowledgment of a purchase orders sent via Electronic Data Interchange. Valid values are 'Y' and 'N'.
edi_asn	varchar2	1		26	Yes	Indicates whether this supplier will send Advance Shipment Notifications electronically. Valid values are 'Y' and 'N'.

**Retek****RIB Elements Report Release: 10.3.4**

edi_sales_rpt_freq	varchar2	1		27	Yes	This field contains the EDI sales report frequency for this supplier. Valid values are:D - Sales and stock information will be downloaded daily; W - Sales and stock information will be downloaded weekly
edi_supp_available_ind	varchar2	1		28	Yes	This field indicates whether the supplier will send availability via EDI.
edi_contract_ind	varchar2	1		29	Yes	This field indicates whether contracts will be sent to the supplier via EDI.
edi_inv_ind	varchar2	1		30	Yes	Indicates whether invoices, debit memos and credit note requests will be sent to/from the supplier via Electronic Data Interchange. Valid values are 'Y' and 'N'.
cost_chg_pct_var	number	12	4	31	Yes	This field contains the cost change variance by percent.
cost_chg_amt_var	number	20	4	32	Yes	This field contains the cost change variance by amount.
replen_approval_ind	varchar2	1		33	Yes	Indicates whether contract orders for the supplier should be created in Approved status. Valid values are 'Y' and 'N'.
ship_method	varchar2	6		34	Yes	The shipping method for this order
payment_method	varchar2	6		35	Yes	Indicates how the purchase order will be paid. Valid options are LC (Letter of Credit), WT (Wire Transfer), OA (Open Account)
contact_telex	varchar2	20		36	Yes	This field contains the telex number of the partner or supplier's representative contact.
contact_email	varchar2	100		37	Yes	This field contains the email address of the partner or supplier's representative contact.
settlement_code	varchar2	1		38	Yes	This field indicates which payment process method is used for this supplier. Valid values are:E - Evaluated Receipts Settlement (ERS) N - Not Applicable.
pre_mark_ind	varchar2	1		39	Yes	This field indicated whether or not a supplier has agreed to break an order into separate boxes so that the boxes can be sent directly to stores.
auto_appr_inv_ind	varchar2	1		40	Yes	Indicates whether or not the supplier's invoice matches can be automatically approved for payment. Valid values are Y or N.
dbt_memo_code	varchar2	1		41	Yes	Indicates when a debit memo will be sent to the supplier to resolve a discrepancy. Valid values are Y if debit memos are always to be sent, L if debit memos are used only if a credit note is not sent by the invoice due date, or N if debit memos are never to be sent. This field will only be populated if invoice matching is installed. Debit memo codes will be held on the codes table under the code type 'IMDC'.
freight_charge_ind	varchar2	1		42	Yes	Indicates if a supplier is allowed to charge freight costs to the client. This field will only be populated if voice matching is installed. Valid values are 'Y' and 'N'.
auto_appr_dbt_memo_ind	varchar2	1		43	Yes	Indicates whether or not debit memos sent to the supplier can be automatically approved on creation. Valid values e Y or N.
inv_mgmt_lvl	varchar2	6		44	Yes	Indicator that determines whether supplier inventory management information can be set up at the supplier/department level or just at the supplier level.
backorder_ind	varchar2	1		45	Yes	Indicates if backorders or partial shipments will be accepted.
vat_region	number	6		46	Yes	Contains the unique identifying number for the VAT region in the system.

**Retek****RIB Elements Report Release: 10.3.4**

prepay_inv_ind	varchar2	1		47	Yes	Indicates whether or not all invoices for the supplier can be considered pre-paid invoices. Valid values are 'Y' and 'N'.
service_perf_req_ind	varchar2	1		48	Yes	Indicates if the supplier's services (e.g. shelf stocking) must be confirmed as performed before paying an invoice from that supplier. Valid values are 'Y' (all service non-merchandise lines on an invoice from this supplier must be confirmed before the invoice can be paid) and 'N' (services do not need to be confirmed).
inv_pay_loc	varchar2	6		49	Yes	Indicates where invoices from this supplier are paid - at the store or centrally through corporate accounting. Valid values are 'S' (paid at the store) and 'C' (paid centrally).
inv_receive_loc	varchar2	6		50	Yes	Indicates where invoices from this supplier are received - at the store or centrally through corporate accounting. Valid values are 'S' (received at the store) and 'C' (received centrally)
addinv_gross_net	varchar2	6		51	Yes	Indicates if the supplier invoice lists items at gross cost instead of net (off-invoice discounts subtracted). Valid values are 'G' (invoices at gross) or 'N' (invoices at net).
delivery_policy	varchar2	6		52	Yes	Contains the delivery policy of the warehouse. Valid values come from the DLVY code on code_head/code_detail.
comment_desc	varchar2	255		53	Yes	Any miscellaneous comments attached to the purchase order
default_item_lead_time	number	4	0	54	Yes	Holds the default lead time for the supplier. The lead time is the time the supplier needs between receiving an order and having the order ready to ship. This value will be defaulted to item/supplier relationships.
duns_number	varchar2	9		55	Yes	This field holds the Dun and Bradstreet number to identify the supplier.
duns_loc	varchar2	4		56	Yes	This field holds the Dun and Bradstreet number to identify the location of the supplier.
bracket_costing_ind	varchar2	1		57	Yes	This field will determine if the supplier uses bracket costing pricing structures. Valid values: 'Y' = Yes, 'N' = No.
vmi_order_status	varchar2	6		58	Yes	This column determines the status in which any inbound PO's from this supplier are created.
end_date_active	date			59	No	Indicates the date for assigning an inactive date to the Freight Terms.
dsd_supplier_ind	varchar2	1		60	No	Direct Ship Supplier ID

**DTD or Node Name: XISCDimDesc****DD Type: DTD****DD Level: Child Node****Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
----------	----------	--------	-----------	----------	-----	------------------------

**Retek****RIB Elements Report Release: 10.3.4**

dim_object	varchar2	6		1	Yes
tare_weight	number	12	4	2	No
tare_type	varchar2	6		3	No
lwh_uom	varchar2	4		4	No
length	number	12	4	5	No
width	number	12	4	6	No
dim_height	number	12	4	7	No
liquid_volume	number	12	4	8	No
liquid_volume_uom	varchar2	4		9	No
stat_cube	varchar2	12		10	No
weight_uom	varchar2	4		11	No
weight	number	12	4	12	No
net_weight	varchar2	12		13	No
presentation_method	varchar2	6		14	No

**DTD or Node Name: XISCDimRef****DD Type: DTD****DD Level: Child Node****Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
----------	----------	--------	-----------	----------	-----	------------------------

dim_object	varchar2	6			1	Yes
------------	----------	---	--	--	---	-----

**DTD or Node Name: XISCLocDesc****DD Type:****DD Level: Child Node****Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
----------	----------	--------	-----------	----------	-----	------------------------

hier_id	number	10			1	Yes	Contains the number which uniquely identifies the level of Organizational Hierarchy the message relates to. Valid Hierarchy levels are; Chain, Area, Region, District
---------	--------	----	--	--	---	-----	--

**Retek****RIB Elements Report Release: 10.3.4**

unit_cost	number	20	4	2	No	Unit cost associated with an item
primary_loc_ind	varchar2	1		3	No	Indicates if location is primary location.
pickup_lead_time	number	4		4	No	Contains time it takes to get the item from the Supplier to the Initial Receiving Location.
round_lvl	varchar2	6		5	No	
round_to_case_pct	number	12	4	6	No	
round_to_layer_pct	number	12	4	7	No	
round_to_pallet_pct	number	12	4	8	No	

**DTD or Node Name: XISCLocRef****Version: 10.3.4****DD Type:****DD Level: Child Node**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
hier_id	number	10			1 Yes	Contains the number which uniquely identifies the level of Organizational Hierarchy the message relates to. Valid Hierarchy levels are; Chain, Area, Region, District

**DTD or Node Name: XItemBOMDesc****Version: 10.3.4****DD Type:****DD Level: Child Node**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
component_item	varchar2	25			1 Yes	The item ID
pack_qty	number	12	4		2 Yes	Contains the quantity of items within the pack.

**DTD or Node Name: XItemDesc****Version: 10.3.4****DD Type: DTD****DD Level: Base DTD**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
----------	----------	--------	-----------	----------	-----	------------------------



**Retek****RIB Elements Report Release: 10.3.4**

item	varchar2	25	1	Yes	Item ID
item_parent	varchar2	25	2	No	Alphanumeric value that uniquely identifies the item/group at the level above the item.
item_grandparent	varchar2	25	3	No	Alphanumeric value that uniquely identifies the item/group two levels above the item.
pack_ind	varchar2	1	4	Yes	Indicates if the item is a pack.
item_level	number	1	5	Yes	The item level determines if the item stands alone or if it is part of a family of related items.
tran_level	number	1	6	Yes	Number indicating which of the three levels transactions occur for the item's group.
diff_1	varchar2	10	7	No	Diff_group or diff_id that differentiates the current item from its item_parent.
diff_2	varchar2	10	8	No	Diff_group or diff_id that differentiates the current item from its item_parent.
diff_3	varchar2	10	9	No	Diff_group or diff_id that differentiates the current item from its item_parent.
diff_4	varchar2	10	10	No	Diff_group or diff_id that differentiates the current item from its item_parent.
dept	number	4	11	Yes	Contains the department number for orders limited to a single department and will be Null for orders involving items in more than one department.
class	varchar2	7	12	Yes	Contains the class number where the cycle count will occur. This field is not required, because the cycle count can take be specified to be at the dept, class, or subclass level.
subclass	varchar2	4	13	Yes	Contains the subclass number where the cycle count will occur. This field is not required, because the cycle count can take be specified to be at the dept, class, or subclass level.
item_desc	varchar2	100	14	Yes	Long description of the item.
iscloc_hier_level	varchar2	2	15	No	Hierarchy level of Item Supplier Country Location
izp_hier_level	varchar2	2	16	No	Hierarchy level of Item Zone Price
short_desc	varchar2	50	17	No	Shortened description of the item.
retail_zone_group_id	number	4	18	No	This field contains the retail zone group number of the given item.
cost_zone_group_id	number	4	19	No	This field contains the costl zone group number of the given item.
standard_uom	varchar2	4	20	No	Unit of measure in which stock of the item is tracked at a corporate level.
store_ord_mult	varchar2	1	21	Yes	'C'ase/'I'nner/'E'ach
forecast_ind	varchar2	1	22	Yes	This field indicates whether or not Retek will be interfaced to an external forecasting system.
simple_pack_ind	varchar2	1	23	Yes	Indicates if pack item is a simple pack or not.
contains_inner_ind	varchar2	1	24	Yes	Indicates if pack item contains inner packs.

**Retek****RIB Elements Report Release: 10.3.4**

sellable_ind	varchar2	1		25	Yes	Indicates if pack item may be sold as a unit. If it is 'Y' then the pack will have its own unique unit retail. If it is 'N' then the pack's unit retail is the sum of each individual item's total retail within the pack.
orderable_ind	varchar2	1		26	Yes	Indicates if pack item is orderable. If it is 'Y' then the suppliers of the pack must supply all components in the pack. If it is 'N' then the components may have different suppliers.
pack_type	varchar2	1		27	No	Indicates if pack item is a vendor pack or a buyer pack.
order_as_type	varchar2	1		28	No	Indicates if pack item is receivable at the component level or at the pack level .
comments	varchar2	300		29	No	The comments associated with an ASN
create_datetime	date			30	No	Date and time the differentiator group was created.
status	varchar2	1		38	No	DS=Details Selected, DU=Details Unselected, PP=Pick Pending, PU=Undistributed, SR=Store Reassign, NI=No Inventory, EX=Expired, RS=Return to Stock, and SC=Store Cancelled.
uom_conv_factor	number	20	10	39	No	
package_size	number	12	4	40	No	
handling_temp	varchar2	6		41	No	
handling_sensitivity	varchar2	6		42	No	
mfg_rec_retail	number	20	4	43	No	
waste_type	varchar2	6		44	No	
waste_pct	number	12	4	45	No	
item_number_type	varchar2	6		46	No	
catch_weight_ind	varchar2	1		47	No	
const_dimen_ind	varchar2	1		48	No	
gift_wrap_ind	varchar2	1		49	No	
ship_alone_ind	varchar2	1		50	No	
ext_source_system	varchar2	6		51	No	
size_group1	number	4		52	No	
size_group2	number	4		53	No	
size1	varchar2	6		54	No	Indicates the size of the item.
size2	varchar2	6		55	No	
color	varchar2	24		56	No	
system_ind	varchar2	1		57	No	

**Retek**

upc_supplement	number	5	58	No
upc_type	varchar2	5	59	No
primary_upc_ind	varchar2	1	60	No
primary_repl_ind	varchar2	1	61	No
item_aggregate_ind	varchar2	1	62	No
diff_1_aggregate_ind	varchar2	1	63	No
diff_2_aggregate_ind	varchar2	1	64	No
diff_3_aggregate_ind	varchar2	1	65	No
diff_4_aggregate_ind	varchar2	1	66	No

**DTD or Node Name: XItemImage****DD Type: DTD****DD Level: Child Node****Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
image_name	varchar2	64		1	Yes	The name of the image.
image_addr	varchar2	255		2	Yes	The Address of the image
image_desc	varchar2	40		3	Yes	The Description of the image
create_datetime	date			4	No	Date and time the differentiator group was created.
last_update_datetime	date			5	No	Datetime last updated.
last_update_id	varchar2	30		6	No	Last update Id.

**DTD or Node Name: XItemImageRef****DD Type: DTD****DD Level: Child Node****Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
image_name	varchar2	64		1	Yes	The name of the image.

**DTD or Node Name: XItemLocTrt****Version: 10.3.4****DD Type: DTD****DD Level: Child Node**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
launch_date	date			1	No	
qty_key_options	varchar2	6		2	No	
manual_price_entry	varchar2	6		3	No	
deposit_code	varchar2	6		4	No	
food_stamp_ind	varchar2	1		5	No	
wic_ind	varchar2	1		6	No	
proportional_tare_pct	number	12	4	7	No	
fixed_tare_value	number	12	4	8	No	
fixed_tare_uom	varchar2	4		9	No	
reward_eligible_ind	varchar2	1		10	No	
natl_brand_comp_item	varchar2	25		11	No	
return_policy	varchar2	6		12	No	
stop_sale_ind	varchar2	1		13	No	
elect_mkt_clubs	varchar2	6		14	No	
report_code	varchar2	6		15	No	
req_shelf_life_on_selection	number	4		16	No	
req_shelf_life_on_receipt	number	4		17	No	
ib_shelf_life	number	4		18	No	
store_reorderable_ind	varchar2	1		19	No	
rack_size	varchar2	6		20	No	
full_pallet_item	varchar2	1		21	No	
in_store_market_basket	varchar2	6		22	No	
storage_location	varchar2	7		23	No	
alt_storage_location	varchar2	7		24	No	

**Retek****RIB Elements Report Release: 10.3.4**

returnable_ind	varchar2	1	25	No	
refundable_ind	varchar2	1	26	No	
back_order_ind	varchar2	1	27	No	
create_datetime	date		28	No	Date and time the differentiator group was created.
last_update_id	varchar2	30	29	No	Last update Id.
last_update_datetime	date		30	No	Datetime last updated.

**DTD or Node Name: XItemRef****DD Type: DTD****DD Level: Base DTD****Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
item	varchar2	25		1	Yes	
hier_level	varchar2	2		2	No	
system_ind	varchar2	1		9	No	
upc_supplement	number	5		10	No	

**DTD or Node Name: XItemSeason****DD Type: DTD****DD Level: Child Node****Version: 10.3.4**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
season_id	number	3		1	Yes	Season ID
phase_id	number	3		2	Yes	Phase ID
item_season_seq_no	number	4		3	No	
diff_id	varchar2	10		4	No	This column holds the unique identifier for the diff.
create_datetime	date			5	No	Date and time the differentiator group was created.
last_update_datetime	date			6	No	Datetime last updated.
last_update_id	varchar2	30		7	No	Last update Id.
Color	number	4		9	No	

**DTD or Node Name: XItemSeasonRef****Version: 10.3.4****DD Type: DTD****DD Level: Child Node**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
season_id	number	3			1 Yes	Season ID
phase_id	number	3			2 Yes	Phase ID
diff_id	varchar2	10			3 No	This column holds the unique identifier for the diff.
Color	number	4			4 No	

**DTD or Node Name: XItemSupCtyDesc****Version: 10.3.4****DD Type:****DD Level: Child Node**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
origin_country_id	varchar2	3			1 Yes	Represents the country of origin for the order.
primary_country_ind	varchar2	1			2 Yes	This field indicates whether this country is the primary country for the item/supplier.
unit_cost	number	20	4		3 No	Unit cost associated with an item
lead_time	number	4			5 No	
pickup_lead_time	number	4			6 No	
min_order_qty	number	12	4		7 No	
max_order_qty	number	12	4		8 No	
supp_hier_lvl_1	varchar2	10			9 No	
supp_hier_lvl_2	varchar2	10			10 No	
supp_hier_lvl_3	varchar2	10			11 No	
default_uop	varchar2	6			12 No	
supp_pack_size	number	12	4		13 No	
inner_pack_size	number	12	4		14 No	

**Retek****RIB Elements Report Release: 10.3.4**

ti	number	12	4	15	No
hi	number	12	4	16	No

**DTD or Node Name: XItemSupCtyRef****Version: 10.3.4****DD Type:****DD Level: Child Node**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
origin_country_id	varchar2	3		1	Yes	Represents the country of origin for the order.

**DTD or Node Name: XItemSupDesc****Version: 10.3.4****DD Type:****DD Level: Child Node**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
supplier	varchar2	10		1	Yes	Contains the vendor number who will provide the merchandise specified in the order.
primary_supp_ind	varchar2	3		2	Yes	This field indicates whether this supplier is the primary supplier for the item.
vpn	varchar2	30		3	No	Vendor Product Number
supp_label	varchar2	15		4	No	This field contains the supplier label.
consignment_rate	number	12	4	6	No	
supp_discontinue_date	date			7	No	
direct_ship_ind	varchar2	1		8	No	
pallet_name	varchar2	6		9	No	
case_name	varchar2	6		10	No	
inner_name	varchar2	6		11	No	

**Retek****RIB Elements Report Release: 10.3.4****DTD or Node Name: XItemSupRef****Version: 10.3.4****DD Type:****DD Level: Child Node**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
supplier	varchar2	10		1	Yes	Contains the vendor number who will provide the merchandise specified in the order.
delete_children_ind	varchar2	1		2	Yes	This is an indicator available on item/supplier delete message in order to specify whether the deletion of the item/supplier should be applied to all associated item/supplier records below the item level of the item specified on the deletion message.

**DTD or Node Name: XItemUDADtl****Version: 10.3.4****DD Type: DTD****DD Level: Child Node**

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
uda_id	number	5		1	Yes	This field contains the unique identified of the Attribute Group being added or delete to the item list.
display_type	varchar2	2		2	Yes	Display type
uda_date	date			3	No	This field contains the date in the date range specified for the date value attribute
uda_value	varchar2	30		4	No	Contains the value of the Attribute Group.
uda_text	varchar2	250		5	No	Contains the text of the Attribute Group being added or delete to the item list.
create_datetime	date			6	No	Date and time the differentiator group was created.
last_update_datetime	date			7	No	Datetime last updated.
last_update_id	varchar2	30		8	No	Last update Id.





<b>DTD or Node Name:</b> XItemUDARef <b>DD Type:</b> DTD <b>DD Level:</b> Child Node	<b>Version:</b> 10.3.4
--	------------------------

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
uda_id	number	5		1	Yes	This field contains the unique identified of the Attribute Group being added or delete to the item list.
display_type	varchar2	2		2	Yes	Display type
uda_value	varchar2	30		3	No	

<b>DTD or Node Name:</b> XItemVATDesc <b>DD Type:</b> <b>DD Level:</b> Child Node	<b>Version:</b> 10.3.4
---	------------------------

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
vat_type	varchar2	1		1	Yes	Value added tax type.
vat_region	number	6		2	Yes	Contains the unique identifying number for the VAT region in the system.
vat_code	varchar2	6		3	Yes	Value added tax code
active_date	date			4	Yes	Date in which value added tax is active.

<b>DTD or Node Name:</b> XIZPDesc <b>DD Type:</b> <b>DD Level:</b> Child Node	<b>Version:</b> 10.3.4
---	------------------------

Tag Name	Data Typ	Length	Precision	Position	Req	Functional Description
hier_id	number	10		1	Yes	Contains the number which uniquely identifies the level of Organizational Hierarchy the message relates to. Valid Hierarchy levels are; Chain, Area, Region, District
base_retail_ind	varchar2	1		2	No	

**Retek****RIB Elements Report Release: 10.3.4**

selling_unit_retail	number	20	4	3	Yes	This field holds the unit retail in the selling unit of measure for the item/zone combination. This field is stored in the local currency.
selling_uom	varchar2	4		4	Yes	This field holds the selling unit of measure for an item's single-unit retail.
multi_selling_uom	varchar2	4		5	No	This field holds the selling unit of measure for an item's multi-unit retail.
country_id	varchar2	3		6	No	Identifier of the country of origin
currency_code	varchar2	3		7	Yes	The currency code for the zone ID
multi_units	number	12	4	8	No	Contains the multi-units for the item/Zone combination.
multi_unit_retail	number	20	4	9	No	This field holds the multi-unit retail in the multi selling unit of measure for the item/zone combination. This field is stored in the local currency.