

**Application Name: Store Inventory Management****Version: 10.3.2****DTD or Node Name: ASNInCtn****ASN Inbound Container****SIM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
final_location	N/A					Yes	Not used by SIM.
container_id	RK_SLE_CONTAINER	CONTAINER_ID	varchar2	128	Y	Yes	Contains a unique identifier for the container.
container_weight	N/A					No	Not used by SIM.
container_length	N/A					No	Not used by SIM.
container_width	N/A					No	Not used by SIM.
container_height	N/A					No	Not used by SIM.
container_cube	N/A					No	Not used by SIM.
expedite_flag	N/A					No	Not used by SIM.
in_store_date	N/A					No	Not used by SIM. Contains the estimated date that the container will be in the store.
rma_nbr	N/A					No	Not used by SIM.
tracking_nbr	N/A					No	Not used by SIM.
freight_charge	N/A					No	Not used by SIM.
master_container_id	N/A					No	Not used by SIM.
comments	TR_LTM_IDC_MR	COMMENT_DESC	varchar2	300		No	This field contains any miscellaneous comments associated with an ASNIn message

**Application Name: Store Inventory Management****Version: 10.3.2****DTD or Node Name: ASNInDesc.dtd****ASN Inbound Description                      SIM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
to_location	PA_STR_RTL	ID_STR_RT	varchar2	128	Y	Yes	Contains the location for which the ASN (shipment) is bound
from_location	PA_STR_RTL	ID_STR_RT	varchar2	128	Y	Yes	Contains the location from which the ASN (shipment) was sent. This value will be NULL for a supplier originated ASN.
asn_nbr	DO_CTL_INV	ID_CNTRT	varchar2	128	N	Yes	Unique ID for the ASN/shipment.
asn_type	N/A					Yes	Not used by SIM.
container_qty	N/A					Yes	Not used by SIM.
bol_nbr	N/A					No	Not used by SIM.
shipment_date	DO_CTL_INV	TS_CRT_ICD	date		N	Yes	Contains the date the ASN/shipment was shipped.
est_arr_date	DO_CTL_INV	DC_DV_EXP_ICD	date		N	No	Contains the estimated arrival date for the shipment.
ship_address1	N/A					No	Not used by SIM.
ship_address2	N/A					No	Not used by SIM.
ship_address3	N/A					No	Not used by SIM.
ship_address4	N/A					No	Not used by SIM.
ship_address5	N/A					No	Not used by SIM.
ship_city	N/A					No	Not used by SIM.
ship_state	N/A					No	Not used by SIM.
ship_zip	N/A					No	Not used by SIM.
ship_country_id	N/A					No	Not used by SIM.
trailer_nbr	N/A					No	Not used by SIM.
seal_nbr	N/A					No	Not used by SIM.
carrier_code	N/A					No	Not used by SIM.
vendor_nbr	PA_SPR	ID_SPR	varchar2	128	Y	Yes	Contains the vendor number for any ASNs that originate from a vendor.
ship_pay_method	N/A					No	Not used by SIM.

**Application Name: Store Inventory Management****Version: 10.3.2****DTD or Node Name: ASNInDesc.dtd****ASN Inbound Description****SIM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
comments	N/A			0		No	Not used by SIM

**Application Name: Store Inventory Management****Version: 10.3.2****DTD or Node Name: ASNInItem****ASN Inbound Item****SIM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
final_location	N/A					Yes	Not used by SIM.
item_id	TR_LTM_ICD_MR	ID_ITM	varchar2	128	Y	Yes	Contains the item's identifier. This number must map to an item that currently exists within RSS.
unit_qty	TR_LTM_ICD_MR	QU_ITM	number	20 4	N	Yes	Contains the # of units of the item that exist on the ASN/shipment.
priority_level	N/A					No	Not used by SIM.
order_line_nbr	N/A					No	Not used by SIM.
lot_nbr	N/A					Yes	Not used by SIM.
ref_item	N/A					No	Not used by SIM.
distro_nbr	N/A					Yes	Not used by SIM. Contain the transfer or allocation number associated with the ASN/item.
distro_doc_type	N/A					No	Not used by SIM. Valid values are 'T'=Transfer and 'A'=Allocation.
container_qty	N/A					No	Not used by SIM. Contains the number of containers that the item exists in.
comments	DO_CNT_INV	COMMENT_DESC	varchar2	300		No	This field contains any miscellaneous comments associated with an ASNIn message. This field contains any miscellaneous comments.

**Application Name: Store Inventory Management****Version: 10.3.2****DTD or Node Name: ASNInPO****ASN Inbound Purchase Order      SIM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
po_nbr	DO_CTL_INV	ORDER_ID/ASN_NUM	varchar2	128	N	Yes	Contains the purchase order, transfer number, or allocation number associated with the ASN/shipment. The number represented in this tag is determined by the doc_type tag.
doc_type	DO_CTL_INV	ID_ORG_ICD	varchar2	128		Yes	Contains the type of document on the ASN/shipment. 'P' for purchase order, 'T' for Transfer, 'A' for Allocation.
not_after_date	DO_CTL_INV		date		N	No	Contains the latest date that the ASN/shipment will be accepted.
comments	N/A			0		No	Not used by SIM. This field contains any miscellaneous comments associated with an ASNIn message

**Application Name: Store Inventory Management****Version: 10.3****DTD or Node Name: InvAdjustDesc.dtd****Inventory Adjustments Descri      SIM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
dc_dest_id	DO_CTL_INV	ID_STR_RT	varchar2	128	Y	Yes	Contains the store number where the adjustment is taking place.



Application Name: Store Inventory Management

Version: 10.3

DTD or Node Name: InvAdjustDtl

**Inventory Adjustment Detail      SIM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
item_id	TR_LTM_ICD_MR	ID_ITM	varchar2	128	Y	Yes	Contains the identifier for the item being adjusted. This item provided must be a valid item number that exists in RSS.
adjustment_reason_code	TR_LTM_ICD_MR	RC_CHN	varchar2	20	N	Yes	Contains the reason code for the adjustment as assigned in the Inventory Adjustment GUI.
unit_qty	TR_LTM_ICD_MR	QU_ITM	number	20 4		Yes	Contains the adjustment units.
transshipment_nbr	N/A					Yes	Not used by SIM.
from_disposition	RK_DISPOSITION	FROM_STATUS_CODE	varchar2	10		Yes	Contains the disposition from which the inventory is being moved (e.g. Available To Sell). Within RSS, these will be determined based on the entered reason code.
to_disposition	RK_DISPOSITION	TO_STATUS_CODE	varchar2	10		Yes	Contains the disposition the inventory is moving to. Within RSS, this will be determined based on the entered reason code.
from_trouble_code	N/A					Yes	Not used by SIM.
to_trouble_code	N/A					Yes	Not used by SIM.
from_wip_code	N/A					Yes	Not used by SIM.
to_wip_code	N/A					Yes	Not used by SIM.
transaction_code	N/A					Yes	Not used by SIM.
user_id	DO_CTL_INV	ID_ORG_ICD	varchar2	128		Yes	Contains the ID of the user that created the inventory adjustment.
create_date	DO_CTL_INV	TS_CRT_ICD	date			Yes	Contains the date the adjustment was created.
po_nbr	N/A					Yes	Not used by SIM.
doc_type	N/A					Yes	Not used by SIM.
aux_reason_code	N/A					Yes	Not used by SIM.

**Application Name: Store Inventory Management****Version: 10.3.3****DTD or Node Name: ItemLocDesc.dtd****Item Location description****SIM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
item				0		Yes	



**Application Name: Store Inventory Management****Version: 10.3.3****DTD or Node Name: ItemLocPhys****Item Physical Location****SIM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
physical_loc				0		Yes	

**Application Name: Store Inventory Management****Version: 10.3.3****DTD or Node Name: ItemLocPhysRef****Item Physical Location refere      SIM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
physical_loc				0		Yes	

**Application Name: Store Inventory Management****Version: 10.3.3****DTD or Node Name: ItemLocRef.dtd****Item Location reference****SIM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
item				0		Yes	

**Application Name: Store Inventory Management****Version: 10.3.3****DTD or Node Name: ItemLocVirt****Item Virtual Location****SIM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
loc				0		Yes	
loc_type				0		Yes	
local_item_desc				0		Yes	
local_short_desc				0		No	
status				0		Yes	
primary_supp				0		No	
primary_cntry				0		No	
receive_as_type				0		No	
taxable_ind				0		Yes	
source_method				0		Yes	
source_wh				0		No	

**Application Name: Store Inventory Management****Version: 10.3.3****DTD or Node Name: ItemLocVirtRef****Item Virtual Location referenc      SIM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
loc				0		Yes	

**Application Name: Store Inventory Management****Version: 10.3.3****DTD or Node Name: ItemTcktDesc.dtd****Item Ticketing****SIM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
item				0		Yes	
ticket_type_id				0		Yes	

**Application Name: Store Inventory Management****Version: 10.3.3****DTD or Node Name: ItemTcktRef.dtd****Item Ticket Reference****SIM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
item				0		Yes	
ticket_type_id				0		Yes	

**Application Name: Store Inventory Management****Version: 10.3.1****DTD or Node Name: ItemZone****Item Zone Childnode 2****SIM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
unit_retail	RK_ITEM_PRICE_ZONE	UNIT_RETAIL	varchar2	75		Yes	Contains the single unit retail for the item/zone group/zone
selling_unit_retail	RK_ITEM_PRICE_ZONE	SELLING_UNIT_RETAIL	varchar2	75		Yes	Contains the selling unit retail for the item/zone group/zone
selling_uom	RK_ITEM_PRICE_ZONE	SELLING_UOM	varchar2	50		Yes	Contains the selling unit reteail for the items/zone group/zone
multi_units	RK_ITEM_PRICE_ZONE	MULTI_UNITS	number	20 4		Yes	Contains the number of units of items.
multi_unit_retail	RK_ITEM_PRICE_ZONE	MULTI_UNIT_RETAIL	varchar2	75		Yes	Contains the unit retail when the number of tiems purchased as multi-units
multi_selling_uom	RK_ITEM_PRICE_ZONE	MULTI_SELLING_UOM	varchar2	20		Yes	Contains the unit of measuer for the multi unit retail.



**Application Name: Store Inventory Management****Version: 10.3.1****DTD or Node Name: ItemZoneGrp****Item Zone Group Node 1****SIM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
item	RK_ITEM_PRICE_ZONE	ID_ITM	varchar2	128	Y	Yes	Contains the unique identifier for an item.

**Application Name: Store Inventory Management****Version: 10.3.2****DTD or Node Name: PODesc.dtd****Purchase Order Description            SIM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
doc_type	N/A					Yes	Not used by SIM.
order_no	RK_ORDERS	ORDER_ID	varchar2	128	Y	Yes	Contains the unique number identifying the purchase order.
order_type	N/A					Yes	Not used by SIM.
order_type_desc	N/A					Yes	Not used by SIM.
dept	N/A					No	Not used by SIM.
dept_name	N/A					No	Not used by SIM.
buyer	N/A					No	Not used by SIM.
buyer_name	N/A					No	Not used by SIM.
supplier	RK_ORDERS	SOURCE_ID	varchar2	128	N	Yes	Contains the ID for the PO's supplier.
promotion	N/A					No	Not used by SIM.
prom_desc	N/A					No	Not used by SIM.
qc_ind	N/A					Yes	Not used by SIM. Indicates whether or not quality control checking needs to be performed for the purchase order ('Y'es or 'N'o). Only necessary if RSS does QC on receipts.
not_before_date	RK_ORDERS	NOT_BEFORE_DATE	date		N	No	Contains the first date that delivery of the order will be accepted.
not_after_date	RK_ORDERS	NOT_AFTER_DATE	date		N	No	Contains the last date that delivery of the order will be accepted.
otb_eow_date	N/A					No	Not used by SIM.
earliest_ship_date	N/A					No	Not used by SIM.
latest_ship_date	N/A					No	Not used by SIM.
close_date	N/A					No	Not used by SIM.
terms	N/A					Yes	Not used by SIM.
terms_code	N/A					Yes	Not used by SIM.
freight_terms	N/A					No	Not used by SIM.

**Application Name: Store Inventory Management****Version: 10.3.2****DTD or Node Name: PODesc.dtd****Purchase Order Description      SIM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
cust_order	N/A					Yes	Not used by SIM.
payment_method	N/A					No	Not used by SIM.
payment_method_desc	N/A					No	Not used by SIM.
backhaul_type	N/A					No	Not used by SIM.
backhaul_type_desc	N/A					No	Not used by SIM.
backhaul_allowance	N/A					No	Not used by SIM.
ship_method	N/A					No	Not used by SIM.
ship_method_desc	N/A					No	Not used by SIM.
purchase_type	N/A					No	Not used by SIM.
purchase_type_desc	N/A					No	Not used by SIM.
status	RK_ORDERS	STATUS	number	4	N	Yes	Indicates the status of the PO. Valid values are 'A'pproved and 'C'losed.
ship_pay_method	N/A					No	Not used by SIM.
ship_pay_method_desc	N/A					No	Not used by SIM.
fob_trans_res	N/A					No	Not used by SIM.
fob_trans_res_code_desc	N/A					No	Not used by SIM.
fob_trans_res_desc	N/A					No	Not used by SIM.
fob_title_pass	N/A					No	Not used by SIM.
fob_title_pass_code_desc	N/A					No	Not used by SIM.
fob_title_pass_desc	N/A					No	Not used by SIM.
vendor_order_no	N/A					No	Not used by SIM.
exchange_rate	N/A					No	Not used by SIM.
factory	N/A					No	Not used by SIM.

**Application Name: Store Inventory Management****Version: 10.3.2****DTD or Node Name: PODesc.dtd****Purchase Order Description            SIM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
factory_desc	N/A					No	Not used by SIM.
agent	N/A					No	Not used by SIM.
agent_desc	N/A					No	Not used by SIM.
discharge_port_desc	N/A					No	Not used by SIM.
discharge_port	N/A					No	Not used by SIM.
lading_port	N/A					No	Not used by SIM.
lading_port_desc	N/A					No	Not used by SIM.
bill_to_id	N/A					No	Not used by SIM.
freight_contract_no	N/A					No	Not used by SIM.
po_type	N/A					No	Not used by SIM.
po_type_desc	N/A					No	Not used by SIM.
pre_mark_ind	N/A					Yes	Not used by SIM.
currency_code	N/A		varchar2	3		Yes	Not used by SIM.
contract_no	N/A					No	Not used by SIM.
pickup_loc	N/A					No	Not used by SIM.
pickup_no	N/A					No	Not used by SIM.
pickup_date	N/A					No	Not used by SIM.
app_datetime	N/A					No	Not used by SIM.
comment_desc	RK_ORDERS	COMMENT_DESC	varchar2	300	N	No	Contains any miscellaneous comments associated with the order. RSS will only use this if it needs to be available for display.

**Application Name: Store Inventory Management****Version: 10.3.2****DTD or Node Name: PODtl****PO Detail****SIM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
item	N/A					Yes	Not used by SIM.
ref_item						No	May contain a reference item number if the purchase order was built using a below transaction level item.
physical_location_type	N/A					Yes	Not used by SIM.
physical_location	N/A					Yes	Not used by SIM. Contains the store number.
physical_qty_ordered	RK_ORDER_ITM	QUANTITY_EXPECTED	number	20 4	N	No	Quantity of item ordered. This value will be represented as a multiple of the supp_pack_size.
unit_cost	RK_ORDER_ITM	UNIT_COST	varchar2	75	N	No	Contains the unit cost of the item.
origin_country_id	N/A					No	Not used by SIM. Contains the item's origin country ID. RSS will likely not need this value.
supp_pack_size						No	Contains the suppliers pack size. The physical_qty_ordered value will be a represented in pack size.
earliest_ship_date	N/A					No	Not used by SIM. Contains the earliest date that the item will ship.
latest_ship_date	N/A					No	Not used by SIM. Contains the latest date that the item will be shipped.
pickup_loc	N/A					No	Not used by SIM.
pickup_no	N/A					No	Not used by SIM.
packing_method	N/A					No	Not used by SIM.
round_lvl	N/A					No	Not used by SIM.
door_ind	N/A					No	Not used by SIM.
priority_level	N/A					No	Not used by SIM.
new_item	N/A					No	Not used by SIM.
quarantine	N/A					No	Not used by SIM.
rcvd_unit_qty	N/A			0		No	Not used by SIM.
tsf_po_link_id	N/A					No	Not used by SIM.

**Application Name: Store Inventory Management****Version: 10.3.2****DTD or Node Name: POVirtualDtl****PO Virtual Detail****SIM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
location_type						Yes	Type of location field. S for Store or W for Warehouse
location	N/A					Yes	Not used by SIM. Stock-holding location where item had a cost change or new item location event happen.
qty_ordered	N/A					No	Not used by SIM. Contains the total number of items ordered.

**Application Name: Store Inventory Management****Version: 10.3.3****DTD or Node Name: PrcChgConfDesc.dtd****PrcChgConfDesc.dtd****SIM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
store				0		Yes	
item				0		Yes	
start_date				0		Yes	
end_date				0		No	
change_type				0		Yes	
unit_retail				0		Yes	
status				0		Yes	

**Application Name: Store Inventory Management****Version: 10.3.3****DTD or Node Name: PrcChgReqDesc.dtd****PrcChgReqDesc.dtd****SIM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
store				0		Yes	
item				0		Yes	
start_date				0		Yes	
end_date				0		No	
change_type				0		Yes	
unit_retail				0		Yes	



**Application Name: Store Inventory Management****Version: 10.3.3****DTD or Node Name: PrcZoneGrpDesc.dtd****Price Zone Group Description      SIM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
zone_group_id	RK_PRICE_ZONE	ZONE_GROUP_ID	varchar2	128	Yes	Yes	Contains the ID for retail zone group
pricing_level	N/A			0		No	

**Application Name: Store Inventory Management****Version: 10.3.3****DTD or Node Name: PrcZoneGrpSt****Price Zone Group Store subn      SIM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
store	RK_PRICE_ZONE	ID_STR_RT	varchar2	128	Yes	Yes	Contains the store number

**Application Name: Store Inventory Management****Version: 10.3.3****DTD or Node Name: PriceZone****Price Zone Subnode 1 for Prc      SIM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
zone_id	RK_PRICE_ZONE	ZONE_ID	varchar2	50	No	Yes	Contains the ID for the retail zone
currency_code	RK_PRICE_ZONE	CURRENCY_CODE	varchar2	50	No	Yes	Contains the retail zone's currency code

**Application Name: Store Inventory Management****Version: 10.3.2****DTD or Node Name: Receipt****Receipt****SIM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
dc_dest_id	DO_CTL_INV	ID_STR_RT	varchar2	128	Y	Yes	Contains the location from which the transfer/allocation originated
po_nbr	DO_CTL_INV	ORDER_ID/ASN_NUM	varchar2	128	N	Yes	T for Transfer and A for Allocation
document_type	N/A					Yes	Not used by SIM.
asn_nbr	DO_CTL_INV	ASN_NUM	varchar2	128	N	No	The ASN number for the transfer/allocation

**Application Name: Store Inventory Management****Version: 10.3.2****DTD or Node Name: ReceiptDesc.dtd****Receipt Description****SIM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
appt_nbr	N/A					No	Not used by SIM.

**Application Name: Store Inventory Management****Version: 10.3.2****DTD or Node Name: ReceiptDtl****Receipt Detail****SIM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
item_id	TR_LTM_ICD_MR	ID_STR_RT	varchar2	128	Y	Yes	The item number for an item
unit_qty	TR_LTM_ICD_MR	QU_ITM	number	20 4	N	Yes	Number of unit of an item. 1 unit means 1 each
receipt_xactn_type	N/A					Yes	Not used by SIM.
receipt_date	DO_CNT_INV	TS_CMPL	date			No	The date on which a receipt took place
receipt_nbr	DO_CTL_INV	ID_ICD	varchar2	128	Y	Yes	A value which uniquely identifies a receipt transaction. Receipt numbers are assigned sequentially at the time of the closing of an appointment; at that time, each PO on the appointment will cause the assignment of one receipt number.
dest_id	N/A					No	Not used by SIM.
container_id	RK_SLE_CONTAINER	CONTAINER_ID	varchar2	128	Y	Yes	Unique identifier for a container.
distro_nbr	N/A					No	Not used by SIM.
distro_doc_type	N/A					No	Not used by SIM.
to_disposition	N/A					No	Not used by SIM.
from_disposition	N/A					No	Not used by SIM.
to_wip	N/A					No	Not used by SIM.
from_wip	N/A					No	Not used by SIM.
to_trouble	N/A					No	Not used by SIM.
from_trouble	N/A					No	Not used by SIM.
user_id	N/A					No	Not used by SIM.
unit_cost	TR_LTM_ICD_MR	TC_UN_BS	varchar2	75		No	Unit cost associates with an item
shipped_qty	DO_CTL_INV	QUANTITY_SHIPPED	number	20 4		No	Shipped quantity associates with an item

**Application Name: Store Inventory Management****Version: 10.3.3****DTD or Node Name: RTVReqDesc.dtd****RTV Request****SIM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
rtv_order_no				0		Yes	
supplier				0		Yes	
status_ind				0		Yes	
loc				0		Yes	
loc_type				0		Yes	
total_order_amt				0		No	
ship_to_addr_line1				0		Yes	
ship_to_addr_line2				0		No	
ship_to_addr_line3				0		No	
ship_to_city				0		Yes	
state				0		Yes	
ship_to_country_code				0		Yes	
ship_to_postal_code				0		No	
ret_auth_nbr				0		No	
ret_courier				0		No	
freight_charge				0		No	
creation_date				0		Yes	
completed_date				0		No	
handling_pct				0		No	
handling_cost				0		Yes	
ext_ref_no				0		No	
comment_desc				0		No	

**Application Name: Store Inventory Management****Version: 10.3.3****DTD or Node Name: RTVReqDtl****RTV Request Detail****SIM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
seq_no				0		Yes	
item				0		Yes	
shipment				0		Yes	
inv_status				0		Yes	
rtv_qty				0		Yes	
unit_cost				0		Yes	
reason				0		Yes	



**Application Name: Store Inventory Management****Version: 10.3.3****DTD or Node Name: RTVReqDtlRef****Return to Vendor Detail Refer      SIM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
seq_no				0		Yes	

**Application Name: Store Inventory Management****Version: 10.3.3****DTD or Node Name: RTVReqRef.dtd****Return to Vendor Reference      SIM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
rtv_order_no				0		Yes	

**Application Name: Store Inventory Management****Version: 10.3****DTD or Node Name: SODesc.dtd****Stock Order Description****SIM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
distro_nbr	RK_ALLOCATIONS/DO_	ALLOCATION_ID/ID_ICD	NUMBER/VAR	10	Y	Yes	
document_type						Yes	
dc_dest_id	RK_ALLOCATIONS/DO_	WAREHOUSE_ID_/ ID_PRT	varchar2	128		Yes	
order_type						Yes	
pick_not_before_date						Yes	
pick_not_after_date	RK_ALLOCATIONS	DELIVERY_DATE	date			Yes	
priority						Yes	
event_code						No	
event_description						No	
carrier_code						No	
carrier_service_code						No	
route						No	
ship_address_desc						No	
ship_address1						No	
ship_address2						No	
ship_address3						No	
ship_address4						No	
ship_address5						No	
ship_city						No	
ship_state						No	
ship_zip						No	
ship_country_id						No	
bill_address_desc						No	

**Application Name: Store Inventory Management****Version: 10.3****DTD or Node Name: SODesc.dtd****Stock Order Description****SIM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
bill_address1						No	
bill_address2						No	
bill_address3						No	
bill_address4						No	
bill_address5						No	
bill_city						No	
bill_state						No	
bill_zip						No	
bill_country_id						No	
break_by_distro						No	
rollback_allocation						No	
cartonization						No	
consumer_direct						No	
message						No	
chute_type						No	
po_nbr						No	
parent_customer_order						No	
pick_complete						No	
order_line_costs						No	
container_type						No	
amount1						No	
amount2						No	
amount3						No	

**Application Name: Store Inventory Management****Version: 10.3****DTD or Node Name: SODesc.dtd****Stock Order Description****SIM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
amount4						No	
amount5						No	
amount6						No	
sub_total						No	
gift_cost_total						No	
promotion_total						No	
total						No	
tax_total						No	
shipping_total						No	
order_uda1						No	
order_uda2						No	
order_uda3						No	
order_uda4						No	
order_uda5						No	
order_uda6						No	
order_uda7						No	
order_uda8						No	
order_uda9						No	
order_uda10						No	
dl_comment						No	
ship_date						No	

**Application Name: Store Inventory Management****Version: 10.3****DTD or Node Name: SODtlDesc****Stock Order Detail Descriptio      SIM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
dest_id	RK_ALLOCATIONS/DO_	STORE_ID/ID_PRTY_TO_I	varchar2	128	Y/N	Yes	
item_id	RK_ALLOCATIONS/TR_	ITEM_ID/ID_ITM	varchar2	128	Y	Yes	
requested_unit_qty	RK_ALLOCATIONS	QUANTITY/QU_UN_SHP	number	20 4	N	Yes	
retail_price						Yes	
selling_uom						No	
ticket_type						No	
priority						No	
store_ord_mult						No	
expedite_flag						No	
order_line_nbr						No	
amount1						No	
amount2						No	
amount3						No	
amount4						No	
amount5						No	
amount6						No	
tax_percent						No	
item_status						No	
component_ticketing_dist						No	
in_store_date						No	
total						No	
gift_cost						No	
shipping						No	

**Application Name: Store Inventory Management****Version: 10.3****DTD or Node Name: SODtlDesc****Stock Order Detail Descriptio      SIM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
promotion						No	
sub_total						No	
tax						No	
order_detail_uda1						No	
order_detail_uda2						No	
order_detail_uda3						No	
order_detail_uda4						No	
order_detail_uda5						No	

**Application Name: Store Inventory Management****Version: 10.3****DTD or Node Name: SODtlTcktDesc****SO Detail Ticket Description      SIM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
distro_nbr						Yes	
document_type						No	
item_id						No	
dest_id						No	
component_item_id						Yes	
retail_price						Yes	
selling_uom						Yes	



**Application Name: Store Inventory Management****Version: 10.3****DTD or Node Name: SOStatusDesc.dtd****Stock Order Status Descriptio      SIM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
dc_dest_id						Yes	Contains the store from which the Stock Order Status originates. RSS will not use this message before 3/31.
distro_nbr	DO_CTL_INV	ID_ICD	varchar2	128	Y	No	Contains the transfer number. RSS will not use this message before 3/31.
distro_document_type						Yes	RSS will always send a value of 'T' for transfer. RSS will not use this message before 3/31.

**Application Name: Store Inventory Management****Version: 10.3****DTD or Node Name: SOStatusDtl****SO Status Detail****SIM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
cust_order_nbr						Yes	RSS will not use this message before 3/31.
dest_id	DO_CTL_INV	ID_STR_RT	varchar2	128	Y	Yes	RSS will not use this message before 3/31.
item_id	DO_CTL_INV	ID_ITM	varchar2	128		Yes	RSS will not use this message before 3/31.
order_line_nbr						Yes	RSS will not use this message before 3/31.
unit_qty	DO_CTL_INV	QU_UN_SHP-QU_ITM (RE	number	20 4		Yes	RSS will not use this message before 3/31.
status						Yes	RSS will not use this message before 3/31.
user_id						No	RSS will not use this message before 3/31.

**Application Name: Store Inventory Management****Version: 10.3.2****DTD or Node Name: StkCountSchDesc.dtd****Stock Count Schedule Descri      SIM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
cycle_count	RK_STK_CT	STK_CT_ID	NUMBER	12	Y	Yes	Stock Count ID
cycle_count_desc	RK_STK_CT	DESCRIPTION	VARCHAR2	25		Yes	
location_type	'ST'			0		Yes	
stocktake_date	RK_SCHEDULE	BEGIN_DATE	DATE	0		Yes	
stocktake_type	'B'			0		Yes	

**Application Name: Store Inventory Management****Version: 10.3.2****DTD or Node Name: StkCountSchLoc****Stock Count Schedule location SIM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
location	RK_STK_CT_GRP_MH	MH_ID	VARCHAR2	128		Yes	

**Application Name: Store Inventory Management****Version: 10.3.2****DTD or Node Name: StkCountSchProd****Stock Count Schedule produc      SIM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
dept	RK_STK_CT_GRP_MH	MH_ID	VARCHAR2	128		Yes	
class	RK_STK_CT_GRP_MH	MH_ID	VARCHAR2	128		Yes	
subclass	RK_STK_CT_GRP_MH	MH_ID	VARCHAR2	128		Yes	

**Application Name: Store Inventory Management****Version: 10.3.2****DTD or Node Name: StkCountSchRef.dtd****Stock Count Schedule Refenc      SIM**

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
cycle_count	RK_STK_CT	STK_CT_ID	NUMBER	12	Yes	Yes	Schedule ID



Application Name: Store Inventory Management

Version: 10.3

DTD or Node Name: TsfDesc.dtd

## Transfer Description

## SIM

Tag Name	Table Name	Column Name	Data Type	Length	Keys	Req	Description
tsf_no						Yes	Contains the unique number identifying the transfer
doc_type						Yes	'T' for Transfer
from_loc_type						Yes	'S' if from_loc value is a store, 'W' if it's a warehouse.
from_loc						Yes	Contains the store or warehouse number for the location where the transfer is coming from.
to_loc_type						Yes	'S' if to_loc is a store, 'W' if it's a warehouse
to_loc						Yes	Contains the store or warehouse number for the location where the transfer is going to.
tsf_type						Yes	'AS'=Administrative, 'CF'=Confirmation, 'CO'=Customer Order, 'MR'=Manual Requisition, 'NS'=Non-Salable Merchandise, 'RV'=Return to Vendor
delivery_date						No	Contains the earliest date the transfer can be delivered to the store.
cust_name						No	Contains the customer's name. Used on a customer order transfer only.
deliver_add1						No	Contains the customer's delivery address. Used on a customer order transfer only.
deliver_add2						No	Contains a second line for the customer's name. Used on a customer order transfer only.
deliver_city						No	Contains the customer's delivery city. Used on a customer order transfer only.
deliver_state						No	Contains the customer's delivery state. Used on a customer order transfer only.
deliver_post						No	Contains the customer's delivery state. Used on a customer order transfer only.
deliver_country_id						No	Contains the customer's delivery country. Used on a customer order transfer only.