



PeopleSoft Enterprise Integrated FieldService 8.9 PeopleBook

June 2004

PeopleSoft Enterprise Integrated FieldService 8.9 PeopleBook
SKU CRM89FLD-B 0604
Copyright © 2001 - 2004 PeopleSoft, Inc. All rights reserved.

All material contained in this documentation is proprietary and confidential to PeopleSoft, Inc. ("PeopleSoft"), protected by copyright laws and subject to the nondisclosure provisions of the applicable PeopleSoft agreement. No part of this documentation may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, including, but not limited to, electronic, graphic, mechanical, photocopying, recording, or otherwise without the prior written permission of PeopleSoft.

This documentation is subject to change without notice, and PeopleSoft does not warrant that the material contained in this documentation is free of errors. Any errors found in this document should be reported to PeopleSoft in writing.

The copyrighted software that accompanies this document is licensed for use only in strict accordance with the applicable license agreement which should be read carefully as it governs the terms of use of the software and this document, including the disclosure thereof.

PeopleSoft, PeopleTools, PS/nVision, PeopleCode, PeopleBooks, PeopleTalk, and Vantive are registered trademarks, and Pure Internet Architecture, Intelligent Context Manager, and The Real-Time Enterprise are trademarks of PeopleSoft, Inc. All other company and product names may be trademarks of their respective owners. The information contained herein is subject to change without notice.

Open Source Disclosure

PeopleSoft takes no responsibility for its use or distribution of any open source or shareware software or documentation and disclaims any and all liability or damages resulting from use of said software or documentation. The following open source software may be used in PeopleSoft products and the following disclaimers are provided.

Apache Software Foundation

This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>). Copyright (c) 1999-2000 The Apache Software Foundation. All rights reserved.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

OpenSSL

Copyright (c) 1998-2003 The OpenSSL Project. All rights reserved.

THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

SSLey

Copyright (c) 1995-1998 Eric Young. All rights reserved.

THIS SOFTWARE IS PROVIDED BY ERIC YOUNG "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Loki Library

Copyright (c) 2001 by Andrei Alexandrescu. This code accompanies the book:

Alexandrescu, Andrei. "Modern C++ Design: Generic Programming and Design Patterns Applied". Copyright (c) 2001. Addison-Wesley. Permission to use, copy, modify, distribute and sell this software for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation.

Contents

General Preface

About This PeopleBook	ix
PeopleSoft Application Prerequisites.....	ix
PeopleSoft Application Fundamentals.....	ix
Related Documentation.....	x
Obtaining Documentation Updates.....	x
Ordering Printed Documentation.....	x
Typographical Conventions and Visual Cues.....	xi
Typographical Conventions.....	xi
Visual Cues.....	xii
Country, Region, and Industry Identifiers.....	xii
Currency Codes.....	xiii
Comments and Suggestions.....	xiii
Common Elements in These PeopleBooks	xiii

Preface

PeopleSoft Integrated FieldService Preface.....	xv
PeopleSoft CRM Application Fundamentals.....	xv
PeopleSoft CRM Automation and Configuration Tools.....	xvi
PeopleSoft CRM Services Foundation.....	xvi
PeopleSoft CRM Business Object Management.....	xvii
PeopleSoft Product and Item Management.....	xvii
PeopleTools PeopleBooks.....	xvii

Part 1 Getting Started

Chapter 1

Getting Started with PeopleSoft Integrated FieldService.....	3
PeopleSoft Integrated FieldService Overview.....	3
PeopleSoft Integrated FieldService Business Processes.....	3
PeopleSoft FieldService Integrations.....	4
PeopleSoft Integrated FieldService Implementation.....	6

Chapter 2

Navigating in PeopleSoft Integrated FieldService.....	9
Navigating in PeopleSoft Integrated FieldService.....	9
Pages Used to Navigate in PeopleSoft Integrated FieldService.....	9

Part 2 Setup Data

Chapter 3

Defining Business Units in PeopleSoft Integrated FieldService.....	13
Understanding FieldService Business Units.....	13
Understanding Field Service Configuration Templates.....	15
Defining FieldService Business Units.....	16
Page Used to Define FieldService Business Units.....	16
Defining FieldService Business Units.....	16
Defining Billing Options.....	19
Defining Configuration Templates for Service Orders.....	19
Page Used to Define Configuration Templates for Service Orders.....	20
Defining Configuration Templates for Service Orders.....	20

Chapter 4

Understanding Inventory Storage Locations for Technicians.....	23
Truck Stock Storage Locations.....	23

Chapter 5

Setting Up Services.....	25
Understanding the Service Data Model.....	25
Defining Service Types.....	27
Understanding Service Type Definitions.....	27
Page Used to Define Service Types.....	27
Defining Service Types.....	27
Defining Activities.....	29
Pages Used to Define Activities.....	29
Defining Service Activity Types.....	29
Defining Service Activities.....	30
Defining Services.....	32

Pages Used to Define Services.....	33
Defining Service Header Information.....	33
Defining Service Frequency.....	37
Defining Service Entitlements.....	38
Entering Service Details.....	39
Defining Service Frequency by Product.....	41
Defining Service Activities.....	41
Entering Service Notes.....	44
Associating Branch Scripts with Services.....	45

Chapter 6

Working with Scheduled Preventive Maintenance.....	47
Understanding Scheduled Preventive Maintenance.....	47
Common Elements Used in This Chapter.....	47
Benefits of Scheduled Preventive Maintenance.....	47
Preventive Maintenance Process Flow.....	49
Setting Up Scheduled Preventive Maintenance.....	52
Managing Scheduled Preventive Maintenance.....	54
Pages Used to Manage Scheduled Preventive Maintenance.....	55
Editing the Pending Preventive Maintenance Entry and Reviewing the Preventive Maintenance History Summary.....	55
Viewing Preventive Maintenance Details.....	57
Creating Preventive Maintenance Service Orders.....	59

Part 3 Service Order Management

Chapter 7

Creating and Managing Service Orders.....	63
Understanding Service Orders.....	63
The Service Order Data Model.....	63
Service Order Status Levels.....	66
Methods for Accessing Service Orders.....	69
Service Order Toolbar Functions.....	70
Setting Up Automatic Calculation of Dates and Times for Service Orders.....	72
Understanding Automatic Calculation of Dates and Times for Service Orders.....	72
Setting Up the Automatic Calculation of Dates and Times for Service Orders.....	78
Setting Up Automatic Service Order Assignments.....	78

Understanding Automatic Service Order Assignments.....	78
Enabling Automatic Service Order Assignment.....	80
Setting Up Service Order Assignment Notifications.....	80
Understanding Service Order Assignment Notifications.....	80
Setting Up Assignment Notifications.....	81
Setting Up Service Order Escalation Notifications.....	82
Understanding Service Order Escalation Notifications.....	82
Setting Up Escalation Notifications.....	83
Managing Service Orders.....	84
Understanding When Service Order Fields Cannot Be Modified.....	84
Common Elements Used in This Section.....	85
Pages Used to Enter and Update Service Orders.....	86
Entering or Modifying Service Orders.....	87
Entering Information Related to Specific Activity Lines.....	93
Viewing Required Materials.....	97
Using Solutions to Resolve Problems.....	98
Tracking Time, Material, and Expenses Associated with a Service Order.....	99
Adding Notes and Attachments.....	102
Recording Billing Information.....	102
Viewing Interaction History.....	105
Inserting Related Objects.....	106

Chapter 8

Ordering and Receiving Materials.....	107
Setting Up the Order Materials Component.....	107
Managing Materials.....	109
Understanding Material Management Transactions.....	109
Pages Used to Order Materials.....	115
Performing Material Order Transactions.....	115
Modifying Ship To Addresses.....	118
Setting Up, Viewing, and Recording Material Usage from the Service Order.....	119
Understanding Material Usage and Removal.....	120
Pages Used to Set Up, View, and Record Material Usage and Removal on Service Orders.....	124
Defining Failure Codes.....	124
Viewing Required Materials.....	126
Tracking Time, Material, and Expenses Associated with a Service Order.....	126

Chapter 9

Working with My Service Orders.....	129
Understanding the My Service Order Component.....	129
Viewing and Updating Service Orders.....	130
Page Used to View and Update Service Orders.....	130
Viewing and Updating Service Orders.....	130

Part 4 Management Tools

Chapter 10

Using the Dispatch Board.....	137
Understanding the Dispatch Board.....	137
Defining Dispatch Board Configuration Settings.....	138
Page Used to Define Dispatch Board Configuration Settings	138
Defining Dispatch Board Configuration Settings.....	138
Working with the Dispatch Board.....	140
Page Used to View and Manage Technician Availability and Service Orders.....	141
Viewing and Managing Technician Availability and Service Orders.....	141

Chapter 11

Managing Your FieldService Operations.....	145
Understanding PeopleSoft Integrated FieldService Interactive Reports.....	145
Setting Up PeopleSoft Integrated FieldService Interactive Reports.....	146
Pages Used to Set Up PeopleSoft Integrated FieldService Interactive Reports.....	146
Configuring the Service Order Aging Interactive Report.....	147
Configuring the Utilization Rate Interactive Report.....	147
Running PeopleSoft Integrated FieldService Interactive Reports.....	148
Pages Used to Run PeopleSoft Integrated FieldService Interactive Reports.....	149
Working with the Service Order Aging Interactive Report.....	150
Working with the Utilization Rate Interactive Report.....	150
Working with the FieldService Dashboard Interactive Report.....	152

Part 5 PeopleSoft Product Integration

Chapter 12

Integrating with PeopleSoft Applications.....	157
Integrating with PeopleSoft SCM.....	157
Activating Application Message Enterprise Integration Points.....	157
Setting Up Business Interlinks.....	158
Defining Inventory Business Units.....	158
Defining Storage Locations for FieldService Truck Stock.....	159
Defining Items.....	159
Defining Interunit Transfer Defaults.....	160
Setting the Automatic Receiving Option for FieldService Business Units.....	160
Defining Defaults and Procurement Options for Requisition Processing.....	160
Understanding Requisition IDs.....	161
Defining Valid Requisition Requester IDs.....	161
Correcting Transaction Errors.....	162
Setting Up Links to PeopleSoft Purchasing and PeopleSoft Inventory.....	162
Integrating with PeopleSoft Financial Management Services.....	162
Integrating with PeopleSoft Human Resources Management.....	163
Activating Application Message EIPs.....	163
Setting the Use Only Evaluation Type Option in PeopleSoft CRM.....	164

Appendix A

PeopleSoft Integrated FieldService Reports.....	165
PeopleSoft Integrated FieldService Reports: General Description.....	165

Appendix B

ISO Country and Currency Codes.....	167
ISO Country Codes.....	167
ISO Currency Codes.....	176

Glossary of PeopleSoft Terms.....	187
--	------------

Index	203
--------------------	------------

About This PeopleBook

PeopleBooks provide you with the information that you need to implement and use PeopleSoft applications.

This preface discusses:

- PeopleSoft application prerequisites.
- PeopleSoft application fundamentals.
- Related documentation.
- Typographical conventions and visual cues.
- Comments and suggestions.
- Common elements in PeopleBooks.

Note. PeopleBooks document only page elements that require additional explanation. If a page element is not documented with the process or task in which it is used, then either it requires no additional explanation or it is documented with common elements for the section, chapter, PeopleBook, or product line. Elements that are common to all PeopleSoft applications are defined in this preface.

PeopleSoft Application Prerequisites

To benefit fully from the information that is covered in these books, you should have a basic understanding of how to use PeopleSoft applications.

You might also want to complete at least one PeopleSoft introductory training course.

You should be familiar with navigating the system and adding, updating, and deleting information by using PeopleSoft windows, menus, and pages. You should also be comfortable using the World Wide Web and the Microsoft Windows or Windows NT graphical user interface.

These books do not review navigation and other basics. They present the information that you need to use the system and implement your PeopleSoft applications most effectively.

PeopleSoft Application Fundamentals

Each application PeopleBook provides implementation and processing information for your PeopleSoft database. However, additional, essential information describing the setup and design of your system appears in a companion volume of documentation called the application fundamentals PeopleBook. Each PeopleSoft product line has its own version of this documentation.

The application fundamentals PeopleBook consists of important topics that apply to many or all PeopleSoft applications across a product line. Whether you are implementing a single application, some combination of applications within the product line, or the entire product line, you should be familiar with the contents of this central PeopleBook. It is the starting point for fundamentals, such as setting up control tables and administering security.

Related Documentation

This section discusses how to:

- Obtain documentation updates.
- Order printed documentation.

Obtaining Documentation Updates

You can find updates and additional documentation for this release, as well as previous releases, on the PeopleSoft Customer Connection website. Through the Documentation section of PeopleSoft Customer Connection, you can download files to add to your PeopleBook Library. You'll find a variety of useful and timely materials, including updates to the full PeopleSoft documentation that is delivered on your PeopleBooks CD-ROM.

Important! Before you upgrade, you must check PeopleSoft Customer Connection for updates to the upgrade instructions. PeopleSoft continually posts updates as the upgrade process is refined.

See Also

PeopleSoft Customer Connection, <https://www.peoplesoft.com/corp/en/login.jsp>

Ordering Printed Documentation

You can order printed, bound volumes of the complete PeopleSoft documentation that is delivered on your PeopleBooks CD-ROM. PeopleSoft makes printed documentation available for each major release shortly after the software is shipped. Customers and partners can order printed PeopleSoft documentation by using any of these methods:

- Web
- Telephone
- Email

Web

From the Documentation section of the PeopleSoft Customer Connection website, access the PeopleBooks Press website under the Ordering PeopleBooks topic. The PeopleBooks Press website is a joint venture between PeopleSoft and MMA Partners, the book print vendor. Use a credit card, money order, cashier's check, or purchase order to place your order.

Telephone

Contact MMA Partners at 877 588 2525.

Email

Send email to MMA Partners at peoplesoftpress@mmapartner.com.

See Also

PeopleSoft Customer Connection, <https://www.peoplesoft.com/corp/en/login.jsp>

Typographical Conventions and Visual Cues

This section discusses:

- Typographical conventions.
- Visual cues.
- Country, region, and industry identifiers.
- Currency codes.

Typographical Conventions

This table contains the typographical conventions that are used in PeopleBooks:

Typographical Convention or Visual Cue	Description
Bold	Indicates PeopleCode function names, method names, language constructs, and PeopleCode reserved words that must be included literally in the function call.
<i>Italics</i>	Indicates field values, emphasis, and PeopleSoft or other book-length publication titles. In PeopleCode syntax, italic items are placeholders for arguments that your program must supply. We also use italics when we refer to words as words or letters as letters, as in the following: Enter the letter <i>O</i> .
KEY+KEY	Indicates a key combination action. For example, a plus sign (+) between keys means that you must hold down the first key while you press the second key. For ALT+W, hold down the ALT key while you press the W key.
Monospace font	Indicates a PeopleCode program or other code example.
“ ” (quotation marks)	Indicate chapter titles in cross-references and words that are used differently from their intended meanings.
. . . (ellipses)	Indicate that the preceding item or series can be repeated any number of times in PeopleCode syntax.
{ } (curly braces)	Indicate a choice between two options in PeopleCode syntax. Options are separated by a pipe ().

Typographical Convention or Visual Cue	Description
[] (square brackets)	Indicate optional items in PeopleCode syntax.
& (ampersand)	<p>When placed before a parameter in PeopleCode syntax, an ampersand indicates that the parameter is an already instantiated object.</p> <p>Ampersands also precede all PeopleCode variables.</p>

Visual Cues

PeopleBooks contain the following visual cues.

Notes

Notes indicate information that you should pay particular attention to as you work with the PeopleSoft system.

Note. Example of a note.

If the note is preceded by *Important!*, the note is crucial and includes information that concerns what you must do for the system to function properly.

Important! Example of an important note.

Warnings

Warnings indicate crucial configuration considerations. Pay close attention to warning messages.

Warning! Example of a warning.

Cross-References

PeopleBooks provide cross-references either under the heading “See Also” or on a separate line preceded by the word *See*. Cross-references lead to other documentation that is pertinent to the immediately preceding documentation.

Country, Region, and Industry Identifiers

Information that applies only to a specific country, region, or industry is preceded by a standard identifier in parentheses. This identifier typically appears at the beginning of a section heading, but it may also appear at the beginning of a note or other text.

Example of a country-specific heading: “(FRA) Hiring an Employee”

Example of a region-specific heading: “(Latin America) Setting Up Depreciation”

Country Identifiers

Countries are identified with the International Organization for Standardization (ISO) country code.

See *About These PeopleBooks*, “ISO Country and Currency Codes,” ISO Country Codes.

Region Identifiers

Regions are identified by the region name. The following region identifiers may appear in PeopleBooks:

- Asia Pacific
- Europe
- Latin America
- North America

Industry Identifiers

Industries are identified by the industry name or by an abbreviation for that industry. The following industry identifiers may appear in PeopleBooks:

- USF (U.S. Federal)
- E&G (Education and Government)

Currency Codes

Monetary amounts are identified by the ISO currency code.

Appendix B, "ISO Country and Currency Codes" ISO Currency Codes.

Comments and Suggestions

Your comments are important to us. We encourage you to tell us what you like, or what you would like to see changed about PeopleBooks and other PeopleSoft reference and training materials. Please send your suggestions to:

PeopleSoft Product Documentation Manager PeopleSoft, Inc. 4460 Hacienda Drive Pleasanton, CA 94588

Or send email comments to doc@peoplesoft.com.

While we cannot guarantee to answer every email message, we will pay careful attention to your comments and suggestions.

Common Elements in These PeopleBooks

As of Date	The last date for which a report or process includes data.
Business Unit	An ID that represents a high-level organization of business information. You can use a business unit to define regional or departmental units within a larger organization.
Description	Enter up to 30 characters of text.
Effective Date	The date on which a table row becomes effective; the date that an action begins. For example, to close out a ledger on June 30, the effective date for the ledger closing would be July 1. This date also determines when

you can view and change the information. Pages or panels and batch processes that use the information use the current row.

Once, Always, and Don't Run

Select Once to run the request the next time the batch process runs. After the batch process runs, the process frequency is automatically set to Don't Run.

Select Always to run the request every time the batch process runs.

Select Don't Run to ignore the request when the batch process runs.

Report Manager

Click to access the Report List page, where you can view report content, check the status of a report, and see content detail messages (which show you a description of the report and the distribution list).

Process Monitor

Click to access the Process List page, where you can view the status of submitted process requests.

Run

Click to access the Process Scheduler request page, where you can specify the location where a process or job runs and the process output format.

Request ID

An ID that represents a set of selection criteria for a report or process.

User ID

An ID that represents the person who generates a transaction.

SetID

An ID that represents a set of control table information, or TableSets. TableSets enable you to share control table information and processing options among business units. The goal is to minimize redundant data and system maintenance tasks. When you assign a setID to a record group in a business unit, you indicate that all of the tables in the record group are shared between that business unit and any other business unit that also assigns that setID to that record group. For example, you can define a group of common job codes that are shared between several business units. Each business unit that shares the job codes is assigned the same setID for that record group.

Short Description

Enter up to 15 characters of text.

PeopleSoft Integrated FieldService Preface

This preface discusses:

- PeopleSoft CRM application fundamentals.
- PeopleSoft CRM automation and configuration tools.
- PeopleSoft CRM services foundation.
- PeopleSoft CRM business object management.
- PeopleSoft CRM product and item management.
- PeopleTools PeopleBooks.

Note. All information found in this PeopleBook is applicable to PeopleSoft CRM for High Technology.

PeopleSoft CRM Application Fundamentals

The *PeopleSoft Enterprise CRM 8.9 Application Fundamentals PeopleBook* contains essential information describing the setup and design of the PeopleSoft CRM system. This book contains important topics that apply to many or all PeopleSoft applications across the PeopleSoft CRM product line.

The *PeopleSoft Enterprise CRM 8.9 Application Fundamentals PeopleBook* contains these parts:

- CRM Multi-Product Foundation.

This part discusses the design and setup of the PeopleSoft CRM system, including security considerations.

- Workforce Management.

This part discusses PeopleSoft CRM workflow, the Active Analytics Framework (AAF), business projects, and scripts.

- Interactions and 360-Degree Views.

This part discusses how to manage interactions and set up and use the 360-degree view, a powerful tool that enables users to view and work with any transaction or interaction that is associated with a customer or worker.

- Self-Service for Customers.

This part discusses how to set up, administer, and use self-service applications for customers and workers.

- Relationship Management.

This part discusses how system users manage their contacts and tasks.

- Entitlement Management.

This part discusses setting up agreements and warranties.

- SmartViews.

This part discusses how to set up and use SmartViews to manage key customer segments and accounts in a central environment.

PeopleSoft CRM Automation and Configuration Tools

The *PeopleSoft Enterprise CRM 8.9 Automation and Configuration Tools PeopleBook* discusses automation and configuration tools that are common to multiple CRM applications. This is an essential companion to the application *PeopleBook*.

There are four parts to the *PeopleSoft Enterprise CRM 8.9 Automation and Configuration Tools PeopleBook*:

- Correspondence management.

This part discusses the setup and application of manual notifications, automatic notifications and manual correspondence requests among CRM objects.

- Automation tools.

This part discusses PeopleSoft CRM workflow, the Active Analytics Framework (AAF), business projects, and scripts.

- Configuration tools.

This part discusses configurable search pages, configurable toolbars, attributes, display templates and industry-specific field labels and field values.

- Knowledge management.

This part discusses the setup of Natural Language Processing (NLP) and Verity search.

PeopleSoft CRM Services Foundation

The *PeopleSoft Enterprise CRM 8.9 Services Foundation PeopleBook* discusses configuration options that are common to PeopleSoft Integrated FieldService, PeopleSoft Order Capture, and the PeopleSoft call center applications (PeopleSoft Support, PeopleSoft HelpDesk, and PeopleSoft HelpDesk for Human Resources).

There are three parts to the *PeopleSoft Enterprise CRM 8.9 Services Foundation PeopleBook*:

- Solution management.

Solution management enables users to establish a set of predefined solutions that call center agents and field service technicians can use to resolve customer problems.

- Transaction Billing Processor Integration.

PeopleSoft Transaction Billing Processor enables PeopleSoft FieldService, PeopleSoft Support, and PeopleSoft Order Capture to integrate with PeopleSoft Billing and PeopleSoft General Ledger through the use of the PeopleSoft Contracts architecture. The integration enables PeopleSoft CRM users to bill and book revenue for recurring, one-time, and on demand services.

- Environmental Systems Research Institute (ESRI) integration.

The integration with ESRI, a mapping software, enables users to view the location of reported cases and the location of field service activities through the Map Dashboard.

PeopleSoft CRM Business Object Management

The *PeopleSoft Enterprise CRM 8.9 Business Object Management PeopleBook* discusses how to create and manage customer and worker business objects in PeopleSoft CRM.

The PeopleSoft Enterprise CRM 8.9 Business Object Management PeopleBook has these parts:

- Business Object Management Basics.

This part provides an overview of the business object relationship model and discusses setting up role types, relationship types, and control values.

- Data Management for Organization Business Objects.

This part discusses how to set up and manage companies, sites, and partner companies.

- Data management for Individual Business Objects.

This part discusses how to set up and manage persons, including contacts and consumers, and workers.

- Business Object Management.

This part discusses how to define and use business object searches, quick create, and the customer identification framework to manage business objects.

- Customer and Worker Data Integrations.

This part discusses how to integrate customer and worker data with other systems. PeopleSoft Enterprise CRM 8.9 Business Object Management PeopleBook.

PeopleSoft Product and Item Management

The *PeopleSoft Enterprise CRM 8.9 Product and Item Management PeopleBook* discusses how to set up products in PeopleSoft CRM, including installed products, product packages, and products that are service offerings such as service agreements and warranties.

PeopleTools PeopleBooks

Cross-references to PeopleTools documentation refer to the PeopleSoft Enterprise PeopleTools 8.5 PeopleBooks.

PART 1

Getting Started

Chapter 1

Getting Started with PeopleSoft Integrated FieldService

Chapter 2

Navigating in PeopleSoft Integrated FieldService

CHAPTER 1

Getting Started with PeopleSoft Integrated FieldService

This chapter discusses:


- PeopleSoft Integrated FieldService overview.
- PeopleSoft Integrated FieldService business processes.
- PeopleSoft Integrated FieldService integrations.
- PeopleSoft Integrated FieldService implementation.

PeopleSoft Integrated FieldService Overview

PeopleSoft Integrated FieldService ensures total life cycle management of service requests for customers and technicians. PeopleSoft Integrated FieldService is a flexible service order and dispatch management solution that provides complete management of agreements, parts, time, and expenses. It provides functionality to systematically manage preventive maintenance programs, generate reports, and automatically schedule preventive maintenance service orders.

PeopleSoft Integrated FieldService Business Processes

This diagram lists PeopleSoft Integrated FieldService business processes. We discuss these business processes in the business process chapters in this PeopleBook.



PeopleSoft Integrated FieldService business processes

Using PeopleSoft Integrated FieldService, you can:

- Create service orders to help field service technicians track their progress on each customer's service request and manage material, time, and expense spent on performing the work.
- Automatically create service orders for preventive maintenance services.
- Automatically assign technicians to newly created service orders based on skills and availability.
- Automatically calculate the contractual start and end dates and times for newly created service orders and their associated activities.
- Obtain troubleshooting tips through Solution Advisor.
- Select and review agreement and entitlement information for customers from service orders.
- Manage task assignment for technicians and resolve schedule conflicts using the Dispatch Board.
- Analyze and monitor your field operations using standard and interactive reports.
- Send billing information to PeopleSoft Transaction Billing Processor.

Note. The Transaction Billing Processor enables PeopleSoft FieldService, PeopleSoft Support, and PeopleSoft Order Capture to integrate with PeopleSoft Billing and PeopleSoft General Ledger through the use of the PeopleSoft Contracts architecture.

We discuss these business processes in the business process chapters in this PeopleBook.

PeopleSoft FieldService Integrations

PeopleSoft Integrated FieldService integrates with applications in the these PeopleSoft product lines:

- PeopleSoft Human Resources Management.

By integrating with PeopleSoft Human Resources Management, you can collect information such as employee profiles, employee competencies, competency proficiency ratings, and holiday schedules to be used when the application assigns service tickets to best fit field service staff.

- PeopleSoft Supply Chain Management.


If you want to perform material management and realtime item balance and availability checks in PeopleSoft Integrated FieldService, you must integrate the application with PeopleSoft Inventory and PeopleSoft Purchasing in the PeopleSoft Supply Chain Management product line (or third-party inventory and purchasing systems). An integration with PeopleSoft Inventory (or third-party inventory system) is required if you want to automatically update installed product statuses upon the receipt of shipping notices.

- PeopleSoft Contracts and PeopleSoft Billing (PeopleSoft Transaction Billing Processor)

With PeopleSoft Integrated FieldService, you can bill for agreement fees, which can be on a recurring basis, and service order fees, (which can be agreement based and based upon a demand or warranty. From the Service Order page in PeopleSoft Integrated FieldService, the system can send agreement fee information and service order fees (including service, material, time, and expense fees) to PeopleSoft Transaction Billing Processor for billing and invoicing. You can also use the functionality within PeopleSoft Contracts to apply revenue to the appropriate accounts and use the rate-based contract line and as-incurred billing and revenue plan functionality in PeopleSoft Contract to generate agreement-based transactions.

If you purchased licenses for both PeopleSoft Integrated FieldService and PeopleSoft Support, a call center agent can create a service order from a case. Because the PeopleSoft Integrated FieldService and PeopleSoft Support applications reside in the same database, process flows can move smoothly from one application to another without the need for any integration-specific configuration. Using component interfaces for this type of cross-component flow ensures that all necessary data validation and other PeopleCode processes are triggered properly.

We discuss integration considerations in the implementation chapters in this PeopleBook. Supplemental information about third-party application integrations is on the PeopleSoft Customer Connection website.



PeopleSoft Integrated FieldService integrations

PeopleSoft Integrated FieldService Implementation

PeopleSoft Setup Manager enables you to review a list of setup tasks for the organization for the products that you are implementing. The setup tasks include the components that you must set up, listed in the order in which you must enter data into the component tables, as well as links to the corresponding PeopleBook documentation.

PeopleSoft Integrated FieldService also provides component interfaces to help you load data from your existing system into PeopleSoft Integrated FieldService tables. Use the Excel to Component Interface utility with the component interfaces to populate the tables.

This table lists all of the components that have component interfaces:

Component	Component Interface	Reference
Service Type RF_SERVICE_TYPE	RF_SERVICE_TYPE_SCI	See Chapter 5, “Setting Up Services,” Defining Service Types, page 27.
Service Activity Type RF_SVC_ACT_TYPE	RF_SVC_ACT_TYPE_SCI	See Chapter 5, “Setting Up Services,” Defining Service Activity Types, page 29.
Activity Code RF_ACT_CODE	RF_ACT_CODE_SCI	See Chapter 5, “Setting Up Services,” Defining Service Activities, page 30.
Failure Code RF_FAILURE_CD	RF_FAILURE_CD_SCI	See Chapter 8, “Ordering and Receiving Materials,” Defining Failure Codes, page 124.
Provider Group RF_PROVIDER_GRP	RF_PROVIDER_GRP_SCI	See <i>PeopleSoft Enterprise CRM 8.9 Application Fundamentals PeopleBook</i> , “Setting Up and Maintaining Provider Groups and Group Members,” Defining Provider Groups.
Provider Group Member RF_GRP_MEMBER	RF_GRP_MEMBER_SCI	See <i>PeopleSoft Enterprise CRM 8.9 Application Fundamentals PeopleBook</i> , “Setting Up and Maintaining Provider Groups and Group Members,” Defining Provider Group Members.
Tax Parameters RF_TAX_PARAM	RF_TAX_PARAM	See <i>PeopleSoft Enterprise CRM 8.9 Services Foundation PeopleBook</i> , “Setting Up an Integration to PeopleSoft Transaction Billing Processor,” Setting Up Sales and Use Tax for Third-Party Tax Vendors.

Other Sources of Information

In the implementation planning phase, take advantage of all PeopleSoft sources of information, including the installation guides, data models, business process maps, and troubleshooting guidelines. A complete list of these resources is in the preface of the *PeopleSoft Enterprise CRM 8.9 Application Fundamentals PeopleBook*, *PeopleSoft Enterprise CRM 8.9 Automation and Configuration Tools PeopleBook*, *PeopleSoft Enterprise CRM 8.9 Business Object Management PeopleBook* and *PeopleSoft Enterprise CRM 8.9 Product and Item Management PeopleBook* with information on where to find the most up-to-date version of each.

See Also

PeopleSoft Enterprise Setup Manager for Customer Relationship Management 8.9 PeopleBook

CHAPTER 2

Navigating in PeopleSoft Integrated FieldService

This chapter discusses how to navigate in PeopleSoft Integrated FieldService.

Navigating in PeopleSoft Integrated FieldService

PeopleSoft Integrated FieldService provides custom navigation center pages that contain groupings of folders that support a specific business process, task, or user role.

Note. In addition to the PeopleSoft Integrated FieldService custom navigation center pages, PeopleSoft provides menu navigation, standard navigation pages, and PeopleSoft Navigator.

See Also

Using PeopleSoft Applications

Pages Used to Navigate in PeopleSoft Integrated FieldService

This table lists the custom navigation pages that are used to navigate in PeopleSoft Integrated FieldService

Note. The role that is associated with a user's ID and password determines the pages they have access to. As such not everyone will have access to all of the information described in this table.

FieldService Center

The FieldService Center custom navigation pages are geared to the person in the organization who is focused on managing service orders and service inventory.

Page Name	Navigation	Usage
FieldService Center	Main Menu, FieldService Center	Access primary service order and service inventory menu options and activities
Customer	Click Customer on the FieldService Center page	Access the Consumer, Company, Agreements, and Installed Products pages.
Items	Click Items on the FieldService Center page	Access the Review Item Definition and Item Warranties pages.

Page Name	Navigation	Usage
My Calendar	Click My Calendar on the FieldService Center page	Access the My Monthly Calendar, My Daily Calendar, and My Worklist Items pages.
Reports	Click Reports on the FieldService Center page	Access the pages to run the dashboard analytics, utilization-rate analytics, service-order aging analytics, and these operational reports: <ul style="list-style-type: none"> • Dispatch performance report • Expense report by product • Expense report by customer • Mean time-to-repair report
Service Inventory	Click Service Inventory on the FieldService Center page	Access the Service Inventory page.
Service Order	Click Service Order on the FieldService Center page	Access the Dispatch Board, My Service Orders, Add Service Order, Update Service Orders, and Review Preventive Maintenance pages.
Workforce	Click Workforce on the FieldService Center page	Access the Provider Groups and Provider Group Members pages.

PART 2

Setup Data

Chapter 3

Defining Business Units in PeopleSoft Integrated FieldService

Chapter 4

Understanding Inventory Storage Locations for Technicians

Chapter 5

Setting Up Services

Chapter 6

Working with Scheduled Preventive Maintenance

CHAPTER 3

Defining Business Units in PeopleSoft Integrated FieldService

This chapter provides overviews of field service business units and field service configuration templates and discusses how to:

- Define field service business units.
- Define configuration templates for service orders.


Understanding FieldService Business Units

In PeopleSoft Customer Relationship Management (PeopleSoft CRM), field service business units track service orders that are created by each field service organization. To implement PeopleSoft Integrated FieldService, you must map the field service organization to field service business units.

The field service business unit ID also serves as a reference key when integrating with PeopleSoft Purchasing and PeopleSoft Inventory. If you're integrating with PeopleSoft Purchasing to create requisitions for truck stock, you must define each field service business unit as a valid source of requisitions in PeopleSoft Supply Chain Management (PeopleSoft SCM). By using the Requisition Loader Defaults component in PeopleSoft SCM, you define each field service business unit as a loader business unit and establish processing defaults for requisitions that are staged by the field service business unit, including the purchasing business unit in PeopleSoft Purchasing that processes the requisitions.

When defining procurement options in PeopleSoft SCM, you can associate the field service business unit with an appropriate distribution network on the Ship To Locations page. Sourcing processes in PeopleSoft Purchasing can be configured to check available quantity first in the distribution network before creating a purchase order with an external vendor. If quantity exists in one of the inventory business units in the defined distribution network, an interunit transfer is created to fulfill the requisition.

This diagram illustrates how a field service business unit is used in both PeopleSoft CRM and the inventory and purchasing system:



Order flow from PeopleSoft Integrated FieldService to the inventory and purchasing system

For integration purposes, business unit definition records must be synchronized across all systems. Business unit definitions created in PeopleSoft CRM must be available in PeopleSoft Purchasing, and inventory business unit definitions must be available in PeopleSoft CRM. To synchronize business unit records across the organization, use the Business Unit enterprise integration point (EIP).

Note. There is only a one way synchronization from PeopleSoft Financials and Supply Chain Management (FIN/SCM) to PeopleSoft CRM. The business units that you create within PeopleSoft CRM are not automatically synchronized and have to be entered manually in the FIN/SCM database

See Also

Chapter 12, “Integrating with PeopleSoft Applications,” page 157

PeopleSoft Enterprise Components for CRM 8.9 PeopleBook

PeopleSoft Application Fundamentals for Financials, Enterprise Service Automation and Supply Chain Management 8.8 PeopleBook

PeopleSoft Purchasing 8.8 PeopleBook

PeopleSoft Inventory 8.8 PeopleBook

Understanding Field Service Configuration Templates

Configuration templates provide PeopleSoft CRM administrators a simple way to configure core components to be used by industry solutions. Through the use of templates, you can easily manipulate the appearance and behavior of a component by enabling and disabling certain features that are available on the corresponding template. In PeopleSoft Integrated FieldService, the Service Order component is made configurable by using configuration templates.

Note. Configuration templates are different from display templates which are used by PeopleSoft Support. PeopleSoft Enterprise FieldService does not use the display templates.

Service Order Configuration by Using Configuration Templates

Configuring service orders by using templates is a simple, two-step process. To configure service orders:

1. Define a configuration template.

In the configuration template, you indicate which product-related information (if any) must be displayed and prompted for in service orders. In addition, you can configure the Service Order component to hide entitlement and billing details and enable anonymous user and incident address usage for your industry-specific needs. You can also configure whether or not to display expenses and priority (at the activity level) and turn off approvals.

2. Associate the configuration template with a business unit.

Specify, at the business unit level, the template that is used to control the appearance and behavior of service orders for the business unit.

Note. Every field service business unit must be associated with one configuration template. If you have multiple business units in the organization with various service order requirements, create multiple configuration templates with different settings to accommodate all of your business needs.

When you create or open a service order after the setup is completed, the system applies to the service order the configuration template that is selected for that service order’s business unit. The service order is displayed according to what is in the configuration template.

PeopleSoft Integrated FieldService delivers two configuration templates for service order configuration: *CORE* for non-industry solutions and *GOV* for PeopleSoft CRM for Government. You can make changes to existing templates as needed or create additional ones. Modifications that are made to the service order display as a result of the configuration template are also reflected in service orders that are accessed through the My Service Order component.

See Also

PeopleSoft Enterprise CRM 8.9 Automation and Configuration Tools PeopleBook,
 “Understanding Configuration Tools”

Defining FieldService Business Units

To define FieldService business units, use the Field Service Business Unit (RF_BUS_UNIT) component.

This section discusses how to

- Define FieldService business units.
- Define billing options.

.

Page Used to Define FieldService Business Units

Page Name	Object Name	Navigation	Usage
FieldService Definition	BUS_UNIT_RF1	Set Up CRM, Business Unit Related, FieldService Definition, Business Unit.	Define field service business units that correspond to field service organizations.
Billing Options	RF_BU_BILL_OPTIONS	Set Up CRM, Business Unit Related, FieldService Definition, Billing Options.	Define billing options for a field service business unit.

Defining FieldService Business Units

Access the FieldService Definition page.

FieldService Definition

Description

Unit CRM03

***Description** CRMCO APPLIANCES WEST

***Short Description** CRM APPL W

***Default SetID** CRM01

***Template** CORE

***Status** Open

***Currency** AUD Australian Dollar

Create BU

Rate Type CRRNT Current Rate

Service Level

Options

- ☐ Allow Service Order Creation for Site without a Customer
- ☐ Calculate Date/Time
- ☐ Allow Preventive Maintenance
- ☐ Automatic Receiving

Service Order Assignment

- ☐ Automatic Assignment at save
- ☐ Candidate must be available

FieldService Definition page

Note. If you use more than one PeopleSoft application and define the same business units across applications, ensure that you use the same name for business units that are designed to share the same setID. For best performance, business unit IDs should be exactly five alphanumeric characters.

Default SetID

Enter the setID that determines the preliminary tableset sharing setup. The system displays this field when you create a business unit. The setID that you select here determines the setIDs that are assigned to each record group for the new business unit. The setID that is assigned to a record group determines the tableset that provides values for the business unit. If you enter an existing setID, the system copies the set control definition to the new business unit.

Template

Enter the configuration template to be used by this business unit. When creating or modifying service orders, the system displays or hides fields and buttons based on the configuration that is set up in the selected template.

Status

Select whether the facility that is represented by the business unit is open or closed. No transactions can be processed for a closed business unit. By default, the status is set to *Closed* when adding a new business unit.

Currency

Select the currency code that specifies the currency that you use for a monetary transaction with this business unit.

Create BU (create business unit)

Click to establish the setID controls for the field service business unit based on the default setID that you specified. This button is available

only when you add a new business unit. You also have to click this button to reveal the check boxes that appear on the page.

Rate Type

Select the exchange rate type that you want to use to calculate monetary transaction amounts for the currency.

The system uses a default rate type of *Current Rate* when you create a new business unit. This field appears by default from the Exchange Rate Type field that you set on the General Options page in the Installation Options component. You can , however, override the setting by selecting another value.

Note. You can change the value in this field only after you create the business unit by clicking the Create BU button.

Service Level

Select the service level that you want to use for the business unit. This is a required field that prompts on all service levels that have been defined for the setID. You can enter a service level only after clicking the Create BU button, which creates the business unit.

Options

Use this group box to control how PeopleSoft Integrated FieldService behaves by activating or deactivating the application features at the business unit level.

Allow Service Order Creation for Site without a Customer

Select to enable users to create service orders by entering site information without specifying a customer or contact. By default, this option is disabled.

Calculate Date/Time

Select to enable the system to automatically calculate planned start and end dates and times for service orders activities based on the entitlements that are associated with the agreement, warranty, or service that is selected on the service order. By default, this option is disabled.

Allow Preventive Maintenance

Select to enable the system to automatically generate service orders for installed products that are entitled to scheduled preventive maintenance. By default, this option is disabled.

Automatic Receiving

Indicates whether orders that are placed by using the Manage Material page can be received automatically when material usage is recorded or if technicians must record receipt of the order shipment before they can record material usage. By default, automatic receiving is disabled, and this check box is not available for editing when you create a new business unit. This setting applies to all material requisitions that are created for the field service business unit.

Service Order Assignment

Allow Preventive Maintenance

Select to enable the system to automatically assign best fit provider groups and technicians to service orders in this business unit. When the feature is enabled, the system doesn't perform automatic assignment if the service order already has a provider group and group member assigned to it at save time. If the assignment of provider groups or group members already exists (either populated from the selected service or agreement of the service order, or as a result of a manual assignment), selecting this option does not overwrite current values.

Candidate must be available

Select if you want the assignment engine to consider only provider groups or group members that are available (during the time the service is performed) during automatic assignment. No automatic assignment is performed if this check box is selected and there are no provider groups or group members available.

Clear this check box if provider groups and group members do not need to be available at the time that is requested on the service order to be considered for the automatic assignment.

Note. Before selecting the Candidate must be available check box, you must select Automatic Assignment at save.

See Also

Chapter 8, “Ordering and Receiving Materials,” page 107

Chapter 6, “Working with Scheduled Preventive Maintenance,” page 47

Chapter 7, “Creating and Managing Service Orders,” Setting Up Automatic Calculation of Dates and Times for Service Orders, page 72

Chapter 7, “Creating and Managing Service Orders,” Setting Up Automatic Service Order Assignments, page 78

PeopleSoft Application Designer PeopleBook

Defining Billing Options

Access the Billing Options page.

You can find instructions on completing the Billing Options page in the *PeopleSoft Enterprise CRM 8.9 Services Foundation PeopleBook*.

See Also

PeopleSoft Enterprise CRM 8.9 Services Foundation PeopleBook, “Setting Up an Integration to PeopleSoft Transaction Billing Processor,” Setting Up Billing Options for PeopleSoft FieldService

Defining Configuration Templates for Service Orders

To define configuration templates for service orders, use the Field Service Industry (RF_INDUSTRY) component.


This section discusses how to define configuration templates for service orders.

Page Used to Define Configuration Templates for Service Orders

Page Name	Object Name	Navigation	Usage
Service Order Configuration	RF_INDUSTRY	Set Up CRM, Product Related, FieldService, Service Order Configuration, Service Order Configuration	Define configuration templates to dictate how service orders are displayed in the Service Order and My Service Order components.

Defining Configuration Templates for Service Orders

Access the Service Order Configuration page.



Service Order Configuration page

Note. If you have both PeopleSoft Support and FieldService installations in the system, it is highly recommended that the product display options that are selected in the configuration template of these two products are consistent.

Options

These check boxes are selected when you create a new configuration template.

Show Agreement Information

Clear to hide the agreement and entitlement information in the Service Order and My Service Order components. When this check box is cleared, the system hides the Select Agreement/Warranty link on

	the Service Order and the Entitlement information in the Service Order and My Service Order components.
Show SIN (show site identification number)	<p>Clear to hide the SIN field in the Customer Information group box on the Service Order page.</p> <p>The Show SIN check box is unavailable for editing if Show Agreement Information is disabled. The check box is automatically selected if Show Agreement Information is selected.</p>
Show Billing Information	Clear to hide the Billable check box and the Billing tab on the Service Order page.
Show Billable on My Service Order	Clear to hide the Billable check box on the My Service Order page.
Allow Anonymous User	<p>Select to allow the use of an anonymous user and to display the Anonymous Caller check box on the Service Order page.</p> <p>The anonymous user feature was first introduced in PeopleSoft CRM for Government. You can designate a service order for an anonymous caller by selecting the Anonymous Caller check box in the Customer Information group box. The system then populates the Customer field with the value that the administrator has specified for an anonymous user.</p>
Allow Incident Address	Select to allow the use of an incident address and to display the Incident Address group box on the Service Order and My Service Order page. This feature originates from PeopleSoft CRM for Government, and it enables you to enter an address (other than the customer address) that is specific to the incident that is reported in the service order, and to enter location details as applicable.
Allow Expenses	Select to display the Expense group box on both the Service Order and My Service Order pages.
Allow Priority on Service Order Line	Select to display the Priority field for each activity on both the Service Order page and the My Service Order pages.

Product Display Options

These values control the display of product-related information on the service order that is accessed from both the Service Order and My Service Order components.

Prompt for Product Master, Show Installed Product Information	<p>Select to display all of the product-related fields and information:</p> <ul style="list-style-type: none"> • The Product ID field and lookup button, the Transfer to Product button, and the product description. • The Serial Number field and lookup button and the Transfer to Installed Product button. • The Installed check box. • The View Hierarchy button on the toolbar.
Prompt for Product Master, Hide Installed Product Information	Select to display the Product ID field and lookup button, the Transfer to Product button, and the product description, while hiding the Serial Number field and lookup button, the Transfer to Installed Product button, and the View Hierarchy button.

Prompt for Installed Product	Select to display the Product ID field and lookup button, the Transfer to Product button, the product description, the Serial Number field and lookup button, the Transfer to Installed Product button, and the View Hierarchy button.
Hide All Product Information	Select to hide all product-related fields on the Service Order page, including the Product ID field and lookup button, the Transfer to Product button, the product description, the Serial Number field and lookup button, the Transfer to Installed Product button, and the Installed check box. The View Hierarchy button on the toolbar is not displayed when this option is selected.

Approvals

These values control the display of approval options on the Service Order page for both the entire order and for each activity.

Note. Approval information is not displayed on the My Service Order page. The Status field at the activity level, however, indicates whether the activity needs approval.

Enforce Service Order Approval	Select to display the Approval Information group box on the Service Order page.
Enforce Service Order Line Approvals	Select to display the Approval Required and Approval Status fields on the Activity tab of the Service Order page.

CHAPTER 4

Understanding Inventory Storage Locations for Technicians

This chapter discusses truck stock storage locations.

Truck Stock Storage Locations

In PeopleSoft Customer Relationship Management (PeopleSoft CRM), you associate field service technicians in the workforce with storage locations in your inventory system, which represent the technicians' good and defective truck stock, by using the Storage Locations page of the Worker component.

When you record the receipt, usage, and removal of item quantity for a service order line on the Manage Material page, PeopleSoft CRM publishes transaction messages to update the storage locations in the inventory system that are associated with the technician reporting material usage for the service order activity. From the Required Material page within the Service Order component, you can view stock balances for the good truck stock storage locations that are associated with each member of the provider group that is assigned to the service order. From the Service Inventory component, you can view stock balances in both the good and defective truck storage locations.


To support this functionality, each technician in the workforce must be associated with two storage locations in your inventory system, one location for good stock that can be used to complete work on a service order line and another location for defective stock that was removed from customers' sites. The stock that is removed from a customer's site may not necessarily be defective. Typically, however, stock that is removed from a customer's site must undergo inspection processing before it can be included in the available stock stores.

Before you can associate technicians with truck stock storage locations in PeopleSoft CRM, an inventory business unit and its material storage locations must be defined in PeopleSoft Inventory or a third-party inventory system.

If you are integrating with PeopleSoft Inventory, define an inventory business unit to track only truck stock storage locations. The records of the business units in the inventory system that represent the field service trucks must also be available in PeopleSoft CRM. Activate the Business Unit enterprise integration point (EIP) to automatically insert business units that are defined in the inventory system in the BUSINESS_UNIT_FS table in PeopleSoft CRM. This enables you to reference the appropriate inventory business unit for the technician's storage locations on the Storage Location page.

Note. When PeopleSoft CRM is integrated with PeopleSoft Supply Chain Management, the BUSINESS_UNIT_FS table in PeopleSoft CRM contains all business units that are defined in PeopleSoft Supply Chain Management, including all inventory business units that are defined in PeopleSoft Inventory. On the Storage Location page, select the appropriate inventory business unit.

This diagram shows how the good and defective storage locations are manually defined in two systems:



Defining truck storage locations for technicians in PeopleSoft CRM and Inventory (or third-party inventory) systems

In order for material movement transactions that are initiated from the Time Material and Expense page within the service order to be successfully recorded in the inventory system, the truck stock storage location (good or defective) that is defined for any field service technician (including an inventory business unit, a storage area, and up to four storage levels), must correspond to a valid storage location that is defined for that specific inventory business unit in the inventory system.

Your business processes dictate how material in a technician's defective storage location should be handled. Typically, this stock is transferred to an inspection storage location within a distribution center, where a decision is made to scrap, recycle, repair, or restock the item in your inventory stores.

See Also

PeopleSoft Enterprise CRM 8.9 Business Object Management PeopleBook, "Defining Workers"

Chapter 8, "Ordering and Receiving Materials," page 107

Chapter 12, "Integrating with PeopleSoft Applications," page 157

PeopleSoft Enterprise Components for CRM 8.9 PeopleBook

PeopleSoft Inventory 8.8 PeopleBook

CHAPTER 5

Setting Up Services


This chapter provides an overview of the service data model and discusses how to:

- Define service types.
- Define activities.
- Define services.

Understanding the Service Data Model

In PeopleSoft Integrated FieldService, you create a service record for each service that the company offers; for example, preventive maintenance on air conditioners or dish washer repair. After defining the details of a service, you can associate it with prices, add it to an agreement line, and enter service orders to track customer requests for it.

This diagram illustrates the component records of a service definition in PeopleSoft Integrated FieldService:



Service data model

When you create a service in the PeopleSoft Customer Relationship Management (PeopleSoft CRM) system, you can define:

- Service activities

Service activities define the tasks that are required to complete the service. When activities are defined and a service is requested on a service order, the system automatically creates service order lines for any activities that are defined for the service. Customer service representatives (CSRs) and technicians can modify or delete the service order lines.

Note. If you define service activities for a service, it is highly recommended that you also set up material and technician competency requirements for each activity. When you create a service order for a service that does not have any associated activity, the system populates the service order with material and competency information for the service. But when activities are defined for the service, the system populates the service order with material and competency information that is defined for the service activities. Therefore, if you don't specify the material and competency information at the service activity level, that information does not appear in service orders for that service.

- **Products**

You can define products that are covered by the service.

You can indicate that the service applies to all products in the system or you can define a subset of products for which the service is applicable. When you specify the service on an agreement line, the system verifies that only the products that are defined for the service can be listed as products under service on the agreement line. Similarly, when the service is requested on a service order, the system validates that only a product that is defined for a service can be specified on the service order.

- **Materials**

You can define quantities of the items that are defined in the system that are required to perform the service or the service activity. If you define service activities, the system uses the service activity material information to populate the required material list that is associated with the service order line on the Order Materials page. It also populates the Required Material page on the Service Order page and the My Service Order page. If there are no service activities, the system uses the material information at the service level to populate the required material list that is associated with the service order lines. From the Order Materials page, you can add additional items and order required materials.

- **Regions**

You can indicate that the service can be sold and deployed in all regions that are defined for the system, or you can define a subset of regions for which the service can be sold or deployed. When you specify the service on an agreement line, the system verifies that the customer has a region that is defined as a saleable region for the service. Similarly, when the service is requested on a service order, the system validates that only the region that is derived from the customer information on the service order is defined as a deployable region for the service.

- **Competencies**

You can specify a list of competencies and associate a minimum proficiency level that technicians must have to be qualified to perform the service. The system uses the information for assigning service order lines. The minimum competency can be specified at the service level or at the service activity level if activities are defined. When you click the Suggest Group Member link on the Service Order page, the system calculates a lower fit score for any technician who does not meet the competency level that is specified for the service activity or service.

See Also

[Chapter 8, “Ordering and Receiving Materials,” page 107](#)

PeopleSoft Enterprise CRM 8.9 Product and Item Management PeopleBook, “Setting Up Products”

PeopleSoft Enterprise CRM 8.9 Product and Item Management PeopleBook, “Defining Items”

PeopleSoft Enterprise CRM 8.9 Application Fundamentals PeopleBook, “Setting Up General Options,” Setting Up Regions

PeopleSoft Enterprise CRM 8.9 Application Fundamentals PeopleBook, “Managing Workforce Competencies”

PeopleSoft Enterprise CRM 8.9 Application Fundamentals PeopleBook, “Setting Up and Performing Assignment Searches”

Defining Service Types

To define service types, use the Service Type (RF_SERVICE_TYPE) component. To load data into the tables for this component, you can also use the RF_SERVICE_TYPE_SCI component interface.

This section provides an overview of service type definitions and discusses how to define service types.

Note. Service Types are required when creating new services

Understanding Service Type Definitions

You can create service types to categorize, for example, delivery services, installation services, repair services, and so forth. You specify which groups of services are eligible for the preventive maintenance functionality by using the Service Types component. After defining a service type, you can categorize services by referencing the service type on services. You can also choose to develop custom reports based on service types.

Page Used to Define Service Types

Page Name	Object Name	Navigation	Usage
Service Types	RF_SERVICE_TYPE	Set Up CRM, Product Related, FieldService, Service Types, Service Types	Establish codes that can be used to categorize services and indicate which service types are eligible for preventive maintenance.

Defining Service Types

Access the Service Types page.

Service Types							
SetID CRM02							
Service Types							
				Customize	Find	First 1-5 of 5 Last	
*Type Code	Description	*Short Description	Preventive Maintenance				
100	Delivery	Delivery	<input type="checkbox"/>	VAT Defaults	Service VAT Treatment Defaults	+	-
200	Installation	Install	<input type="checkbox"/>	VAT Defaults	Service VAT Treatment Defaults	+	-
300	Preventive Maintenance	PM	<input checked="" type="checkbox"/>	VAT Defaults	Service VAT Treatment Defaults	+	-
400	Repair	Repair	<input type="checkbox"/>	VAT Defaults	Service VAT Treatment Defaults	+	-
500	Replace	Replace	<input type="checkbox"/>	VAT Defaults	Service VAT Treatment Defaults	+	-

Service Types page

Service Types

Lists the service types that are defined for the specified setID.

Type Code

Enter a code to identify the service in the system. You can use up to eight alphanumeric characters.

Description and Short Description

Enter the long and short descriptions for the service type. When you reference a service type on a service, the value that is entered for short description appears on the Service page.

Preventive Maintenance

Select to indicate that services that belong to this service type are eligible for preventive maintenance functionality in PeopleSoft Integrated FieldService.

The system issues a warning if you clear the Preventive Maintenance check box for service types (namely to change service types back to a regular, nonpreventative maintenance kind) under which services are already defined. You can then decide whether to let the system automatically delete all preventive maintenance-related information from the associated services or leave these service records intact for manual update in the future.

VAT Defaults (value-added tax defaults)

Click to access the VAT Defaults Setup page, which is a common page used to set up value-added tax (VAT) defaulting for all PeopleSoft applications that process VAT transactions. On this page you can define VAT defaults for service groups, per VAT registration country and state.

Note. The system displays VAT defaults and Service VAT Treatment defaults only when the integration to PeopleSoft Transaction Billing Processor is installed

Service VAT Treatment Defaults

Click to access the Service VAT Treatment Drivers Setup page, which is a common page used to set up VAT services treatment for all PeopleSoft applications that process VAT transactions. If you are required to implement special handling for services, you can specify VAT service treatment defaults for service groups on this page for a supplier's (seller's) location country and state.

Note. The VAT Defaults Setup and Service VAT Treatment Drivers Setup pages are described in detail in the *PeopleSoft Global Options and Reports PeopleBook*, “Working with Value Added Taxes (VAT).”

See Also

Chapter 6, “Working with Scheduled Preventive Maintenance,” Setting Up Scheduled Preventive Maintenance, page 52

PeopleSoft Global Options and Reports 8.8 PeopleBook, “Working with Value Added Taxes (VAT)”

Defining Activities

To define activities, use the Service Activity Type (RF_SVC_ACT_TYPE) and Activity Code (RF_ACT_CODE) components. To load data into these tables for these components, you can also use the RF_SVC_ACT_TYPE_SCI and RF_ACT_CODE_SCI component interfaces.

This section discusses how to:

- Define service activity types.
- Define service activities.

Pages Used to Define Activities

Page Name	Object Name	Navigation	Usage
Activity Types	RF_SVC_ACT_TYPE	Set Up CRM, Product Related, FieldService, Activity Types, Activity Types	Establish codes that can be used to categorize service activities.
Activity Code	RF_ACT_CODE	Set Up CRM, Product Related, FieldService, Activity Codes, Activity Code	Define the activities that comprise the defined services. The values that you define on this page are used on the Service page of the service order.

Defining Service Activity Types

Access the Activity Types page.

Activity Types

SetID CRM01

Activity Types
[Customize](#) | [Find](#) | [View All](#) |

First ◀ 1-9 of 14 ▶ Last

*Type Code	Description	*Short Description		
AIR-100	Air Conditioner Preventive Maintenance	A/C PM	+	-
AIR-200	Air Conditioner Repair	A/C Repair	+	-
AIR-300	Air Conditioner Repair and Maintenance	A/C Overhaul	+	-
FRZ-100	Freezer Preventive Maintenance	Freezer PM	+	-
FRZ-200	Freezer Repair	Freezer Repair	+	-
GEN-100	Install at customer site	Install	+	-
REF-100	Refrigerator Preventive Maintenance	REF. PM	+	-
REF-200	Refrigerator Repair	REF. Repair	+	-
REF-300	Refrigerator Repair and Maintenance	REF. Overhaul	+	-

Activity Types page

Similar to service type codes, service activity type codes reference the general category to which a service activity belongs. For example, an electric appliance company might define activity types such as refrigerator repair and refrigerator preventive maintenance for their refrigerator products.

Type Code

Enter a code to identify the activity type in the system. You can use up to eight alphanumeric characters.

When an activity type is selected for an activity code, both the type code and short description appear on the Activity Code page.

Defining Service Activities

Access the Activity Code page.

Activity Code

Activity Code

SetID

CRM01

Activity Code

AIR-1001

*Description



Check Compressor

*Short Description

Chk. Compressor

Activity Type

AIR-100



Estimated Time

0.05

Description

A/C PM

Unit

Hours

Number of Technicians

1

☐ Approval Required

Activity Code page

Defining services as a series of default activity steps enables you to manage technician competency and material requirements for each step of the service. It also enables the CSR or technician to tailor a service to the needs of the customer by adding or deleting activities for the service on the service order. In addition, you can attach activity codes to multiple service definitions, which reduces data entry requirements.

Activity codes are keyed by setID. As you create a new activity code record, enter the setID under which it belongs and the activity code.

Activity Code	Displays the code that you entered in add mode for the service activity. You can use up to eight alphanumeric characters.
Description	Enter a description of up to 80 alphanumeric characters. <div>Note. Service activity descriptions appear on system prompts when users select service activities on the Service and Service Order components. Enter a description that will be meaningful to people who use these components.</div>
Activity Type	Enter the category of activity that the service activity represents. Activity types are established on the Activity Types page. Click the Transfer to Activity Type button to access the Activity Types page.
Estimated Time	Enter the estimated time, in hours, that is required to perform the activity. This is the default value for the estimated duration on service order lines for this activity. This information is also used in the auto date calculation to calculate the planned dates and times.
Number of Technicians	Enter the number of technicians that is required to perform the activity. This is the default value for the number of technicians on service order lines for this activity. This field is for informational purposes only and does not force you to assign a specific number of technicians to the activity

Approval Required

Select to indicate that when the activity is specified for a service order line, the service order line must be manually approved before time, expense, and material management transactions can be entered.

If approval processing is not defined for the overall service, you can change the setting on the service order line to require approval processing. However, if approval processing is required for the service, it is also required on the service order line. You cannot change the approval setting on the service order line when the service specifies approval processing.

Defining Services

To define services, use the Service (RF_SERVICE) component.

This section describes how to:

- Define service header information.
- Define service frequency.
- Define service entitlements.
- Enter service details.
- Define service frequency by product.
- Defining service activities.
- Enter service notes.
- Associate branch scripts with services.

Pages Used to Define Services

Page Name	Object Name	Navigation	Usage
Service	RF_SERVICE	Set Up CRM, Product Related, FieldService, Services, Service	Define service header information.
Service - Frequency of Service	RF_SERVICE_FREQ1	Click the Frequency of Service link on the Service page.	Define how often a service should be performed. The system uses the information that you enter here to schedule preventive maintenance service orders.
Service - Entitlements	RF_SERVICE_ENT	Click the Select Entitlement link on the Service page.	Define the entitlements for any on-demand services. The system uses the service entitlements to calculate required start and end dates and times for service orders, when agreement and warranty entitlements are not available.
Service Details	RF_SERVICE_ATTRIB	Set Up CRM, Product Related, FieldService, Services, Service Details	Define materials, regions, products, and competencies that are associated with a service.
Service Product - Frequency of Service	RF_SVC_PRD_FREQ	Click the Frequency link in the Service Product Information group box on the Service Details page.	Define how often a service should be performed for a specific product. The system uses the information that you enter to schedule preventive maintenance service orders.
Service Activities	RF_SERVICE_ACT	Set Up CRM, Product Related, FieldService, Services, Service Activities	Define the activities that are required to perform the selected service.
Notes	RF_SERVICE_NOTE	Set Up CRM, Product Related, FieldService, Services, Notes	Add, view, and modify notes that are associated with the service or service activity definition.
Branch Script	RF_SVC_BSCRIPT	Set Up CRM, Product Related, FieldService, Services, Branch Script	Add branch scripts to the service definition.

Defining Service Header Information

Access the Service page.

Service

Save | Search | Next | List | Update | Notification | Personalize

Service Number APP0000001 **Description** Preventive Maintenance Service for Air Conditioners
Service Type PM **Status** Active
Setid CRM01

Service | Service Details | Service Activities | Notes | Branch Script

Service Information

***Description** Preventive Maintenance Service for Air Conditioners

Short Description PM for A/C **Status** Active

***Service Type** PM ***Estimated Duration** 1.00 Hours

***Start Date** 01/01/2000 **End Date** 12/31/2050

Replacement **Number of Technicians** 1

☐ **Approval Required**

Preventive Maintenance

☒ **Preventive Maintenance** ***Field Service Unit** US200

***Lead Time** 7 **Lead Time Interval** Day(s)

[Frequency of Service](#)

Classification

☒ **Agreement** ☒ **On Demand**
☐ **Warranty** ☐ **Off Hours**

[Select Entitlement](#)

Service page (1 of 2)

Default Assignment

Provider Group Name Appliances Western

Group Member Name

Modified 09/11/2002 1:06PM PDT SAMPLE

Save | Search | Next | List | Update | Notification | Top of Page

Service page (2 of 2)

The system displays service-specific information, such as service number, type, and status, on the toolbar. Click toolbar buttons to perform PeopleTools or application-specific actions.

Service Information

Description and Short Description

Enter a service description of up to 80 alphanumeric characters.

Note. The short description appears on system prompts when users select a service in the Agreement and Service Order components. Enter a description that will be meaningful to people who use these components.

Status

Select a status:

Active: Select to make the service available in the system during the time period that is specified by the start and end dates.

Inactive: Select to make the service unavailable in the system, regardless of the offer start and end dates. An inactive service does not appear on system prompts for service orders or agreements.

Service Type

Select a category of service. Service types are established on the Service Types page. Click the Transfer to Service Type button to access the Service Types page.

Estimated Duration

Enter the estimated number of hours that is required to perform the service. When you save the service, the system issues an error if this value is less than the sum of the estimated times that are defined for the associated activities.

Start Date and End Date

Enter the first and last dates that the service can be offered on agreements and on-demand service orders.

Replacement

Select a service that is scheduled to replace this service when this service is no longer offered. When a replacement service is specified, the system sets the status of the original service to *Inactive*, which prevents the service from being selected on agreements and service orders.

Number of Technicians

Enter the number of technicians that is required to complete the service. The value can also be defined at the service activity level for service activities on the Activity Code page.

When you define this value at the service level, the system populates the associated service activities with the same value as the default if the number of technicians is not yet defined for those service activities.

When you create a service order for a service with activities, the system populates the corresponding service order line with the number of technicians that is defined for each service activity.

Note. The system issues a warning if you begin technician assignment on a service order but the actual number of assignment is less than required when you save the record.

Approval Required

Select to indicate that service orders that specify this service require approval by a designated person in your company. If approval is required at this level, no service order line can be approved until the service order is approved at the header level.

Note. You can also require approval for individual activities on a service order. However, the Approval Required check box on the service order header and the Approval Required check box on the service order activity are not associated with each other operationally.

Preventive Maintenance

Use this group box to perform part of the setup that is required for the preventive maintenance functionality in PeopleSoft Integrated FieldService.

Preventive Maintenance

Indicates that preventive maintenance is available for the service. The system automatically selects this check box and makes it unavailable if the service type that is selected for this service is designated as the preventive maintenance type.

Field Service Unit	Select a field service business unit under which service orders that are created for preventive maintenance are categorized.
Lead Time and Lead Time Interval	Enter the number (lead time) of days, weeks, months, or years (lead time interval) in advance when a preventive maintenance service order must be generated before the service actually occurs.
Frequency of Service	Click to access the Service - Frequency of Service page, where you can define the frequency that is offered for this service. The system uses this information to schedule service orders for preventive maintenance.
Classification	
Agreement	Select to offer the service to customers on agreements. If this check box is cleared, the service does not appear on system prompts for agreements. You can also select this check box on the service order. If Agreement is selected, the system checks to ensure that the service you select on the service order has this option selected.
On Demand	Select to offer the service to customers on demand. For a service order that is not covered by a warranty or an agreement, the system validates that the service is available on demand when the service order is saved.
Warranty	Select to provide the service under warranty. When you select a warranty and service on a service order, at save time the system ensures that a warranty has been selected if the check box for the service selected on the service order has also been checked.
Off Hours	Select to provide the service outside standard hours of operation. This field is for informational purposes.
Select Entitlement	Click to access the Service - Entitlements page, where you can define entitlements for the service. This link is applicable to on-demand services only; the system uses this information to calculate committed start and end dates and times for service orders when both agreement and warranty are not available.
Default Assignment	
If a service order is not covered by an agreement, or if the selected agreement does not have a default provider group or group member assigned, the system uses the values that you enter in the Default Assignment group box to populate the service order activities. You can override the default values if necessary at the service order activity level.	
Provider Group Name	Enter the default provider group that you want to perform the service. Click the Transfer to Provider Group button to access the Provider Groups page.
Group Member Name	Enter the default group member (of the defined provider group) for performing this service at the customer's site. Click the Transfer to Group Member button to access the Provider Group Member page.

See Also

PeopleSoft Enterprise CRM 8.9 Application Fundamentals PeopleBook, “Setting Up and Managing Agreements and Warranties”

PeopleSoft Enterprise CRM 8.9 Application Fundamentals PeopleBook, “Setting Up and Maintaining Provider Groups and Group Members”

Chapter 7, “Creating and Managing Service Orders,” Setting Up Automatic Service Order Assignments, page 78

Defining Service Frequency

Access the Service - Frequency of Service page.

Service

Frequency of Service

SetID CRM01 **Service ID** APP0000001

Description

Start Date 01/01/2000 **End Date** 12/31/2050

Start Time **End Time**

Service Frequency Information

☒ **Days**
Number of Days 30

☐ **Weeks**
Number of Weeks **Day of Week**

☐ **Months**
Number of Months **Day of Month**

☐ **Yearly**
Month of the Year **Day of Month**

[Audit History](#)

Service - Frequency of Service page

You can define the service frequency at the service or service product level. Values that are entered at the service level apply to all products if the Applicable to All Products check box is selected on the service record; otherwise, they are populated as defaults on the Service Product - Frequency of Service page for each product that is covered by this service. At the service product level, you can define different frequency settings that are specific to products.

Start Date

Enter the beginning date of the period for which service frequency is defined. The default value is the offer start date that is defined on the Service page.

End Date

Enter the end date of the period for which service frequency is defined. A blank value indicates an unlimited frequency period.

Start Time

Enter the beginning time of the period for which service frequency is defined. The time zone that appears for this value represents the time zone of the database server.

End Time

Enter the end time of the period for which service frequency is defined. The time zone that appears for this value represents the time zone of the database server.

Service Frequency Information

Values are:

Days: Define the duration of this frequency in number of days. For example, enter *30* to have the service performed every 30 days.

Weeks: Define the duration of this frequency in number of weeks and specify the day of the week on which to perform the service. For example, enter *2* and *Wednesday* to have the service performed every two weeks on Wednesday.

Months: Define the duration of this frequency in number of months and specify the day of the month on which the service should be scheduled. For example, enter *3* and *3* to have the service performed every three months on the third day of the month.

Yearly: Define the month and the day of the month to perform the service. For example, enter *January* and *1* to have the service performed on January 1 of every year.

Defining Service Entitlements

Access the Service - Entitlements page.

Service

Entitlements

Entitlement Plan Name

Entitlements Customize | Find | First 1-6 of 6 Last

*Description	Entitlement Minutes	Service Level	Coverage Type	Percent Covered	Coverage Duration	Uplift / Discount		
One day guaranteed restore	1440						+	-
Five hour guaranteed response	300					10	+	-
Basic Expense Coverage			EXP	25	1 Year		+	-
Basic Material Coverage			MAT	25	1 Year		+	-
Basic Time Coverage			TIME	25	1 Year		+	-
Standard Service Level		STD					+	-

Service - Entitlements page

Entitlement Plan Name

Select an entitlement plan to populate the Entitlements grid for the first time. Entitlement plans are defined on the Entitlement Plan Setup page.

Note. Entitlement plans are optional. You can enter entitlements manually on the Entitlements page.

You can add new entitlement lines, and modify and delete existing entitlement lines in the grid. The list of entitlements is used for calculating the service order's committed start and end dates and times if agreement or warranty entitlements are not available.

See Also

PeopleSoft Enterprise CRM 8.9 Application Fundamentals PeopleBook, “Setting Up and Managing Agreements and Warranties,” Defining Entitlements

Entering Service Details

Access the Service Details page.

Service

Save

Search

Next

List

Update

Notification

Personalize

Service Number

APP0000001

Description

Preventive Maintenance Service for Air Conditioners

Service Type

PM

Status

Active

Setid

CRM01

Service

Service Details

Service Activities

Notes

Branch Script

Service Material Information

Customize

Find

View All

First

1 of 1

Last

*Item ID	Short Description	*Required Quantity	UOM

Service Competency Information

Customize

Find

View All

First

1 of 1

Last

*Description	*Minimum Level	Weight
		N / A

Service Region Information

Customize

Find

View All

First

1-2 of 2

Last

☒ Applicable to All Regions
 ☐ Applicable Regions

*Description	Saleable	Deployable
California Service Region	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Midwest - USA	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Service Details page (1 of 2)

Service Product Information

☒ Applicable to All Products
 ☐ Applicable Products

Service Product Information

Customize

Find

View All

First

1-4 of 4

Last

*Product ID	Description	Item ID	Short Description	Frequency
SR1001	6600 BTU Room Air (Light Beige)	SR1001	6600 BTU R	Frequency
SR1002	6000 BTU Room Air (Grey)	SR1002	6000 BTU R	Frequency
SR1003	12000 BTU Room Air (Light Beig	SR1003	12000 BTU	Frequency
SR1004	18000 BTU Room Air (Grey)	SR1004	18000 BTU	Frequency

Save

Search

Next

List

Update

Notification

Top of Page

Service Details page (2 of 2)

Service Material Information

If no activities are defined for a service and if a service order is created, the system uses the service material information to populate the material list that is associated with the service order. From the Order Materials component, you add additional items and order the required materials.

Note. If you define service activities, define material information for the service activity on the Service Activities page.

Item ID	Select the ID of the item that is used to perform the service. Before you can add an item to the service, you must first establish the item in the system tables by using the Item Master enterprise integration point (EIP) or the Item Definition component, and the item must be in active status. Click the Transfer to Item Definition button to access the Item Definition component.
Required Quantity	Enter the required amount of the item that the technician needs to perform the service. The system uses this value to populate the quantity that is required on the Order Materials component.
UOM (unit of measure)	Displays the standard unit of measure for the item quantity.

Service Competency Information

If no activities are defined for the service, the system uses service competency information to find the best technician to assign to the service order.

Description	Select the description of the competency that is required to perform the service. Define competencies by accessing Set Up CRM, Common Definitions, Competencies, Competencies, Competencies.
Minimum Level	Select the minimum level of competency that the assigned technician must have to perform the service. The available options depend on the competency rating model that is defined for the selected competency. When searching for technicians to assign to service orders, the system calculates higher fit scores for those technicians who meet the minimum level of competency that is defined for the service.
Weight	Enter the relative importance of this competency. Each activity competency can have a value from <i>N/A</i> (not applicable) to 5, where 5 represents the highest level of importance. A weight of <i>N/A</i> indicates that the competency is not applicable in the assignment search.

Service Region Information

Applicable to All Regions	Select to perform the service for all regions.
Applicable Regions	Select if the service is limited to specific regions. You must enter region information in the Service Region Information grid if you chose this option.
Description	Select a region. Regions are established on the Region page. You can select active regions only.
Saleable	Select to sell the service in the region. When you select the service on an agreement, the system validates that the customer or customer site corresponds to a saleable region.
Deployable	Select to provide the service in the region. When you select the service on a service order, the system validates that the customer or customer site corresponds to a deployable region.

Service Product Information

Applicable to All Products	Select to perform the service for all products
Applicable Products	Select if the service is limited to specific products. You must enter product information in the Service Product Information grid if you chose this option.
Product ID	Select the product to which the service applies. When you add a product to an agreement line or service order, the system validates that the product was defined for the service. Before you can add a product to the service, the product must first be established in the system tables by using the Product EIP or the Product Definition component. The product must have an active status and the corresponding item must be defined as serviceable. Click the Transfer to Product button to access the Product Definition component.
Item ID	Displays the item ID that is associated with the product.
Frequency	Click to access the Service Product - Frequency of Service page, where you can view and modify the service frequency that is defined for the product.

See Also

Chapter 8, “Ordering and Receiving Materials,” page 107

PeopleSoft Enterprise CRM 8.9 Application Fundamentals PeopleBook, “Managing Workforce Competencies”

PeopleSoft Enterprise CRM 8.9 Product and Item Management PeopleBook, “Defining Items”

PeopleSoft Enterprise CRM 8.9 Product and Item Management PeopleBook, “Setting Up Products”

PeopleSoft Enterprise CRM 8.9 Application Fundamentals PeopleBook, “Setting Up General Options,” Setting Up Regions

PeopleSoft Enterprise CRM 8.9 Application Fundamentals PeopleBook, “Setting Up and Performing Assignment Searches”

Defining Service Frequency by Product

Access the Service Product - Frequency of Service page.

This page is almost identical to the Service - Frequency of Service page. The system populates the start date and time, end date and time, and frequency on this page with the service frequency information that is defined on the Service page but enables you to override the frequency for specific products.

See Also

Chapter 5, “Setting Up Services,” Defining Service Frequency, page 37

Defining Service Activities

Access the Service Activities page.

Service

Save

Search

Add

Next

Previous

Notification

Personalize

Service Number

APP0000001

SetID

CRM01

Description

Preventive Maintenance Service for Air Conditioners

Status

Active

Service Type

PM

Service

Service Details

Service Activities

Notes

Branch Script

Service Activity Information

FindView All

First1 of 6Last

*Activity

Chk. Compressor

*Step Number

10

Description

Check Compressor

Activity Type

A/C PM

Required Technicians

1

Estimated Duration

0.05Hours

☐Approval Required

Default Assignment

Provider Group Name

Appliances Eastern

Group Member Name

Ben Harris

Service Activities (page 1 of 2)

Service Activity Material Information

CustomizeFind

First1 of 1Last

*Item ID

10009

Short Description

Air Cond,

*Required Quantity

1.0000

UOM

EA

Service Activity Competency Information

CustomizeFind

First1 of 1Last

*Description

Recognized as job expert

*Minimum Level

4-Very Good

Weight

5 - Most Important

Audit History

Service Activities (page 2 of 2)

You can optionally describe a service as a series of activities. If you use activities, you can define product, competency, and other information by activity, instead of by service

Service Activity Information

Activity	Select an activity. Activity codes are defined on the Activity Code page. When you select an activity code, the system populates the service activity with the information that is defined for the activity code.
Step Number	Enter a number to specify the order in which activities are performed for this service. If this is the second activity performed, for example, enter 2. <div><div>Note.</div> This step number is used in autocalc to determine how to stagger the planned dates and times</div>
Activity Type	Displays the type of activity. Activity type codes are defined on the Activity Types page and are associated with activities on the Activity Code page.
Number of Technicians	Displays the number of technicians that is required to complete the service activity. The value is populated from the Activity Code page or, if it is not available on the Activity Code page, from the Service page.

Estimated Duration	Enter the number of hours that is required to perform the activity. The default value is defined on the Activity Code page.
Approval Required	<p>Select to indicate that when the activity is specified for a service order line, the service order activity must be manually approved before time, expense, and material management transactions can be entered on the service order line. The default value is defined on the Activity Code page.</p> <p>If approval processing is not defined for the service, you can change the approval setting on the service order activity to require approval processing. However, if approval processing is required for the overall service, it is also required on the service order line. You cannot change the approval setting on the service order line when the service specifies approval processing.</p>

Default Assignment

Provider Group Name	Enter a default provider group for service order lines that request this activity.
Group Member Name	Enter a default provider group member for service order lines that request this activity.

Service Activity Material Information

When a service order line is created for this service activity, the system populates the required materials for the service order with the activity material information that is defined in this group box. Use the Order Materials component to add additional items and to order the required materials.

Item ID	Select the ID of the item that is used to perform the service activity. The item must be established in the system by using the Item Master EIP or the Item Definition component, and the item must have an active status.
Required Quantity	Enter the amount of the item that the technician needs to perform the service activity. The system uses this value to populate the quantity that is required on the Order Materials page.
UOM (unit of measure)	Displays the standard unit of measure for the item quantity.

Service Activity Competency Information

The system uses this information to find the best technician to assign to the service order line. The system compares the group members' competencies with the competency at the activity level.

Description	Enter the description of the competency that is required to perform the service activity. Define competencies by accessing Set Up CRM, Common Definitions, Competencies, Competencies, Competencies.
Minimum Level	Enter the minimum level of competency that the assigned technician must have to perform the service. The available options depend on the competency rating model that is defined for the selected competency. When searching for technicians to assign to service order lines, the system calculates higher fit scores for those technicians who meet or exceed the minimum level of competency that is defined for the activity.
Weight	Enter the relative importance of this competency. Each activity competency can have a value from N/A to 5, where 5 represents the highest level

of importance. A weight of *N/A* indicates that the competency is not applicable in the assignment search.

See Also

[Chapter 8, “Ordering and Receiving Materials,” page 107](#)

PeopleSoft Enterprise CRM 8.9 Product and Item Management PeopleBook, “Defining Items”

PeopleSoft Enterprise CRM 8.9 Application Fundamentals PeopleBook, “Managing Workforce Competencies”

PeopleSoft Enterprise CRM 8.9 Application Fundamentals PeopleBook, “Setting Up and Performing Assignment Searches”

Entering Service Notes

Access the Notes page.

Service

Save | Search | Next | List | Update | Notification | Personalize

Service Number APP0000001 **Description** Preventive Maintenance Service for Air Conditioners
Service Type PM **Status** Active
Setid CRM01

Service | Service Details | Service Activities | **Notes** | Branch Script

Notes Summary Customize | Find | View All | First 1 of 1 Last

Select	Subject and Details	Attachment(s)	Associated Activity	Added By	Date Added
<input type="checkbox"/>	Preventive Maintenance on Air-conditioners If the air conditioners are installed in humid locations, check the compressor for corrosion.			Stu Marx	04/03/2001 10:14AM

☐ Check All / Clear

All

Email | Add Note

Save | Search | Next | List | Update | Notification | Top of Page

Notes page

If the page has at least one note, the summary view appears when you first access the Notes page. Click the link in the Subject and Details column to see the detailed view of that note.

Click the Add Note button to add a new note. If there are no notes entered for the service, enter the information you want to add and then click the Apply Note button.

To add a note that is specific to a service activity, specify the activity code of the service activity in the Associated Activity field of the note.

the start and end dates on the notes page is info only and doesn't drive any processing

Note. The start and end dates on the notes page are for informational purposes only and do not drive any processing. Activities are only available if they are tied to the service.

See Also

PeopleSoft Enterprise CRM 8.9 Application Fundamentals PeopleBook, “Working with Notes and Attachments”

Associating Branch Scripts with Services

Access the Branch Script page.

The screenshot displays the 'Branch Script' page within a service management application. At the top, the 'Service' header includes navigation links: Save, Search, Next, List, Update, Notification, and Personalize. Below this, service details are shown: Service Number APP0000001, Service Type PM, Setid CRM01, Description Preventive Maintenance Service for Air Conditioners, and Status Active. A breadcrumb trail shows the path: Service > Service Details > Service Activities > Notes > Branch Script. The 'Branch Script Information' section contains a table with columns for Script Name and Script Type. One entry is visible: 'DISHWASHER_1' with a 'GUID' script type. The table has search and pagination controls. At the bottom, another set of navigation links is provided, including a 'Top of Page' link.

Script Name	Script Type
DISHWASHER_1	GUID

Branch Script page

Branch Script Information

Script Name and Script Type

Enter a branch script to be associated with the service. The script type is displayed after you make the selection.

When you add a branch script to a service, the system populates service orders that are created for that service with the script.

CHAPTER 6

Working with Scheduled Preventive Maintenance

This chapter provides an overview of scheduled preventive maintenance and discusses how to:

- Set up scheduled preventive maintenance.
- Manage scheduled preventive maintenance.

Understanding Scheduled Preventive Maintenance

This section lists common elements and discusses:

- Benefits of scheduled preventive maintenance.
- Preventive maintenance process flow.

Common Elements Used in This Chapter

Start Date and Service Order Date	The required start date of the preventive maintenance service order. The system calculates this value by adding the specified service frequency to the date on which the previous preventive maintenance service order was closed.
Creation Date	The service order creation date (when the preventive maintenance service order will be generated by the Application Engine process).

Benefits of Scheduled Preventive Maintenance

Scheduled preventive maintenance is a collection of services that are performed regularly on products to prevent unexpected product failure. These preplanned services, such as running performance checks and tune-ups or checking and replacing worn parts, help sustain the performance and extend the longevity of products. The result is a reduction in ownership costs to both service providers and customers.

The preventive maintenance feature in PeopleSoft Integrated FieldService enables you to:

- Set up the system at the business unit level to automatically generate service orders for preventive maintenance services on installed products that are covered by an agreement.

These preventive maintenance service orders are processed the same way as other service orders (from assigning a technician to processing service activities and completing the service order).

- Preview scheduled preventive maintenance services and make changes as necessary.
- Review the preventive maintenance history for installed products.

For any installed product that is eligible for a preventive maintenance service, the system creates a *preventive maintenance entry*. This entry tracks the preventive maintenance process life cycle of each installed product. The preventive maintenance entry updates each time the status of the corresponding service order changes during the process. When the entry is marked as completed at the end of the cycle, the system reevaluates the associated installed product for another preventive maintenance cycle. If the installed product passes the evaluation, the system automatically generates another entry for it, which starts a new preventive maintenance cycle.

- Automatically generate service orders for preventive maintenance, calculate the service order start date and time based on agreement entitlements, and assign service orders to appropriate technicians.


The system automatically assigns technicians only if you have auto assignment configured. Dispatchers and field service specialists can use the dispatch board to view these service orders and manage technician assignment schedules.

These terms are used frequently in this chapter:

Term	Definition
Valid agreement	An agreement is considered valid if the line status is set to <i>Active</i> , and the current system date is between the agreement line's start and end dates.
Preventive maintenance entry	<p>A preventive maintenance entry is a row in the Preventive Maintenance History table (RF_INST_PROD_PM) for an installed product that passes the validation test and that is qualified for the preventive maintenance process. Preventive maintenance entries are used to track the statuses of preventive maintenance service orders.</p> <p>The system creates one preventive maintenance entry per installed product per service per agreement. An installed product can have more than one entry simultaneously if it is associated with multiple preventive maintenance services, or if it is associated with a service that is made available to more than one agreement line or agreement.</p>
Next preventive maintenance due date	<p>This is the date when the next preventive maintenance service for an installed product is scheduled to start.</p> <p>When the system initially inserts a preventive maintenance entry for an installed product, this date is calculated as follows:</p> $(\text{Next Preventive Maintenance Due Date}) = (\text{Installed Product Installation Date}) + (\text{Frequency})$ <p>The system then verifies whether the calculated date falls between the start and end dates of the agreement line.</p> <p>If the calculated date is earlier than the agreement line start date, the system schedules the preventative maintenance so that the creation date is the system date. The service order date is the creation date plus the lead time.</p> <p>For subsequent preventive maintenance entries that are created for this installed product, the next preventative maintenance due date is calculated as follows:</p> $(\text{Next Preventive Maintenance Due Date}) = (\text{Service Order Completion Date}) + (\text{Frequency})$

Preventive Maintenance Process Flow

This flowchart and the text describe the preventive maintenance process:



Preventive maintenance process flow

Validation of Installed Products for Preventive Maintenance

The preventive maintenance process begins when an installed product is added to an agreement line that is defined for a preventive maintenance service type and is saved.

The installed product is then evaluated for preventive maintenance eligibility by using the these validation rules:

- The status of the installed product is set to *Installed*.
- An asset tag or serial number exists in the installed product.
- The installed product is covered by a valid agreement that is associated with a preventive maintenance service and its next preventive maintenance due date (which is calculated by the system) falls between the start and end dates of the agreement line.
- The installed product does not already have a preventive maintenance entry with a status set to *Pending* for the same preventive maintenance service for which the system considers adding a new preventive maintenance entry.

For every installed product that passes the evaluation, the system inserts a preventive maintenance entry with a status of *Pending* in the Preventive Maintenance History table.

Creation of Preventive Maintenance Entries for Qualified Installed Products

The system creates preventive maintenance entries for installed products that are eligible for preventive maintenance. It uses preventive maintenance entries to manage the life cycle of corresponding service orders throughout the process (from creation to completion). Based on the information in pending entries, service orders are generated through an Application Engine process. From this point on, the system tracks all preventive maintenance service orders by updating their associated preventive maintenance entries when statuses change in respective preventive maintenance service orders.

A preventive maintenance entry, which appears on the Preventive Maintenance Detail page, is initially created with the these properties:

- A status set to *Pending*.
- A value in the Start Date field that is equivalent to the next preventive maintenance due date.

If this preventive maintenance entry is the first one created for the installed product, the service order start date equals the installed product's installation date plus the frequency.

If the calculated service order start date precedes the start date of the selected agreement line, the system schedules the preventative maintenance so that the creation date is the system date. The service order date is the creation date plus the lead time.

For example, suppose that a product was installed on January 1, and this installed product was added to an agreement on February 21. With the frequency set to once per month, the service order start date of this preventive maintenance entry becomes February 21. In this case, the system increments the service order start date by the frequency to March 21 and verifies that this date is covered by the agreement. No preventive maintenance entries are created if this date goes beyond the agreement end date.

Note. If you have enabled the automatic calculation of service order dates and times in the system, all preventive maintenance-related date calculations are based on the service level, response, and restore times of the associated agreement. This means that only contractually defined working days are considered in the calculation. Any calculated service order start date that falls on a nonworking day is automatically rescheduled to the next available working day.

See [Chapter 7, "Creating and Managing Service Orders," Understanding Automatic Calculation of Dates and Times for Service Orders, page 72](#).

- A service order number appears when the Application Engine process creates a service order.

Note. You can modify information (including the business unit, agreement details, service order start, and creation dates) in the preventive maintenance entry as long as it has a status set to *Pending*.

Validation of Preventive Maintenance Entries for Service Order Creation

PeopleSoft Integrated FieldService uses an Application Engine process to identify installed products for which preventive maintenance service orders must be generated.

When the process runs, it looks up all installed products that:

- Are set to a status of *Installed*.
- Are controlled by an asset tag or serial number.
- Are covered by a valid agreement.
- Have a pending preventive maintenance entry.

The process compares the current system date with the service order creation date (that is, the next preventive maintenance due date minus the lead time defined in the Service component) in each of these entries. If the system date is later than or equal to the service order creation date, a preventive maintenance service order is generated.

If there are preventive maintenance entries in which the service order creation date is past due (which occurs if the process has not run as scheduled for some reason), the system pushes out the service order creation date for these preventive maintenance entries by one day (from the system date). This delay enables the entries to still be evaluated for service order creation.

Once the service order is created, the system populates the Required Start Date field of the first service order line with the start date of the preventive maintenance service order. If you have enabled the automatic calculation of service order dates and times feature, the system takes the agreement entitlements (namely the specified service level, response, and restore times) into account when it calculates the required start date for the preventive maintenance service order. In addition, the system populates the service order number in the corresponding preventive maintenance entry and changes the entry status to *Created*.

Change of Status in Preventive Maintenance Entries

The status of a preventive maintenance entry changes as a result of a status update in its corresponding service order. For example, when a preventive maintenance service order is automatically created and its status is set to *Open*, the status of the associated preventive maintenance entry is set to *Created*.

This table summarizes the conditions under which status changes in preventive maintenance entries occur:

Condition	Service Order Status Changes To	Preventive Maintenance Entry Status Changes To	Other Updates in the Preventive Maintenance Entry
A preventive maintenance entry is created.	Not applicable (NA)	<i>Pending</i>	NA
A service order is generated.	<i>Open</i>	<i>Created</i>	The service order number is populated on the preventive maintenance entry.
A technician is at the customer site awaiting customer response or is on hold for parts.	<i>Open - On Site</i> (service order line status)	<i>In Progress</i>	NA
A service order is completed.	<i>Complete</i>	<i>Completed</i>	The system updates the Date field in the Preventive Maintenance History group box on the Preventive Maintenance Detail page with the service order completion date. A new preventive maintenance entry (with a status set to <i>Pending</i>) is created if required validations are passed.
A service order is canceled.	<i>Canceled</i>	<i>Canceled</i>	NA

Completion of the Preventive Maintenance Process Life Cycle

The preventive maintenance process is approaching the end when the header status of the preventive maintenance service order changes to *Completed*. This status change takes place automatically when all associated service order lines have a status set to *Completed*, *Canceled*, or *Closed*.

When that happens, the system verifies that the installed product that is selected for this service order has a status of *Installed* and is covered by a valid agreement that is associated with a preventive maintenance service (in which the Preventive Maintenance check box of the service type for this service is selected in the Service Type record). Next, the system locates the corresponding preventive maintenance entry, which has the number of this completed service order and has a status of *Created* or *In Progress*. The system updates the date with the service order completion date and changes the status to *Completed*.

The ending of one preventive maintenance process may or may not mean the beginning of another one. The system uses the next preventive maintenance due date to decide whether the preventive maintenance process should continue for any installed product. As the status of a preventive maintenance entry is set to *Completed*, the system calculates the next preventive maintenance due date and verifies whether the date is covered by a valid agreement in which the corresponding preventive maintenance service is defined. If it is covered by the agreement, the system generates a new pending preventive maintenance entry in the Preventive Maintenance History table, and the next preventive maintenance due date is calculated by using the service order completion date plus the frequency. Additionally, the system looks for renewed agreements.

The preventive maintenance process discontinues if the next preventive maintenance due date that is calculated goes beyond the agreement end date.

The preventive maintenance entry status changes to *Canceled* if the associated preventive maintenance service order is canceled. In this case, a new pending preventive maintenance entry is generated with no service order number, and the next preventive maintenance due date is calculated as the service order cancellation date plus the frequency. However, if you cancel the preventive maintenance entry for the installed product, the preventive maintenance process cycle for the installed product stops. To restart the process, you must use the Preventive Maintenance Detail page to manually enter a preventive maintenance entry for the installed product with a status of *Pending*.

Setting Up Scheduled Preventive Maintenance

To set up the preventive maintenance feature:

1. Select the Allow Preventive Maintenance check box (on the FieldService Definition page) for all business units on which you want to run preventive maintenance.
2. Define a preventive maintenance service type by using the Service Types component.

Note that in PeopleSoft Integrated FieldService, preventive maintenance is available only to services that are defined under service types that are designated as preventive maintenance. In a given setID, you can specify multiple service types to be designated as preventive maintenance by selecting the Preventive Maintenance check boxes that are associated with them on the Service Types page.

3. Define the lead time and frequency for preventive maintenance services.

The preventive maintenance feature applies to preventive maintenance services only. When you define a service and select a preventive maintenance service type on the service record, the Preventive Maintenance check box is automatically selected; you cannot modify it.

Note. You cannot edit the Preventive Maintenance check box on the service records of any services that are defined with a preventive maintenance service type, unless the Preventive Maintenance check box of the associated service type is cleared.

In addition, the system displays the Lead Time (required) and Lead Time Interval fields on the Service page, where you define how many days, weeks, months, or years in advance of the actual service to generate a service order for the preventive maintenance service.

Another piece of information that you specify in the Service component is the frequency (how often the preventive maintenance process for a service repeats itself). The system uses the frequency to calculate the next preventive maintenance due date that is recorded in preventive maintenance entries.

When you enter the start and end dates for the service frequency, the system ensures that both dates fall within the service offering time line and do not go beyond the service start and end dates. The system issues a warning if a frequency is not defined for preventive maintenance services; in this case, the preventive maintenance process doesn't start.

Note that the system issues an error if the lead time is greater than the frequency. For example, suppose that you defined a service in which the lead time is set to two months and frequency is set to every one month. Today is June 1. The system must create a new preventive maintenance entry for this service because the current service order was finished this morning. According to the lead time and frequency values in the service record, the next preventive maintenance due date (the service order completion date plus the frequency) is scheduled for July 1, and the service order creation date (the next preventive maintenance due date minus the lead time) is May 1: a day that has already passed. To avoid this error, always set a lead time that is less than or equal to the frequency.

4. Select a field service business unit for preventive maintenance services.

As you define a preventive maintenance service, select the field service business unit under which to assign the service orders that are created for this service. The Field Service Unit field is available only for preventive maintenance service records. You can overwrite the business unit that is specified for service orders on preventive maintenance entries as long as they have a status set to *Pending*.

5. Define agreement lines for installed products.

Before inserting a preventive maintenance entry or creating a service order for a preventive maintenance service, the system verifies whether the corresponding installed product has a valid agreement. Make sure that you have added all installed products on which you want the preventive maintenance process to run to an available agreement that has not expired.

6. Run the Application Engine process for every business unit that uses the preventive maintenance feature.

The process creates the service orders for the preventive maintenance services.

Note. We recommend that you schedule the process to run nightly.

See Also

Chapter 3, “Defining Business Units in PeopleSoft Integrated FieldService,” Defining FieldService Business Units, page 16

Chapter 5, “Setting Up Services,” Defining Service Types, page 27

Chapter 5, “Setting Up Services,” Defining Services, page 32

PeopleSoft Enterprise CRM 8.9 Application Fundamentals PeopleBook, “Setting Up and Managing Agreements and Warranties,” Defining Detailed Agreement Line Information

PeopleSoft Enterprise PeopleTools 8.45 PeopleBook: PeopleSoft Process Scheduler

Managing Scheduled Preventive Maintenance

This section discusses how to:

- Edit the pending preventive maintenance entry and review the preventive maintenance history summary.
- View preventive maintenance details.
- Create preventive maintenance service orders.

Pages Used to Manage Scheduled Preventive Maintenance

Page Name	Object Name	Navigation	Usage
Preventive Maintenance Detail	RF_INST_PROD_PM	Installed Product and Service, Preventive Maintenance Detail	View or update the pending preventive maintenance entry, and review the history of preventive maintenance entries that is created for the selected installed product.
Review Preventive Maintenance	RF_IP_PM_INQUIRY	FieldService, Review Preventive Maintenance, Review Preventive Maintenance	View preventive maintenance entry details from the search page and view their information on the installed product and service order.
Preventive Maintenance Details	RF_IP_PM_SEC_INQ	Click the installed product number link on the Review Preventive Maintenance page.	View a summary of the installed product and service order information associated with the selected preventive maintenance entry. View customer, product, agreement, order capture, and service order information. Click various transfer buttons to access corresponding components.
Create Preventive Maintenance	RUN_CNTL_RF_SOADD	FieldService, Create Preventive Maintenance, Create Preventive Maintenance	Define run control parameters for the Create Preventive Maintenance process (RF_PM_SO_ADD).

Editing the Pending Preventive Maintenance Entry and Reviewing the Preventive Maintenance History Summary

Access the Preventive Maintenance Detail page.

Installed Product

Save | Search | Next | Previous | Add | Update | 360 360-Degree View | Hierarchy | Personalize

Installed Product ID INS0000013 **Description** 24 in. Dishwasher 5 Cycles (St
Customer MMA Property Management Group **Value** Gold★★★★★
Type Product **Setid** CRM01

Installed Product | **Preventive Maintenance Detail** | Attributes | History

Pending Preventive Maintenance Service Orders Find | View All First 1 of 1 Last

* **Agreement Code** COM-AGR-107 * **Renewal Number** 1
 * **Line Number** 001 **Service** PM on Dish Wash
 * **Business Unit** US200 * **Status** Pending
Start Date 08/11/2002 **Creation Date** 08/06/2002
Comments Preventive Maintenance Service Created from Agreement Transaction

▼ **Preventive Maintenance History** Customize | Find | View All First 1 of 1 Last

Date	Business Unit	Service Order ID	Status	Comments

Preventive Maintenance Detail page

Note. The Preventive Maintenance Detail page is accessible only to installed products that are controlled by asset IDs or serial numbers.

Pending Preventive Maintenance Service Orders

Displays information related to the pending preventive maintenance entry that is inserted into the Preventive Maintenance History table. You can modify the fields here as long as the entry has a status of *Pending*. (The fields are blank when there is no pending preventive maintenance entry.) Click the Add a new row button to manually create a new pending preventive maintenance entry for the installed product (for example, when the previous one has been canceled and you want to start the cycle again).

Agreement Code	Select the name of the agreement that is used to cover the selected service. Click the Transfer to Agreement button to access the Agreement component.
Renewal Number	Select the renewal version of the agreement.
Line Number	Select the agreement line number that covers the service and service product (that is, the selected installed product). If you have selected an agreement, clicking the Transfer to Agreement Line button takes you to the Agreement Line page. If no agreement is selected, the system takes you to the Agreements component where you can add a new agreement.
Service	Displays the service for this preventive maintenance entry. Click the Transfer to Service button to access the Service component.
Business Unit	Select the business unit for this preventive maintenance entry. Service orders that are generated for this entry are categorized under the selected business unit.
Status	Select the status of the preventive maintenance entry: <i>Pending:</i> Indicates the default status of a new preventive maintenance entry. By default, the preventive maintenance process sets the entry status to <i>Pending</i> and updates the status according to the status change of the associated service order.

Created: Indicates that a service order has been generated for the corresponding preventive maintenance service.

In Progress: Indicates that the preventive maintenance service order has a service order line with one of the these statuses: *Open - Hold Assignment*, *Open - Hold Part*, or *Open - On Site*.

Completed: Indicates that the preventive maintenance service order is complete.

Canceled: Indicates that the preventive maintenance service order has been canceled.

Comments

Enter a note for the preventive maintenance record. Any message that was generated during the create preventive maintenance process is captured by the system in this field.

Preventive Maintenance History

This section displays a list of preventive maintenance entries that is generated for the selected installed product.

Date	Displays the service order start date that is entered for the preventive maintenance entry.
Business Unit	Displays the business unit to which the preventive maintenance entry belongs.
Service Order ID	Displays the ID of the service order that is created for the preventive maintenance service. Once the service order is generated through the preventive maintenance process, the system populates the Service Order ID field in the preventive maintenance entry and changes its status to <i>Created</i> . Click the Transfer to Service Order button to access the Service Order component.
Status	Displays the preventive maintenance entry status.

Viewing Preventive Maintenance Details

Access the Preventive Maintenance Details page.

Preventive Maintenance Details	
Installed Product Details	
SetID CRM01	Installed Product ID <u>INS0000013</u>
Customer Information	
Customer Name <u>MMA Property Management Group1</u>	Site Name <u>Minneapolis</u>
Department	
Product Information	
Product <u>24 in. Dishwasher 5 Cycles (St</u>	Date Installed 07/07/2000
Item <u>24 in. Dishwasher 5 Cycles (St</u>	Order Date 07/01/2000
Serial ID SR1015-1009	Asset Tag
Agreement Information	
Agreement Code <u>COM-AGR-107</u>	Renewal Number 1
Line 001	
Service Order Details	
Unit US200	Status Pending
Service Order ID	Service Order Date 08/11/2002
Service <u>Preventive Maintenance on Dish</u>	Creation Date 08/06/2002
Comments <input type="text" value="Preventive Maintenance Service Created from Agreement Transaction"/>	

Preventive Maintenance Details page

Order Capture Information

The system displays this section only if there is an integration with PeopleSoft Order Management.

Business Unit	Displays the business unit that PeopleSoft Order Management (part of PeopleSoft Supply Chain Management) used when the order was created for the product.
Capture ID	Displays the order number that PeopleSoft Order Capture used when the order was created.
Order Number	Displays the order number that PeopleSoft Supply Chain Management used if the order request was sent to the system from PeopleSoft Order Management.
Line	Displays the line number that PeopleSoft Supply Chain Management used if the order request was sent to the system from PeopleSoft Order Management

Service Order Details

Unit	Displays the field service business unit under which the service order is categorized.
Service Order Date	Displays the date when the service order starts.
Creation Date	Displays the date when the service order was generated.

Comments

Enter a note for the preventive maintenance record. Any message that was generated during the create preventive maintenance process is captured by the system in this field.

Creating Preventive Maintenance Service Orders

Access the Create Preventive Maintenance page.

To create service orders for installed products that are eligible for preventive maintenance services, run the Create Preventive Maintenance process. It is recommended that you schedule this process to run nightly.

See Also

PeopleSoft Enterprise PeopleTools 8.45 PeopleBook: PeopleSoft Process Scheduler

PART 3

Service Order Management

Chapter 7
Creating and Managing Service Orders

Chapter 8
Ordering and Receiving Materials

Chapter 9
Working with My Service Orders

CHAPTER 7

Creating and Managing Service Orders

This chapter provides an overview of service orders and describes how to:

- Set up automatic calculation of dates and times for service orders.
- Set up automatic service order assignments.
- Set up service order assignment notifications.
- Set up service order escalation notifications.
- Manage service orders.

Understanding Service Orders

This section discusses:

- The service order data model.
- Service order status levels.
- Methods for accessing service orders.
- Service order toolbar functions.

Note. PeopleSoft Customer Relationship Management (PeopleSoft CRM) delivers an enterprise integration point (EIP) that you can use to integrate service orders with third-party voice recognition applications.

See Also


PeopleSoft Enterprise Components for CRM 8.9 PeopleBook

The Service Order Data Model


A service order records a request for a service provided by the company. You can assign a service order to the technicians who will perform the requested work, order materials that are required to perform the work, and track progress. You can also record expenses, labor time and material usage that are incurred while performing the requested work.

In PeopleSoft CRM applications, call center agents and dispatchers can enter multiple service orders for a case in PeopleSoft Support or enter a service order directly in PeopleSoft Integrated FieldService. Service technicians can work with a streamlined view of the service orders that have been assigned to them through the My Service Order component.

Each service order is composed of a header, which captures customer, service, and agreement information and at least one activity, which represents the work associated to the service requested by the customer. As illustrated in the this diagram, each activity of a service order is associated with one or more technician assignment and material management records. Use the Service Order component to perform various actions throughout the service order management process.



Service order data model



Service order processing

You can perform technician assignments manually on the Service Order activities page, or you can enable the system, at the business unit level, to automatically assign provider group and group members to new service orders.

In PeopleSoft Integrated FieldService, you can enable the system, at the business unit level, to automatically calculate the committed start and end dates and times for service orders. When you select an agreement, warranty, or on-demand service in the service order, the system performs the calculation based on the response and restore entitlements of the selected agreement or warranty and displays the associated entitlement information in the Entitlements group box on the Service Order page.

Service entitlements are primarily used if both the agreement and warranty are not available for the service order.

Note. If an agreement or warranty is tied to a service agreement but there are no response and restore times entitlements associated with it, the system uses the information that is tied to the service. This is only true if there is a warranty without restore and response entitlements. If there is an agreement without restore and response entitlements, no calculation is done.

Depending on your business needs, you can launch a business project or branch scripts from a service order. Use a business project to coordinate and track the work involved in performing a sequence of tasks, and use a branch script as a tool for technicians to troubleshoot service tasks. From the Service Order component, you can also view a list of interactions that were created for the service order and view or add notes and attachments to the service order at the header and activity levels.

See Also

Chapter 9, “Working with My Service Orders,” page 129

Service Order Status Levels

The service order status reflects the current processing state of a service request. The processing status is tracked at two levels: the service order header and the service order activity. The header level reflects the general processing status of the entire service request, while activity-level status provides a more detailed view of each activity that is associated with the service request.

Header Level Status

At the header level, a service order can have one of four status values:

<i>Open</i>	This is the initial status of a new service order. At the service order header level, the status remains open until all associated service order activities have a status of <i>Completed</i> , <i>Canceled</i> , or <i>Closed</i> .
<i>Completed</i>	<p>When all associated activities have a status of <i>Completed</i>, <i>Canceled</i>, or <i>Closed</i>, the system automatically changes the status at the service order header level to <i>Completed</i>. You can record time, expense, material usage, and billing information (if the service order is billable) and view address information. However, you cannot order additional material for the service order or change any of the field values on the Service Order page except the status value. You can change the status from <i>Completed</i> to <i>Closed</i> or <i>Canceled</i>.</p> <hr/> <p>Note. If required, the service order must be approved at the header level to attain the <i>Completed</i> status.</p> <hr/>
<i>Closed</i>	<p>The service request has been finished and all time, expense, and material information has been entered. For billable service orders, set the service order status to <i>Closed</i> when all time, material, expense, and billing information has been recorded for a completed service order. Once the service order header status is changed to <i>Closed</i>, you cannot change the status again or make any changes to the service order or to the associated time, material, and expense records or billing information.</p> <hr/> <p>Note. The system automatically initiates the billing process if you have set up an integration to PeopleSoft Transaction Billing Processor when the status changes to closed</p> <hr/>
<i>Canceled</i>	You can select this status at the level of the service order header only if all associated service activities have a status of <i>Completed</i> , <i>Canceled</i> , or <i>Closed</i> . Once the service order header is set to <i>Canceled</i> , you cannot change the status again nor modify any other fields on the Service Order page. However, you can continue to enter associated time, material, and expense records for

associated completed or canceled service order activities that were previously recorded for the closed activities on the canceled service order.

Note. If you change the status to canceled at the service order level, the system will not initiate billing even if you have items marked as billable and you cannot make any time changes.

Activity Level Status

Each service order activity on a service order can have one of the these status values:

Accepted

To accept an assignment, the technician or a representative for the technician manually changes the activity status to this value.

Note. Once the status has been set to *Accepted*, it cannot be changed to *Hold Assignment*, *Assigned*, or *Rejected*.

Assigned

When a technician is assigned to a service order activity, the system automatically changes the activity status to this value.

Canceled

Once the service order activity status is changed to *Canceled*, you cannot make any changes to the fields on the service order activity or order material for the activity. However, you can continue to capture associated time, material, and expense information for the activity until the status at the header level is changed to *Closed*.

Closed

After you record all time, material, expense, and billing information for a completed service order activity, select this status to indicate that billing processes can be initiated for the service order.

Once the service order activity status is changed to *Closed*, you should not make any changes to the activity or to the time, material, and expense records that are associated with the activity. However, since time and expense don't have to be tied to an activity, you can still enter time and expense information until the service order status is set to closed

Note. Billing is not initiated for individual lines when a user changes the status of an activity to closed. The system does not initiate the billing process until a user changes the status of the entire service order to closed.

Completed

When the service order activity reflects this status value, you can record time, expense, and material usage; however, you cannot order additional material for the service order or change any of the field values on the service order activity except the status value. You can change the status on the service order activity from *Completed* to *Closed* or *Canceled*.

Note. If required, the activity must be approved before you change its status to *Completed*.

En Route

While the technician is on the way to the customer's site, the technician or a representative for the technician can manually change the activity status to this value. This status value is informational only and can be set manually for a service order activity in any of the open status values, except for *Rejected*.

Note. The system returns an error if you change the service order activity status to *En Route* after it is set to *Completed*, or *Rejected*.

Hold Assignment

A technician has not been assigned to the service order activity. When you first create a service order, the system sets the header status to *Open* and the activity status to this value.

The system automatically changes the activity status from this value to *Assigned* if a technician has been assigned to the service order activity manually by a dispatcher or call center agent, through automatic assignment, or as a result of a default assignment.

Hold Customer

Work for the service order activity is on hold pending action from the customer. This status value is informational only and can be set manually for a service order activity in any of the *Open* status values.

Hold Part

Work for the service order activity is on hold pending the receipt of ordered material. This status value is informational only and can be set manually for a service order activity in any of the *Open* status values.

On Site

On arrival at the customer's site, the technician or a representative for the technician manually changes the activity status to this value.

Note. Once the status has been set to *On Site*, you cannot change it to *Hold Assignment*, *Assigned*, or *Rejected*.

Rejected

To reject an assignment, the technician or a representative for the technician manually changes the activity status to this value. Activities with this status can be manually changed to *Hold Assignment*, *Hold Part*, *Hold Customer*, or *Assigned*.

Note. Changing the service order activity to *Accepted* or *Rejected* applies to all technicians assigned to the line. You cannot accept or deny specific technician assignments on a service order activity.

Summary of Time, Expense, and Material Availability Based on Status

For combinations of *Open*, *Completed*, *Closed*, and *Canceled* status values at the service order header, this table summarizes when the time, expense, and manage material transactions can be recorded:

Header Status	Time, Expense, and Material
<i>Open</i>	<i>Enabled</i>
<i>Canceled</i>	<i>Disabled</i> Note. Can't order materials, however.

Header Status	Time, Expense, and Material
<i>Completed</i>	<i>Enabled</i> Note. Can't order materials, however.
<i>Closed</i>	<i>Disabled</i>

Methods for Accessing Service Orders

You can create or access service orders:

- From the system navigation.
 - Select FieldService, Create a Service Order from the left navigation menu to create new service orders
 - Select FieldService, Search Service Orders from the left navigation menu to update service orders.

Because service orders are keyed by business unit, you need to enter a business unit when you create or find service orders.

- From the Case component.

You can create a service order from a PeopleSoft Support case. Access the Related Actions page of the case and create a service order. Enter the business unit (prepopulated with the case's business unit) and service for which the service order is created. The system populates the new service order with the case ID, customer, product, and service information from the case. You can also reselect an agreement or warranty that is specific to the service order. Also, the system defaults the problem description on the service order from the problem summary on the case

- From the 360-Degree View.

You can create new service orders from the 360-Degree View of a contact or company by selecting *Add Service Order* from the Go To drop-down list box. The system populates the new service order with customer information from the 360-Degree View and the business unit that is defined for the user who is currently signed in from the User Preferences menu. If the business unit value is not specified, the user will be asked to enter the business unit for the new service order. You can also view or update service orders that are associated with the given contact or company from the Activities group box.

- From PeopleSoft Order Capture.

You can create service orders through PeopleSoft Order Capture if the customer is ordering a product that requires installation and a service order. Users can select the Installed Product tab on the Product component to see how this is set up.

While service orders are usually created manually by using one of the these methods, some service orders are periodically generated by the system. These service orders, when you have enabled the preventive maintenance functionality in the system, are created by an Application Engine program for installed products that are covered by agreements and require scheduled preventive maintenance services.


See Also

[Chapter 6, "Working with Scheduled Preventive Maintenance," page 47](#)

Service Order Toolbar Functions

The PeopleSoft CRM toolbar is delivered on the Service Order page and several PeopleSoft Integrated FieldService-related components, providing easy access to PeopleTools actions (such as saving pages), application-specific functions (such as sending notifications in service orders and cases), and useful summary information that is specific to the component you are viewing.

The configurable toolbar is available for most PeopleSoft Integrated FieldService-related components. These are the list of buttons and data elements that are used in toolbars for these components. Some of them are common across all PeopleSoft CRM applications, whereas some are specific to pages.



Click the Save button to save the page you are currently working on.



Click the Search button to go back to the search page with the search results list, which is where you accessed the current page.



Click the Add button to add a new service order.



Click the Next button to go to the next record in the search results list.



Click the Previous button to go to the previous record in the search results list.



Click the 360 Degree View button to access the 360-Degree View page, where you can view details of the company or contact that is listed on the current page and perform transactions.



Click the Notification button to access the Email page (RF_SO_ADHOC), where you can send an email message to a person or provider group. You can apply a delivered template or add attachments to the text message.

The system transfers you to the same page if you click the Email Selected Notes button on the Notes page (summary view). The system prepopulates the subject line and message body with the corresponding service order ID. This functionality is available only to the Service Order and My Service Order components.

This button is also used in the Service component. The system brings you to the Email page (RF_SVC_ADHOC_EMAIL) if you click the button from the Service component.



Click the Correspondence button to access the Create Correspondence page, where you can send text messages to prepopulated recipients through different channels (email or print). PeopleSoft Integrated FieldService delivers two templates that you can use when a correspondence is sent: *Service Order Status*, which is a thank you note with current service order status information for the customer and *Service Order Status - Failure*, which is a note stating that the status information cannot be retrieved because of an invalid service order ID. You can add attachments to the text message and schedule when it should be delivered. Once a correspondence is sent, the system automatically creates an interaction on the 360-Degree View for the associated contact. The interaction is also viewable from the Interaction History page of the associated service order.

Note. Before creating a correspondence, make sure a contact is available on the service order. The system prepopulates the Recipients field of the correspondence request with the contact defined for the service order. The field is populated with the consumer name, if the contact is not available on the service order.

This functionality is available only to the Service Order and My Service Order components. The system passes the business unit, service order ID , customer (either a company or a consumer), and contact name to the correspondence request.



Click the Hierarchy button to view the installed products that meet the customer , site, product, and serial number, available on this page. The system displays the parent, child, and sibling relationships for the selected installed products on the Installed Product Hierarchy page. The button is available only from the Service Order, My Service Order, and Installed Product and Service components.

Note. This button is hidden from the Service Order and My Service Order toolbar if you selected *Prompt for Product Master*, *Hide Installed Product Information* or *Hide All Product Information* on the service order configuration template that is used by the business unit of this service order.



Click the Email button to access the Outbound Email page where you can select templates, add attachments, and send email to recipients.



Click the Map Dashboard button to access the Map Dashboard page and view the map and tabular data generated for the currently opened service order. This functionality is accessible from the page in the Service Order and My Service Order components and is available only when Environment Service Research Institute (ESRI) is installed.

Personalize

Click to access the Personalize Toolbar page, where you can change the way buttons are displayed on the toolbar and hide them.

Time Zone

Select to display dates and times at both service order header and activity levels based on the selected time zone. Options include:

My Time Zone: Your local time zone, according to your user personalizations.

Customer: The customer’s time zone, based on the time zone selected for the address that is associated with the site, contact, or customer.

Note. If you select the time zone of *Customer*, the PeopleSoft CRM system first checks for and uses the time zone that is associated with the site’s primary address. If this information is unavailable, it looks for the time zone that is defined in the contact’s primary address. If this information is also unavailable, the system uses the time zone that is associated with the customer’s primary address. If none of these addresses includes time zone information, the date and time display remains the same regardless of what you select.

Customer Value

Displays the value of the customer derived from the Customer Data Model (CDM). This value is also available from the Company page.

See Also

PeopleSoft Enterprise CRM 8.9 Automation and Configuration Tools PeopleBook, “Configuring Toolbars”

PeopleSoft Enterprise CRM 8.9 Application Fundamentals PeopleBook, “Using the 360-Degree View”

PeopleSoft Enterprise CRM 8.9 Automation and Configuration Tools PeopleBook, “Understanding Correspondence”

PeopleSoft Enterprise CRM 8.9 Services Foundation PeopleBook, “Setting Up ESRI Integration”

Chapter 3, “Defining Business Units in PeopleSoft Integrated FieldService,” Understanding Field Service Configuration Templates, page 15

Setting Up Automatic Calculation of Dates and Times for Service Orders

This section provides an overview of the automatic calculation of dates and times for service orders and discusses how to set up the automatic calculation of dates and times for service orders.

Understanding Automatic Calculation of Dates and Times for Service Orders


For each service order activity, you enter planned dates and times that indicate when the assigned technician is planning to begin and finish the task based on customer’s entitlements. These values are used in service order workflow processes that help you monitor service order statuses and send out notifications if any service order fails to begin at the committed start time or to finish at the committed end time.

Note. The system only uses the dates at the header level (committed or customer preferred) for Active Analytic Framework (AAF) processing and notifications.

In PeopleSoft Integrated FieldService, you can turn this manual calculation process into an automatic one by enabling the automatic calculation functionality at the business unit level in the PeopleSoft CRM system.

When you create a service order and select an agreement, warranty, or on-demand service, the system automatically calculates the committed start and end dates and times for service order activities based on the entitlements that are associated with the selected agreement, warranty, or service. The system also populates the values in corresponding fields.

This diagram outlines the process flow for the automatic calculation of dates and times for service orders:



Process flow for the automatic calculation of dates and times for service orders

As you click the Select Agreement or Warranty button on the service order to search for and select an applicable agreement line or warranty, the system calculates the committed start and end dates and times for the service order based on the entitlements that are associated with the selected agreement or warranty. The system also calculates the task duration of service activities that are linked to the service order. The calculation is done at two levels: once at the overall service order level where the service level, guaranteed response, and guaranteed restore times are used to calculate the committed start and end dates and times; and again at the service order activity level, where the service level, guaranteed response time, and task duration are used to calculate the planned start and end dates and times of the service order activity.

The same calculation occurs when you select a new service for the service order with or without any preselected agreement or warranty. If an agreement or warranty already exists and the new service has multiple service activities, the system replaces old service order activities with new ones and recalculates the staggered dates and times for all service order activities based on the estimated task duration that is derived from the new service activities. In the absence of an agreement or warranty, the system uses the service entitlements that are defined in the Service component in the calculation.

Note. The agreement or warranty entitlements take precedence over the service entitlements. For example, if you select an agreement or warranty after a service has been specified on the service order, the system performs the automatic calculation of planned start and end dates and times for service order activities again by using entitlements of the selected agreement or warranty.

Calculating Overall Committed Start and End Dates and Times for Service Orders

To calculate the overall committed start and end dates and times of a service order, the system uses these entitlements as calculation inputs:

- Guaranteed response time (the guaranteed amount of time within which a customer receives a response from the service provider regarding the reported issue).
- Guaranteed restore time (the guaranteed amount of time within which product functionality needs to be restored for customer).
- Service level (the service provider's days and hours of operation).

Once these values are identified, the system calculates the planned start and end dates and times by using the these formulas:

(Committed Start Date and Time) = (Current Date and Time) + (Guaranteed Response Time) + (Service Provider's Nonworking Hours)

(Committed End Date and Time) = (Current Date and Time) + (Guaranteed Restore Time) + (Service Provider's Nonworking Hours)

For example, a customer reports an issue and a service order is created on Friday, July 19, at 1 p.m. Suppose the customer has these entitlements:

- Guaranteed response time: 2 hours (120 minutes).
- Guaranteed restore time: 10 hours (600 minutes).
- Service level: 8 a.m. to 5 p.m., Monday through Friday.

According to the service level, no service is provided after Friday at 5 p.m. until the next Monday at 8 a.m.; therefore, the end date needs to be extended to next Monday. The calculations are as follows:

(Committed Start Date and Time) = (July 19 at 1 p.m.) + (2 hours) + (0 hour) = (July 19 at 3 p.m.)

(Committed End Date and Time) = (July 19 at 1 p.m.) + (10 hours) + (63 hours from July 19 at 5 p.m. through July 22 at 8 a.m.) = (July 22 at 2 p.m.)

The calculated committed start and end dates and times are Friday, July 19, at 3 p.m. and Monday, July 22, at 2 p.m., respectively. After the calculation is completed, the system displays the date and time values in the Entitlements Section in the Service Details group box on the Service Order page.

Calculating Planned Start and End Dates and Times for Service Order Activities

To calculate the planned start and end dates and times of a service order activity, the system uses these calculation inputs:

- Guaranteed response time (used by only the first service order activity).
- Guaranteed restore time (if no response time).
- Service level.
- Task duration of the service order activity.

The system populates the planned start date and time of the first service order activity with the values that are calculated for the overall service order. It then calculates the planned end date and time of this service order activity by adding the activity's task duration (specified in the Duration field) to its planned start date and time.

Note. The system will also go backwards to calculate planned start and end dates; so, if you only have a restore time, it starts with the last activity and go backwards to compute the proper dates.

If there are multiple service order activities in the service order, the planned start and end dates and times of other service order activities are calculated by using these formulas:

(Planned Start Date and Time) = (Planned End Date and Time of Previous Line) + (1 minute)

(Planned End Date and Time) = (Planned Start Date and Time) + (Task Duration)

For service orders that include multiple service order activities, the planned start and end dates and times are staggered serially based on the estimated duration for each service activity. The planned start date and time of the next service order activity is calculated by adding one minute to the end date and time of the previous task.

The calculation staggers the planned start and end dates and times for service order activities based on their step numbers. When service activities have the same step number (that is, parallel tasks), they will have identical planned start dates and times. Because the planned end date and time of parallel tasks are based on the estimated duration of tasks, their end dates and times are different if they have different task durations. The system uses the latest end date and time of the parallel tasks to calculate the planned start date and time of the next task.

From the previous example where the overall start and end dates and times are calculated, the service order is planned to start on Friday, July 19, at 3 p.m. Suppose this service order has four service order activities. Based upon the step number and estimated task duration for each service activity, the planned start and end dates and times of each service order activity are calculated:

Service Order Activity	Step Number	Estimated Duration	Planned Start Date and Time	Planned End Date and Time
1	10	3	Friday, July 19, 3 p.m.	Monday, July 22, 9 a.m.
2	20	2	Monday, July 22, 9:01 a.m.	Monday, July 22, 11:01 a.m.

Service Order Activity	Step Number	Estimated Duration	Planned Start Date and Time	Planned End Date and Time
3	20	2.5	Monday, July 22, 9:01 a.m.	Monday, July 22, 11:31 a.m.
4	30	1	Monday, July 22, 11:32 a.m.	Monday, July 22, 12:32 p.m.

The assigned technician begins working on the first service activity at 3 p.m. on Friday and finishes it at 9 a.m. next Monday. Because Saturday and Sunday are not defined as business days in the service level agreement, there are no activities on these two days. Note that the second and third service activities are parallel tasks (they have the same step number). The system does not perform staggering for parallel tasks; therefore, both service order activities have the same planned start date and time (that is, 9:01 a.m. on Monday). In this example the two parallel tasks have different estimated task duration, so each one has a different planned end date and time, and the system takes the later one plus one minute as the planned start date and time for the next task. At the end, the technician finishes the last service activity starting at 11:32 a.m. through 12:32 p.m. on Monday.

If the total amount of estimated hours needed for all service activities exceeds the guaranteed restore time, which causes the planned end date and time of any activity to be later than the guaranteed restore date and time, the system issues a warning and sets the planned start and end dates and time of these activities to the committed end date and time.

Situations in Which Automatic Calculation Is Unavailable

This list summarizes the conditions under which the committed start and end dates and times are not populated on a service order:

1. The service level is not available in the customer's entitlements.
2. The guaranteed restore and restore time is not available in the customer's or service entitlements.

Dates and times are not displayed at the service order activity level if any of the preceding conditions occurs.

	Example 1	Example 2	Example 3
Is the guaranteed response time available in entitlements?	Yes	Yes	No
Is the guaranteed restore time available in entitlements?	Yes	No	Yes
Is the service level available in entitlements?	No	Yes	Yes
Will the committed start date and time be calculated?	No	Yes	No
Will the committed end date and time be calculated?	No	No	Yes

	Example 1	Example 2	Example 3
Will the planned start date and time be displayed at the service order activity level?	No	Yes	Yes
Will the planned end date and time be displayed at the service order activity level?	No	Yes	Yes

Note. Dates and times are not automatically calculated or populated if the service level is not available in customer's entitlements.

Notifications

Based on the planned start and end dates and times for the service order, the escalation process sends out notifications for the service order if it is not completed by the planned end date and time. In the previous example on staggered service order activities, the service order is scheduled to finish by 12:32 p.m. on Monday, July 2. If this requirement is not fulfilled on time, the system uses the policies invoked by the active analytics framework system to send out a notification for the service order indicating a missed commitment.

Note. If you add a new service order activity to a service order, the system automatically populates the activities planned start and end dates and times. If you delete a service order activity, the date and time values for existing service order activities are not recalculated.

How Auto Calculation is Used to Reset Dates for Activities

On the Service Order - Activities page you can use the Activity Actions group box to change the planned start and end dates as well as times for all activities that are associated with the service.

In this situation the system uses the autocalculation functionality to reset the planned dates and times appropriately for each activity. If no service level can be determined for the service order, then the default service level for the business unit is used by the autocalculation function to reset the planned dates and times.

The same is true for the new end dates, except the autocalculation function schedules the activities backwards based on the new end date and time.

Calculating Dates and Times for Preventive Maintenance Service Orders

For service orders that are created through preventive maintenance, their committed start dates and times are processed by the automatic calculation functionality. As a preventive maintenance service order is generated, the service order start date and a default time of 12:00 a.m. are passed into the automatic calculation feature. Automatic calculation uses these two pieces of information, along with the associated service level, to calculate the committed start date and time of the service order. Should the service order start date fall outside the period in the service level, the system adjusts the committed start date and time to the next available day and time that is covered by the service level. For instance, if the start date of the service order is July 22, Monday, and the associated service level is 8 a.m. to 5 p.m., Monday through Friday, the calculated committed start date and time becomes July 22, Monday at 8 a.m.

Similar to regular service orders, the calculation of committed end date and time for preventive maintenance service orders are based on the committed start date and time, guaranteed restore time and service level.

Setting Up the Automatic Calculation of Dates and Times for Service Orders

To set up automatic calculation of dates and times for service orders:

- Activate the automatic calculation functionality in the system.

Make sure the Calculate Date/Time check box is selected at the business unit level for all business units in which the functionality will be used.

- Define service entitlements.

Service entitlements are used in the automatic calculation process when agreement or warranty entitlements are not available. You can define service entitlements for on-demand services only; the Select Entitlement link is inaccessible if the On Demand check box for the service is cleared.

See Also

[Chapter 5, “Setting Up Services,” Defining Service Entitlements, page 38](#)

[Chapter 3, “Defining Business Units in PeopleSoft Integrated FieldService,” Defining FieldService Business Units, page 16](#)

Setting Up Automatic Service Order Assignments

This section provides an overview of automatic service order assignments and discusses how to enable automatic service order assignment.

Understanding Automatic Service Order Assignments

In PeopleSoft Integrated FieldService, each service order activity is associated with at least one provider group and at least one technician, who goes out to the customer’s site and performs service requests. When you create a service order and select a service or agreement on the page, the system automatically populates the service order with the provider group and technician that are defined for the associated service or agreement (values from the agreement take precedence).

But because these values are optional for services and agreements, the provider group and group member will not be prepopulated on the service order if they are not specified in the selected service or agreement. Alternatively, you can perform the assignment either by selecting the provider group and technician from the prompt lists, or as a more effective solution, by clicking the Suggest a Provider Group and Suggest Group Member buttons and letting the assignment engine determine the best recommendations for the tasks. These are, however, manual processes in which you need to click the buttons on the service order. Otherwise no provider group or technician assignment is made when you save the page.

The system enables you to turn service order assignment into an automated process. By activating the automatic service order assignment feature at the business unit level, the system performs automatic provider group and technician assignments whenever a new service order is saved.

Note. Regardless of how assignments for the provider group and technician are made, you can modify the values in the Technician Assignment group box on the Activities page as long as the corresponding overall service order or service order activity status remains open.

How Does Automatic Assignment Work

Automatic assignment utilizes the same assignment engine that is used by the Suggest a Provider Group and Suggest Group Member buttons. When a service order is saved, the assignment engine identifies the best suited provider group and group member for the service order and populates the values in the Provider Group Name and Technician Name fields in the Technician Assignment group box for each activity.

Automatic assignment is only available when the provider group name and technician name are left blank when the page is saved. In other words, automatic assignment will not be done for activities in which a provider group or technician already exist. For example, you may choose to assign the values manually in the service order, or the values were populated from the associated agreement or service. These values will not be altered by the automatic assignment functionality when you save the service order.

Note. Auto assignment only assigns the activities on the service order. The activity actions available at the header level on the Service Order - Activities page are only used if you want to apply status changes, planned date actions, and technician assignments to all lines. It has nothing to do with auto assignment.

Whether a technician assignment can be made successfully depends on several factors, such as the availability of technicians, the presence of an assigned provider group, and so on. The assignment engine observes these rules when it automatically assigns service orders:

- No provider group is automatically assigned if the assignment engine returns no matches for provider group.
- No group member (technician) is automatically assigned, if there is no assigned provider group at the same level.

In the case when an assigned provider group is available, there is still no technician assignment if the assignment engine returns no matches for technician.

Note. If the Candidate must be available check box is selected at the business unit level, the assignment engine considers only provider groups and group members that are available during the time the service is performed. Assignments are also based on work schedule. No automatic assignment is made if this check box is selected and no provider group or technician is available. In this case you must use the technician's calendar to determine availability.

- You can assign a technician to a service order regardless of the committed start and end dates.

The service order, however, is only written to the technician's calendar when planned start and end times are specified. Also, if you configured the system to search for assignment candidates based on availability, the planned start and end dates and times must be specified to determine the availability of the provider groups and group members.

- For any service activity that requires multiple technicians, the same number of technicians with the highest fit scores in the search results are selected and assigned to the corresponding activity.

However, if the service activity requires only one technician and more than one candidate is qualified for the assignment, the one with the best fit score is assigned to the activity. Also, if there are not enough qualified technicians, the service order activity is saved with fewer technicians than are required. If the number of technicians for the line's specific activity is zero, then no automatic assignment is made for that line.

After a technician has been automatically assigned to a service order activity, the system changes its status to *Assigned*.

See Also

PeopleSoft Enterprise CRM 8.9 Application Fundamentals PeopleBook, "Setting Up and Performing Assignment Searches," Understanding Assignment Searches

Enabling Automatic Service Order Assignment

To enable the automatic assignment of provider groups and group members on service orders:

- Activate the automatic assignment feature in the system.

Make sure the Automatic Assignment at save check box is selected at the business unit level for all business units in which the functionality will be used.

- (Optional) Decide whether candidates need to be available for the task when the assignment engine suggests eligible candidates to assign to a service order.

Select the Candidate must be available check box if you want the assignment engine to consider only provider groups and technicians that are available at the time requested on the service order.

See Also

Chapter 3, “Defining Business Units in PeopleSoft Integrated FieldService,” Defining FieldService Business Units, page 16

PeopleSoft Enterprise CRM 8.9 Application Fundamentals PeopleBook, “Defining Holiday Schedules,” Understanding Holiday Schedules

PeopleSoft Enterprise CRM 8.9 Application Fundamentals PeopleBook, “Using Calendars,” Understanding Calendars

Setting Up Service Order Assignment Notifications

This section provides an overview of service order assignment notifications and discusses how to set up assignment notifications.

Note. In addition to PeopleCode, PeopleSoft Integrated FieldService leverages Active Analytics Framework (AAF) to trigger workflow actions and send notifications. Use AAF to set up workflow processing, which includes setup contexts, terms, and policies. When the conditions that are defined in policies become true, associated workflow actions are triggered automatically and corresponding notifications are sent to assigned recipients.

Understanding Service Order Assignment Notifications

You can enable workflow policies for service order assignment to notify affected provider groups and group members when a service order is assigned and when the service order assignment is changed. Notifications to the provider group and the assigned group member are triggered when you make a new assignment, when you reassign a previously assigned service order activity, and when you delete an assignment. If you select the Use Members to Broadcast check box on the Provider Group page, assignment notifications are also sent to all members of the provider group, which means that the assigned group members receive two notifications for each trigger event.

When a service assignment is accepted or rejected or when a service order activity is canceled, assignment workflow policies also send notification messages to the person who created the service order; that is, the person whose user ID is listed in the Entered By field on the service order.

You can publish notifications as worklist entries, emails, or both, depending on the user profile of the person receiving the notification and other system settings. Email notifications provide a link to the service order where the notification trigger event occurred.

As delivered, the system offers these workflow policies for service order assignment notifications. All the policies are triggered by saving the service order after an assignment is made or after the status changed. Notifications are triggered for each service order activity line that is affected.

Service Order Assignment Workflow

This workflow policy sends a message to the affected provider groups and group members when the service order is assigned for the first time.

Service Order Assignment Change Workflow

This workflow policy sends a message to the affected provider groups and group members when a service order activity assignment is changed from one technician to another.

Service Order Activity Cancellation Workflow

This workflow policy sends an email message and worklist entry to the assigned provider groups and group members on a service order activity when the line's status is changed to *Canceled*.

Service Order Assignment Accepted Workflow

This workflow policy sends an email and worklist entry to the creator of the service order when any service order activity status values are changed to *Accepted*.

Service Order Assignment Rejection Workflow

This workflow policy sends an email and worklist entry to the creator of the service order when any service order activity status values are changed to *Rejected*.

See Also

PeopleSoft Enterprise CRM 8.9 Application Fundamentals PeopleBook, “Setting Up and Maintaining Provider Groups and Group Members”

PeopleSoft Enterprise CRM 8.9 Automation and Configuration Tools PeopleBook, “Setting Up PeopleSoft CRM Workflow”

Setting Up Assignment Notifications

To set up notification workflow for service order assignment:

1. Associate worklist groups with each provider group.

When you make or modify a service order activity assignment, you can create a worklist entry for the worklist group that is established for the provider groups that were affected by the assignment or assignment change. Define worklist groups on the Worklist Groups page and then associate them with a provider group on the Provider Group page.

2. Define an email address for the provider group.

The system can also send assignment notifications to an email address representing the provider group. Enter an appropriate email address for the provider group in the Email Address field on the Provider Group page.

3. Specify whether to send assignment notifications to each member of the provider group.

You can send assignment notifications to each member of the provider group. Select the Use Members to Broadcast check box on the Provider Group page. Each member of the provider group will receive a notification when an assignment or an assignment change affects the provider group. The notification is published as a worklist entry, an email, or both, depending on the routing preferences for the group member on the Workflow page of the User Profiles component.

4. Define valid email addresses for the people who receive email notifications.

Define primary email addresses for provider group members and service order creators.

Note. Workers' person IDs are associated with user IDs on the User Profile page under Workforce, Worker or on the ID page under PeopleTools, Security, User Profiles. For workflow notifications to function properly, each person in the system should be linked to only one user ID.

See Also

PeopleSoft Enterprise CRM 8.9 Automation and Configuration Tools PeopleBook, "Understanding Correspondence"

PeopleSoft Enterprise CRM 8.9 Automation and Configuration Tools PeopleBook, "Understanding Correspondence," Automated Communications

PeopleSoft Enterprise CRM 8.9 Business Object Management PeopleBook, "Defining Workers"

PeopleSoft Enterprise CRM 8.9 Application Fundamentals PeopleBook, "Setting Up and Maintaining Provider Groups and Group Members"

PeopleSoft Enterprise PeopleTools 8.45 PeopleBook: PeopleTools Security

Setting Up Service Order Escalation Notifications

This section provides an overview of service order escalation notifications and discusses how to set up escalation notifications.

Understanding Service Order Escalation Notifications

Workflow rules for service order escalations notify the creator of the service order (the person whose user ID is listed in the Entered By field on the service order) when the service order has not been processed within a set period. Escalation messages are triggered when a specific condition is not met at a system-defined point in the time period that is defined by the service order creation date and the committed start or end time on the service order.

As delivered, the system offers these workflow rules for service order escalation notifications. These rules are triggered automatically if the described conditions are met.

See *PeopleSoft Enterprise CRM 8.9 Automation and Configuration Tools PeopleBook*, "Delivered Active Analytics Framework System Data for PeopleSoft CRM Applications".

Service Order Not Started Workflow

The system schedules a process to check the service order timelog at two time points equal to 100 percent and 120 percent of the required processing period, defined by the service order creation date and the customer preferred dates, if they are available, or the committed dates on the service order. If there is no timelog entry, the system sends a message to the service order creator.

Note. There is no rescheduling functionality available in AAF.

Service Order Not Assigned Workflow

The system schedules a process to check the service order assignment at three time points equal to 20 percent, 50 percent, and 100 percent of the required processing period, defined by the service order creation date and the customer preferred dates, if they are available, or the committed dates on the service order. If no technician is assigned to the line, the system sends a message to the service order creator.

Service Order Not Completed Workflow

The system schedules a process to check the service order activity status at two time points equal to 80 percent and 100 percent of the required processing period, defined by the service order creation date and the customer preferred dates, if they are available, or the committed dates on the service order. If the service order status is not set to *Completed*, *Closed*, or *Canceled* at either point, the system sends a message to the service order creator.

Service Order Response Time Exceeded Workflow

When the service order status is set to closed, the system compares the earliest date and time in the time log with the customer preferred if exists, else committed. If the earliest date and time found in the timelog is later than the committed (or customer preferred) start date and time, the system sends a message to the service order creator.

Service Order Restore Time Exceeded Workflow

This rule is identical to the Service Order Response Time Exceeded workflow definition, except that it uses the latest date and time in the timelog.

See Also

PeopleSoft Enterprise CRM 8.9 Automation and Configuration Tools PeopleBook,
“Setting Up PeopleSoft CRM Workflow”

PeopleSoft Enterprise CRM 8.9 Automation and Configuration Tools PeopleBook,
“Setting Up Business Projects”

Setting Up Escalation Notifications

To set up service order escalation workflow:

1. Activate the AAF Policy
(Select Setup CRM, Common Definitions, Workflow, Actions, Rule.)
2. Define notification routing preferences for the people who enter service orders.

On the Workflow page under PeopleTools, Security, User Profiles, indicate whether the person is a worklist user, an email user, or both. If you select both the Worklist User and Email User check boxes, two notices, an email and a worklist entry, are sent each time a workflow process is triggered for that person.

3. Define valid email addresses for the people who receive email notifications.

Note. Worker’s person IDs are associated with user IDs on the User Profile page under Workforce, Worker or on the ID page under PeopleTools, Security, User Profiles. For workflow notifications to function properly, each person in the system should be linked to only one user ID.

See Also

PeopleSoft Enterprise CRM 8.9 Automation and Configuration Tools PeopleBook, “Correspondence Management”

PeopleSoft Enterprise CRM 8.9 Business Object Management PeopleBook, “Defining Workers”

PeopleSoft Enterprise CRM 8.9 Application Fundamentals PeopleBook, “Working with Contacts”

PeopleSoft Enterprise PeopleTools 8.45 PeopleBook: PeopleSoft Security

Managing Service Orders

This section provides an overview of when service order fields cannot be modified, lists common elements, and discusses how to:

- Enter or modify service orders.
- Enter information related to specific activity lines.
- View required materials.
- Use solutions to resolve problems.
- Track time, material, and expenses associated with a service order.
- Add notes and attachments.
- Record billing information.
- View interaction history.
- Insert related objects.

Understanding When Service Order Fields Cannot Be Modified

Your ability to edit fields on the service order header depends on whether the service order has been saved, how you access the Service Order component, and whether the service order is covered by an agreement or warranty. This table lists the conditions that prevent changes to specific fields on the service order:

Condition	Service Order Fields That Cannot be Updated
You save a service order.	Customer, Service ID, and Case ID.
You select an agreement in a service order.	Site Name, SIN (site identification number), Product ID, and Serial Number.
You select a warranty in a service order.	Product ID and Serial Number.
You create a service order from a case.	Product ID, Site Name, Serial Number, and Case ID. Note. The Product ID and Serial Number fields are not editable if values are passed into them from the case.

Common Elements Used in This Section

Committed Start Date, Committed Start Time, Committed End Date and Committed End Time

Committed dates are generated by entitlements. Committed dates are never available for update. They are read only.

If the automatic service order date and time calculation feature is enabled for the business unit, the committed date and time fields are calculated and populated automatically in the Dates and Times of Service group box on the Service Order page, and the planned dates and times are populated at the activity line level on the Activity page.

For service orders that have multiple activity lines, these values stagger at the activity line level based on the estimated duration of the associated service activities. Parallel tasks (activities with the same step number) have identical planned start dates and times; they have different planned end dates and times if their task durations are different.

The system uses this date and time information to trigger workflow processes that enable you to monitor and escalate service orders for which work has not begun on time and to manage service orders for which the customer's guaranteed response time has been exceeded.

Note. The system initiates workflow processes based on the dates on the service order header (committed and preferred) versus the activity level. Planned start and end dates and times are used to populate the assigned technician's availability calendar. You may assign a technician manually but the system doesn't write the information to the calendar until a user enters the dates.

Customer Preferred Start Date, Customer Preferred Start Time, Customer Preferred End Date and Customer Preferred End Time

Enter the dates and times when the work on the service order needs to begin and finish, based on the customer's request. Customer preferred dates are never automatically populated. They are always entered and are only available for update on the Service Order page, not the My Service Order page.

Planned Start Date, Planned Start Time, Planned End Date and Planned End Time

Planned dates and times are populated at the activity line level on the Activity page if the automatic service order date and time calculation feature is enabled for the business unit.

Pages Used to Enter and Update Service Orders

Page Name	Object Name	Navigation	Usage
Service Order	RF_SERVICE_ORDER	<ul style="list-style-type: none"> FieldService, Create a Service Order FieldService, Search Service Orders To add a service order to a PeopleSoft Support case, access the Related Actions page of the PeopleSoft Support Case component. Select an action of Create Service Order, and click the Go button. You may need to select a service and possibly reselect an agreement before clicking Go. When a service order is related to a PeopleSoft Support case, click the Details link for the service order on the Related Actions page. 	Create or review service orders.
Activities	RF_SO_ACTIVITY	FieldService, Create a Service Order, Activities	Enter detailed information about a service order activity.
Required Material	RF_MAT_REQUIRED	FieldService, Create a Service Order, Required Material	Lists all items and their quantities needed for the service. You can also view item availability and balances. You can't view this page, however, until the service order is saved
Solutions	RF_SO_SOLN	FieldService, Create a Service Order, Solutions	Locate information to troubleshoot problems.
Time Material Expense	RF_SO_TIME_MAT_EXP	FieldService, Create a Service Order, Time Material Expense	Record time, material and expense information. Note. You cannot log time, material and expense entries against a service order until the service order has been saved and assigned.
Notes	RF_SO_NOTE2	FieldService, Create a Service Order, Notes	Add notes and attachments to the service order.

Page Name	Object Name	Navigation	Usage
Billing	RF_SO_BILL_DET	FieldService, Create a Service Order, Billing	Record, update, or view a customer's billing information for a service order. When the status of the service order at the header level is set to <i>Closed</i> , the information on this page is display-only.
Interaction History	RF_INTERACT_HIST	FieldService, Create a Service Order, Interaction History	View interactions associated with the service order.
Related Objects	RF_ASSOCIATION	FieldService, Create a Service Order, Related Objects	Add business object and branch scripts to the service order.

Entering or Modifying Service Orders

Access the Service Order page.

Service Order

05/04/2004 4:22:15PM PDT My Time Zone

Save

Add

360 360-Degree View

Notification

Correspondence

Email

Hierarchy

>>

Personalize

Service Order ID

SVC0030023

Unit

APP01

Customer

Shoreview Medical

Customer Value

Platinum☆☆☆☆

Contact

Jack Pepper

Status

Open

Priority

Normal

Service Order

Activities

Required Material

Solutions

Time Material Expense

Notes

Customer Information

Customer

Shoreview Medical

Contact

Jack Pepper

Phone

001-555/441-3310

Alternate Phone

Site Name

Santa Clara HQ

Address

2455 Augustine Drive, Santa Clara

View Address

Service Order page (1 of 2)

Service Details

Problem

***Service ID** APP0000009

***Status** Open

Product ID SR1018

Serial Number SR1018-8862

Service Repair Freezer

***Priority** Normal

Product 7.2 cu. Ft. Lab Freezer

Case ID

Agreement COM-AGR-001

☒ **Billable**

▼ **Entitlements**

Description	Entitlement Minutes	Service Level	Coverage Type	Percent Covered	Coverage Length	Coverage Unit	Uplift or Discount
One hour guaranteed response	60						15
Eight hour guaranteed restore	480						10
100% of Expenses covered			Expenses	100	1 YR		
100% of Labor costs covered			Time	100	1 YR		
75% of Material costs covered			Material	75	1 YR		
Premium Service Level		Premium					10

Dates and Times of Service

Type	Start Date	Start Time	End Date	End Time
Committed	03/22/2004	3:53PM	03/22/2004	10:53PM
Customer Preferred	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Service Order page (2 of 2)

Access the toolbar and view the service order header information at the top of the Service Order page. When you create a service order, all sections on the Service Order page are expanded.

Customer Information

These fields provide header-level information for the service order. If you create a service order from the PeopleSoft Support Case component, the system automatically populates these fields by using the data that is entered for the case.

Customer and Contact

Click the Search button to access the Search for Sold To Customer page, where you can search for an existing company or consumer record in the system, or create a company, company with contact, consumer, or consumer with contact by using the Quick Create feature.

You can also enter the name of the company or consumer requesting service and then click the Search button. On the search page you can select both the name of the customer and a contact. The same is true for the address.

Click the Customer link to access the record of the selected company or consumer.

Anonymous Caller

Select to use an anonymous user as the customer for the service order. The system populates the Customer field with the value that the administrator has specified for an anonymous user and you cannot edit the Customer field until you clear this check box. No change regarding the use of an anonymous user is allowed after the service order is saved.

This check box is invisible on the Service Order page if you clear the Allow Anonymous User check box on the service order configuration template that is used by this business unit.

First Name and Last Name	<p>Enter the name of the person who placed the service request. If you enter the name of a contact first and click the Search button, the system automatically populates the customer, site name, and address information.</p> <p>Click the directory Search button to access the Search for Sold To Customers page, where you can search for an existing contact record in the system, or create a company's contact or consumer's contact by using the Quick Create feature.</p>
Phone	Enter the phone number of the contact.
Postal	Enter the postal code of the consumer or customer.
Alternate Phone	Enter an alternate phone number of the consumer or customer. This field is for information only and is only saved with the transaction, not in the customer's record.
Site Name	Enter the site where the requested service will be performed. Multiple sites can be associated with each customer. To add a new site for a customer, click the Transfer to Site button to access the Site component.
Address	<p>If you select a customer that is associated with a primary ship-to address (specified in the Customer record), the system automatically populates this field with that address when you select the customer. Later, if you select a site and this site is also associated with a primary ship-to address (specified in the Site record), the system populates this field with that address and overwrites any current address.</p> <p>If there is no primary ship-to address associated with the customer or site that you select, the system uses the customer address.</p>
View Address	Click this link to access the Address Information page, where you can view the address where the requested service will be performed.
SIN	<p>Enter the site identification number that is associated with the selected site. You assign a SIN to a valid site through the Agreement component.</p> <p>This field is not shown on the Service Order page if you clear the Show SIN check box on the service order configuration template that is used by this business unit.</p>
Incident Address	
Enter information about the location of the incident. The section is not displayed if you clear the Allow Incident Address check box on the service order configuration template that is used by this business unit.	
Edit Address	Click the link to access the Incident Address page and specify the location of the incident if it is different from the customer address. You can enter either a street address or the intersection for the incident. Click the Create Using Entered Address button on the Incident Address page to populate the address on the section.
Additional Detail	Enter additional information about the location by using free-form text.

Service Details

Problem

Use this free-form field to enter any additional information about the service or problem. If the service order is created from a case, the system enters the problem from the case. This field is positioned before the service information because you may need to record additional information before the service can be determined.

Service ID

Select the requested service. Services must first be established in the system by using the Service component. The system automatically creates service order activities that have been defined on the service template.

You can modify the service order activities and add additional lines for other service activities.

Product ID

Enter the product ID that requires service. Before you can specify a product ID, the product must be established in the system.

If you enter a product ID that is associated with more than one installed product, the system displays the Installed Product List page, where you can select the applicable installed product.

The Product ID field and its associated prompt and transfer buttons are invisible on the Service Order page if the Hide All Product Information product display option is selected on the service order configuration template that is used by this business unit.

Serial Number

Enter the serial number of the product that requires service. If you enter a serial number of an installed product that does not have a status of *Uninstalled*, the system automatically populates the service order with the information from that installed product, including the customer, product ID and site name, if they do not already exist in the service order.

To add a new installed product, click the Transfer to Installed Product button to access the Installed Product and Service page.

The Serial Number field and its associated prompt and transfer buttons are invisible on the Service Order page if either the Hide All Product Information or the Prompt for Product Master, Hide Install Product Information product display option is selected on the service order configuration template that is used by this business unit.

Priority

Select the current priority that is associated with the service order: *Low*, *Normal*, *High*, or *Urgent*. You can also design notification processes based on these priorities by using the workflow features in PeopleTools. By default, new service orders have a normal priority, and new service order activities reflect the priority of the service order header.

Note. You can configure the dispatch board to display service orders and use AAF to initiate workflow processes based on priority.

Installed

Indicates that the selected product is also an installed product. This check box is visible on the Service Order page only if you select the Prompt for Product Master, Show Installed Product Information product display option on the service order configuration template that is used by this business unit.

Case ID

Enter the ID of a support case that you want to associate with the service order.

When you create a service order and associate it with a case, the PeopleSoft CRM system records the service order creation on the Related Actions page of that case. If you create a service order from the Related Actions page of the case, this field is automatically populated with the associated case number.

Note. If you select a case ID in the service order in which a customer is not yet selected, the lookup prompt displays all cases where their call center business unit is identical to the service order's business unit. If a customer is selected in the service order, the case lookup prompt displays all cases (for that customer) where the Customers record group of their call center business unit is associated with the same setID as the Customers record group of the field service business unit. For example, business units US200 and US300 use the same set of customers that are defined for the CRM01 setID. If you create a service order under US200 and select *ABC Inc* as the customer, clicking the case lookup displays all cases under US200 and US300 that are opened for ABC Inc. Access the Record Group page to view the tableset control settings of business units.

See *PeopleSoft Enterprise CRM 8.9 Application Fundamentals PeopleBook*, "Working with Business Units and TableSet Controls," Defining Business Units and TableSet Controls.

Billable

The system automatically selects this check. You can clear it, however, if you don't do billing. This check box controls the pricing of the service fee.

Neither the Billable check box nor the Billing tab are displayed on the Service Order page if you clear the Show Billing Information check box on the service order configuration template that is used by the business unit.

Select Agreement or Warranty

Click to perform an entitlement search for the new service order. The system uses the information in the Customer Information group box to perform the search. If there is only one agreement or warranty found on the search, it's automatically populates the Entitlements section on the page.

If more than one agreement line or warranty matches the search criteria, the Entitlement Match page appears, enabling you to select the applicable agreement line or warranty.

When you click OK on the Entitlement Match page, the system populates the name of the selected agreement or warranty and its entitlement items in the Entitlements group box. In addition, the system populates the service order with the service from the agreement line and the committed start and end dates and times; when the automatic service order date and time calculation feature is enabled at the business unit level and the entitlements that are needed for the calculation are available. The system also populates the planned dates and times of the activities if autocalculation is turned on.

Once you save the service order, you cannot select another set of entitlements for the service order. You can, however, navigate to the actual agreement or warranty or view the entitlements right from the Service Order page.

For entitlement searches that are performed from the service order, the system considers only agreements with a scope of site.

Note. When creating a service order from a case, the agreement or warranty on the case is also the agreement or warranty specified on the newly created service order. The agreement from the case may, however, not be applicable to the service being performed.

From the Related Actions drop-down list box on the Case page, select *Service Order* to access the Create Service Order page and then select the appropriate agreement or warranty.

Entitlements

This section lists entitlements that are associated with the selected agreement, warranty, or service and their details as defined on the Entitlements page.

This information is not displayed if you clear the Show Agreement Information check box on the service order configuration template that is used by this business unit.

Note. If entitlements are tied to the service, they are still displayed regardless of the configuration template

Dates and Times of Service

There are two sets of dates and times that apply to the entire service order.

They are the committed dates and times and the customer-preferred dates and times. The committed times are based on the service level for the entitlements that are defined for the agreement or warranty or service.

The customer-preferred dates and times are not required and are not autopopulated. You may change these values if the customer wants to specify a date and time that are different from the committed date and time.

Note. The only entitlement defined at the business unit level is service level which doesn't generate the committed dates and times. These values are display-only.

Start Date, Start Time, End Date and End Time

If the customer prefers dates and times for the service that are different from the committed dates and times, enter them in the Start Date, Start Time, End Date, and End Time fields. The committed dates are display only and are based on the contractual agreement you have with the customer.

Note. The system uses the committed dates and times to calculate a set of planned dates and times for the activities that are related to the service. The system automatically calculates dates and times for activities from the committed dates and times, not the customer preferred dates. You can change the planned dates on the Activities page using the date and time fields within the Activities Actions group box on the Activities page.

If customer-preferred dates and times exist, the system does not send workflow if the committed dates and times are not met.

Approval Information

The system displays this information conditionally based on the service order configuration.

Approval Required

Select to indicate that a service order must be manually approved before any of the service order activities can be approved. The default value for this setting is specified when the service is defined in the Service

component. If the definition requires approval, approval status must be manually set to *Approved* on the service order.

Approval Status

Select the current approval status of the service order. If the Approval Required check box is selected, you must manually change the value from *Pending* to *Approved*. When the approval status is changed to *Approved*, the field cannot be modified.

Note. If the service order requires approval, the status of the service order header cannot be changed to *Completed* or *Closed* until the approval status is set to *Approved*.

Approved By and Approval Date

These fields are automatically populated based on who is logged in. They are view only fields.

See Also

Chapter 10, “Using the Dispatch Board,” page 137

Chapter 5, “Setting Up Services,” page 25

Chapter 8, “Ordering and Receiving Materials,” page 107

Chapter 7, “Creating and Managing Service Orders,” Tracking Time, Material, and Expenses Associated with a Service Order, page 99

Chapter 4, “Understanding Inventory Storage Locations for Technicians,” page 23

PeopleSoft Enterprise CRM 8.9 Product and Item Management PeopleBook, “Tracking Installed Products”

PeopleSoft Enterprise CRM 8.9 Product and Item Management PeopleBook, “Setting Up Products”

PeopleSoft Enterprise CRM 8.9 Application Fundamentals PeopleBook, “Performing Entitlement Searches for Cases and Service Orders”

PeopleSoft Enterprise CRM 8.9 Application Fundamentals PeopleBook, “Setting Up and Performing Assignment Searches”

PeopleSoft Enterprise CRM 8.9 Application Fundamentals PeopleBook, “Setting Up and Maintaining Provider Groups and Group Members”

Entering Information Related to Specific Activity Lines

Access the Activities page.

Service Order 05/04/2004 4:23:32PM PDT My Time Zone

Save Add 360 360-Degree View Notification Correspondence Email Hierarchy >> Personalize

Service Order ID SVC0030023 **Unit** APP01
Customer Shoreview Medical **Customer Value** Platinum☆☆☆☆☆
Contact Jack Pepper **Status** Open
Priority Normal

Service Order **Activities** Required Material Solutions Time Material Expense Notes

Dates and Times of Service

Type	Start Date	Start Time	End Date	End Time
Committed	03/22/2004	3:53PM	03/22/2004	10:53PM
Customer Preferred	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

▼ **Activity Actions**

Change Status

Planned Date Actions

☒ No Change
☐ Use New Start
☐ Use New End
☐ Use Customer Preferred Start
☐ Use Customer Preferred End

Start Date **Start Time**
End Date **End Time**

Activities page (1 of 3)

Technician Assignment

Search Provider Groups   

Technician

Provider Group Name	Technician Name	Lead Technician
<input type="text"/>	<input type="text"/>	<input type="checkbox"/> 

Add Technician

Apply Changes

Activities page (2 of 3)

Activities

▼ Expand All ▶ Collapse All

Step	Activity	Status	Planned Start Date	Planned Start Time	Planned End Date	Planned End Time
10	Repair Thermostat	Assigned	03/22/2004	3:53PM	03/22/2004	4:23PM

Duration 30 min. **Billable** ☐ **Priority** ▼

Technician Assignment

Search Provider Groups Freezer/Refrigeration Service ? ? ?

Technician	Provider Group Name	Technician Name	Lead Technician
	Freezer/Refrigeration Service	Bill Kilmer	<input checked="" type="checkbox"/>

Required Technicians 1

Step	Activity	Status	Planned Start Date	Planned Start Time	Planned End Date	Planned End Time
20	Repair Compressor	Assigned	03/22/2004	4:24PM	03/22/2004	4:54PM

Activities page (3 of 3)

Dates and Times of Service

For reference purposes, the system displays the dates and times of service from the Service Order page. You can, however, enter new dates and times in the customer preferred fields to update the dates and times on the service order.

Activity Actions

This section is collapsed upon entry to the page. It is used to apply changes to all activities at once. If there is only one activity on the service order, then this section is not displayed.

When you add a new service order activity on the My Service Order page, the system actually assigns the new line automatically to the technician that is logged in.

Change Status

Select a value and then click the Apply Changes button to change the status for all activities.

Planned Date Actions

Use this section to update the dates and times on all activities. You may select only one of the five radio buttons. To specify a new planned start or end date and time, select either the Use New Start or Use New End option, enter the date and time, and then click the Apply Changes button.

The automatic calculation functionality resets the planned dates and times for the activity appropriately. If no service level can be determined for this service order, then the automatic calculation uses the default service level for the business unit to reset the planned dates and times. The same is true for the Use New End Date option, except that the automatic calculation schedules the activities backwards based on this end date and time.

If you entered a customer-preferred date and time, you may update the planned dates and times by selecting either the Use Customer Preferred Start Date option or the Use Customer Preferred End Date option and

clicking the Apply Changes button. The planned dates and times are calculated as described previously, except the customer-preferred start or end values are used instead of the new planned values.

Technician Assignment

Use this section to change the assignment on all activities. By first selecting a provider group, you can use the assignment engine to choose multiple technicians or a provider group. You can also click the Add Technician button to manually add a new technician. If you run the assignment engine after specifying technicians, the new technicians are appended to the list of previously specified technicians. Click the Apply Changes button to add the technician to all activities. If there are no provider groups or technicians listed in the grid, then no changes are made to the activity assignments.

Activities

This group box lists the step numbers, planned start dates and times, planned end dates and times, and statuses for each activity that is part of the service. You can also use this section to add assignments and reassign technicians.

The fields in this group box list the group members (and their corresponding provider group) that have been assigned to perform the work on the service order activity. You can assign multiple technicians to perform the work from the same or from different provider groups.

The system issues a warning if you assign technicians in this grid but the number of actual assigned technicians is less than the value suggested in the Number of Technicians field. You can assign more or less technicians to the service order activity than required.



Click the Expanded button to view additional information for the individual activity.

Approval Information

If you are using approvals, the technician assigned to the line needs to be able to see if the activity has been approved before starting the activity. Therefore, if the activity has not been approved, the activity line has a status of *Pending Approval* and the only fields that the technician can change are the planned start dates and times, end dates and times, and priority. This is only true, however, for the My Service Orders page.

Search Provider Group

Click the Search Provider Group button to locate a provider group for the activity. This field is used when clicking the suggest group member button



Click the Suggest a Provider Group button to select from a subset of provider groups on the Provider Group Summary page that is derived from information on the service order.



Click the Suggest Group Member button to select from a ranked listing of qualified, available technicians on the Candidate Summary page. You must select a provider group before you can generate a candidate list.

Provider Group Name

Enter the name of the provider group that will perform the requested service work. This field is initially populated with the default provider group that is defined in the selected agreement line (if available) or in the specified service.

Provider groups must first be established on the Provider Groups page. Click the Lookup button to access the Provider Groups component.

Technician Name

Enter the name of the provider group member (technician) who will perform the requested service work. This field is initially populated

with the default group member that is defined in the selected agreement line (if available) or in the specified service.

Group members must first be defined on the Provider Groups or Provider Group Members page. Click the Lookup button to access the Provider Group Members component.

Lead Technician

Select to indicate that the group member in the Technician Name field of the row is the technician who is responsible for the service order activity. By default, the first technician associated with the line is the lead technician.

Note. The system requires you to have one lead technician. You cannot have more than one lead technician for an individual activity.

Add Technician

Click to add a new technician to the activity.

Viewing Required Materials

Access the Required Material page.

Service Order 05/04/2004 4:41:13PM PDT My Time Zone

Save | Search | Add | Next | Previous | 360 360-Degree View | Notification | Personalize

Service Order ID SVC0030023 **Unit** APP01
Customer Shoreview Medical **Customer Value** Platinum☆☆☆☆
Contact Jack Pepper **Status** Open
Priority Normal

Service Order / Activities / **Required Material** / Solutions / Time Material Expense / Notes

Materials Needed for Service

No Materials Required for Service.

Material Needed for Service

Item ID	Description	Quantity Needed	Quantity in Truck	Check Availability	Quantity Ordered	Quantity Received	UOM
10020	Freezer Thermostat	1.0000	0.0000	Check Availability			EA
10022	Freezer, Compressor	1.0000	0.0000	Check Availability			EA

Required Material page

Based on the service definition for the service order, this page lists all the items and their quantities needed for the service.

Item ID

Displays the item that is required to perform the service activity. The system displays the description of the selected item next to this field. Items are established in the system tables by using the Item Definition page or the Item Master EIP.

Quantity Needed

Displays the quantity from the service definition. If no activities are defined for the service, then the item information comes from the Service Details component.

If activities are defined for the service, then the item information comes from the service activity.

If one item is needed for more than one activity, then the total quantity for all the activities is displayed.

Quantity in Truck	<p>Displays the quantity in the technician's good storage location. The quantity is from the good location of the lead technician on the service order.</p> <p>This information is stored in PeopleSoft Inventory. Therefore, if the integration to Inventory is disabled, then the information in this column is not displayed.</p> <p>If the integration is enabled, the system populates the quantity in this column through an EIP with Inventory.</p>
Check Availability	<p>Click this link to access the Service Order - Item Information page and navigate to the item. From this page, you can transfer to the Item Definition or Item Substitutes page. Or, you can view item availability and balances. Item availability and balances information comes from PeopleSoft Inventory. Item definition and substitutes information is contained within the PeopleSoft CRM database. The system does not need to get information from PeopleSoft Supply Chain Management.</p>
Quantity Ordered	<p>Displays any previously ordered quantity for the item on this service order. If the item is on more than one activity, the system displays the sum of all the ordered quantities for the item.</p>
Quantity Received	<p>Displays any previously received quantity for the item on this service order. If the item is on more than one activity, then it is the sum of all the received quantities for the item.</p>
UOM (unit of measure)	<p>Displays the standard unit of measure for the item quantity.</p>

See Also

Chapter 8, "Ordering and Receiving Materials," Understanding Material Management Transactions, page 109

PeopleSoft Enterprise CRM 8.9 Product and Item Management PeopleBook, "Checking Item Balances and Availability"

Using Solutions to Resolve Problems

Access the Solutions page.

Service Order 05/04/2004 4:17:56PM PDT My Time Zone

Save Add 360 360-Degree View Notification Correspondence Email Hierarchy >> Personalize

Service Order ID SVC0030023 **Unit** APP01
Customer Shoreview Medical **Customer Value** Platinum☆☆☆☆
Contact Jack Pepper **Status** Open
Priority Normal

Service Order Activities Required Material **Solutions** Time Material Expense Notes

Solutions considered for this Service Order Customize Find View All First 1 of 1 Last

Select	ID	Description	Date Modified	Added By	*Status
<input checked="" type="checkbox"/>	301353	Clean ventilation system before checking compressor	05/04/2004 4:19:36PM PDT		Successful Resolu

Email View

Solutions

Suggested Solutions Search New Solution

Search Text

Search Advanced Search Search Tips Preferences Create New Solution

Solutions page

Use the Solutions page to search for and suggest solutions that are associated with the service order.

See Also

PeopleSoft Enterprise CRM 8.9 Services Foundation PeopleBook, “Solution Management”

Tracking Time, Material, and Expenses Associated with a Service Order

Access the Time Material Expense page.

Service Order 05/04/2004 4:13:17PM PDT My Time Zone

Save Add 360 360-Degree View Notification Correspondence Email Hierarchy Personalize

Service Order ID SVC0030023 **Unit** APP01
Customer Shoreview Medical **Customer Value** Platinum☆☆☆☆
Contact Jack Pepper **Status** Open
Priority Normal

Service Order Activities Required Material Solutions **Time Material Expense** Notes

Technician All Technicians

Time Customize Find First 1-3 of 3 Last

Summary Time Entry Comments

*Type	*Activity	*Technician	Billable	Duration
Activity	All Activities	Bill Kilmer	<input checked="" type="checkbox"/>	2 hours
	1 - Repair Thermostat	Bill Kilmer	<input type="checkbox"/>	0 min.
	2 - Repair Compressor	Bill Kilmer	<input type="checkbox"/>	0 min.
Total				2 hours

Add Time Copy Planned Times

Time Material Expense page (1 of 2)

Material Customize Find First 1 of 1 Last

Usage Details Receipt Details Failure Code Item Type Technician

Activity	Item ID	Description	Action	Quantity	Serial ID	Lot ID	Billable
1 - Repair Thermosta	10000	Refrigerator, Plastic Bins	Removed	1.000			<input checked="" type="checkbox"/>

Add Material

Technician All Technicians

Expense Customize Find First 1 of 1 Last

Summary Description

*Technician	Transaction Date	*Expense Type	*Amount	*Currency	Billable
Bill Kilmer	05/04/2004	Mileage	33.45	USD	<input checked="" type="checkbox"/>
Total			33.450	USD	

Add Expense

Time Material Expense page (1 of 2)

Use this page to record time, material, and expense information for the service order.

Note. You cannot log time, material, and expense entries against a service order until you save the service order and it has been assigned.

Technician

The system displays this field if more than one technician is assigned to the service order. The field contains all the names of the technicians who are assigned to this service order. If you select a technician, the system displays only the time entries for the activities that are assigned to that technician. To view everything, choose *All Technicians*.

Time

Enter date and time details for activities that were performed to fulfill the requirements of the service order.

Type

Use this field to categorizes the time that you are entering. Values may include:

Activity: Select to enter time that is spent on any one of the activities or on the entire service order.

Break: Select to enter the time the technician spent on break.

Travel: Select to enter the time it took the technician to travel to and from the site.

Wait: Select to enter the time spent waiting for the customer or other technicians; that is, no work was being performed.

Note. Time types are customer definable. The field values shown above are examples. To define your own time types, select Set Up CRM, Product Related, FieldService, Time Type. You can then override the billable flag at the business unit level. There is a billable setting for each of these time types on the FieldService Definition - Billing Options page. If the time type billable flag is not selected, then the prepaid quantity on the agreement is not decremented.

Activity Select the activity for which you want to record time. This field should contain all the activity names on this service order. If you are recording time for the entire service order, select *All Activities*. If there is only one activity and the activity name is blank, the system displays the name of the service. If you add a new activity to the service order, the system displays the new activity as well.

Technician Select the name of the technician for whom you are entering time.

Billable Select this check box if the time is billable to the customer.

Note. The system may automatically select this check box if the Billable check box is selected for the time type at the business unit level

Duration Displays the difference between the start and end of the time entry. The system displays a grand total at the bottom of the page.

Time Entry Tab Select this tab to enter the start date and time and the end date and time for the activity.

Comments Enter any comments about the time you are entering.

Copy Planned Times Click to copy the existing activities and their planned times into the time log. Use this feature to reduce data entry if the actual time is the same as the planned time. If there are any variations in the planned and actual times, you can update or delete the entries and add new entries.

Material

Record any material that is used or removed for the service order. If you selected auto-receiving during installation, the system records materials that are not used, so that the entire receipt quantity can be recorded.

Usage Details Use the fields on this tab to record information about the materials that were used for the activities on the service order. After you select the activity and item, use the Action field to indicate if the item was removed, used, or not used. You can also record quantity, the item's serial ID, lot ID and if the material usage is billable.

Receipt Details Tab Select this tab to view or enter the purchase order number, line number, interunit order ID, and interunit order line information for the item.

Failure Code Tab Select this tab to choose a failure code for any part or item that is not operational.

Note. Failure codes are not valid if you select *Used* as the action when you are recording material usage.

Item Type Tab Select this tab to view whether the item is serviceable, returnable, or consumable.

Technician Tab Select the name of the technician who performed the action. You can select any technician that is assigned to the service order.

Expense

Use the Expense group box to record expense information that is associated with performing the work for the service order

Summary Use this tab to enter expense information that was incurred by the technician, including the expense type, amount, and currency.

Note. Enter the total amount for mileage, not the amount per mile. Also, you must record expense information for the entire service order. You cannot record expense information for an individual activity.

Description Select this tab to enter a description and a comment for each expense item.

Adding Notes and Attachments

Access the Notes page.

To enter a note that is specific to a service order activity, select the corresponding activity from the Associated Activity drop-down list box.

See *PeopleSoft Enterprise CRM 8.9 Application Fundamentals PeopleBook*, “Working with Notes and Attachments”.

Recording Billing Information

Access the Billing page.

Service Order 05/04/2004 4:48:05PM PDT My Time Zone

Save Search Add Next Previous 360 360-Degree View Notification Personalize

Service Order ID SVC0030023 **Unit** APP01
Customer Shoreview Medical **Customer Value** Platinum☆☆☆☆
Contact Jack Pepper **Status** Open
Priority Normal

Activities Required Material Solutions Time Material Expense Notes **Billing**

Billing Information **Payment Information**

Bill To Customer Shoreview Medical
Bill To Contact
Bill To Address 2455 Augustine Drive, Santa Cla
Bill Currency USD US Dollar

Purchase Order
☒ **Invoice** ***Payment Terms**
☐ **Credit Card**
[Tax Parameters](#)

Billing page (1 of 2)

Billing Details

Expand All Collapse All

Fee	Price	+/-	Adjustment	Type	Reason	Extended Price
Service Fee	0.00	-	0.00	Amount	Other	0.00
Time	0.00	-	100.00	Amount	Missed Respon:	-100.00
Material	0.00	+	25.00	Amount	Other	25.00
Expense	0.00	+	150.00	Amount	Other	150.00
Subtotal Amount						75.00
Additional	0.00	-	10.00	Percent	Missed Restore	-7.50
Service Exchange Credit Amount						0.00
Total Amount						67.50

Recalculate Totals Clear Adjustments

Billing page (2 of 2)

This page serves multiple purposes. It enables a user with a manager role to view billing information, purchase order numbers, and credit card authorization information for the service that is performed at the customer site. It also enables users to view subtotals for all fees, apply adjustments, recalculate totals, and view the billable amount in the customer or field service business unit currency.

Billing Information

If you selected an agreement for the service order, the system populates this group box with information from the bill to customer on the associated agreement.

Bill to Customer	Select the customer that should be billed for the service.
Bill To Contact	Select the contact that should be billed for the service.
Bill To Address	Select the customer address to which the bill should be sent.
Bill Currency	Select the currency that the customer is using for the transaction.

The currency name appears to the right of the field. When the information is sent to PeopleSoft Contracts, the system prints the name of the currency on the invoice.


Payment Information

Purchase Order	Enter the customer-provided purchase order number. <div>Note. This field does not have any integration to PeopleSoft Supply Chain Management (PeopleSoft SCM) and is not required. If you enter a purchase order number in this field, the system posts it to PeopleSoft Contracts. When PeopleSoft Contracts sends the information to PeopleSoft Billing for invoice generation, the system prints the purchase order number on the invoice.</div>
Invoice	Select if the customer intends to pay for the service by invoice.
Payment Terms	If you selected the Invoice option, use this field to select the billing cycle for the invoice (for example, <i>NET30 - Due in 30 days</i>). The payment terms appear on the invoice that is sent to the customer.
Credit Card	Select if the customer intends to pay for the service by credit card. The system displays the Credit Card Information link after you select this option.
Credit Card Information	Click to access the Credit Card Details page, where you enter credit card authorization information, such as the card type, card number, expiration month, and year. The system displays the authorization status, date, and code on the Transactions Results page after you click the Submit Transaction button on the Credit Card Details page. <div>Note. You can integrate credit card information with Cybersource, a third-party taxware vendor.</div> <div>See <i>PeopleSoft Enterprise Components for CRM 8.9 PeopleBook</i>, “Setting Up the Credit Card Interface”</div>
Tax Parameters	Click this link to access the Tax Parameters page, where you indicate whether the customer is exempt from taxes. If the customer is tax exempt, enter the exemption certificate number and tax code that the customer supplies to you. <p>The system uses a default tax code based on the customer’s address, but you can override it by choosing another value.</p>

Billing Details

The system uses all billable fees for time, materials, and expenses that were entered on the Time Material Expense page. Managers can use this section to adjust the fees by increasing or decreasing a fee by a percent or by an amount.

The system does not calculate the new total price using with the adjustments until a user clicks the Recalculate Totals button. The system then calculates the sum of all lines, including those that have changed, and provides the recalculated amount in the Total Amount field.

 Click the Expanded button to the left of the Fee column to view all billable amounts that were included in the price for a given fee.

+/-	Select the plus sign (+) to indicate a positive adjustment to the price or the minus sign (-) to indicate a negative adjustment to the price.
Adjustment	Enter either a dollar amount or a percentage value.
Type	Select <i>Percent</i> or <i>Amount</i> .
Reason	Select the reason for the adjustment. These values are user-definable. The PeopleSoft system delivers this feature without any values.
Other	If the predefined values for the Reason field do not describe the reason for the adjustment, click this link to access the Other Reason page, where you can enter a unique description of the reason.
Extended Price	This value is calculated when you click the Recalculate Totals button. The system sums the total of the price, plus or minus any adjustments.
Recalculate Totals	Click this button any time there is a change to the Billing Details grid that impacts the price or the currency code. The system recalculates the total cost of the fees.
Clear Adjustments	Click this button to clear all adjustments that were made and return to the original total amounts.

Viewing Interaction History

Access the Interaction History page.

Service Order 05/04/2004 4:11:25PM PDT My Time Zone

Save Add 360 360-Degree View Notification Correspondence Email Hierarchy Personalize

Service Order ID SVC0030023 **Unit** APP01
Customer [Shoreview Medical](#) **Customer Value** Platinum☆☆☆☆
Contact [Jack Pepper](#) **Status** Open
Priority Normal

Required Material Solutions Time Material Expense Notes Billing **Interaction History**

Customize Find 1 of 1

Date/Time Created	Type	Channel	Contact Name	Subject/Description	Created By
05/04/2004 4:07PM	Outbound	Email	Jack Pepper	Service is Starting on Wednesday	

Interaction History page

This page displays the summary information of all interactions that have been created for the service order.

PeopleSoft Integrated FieldService supports ERMS (Email Response Management System), the framework that is used in PeopleSoft CRM to receive, classify, route, answer, and respond to a customer's emails in a timely and professional manner.

PeopleSoft Integrated FieldService customers can send service order status inquiries in the form of structured (web form) and unstructured (free-form) emails. Regardless of how these requests are answered, either through auto-response by the system for structured emails or manual response by customer service representatives for unstructured emails, the system creates interactions for inbound and outbound email messages that are received and delivered during the process on the 360-Degree View. These interactions are also listed on the Interaction History page.



Click the Go To Interaction Detail button to access the corresponding interaction, a correspondence (View Correspondence page), an outbound email (Outbound Email page), or an interaction (Interaction page).

See Also

PeopleSoft Enterprise CRM 8.9 Application Fundamentals PeopleBook, “Working with Interactions,” Viewing Interactions

Inserting Related Objects

Access the Related Objects page.

Service Order 05/04/2004 4:10:22PM PDT My Time Zone

Save Add 360 360-Degree View Notification Correspondence Email Hierarchy Personalize

Service Order ID SVC0030023 **Unit** APP01
Customer Shoreview Medical **Customer Value** Platinum☆☆☆☆
Contact Jack Pepper **Status** Open
Priority Normal

Solutions Time Material Expense Notes Billing Interaction History **Related Objects**

Related Objects

Related Action Summary Customize First 1 of 1 Last

Type	Problem Summary	Associated Date
Create Troubleshooting Guide	RF_Freezer Cooling Problems-Started-To determine the possible cause of freezer t	05/04/2004 4:08:56PM PDT

Relate New Object [Dropdown] Go

Save Add 360 360-Degree View Notification Correspondence Email Hierarchy Top of Page

Related Objects page

You can add multiple branch scripts, but only one business project, to a service order.

Related Action Summary

The system displays all objects that are associated with the service order in this grid.



Click the Details button to open the corresponding object.

Relate New Object

Select an object, *Business Project* or *Troubleshooting Guide Script*, to be associated with the service order.

If you added a branch script to a service, the system automatically populates the script for service orders that are created for that service.

Note. You can enter one business project per service order.

Go

Click to access the Use Troubleshooting Guide or Use Business Project page, where you select the business project or troubleshooting guide that you want to associate with the service order.

CHAPTER 8

Ordering and Receiving Materials

This chapter provides an overview of material management transactions and discusses how to:

- Set up the Order Materials component.
- Managing materials.
- Set up, view and record material usage from the service order.

Setting Up the Order Materials Component

This diagram illustrates the business process flow for ordering, receiving, and reporting usage of materials used for service orders when auto receiving is turned on. If autoreceiving is turned on, the receipts are derived from the non-used material reported within the Service Order component.



Business process flow for ordering, receiving and reporting material usage

Before you can use the Manage Material component, set up the PeopleSoft CRM system and your inventory and purchasing systems to support its functionality.

To implement the Order Materials component:

1. Define inventory and purchasing business units.

Define business units in the inventory system to represent field service trucks and distribution warehouses. Define the purchasing business units that will process requisitions for materials that are required to complete service orders.

Activate the Business Unit EIP to automatically insert business units that are defined in your inventory system and purchasing system in the BUSINESS_UNIT_FS table in PeopleSoft CRM. This enables you to reference the appropriate inventory business unit in PeopleSoft CRM for material management transactions.

2. Synchronize item data between PeopleSoft CRM and the purchasing and inventory systems.

Activate the Item Master EIP to populate item tables in PeopleSoft CRM with the master item data in your inventory and purchasing systems. Alternatively, you can manually enter item information in both PeopleSoft CRM and your inventory system.

3. Define truck storage locations in the inventory system.

In the inventory system, first define inventory business units with storage locations that represent good and defective storage locations on the field service trucks. In PeopleSoft CRM, use the Storage Locations page of the Worker component to associate one good truck stock location and one defective truck stock location with each member of your field service provider groups.

4. Define requisition processing defaults in your purchasing system.

In your third-party systems, define how requisitions that are initiated from the Order Materials page are processed. If your system integrates with PeopleSoft Purchasing, you must define your field service business units as a valid source of requisitions in PeopleSoft Supply Chain Management. By using the Requisition Loader Defaults component in PeopleSoft Supply Chain Management, you define each field service business unit as a loader business unit and establish processing defaults for requisitions that are staged by the field service business unit, including the purchasing business unit in PeopleSoft Purchasing that will process the requisitions.

When defining procurement options in PeopleSoft Supply Chain Management, use the Ship To Locations page to associate the field service business unit with an appropriate distribution network. You can configure sourcing processes in PeopleSoft Purchasing to check the available quantity in the distribution network before creating a purchase order with an external vendor. If quantity exists in one of the inventory business units in the defined distribution network, you can create an interunit transfer to fulfill the requisition. Inventory business units representing field service trucks should not be included in distribution networks.

5. Define requesters in PeopleSoft CRM and the purchasing system.

The requester ID represents a person or entity that initiates a requisition request. For requisitions that are initiated from the Order Materials page, the system populates the Requester field with the default requester ID defined on the User Preferences - Overall Preferences page. You can modify the requester ID. However, if your system integrates with PeopleSoft Purchasing, the requester ID that you select for the requisition in PeopleSoft CRM must be a valid user ID and requisition requester in PeopleSoft Purchasing.

6. Set receiving options for the field service business units.

When defining a field service business unit on the FieldService Definition page, you can determine whether the material orders that are initiated from the Order Materials page can be automatically received. With automatic receiving, technicians enter only usage information on the service order (the quantity used and the quantity not used) from which the system automatically derives and posts the appropriate receiving transactions. Neither option offers significant data-entry advantages, and the material management transactions produced in both automatic and manual receiving environments are identical.

7. Activate the EIP messages that are associated with material management transactions.

As appropriate for the specific material management transaction, activate these EIP messages in your PeopleSoft CRM, purchasing, and inventory systems:

- Business Unit EIP
- Item Balance EIP
- Get PO IUT EIP
- Purchase Order Requisition EIP
- Inventory Adjustment EIP
- Interunit Receiving EIP
- PO Receipt EIP

See Also

Chapter 12, “Integrating with PeopleSoft Applications,” page 157

Chapter 3, “Defining Business Units in PeopleSoft Integrated FieldService,” page 13

Chapter 4, “Understanding Inventory Storage Locations for Technicians,” page 23

PeopleSoft Enterprise CRM 8.9 Product and Item Management PeopleBook, “Defining Items”

PeopleSoft Application Fundamentals for Financials, Enterprise Service Automation and Supply Chain Management 8.8 PeopleBook

PeopleSoft Purchasing 8.8 PeopleBook

PeopleSoft Inventory 8.8 PeopleBook

Managing Materials

This section provides an overview on material management transactions discusses how to:

- Perform material order transactions.
- Modify ship to addresses.

Understanding Material Management Transactions

This section discusses:

- Item balances.
- Item availability.
- Material orders.
- Requisition status.
- Receipts of material.

Item Balances


Before ordering an item for a service order activity on the Order Materials page, you can check item balance information at two levels:

- Stock balances for the good truck stock storage locations that have been associated with each member of the provider group assigned to the service order line.
- The current quantity that is available and on-hand balances for the inventory business units that form the distribution network for your field service operations.

With this information, you can determine whether a material order is necessary and, if so, set expectations about when material will be received based on whether the required quantity is stocked in one of your distribution centers or must be ordered from an external vendor.

In PeopleSoft Customer Relationship Management (PeopleSoft CRM), group members are associated with storage locations in your inventory system that represent their good and defective truck stock. You make these associations on the Storage Locations page of the Worker component. The PeopleSoft CRM system uses the Item Balance enterprise integration point (EIP) to retrieve balance information for the good truck stock storage locations from PeopleSoft Inventory or your third-party inventory system. The balance information is displayed on the Item Balance by Group Members page in PeopleSoft CRM.

This diagram illustrates how the integration between PeopleSoft CRM and your inventory system supports storage location balance checking:




Integration that supports balance checking for truck storage locations

You can also check on-hand balances for the inventory business units included in the distribution network defined for your field service operations. The PeopleSoft CRM system uses the Item Balance EIP to retrieve the quantity that is available and on-hand balance information from the appropriate inventory business units defined in PeopleSoft Inventory or your third-party inventory system. The balance information is displayed on the Item Balance by Business Units page in PeopleSoft CRM.

Note. When integrating with PeopleSoft Purchasing and PeopleSoft Inventory, you define a distribution network of inventory business units for each business unit in PeopleSoft CRM that can request material for service orders or as replacements or exchanges for material returns.

This diagram illustrates how the integration between the PeopleSoft CRM system and your inventory and purchasing systems supports on-hand balance checking:



Integration that supports checking the quantity that is available and on hand

Item Availability

If your PeopleSoft CRM system is integrated with PeopleSoft Inventory and you are accessing system pages through the portal by using the single sign-on feature, you can access the Item/Product Availability component in PeopleSoft Inventory from the Order Materials page.

With the Item/Product Availability component, you can confirm the current quantity that is available for an item, check the cumulative available-to-promise (ATP) quantity for future dates, and view future supply and demand information for the item.

This information enables you to set expectations about the expected receipt date for items that are being ordered to complete work on a service order line or to replace material that a customer is returning. This functionality is especially useful for items that are currently out of stock or for which demand often exceeds supply.

Order Materials

When you click the Order and Receive Items button on the Order Materials page after ordering material, the PeopleSoft CRM system stages a requisition for the order quantity in PeopleSoft Purchasing or your third-party system by using the Purchase Order Requisition EIP.


If your implementation includes PeopleSoft Purchasing and PeopleSoft Inventory, sourcing processes in PeopleSoft Purchasing determine whether the order can be partially or completely fulfilled by an interunit transfer from the inventory business units in your distribution network or if a purchase order must be placed with an external vendor.

The appropriate interunit transfer orders and purchase orders are created in the applicable systems, fulfilled by the inventory business unit or vendor, and shipped to the address specified for the material line in PeopleSoft CRM.

Note. In PeopleSoft CRM, interunit transfers are stock transfers between inventory business units in the enterprise. One of the assumptions of the integration design that supports material orders for service order lines is that material is transferred from an inventory business unit to the inventory business unit in which the technician's good truck stock storage location is defined.

For this reason, we recommend that you define an inventory business unit to track only truck stock storage locations. To prevent stock in the truck storage locations from being used to fulfill other material requests, the inventory business unit for trucks should not be included in any distribution networks defined in PeopleSoft Purchasing.

This diagram illustrates how the integration between the PeopleSoft CRM system and your inventory and purchasing systems supports ordering the material that is required to complete work on a service order line:



Integration that supports ordering required material

Note. PeopleSoft Purchasing or your third-party purchasing system handles processing of the requisitions that are staged by the Purchase Order Requisition EIP. In your purchasing system, you must set processing defaults for the staged requisitions and perform any required actions to complete the ordering process.

Requisition Status

In implementations that include PeopleSoft Purchasing on the portal, you can transfer to the Requisition Workbench in PeopleSoft Purchasing to check the processing status of orders that are initiated from the Order Materials page.

When an order is initiated from the Order Materials page, the system stages a requisition for the order in PeopleSoft Purchasing by using the Purchase Order Requisition EIP and displays the requisition ID that is assigned to the order on the material line.

By using the requisition ID as search criteria for the Requisition Workbench, you can check the status of the requisition in PeopleSoft Purchasing. The Requisition Workbench also enables you to check the status of all requisitions by the requester that are listed on the material line.

Note. In PeopleSoft CRM, you can define a default requester ID on the User Preferences - Overall Preferences page under Set Up CRM, Security, User Preferences. If your system integrates with PeopleSoft Purchasing, the requester ID on the requisition must be a valid user ID and requisition requester in PeopleSoft Purchasing.


Receiving Material

When defining a field service business unit on the FieldService Definition page, you can determine whether the material orders that are initiated from the Order Materials page can be automatically received. The item ID is populated with the ordered item ID. If a substitute item was received instead, the user needs to enter the substitute item ID.

With automatic receiving, technicians enter only usage information, from which the system automatically derives and posts the appropriate receiving transactions.

If automatic receiving is not enabled, technicians manually record receipt of ordered material in the Receipts grid on the Order Materials page. The PeopleSoft CRM system uses the Get PO IUT EIP to retrieve expected receipt information for any purchase orders or interunit transfer orders that are created in your inventory and purchasing systems to fulfill the requested quantity on the item line.

This diagram illustrates how the integration between the PeopleSoft CRM system and your inventory and purchasing system supports retrieving expected receipt information:



Integration that supports retrieving expected receipt information


You can modify the expected receipt information to reflect the actual material shipment. When you click the Order and Receive Items button on the Order Materials page, the PeopleSoft CRM system stages the appropriate receipt transactions in your purchasing and inventory systems by using the PO Receipt EIP for purchase orders and the Interunit Receipt EIP for interunit transfers.

Note. When you record the receipt of ordered materials you can choose the receiving technician from a list all technicians assigned to the service order activity. However, the system defaults the Received By field to the user for whom the materials were ordered. On the SCM side, the system calculates receipts against either the interunit transfers or purchase order for the good storage location of the technician who received the materials. If automatic receiving is enabled, then the used and not used material transactions are utilized to calculate the receipt quantity. This calculation is made against the good storage location of the selected technician instead of the lead technician's good storage location.

Both interunit and purchasing receipt transactions are staged to your inventory system, so that the quantity in the storage location that is associated with the lead technician's good truck stock can be increased by the receipt quantity. If your system integrates with PeopleSoft Inventory, the system increases the quantity in the corresponding storage location when the Putaway process is run for the receipt.

Important! When integrating with PeopleSoft Inventory, you must clear the Flag Items for Auto-Putaway check box to require a receipt transaction to be performed against all interunit receipts. When the Flag Items for Auto-Putaway check box is selected, the PeopleSoft Inventory system automatically sets the status of the interunit transfer to *Received* without requiring a receipt transaction. If the status of the receipt is set to *Received*, the PeopleSoft CRM system cannot retrieve the *expected receipt* information for the order on the Order Materials page.

This diagram illustrates how the integration between the PeopleSoft CRM system and your inventory system supports recording the receipt of material shipments that are ordered to complete work on a service order line:



Integration that supports recording the receipt of material shipments

See Also

Chapter 3, “Defining Business Units in PeopleSoft Integrated FieldService,” page 13

Chapter 12, “Integrating with PeopleSoft Applications,” page 157

Chapter 4, “Understanding Inventory Storage Locations for Technicians,” page 23

PeopleSoft Enterprise CRM 8.9 Business Object Management PeopleBook, “Defining Workers”

PeopleSoft Enterprise CRM 8.9 Product and Item Management PeopleBook, “Checking Item Balances and Availability”

PeopleSoft Enterprise Components for CRM 8.9 PeopleBook

PeopleSoft Purchasing 8.8 PeopleBook

PeopleSoft Inventory 8.8 PeopleBook

Pages Used to Order Materials

Page Name	Object Name	Navigation	Usage
Order Materials	RF_MATERIAL_ORDER	FieldService, Order Materials, Order Materials	Request materials that are required to perform a service order activity.
Material - Ship to Address	RF_MANAGE_MAT_ADD	Click the Ship To Location link on the Order Materials page.	View and modify the address where the material that is ordered on the Order Materials page will be shipped.

Performing Material Order Transactions

Access the Order Materials page.

Order Materials

Expand All Collapse All

Item	Description	Service Order	Activity	Quantity Needed	Quantity in Truck	Quantity Ordered	Requisition ID	UOM
10010	Air Cond, Fan	SVC0300042	1 - Repair A	2.0000	0.0000	Check Availability	0.0000	EA
10011	Air Cond, Control Unit	SVC0300042	1 - Repair A	0.0000	0.0000	Check Availability	0.0000	EA

Requester: TEST Ordered By: Lead Technician:

[Ship To Location](#) [Requisition Workbench](#)

Receipts Customize | Find | 1 of 1

Purchase Order	Purchase Order Line	InterUnit Order	InterUnit Order Line	Quantity Received	Name
12345	1	1	1	1.0000	

Order Items Add Needed Item Return to Search

Order Materials page

If the service is defined with service activities, the system populates the material orders record with the material that is defined for the service activities. If no activities are defined for the service, the system populates the manage material record with the material that is defined for the service. Each item defined for the service or service activity becomes a material line on the material orders record. Click the Add Needed Item button at the bottom of the page to insert additional material line rows.

Note. Unless overridden by the requester, materials are shipped to the technician specified on the material line on the service order.

This information appears for each item:

Item	Displays the item required to perform the service activity. The system displays the description of the selected item next to this field. Items are established in your system tables by using the Item Definition page or the Item Master EIP.
Service Order	Displays the service order number.
Activity	Displays a description of the activity.
Quantity Needed	Displays the amount of the item, in the item's standard unit of measure, that is required to perform the service or service activity as defined in the Service component.
Quantity in Truck	Displays the amount of the item that is in the technician's truck. This field is populated with the results of the Item Balance by Group Member EIP.
Check Availability	Click this link to access a transfer page with the these links:

- **Item Definition:** Click this link to access the Item Definition page, where you can view the item's definition in PeopleSoft CRM.
- **Item Substitutes:** Click this link to access the Substitutes page, where you can view any substitutions that are defined for the item in PeopleSoft CRM.
- **Item Availability:** Click this link to access the Item/Product Availability inquiry page in PeopleSoft Inventory, where you can check the current quantity that is available for an item or product, as well as the projected future availability.
- **Item Balance by Group Members:** Click this link to access the Item Balance by Group Members page, where you can view the item quantity balance in the good truck stock storage location that is associated with each member of the provider group assigned to the service order line.
- **Item Balance by Business Units:** Click this link to access the Item Balance by Business Units page, where you can view the available and on-hand quantities for each of the inventory business units in the distribution network defined for your field service operations.

Quantity Ordered

Displays the amount of the item that was ordered.

UOM (unit of measure)

Displays the standard unit of measure for the item quantity.

Item Details**Requester**

Enter the ID of the person or entity associated with the requisition request. The system populates this value with the default requester ID defined on the User Preferences - Overall Preferences page. If you have implemented PeopleSoft Purchasing, you can use the requester ID and the Requisition Workbench to check the status of all the requisitions that are entered by a specific person.

Important! If your system integrates with PeopleSoft Purchasing, the requester ID must be a valid user ID and requisition requester in PeopleSoft Purchasing. Requesters are established under Structure Procurement Options, Requester Setup in PeopleSoft Supply Chain Management.

Ordered By

Select the name of the person who is ordering the item.

Lead Technician

Displays the name of the lead technician for the service order activity.

Ship To Location

Click this link to access the Material - Ship to Address page, where you can view and modify the address where the ordered material will be shipped. By default, the PeopleSoft CRM system populates the ship to location with the address that is associated with the lead technician's location code, as selected on the Job Detail page of the Worker component. Locations are defined under Set Up CRM, Common Definitions, Location, Location.

Note. After you click the Order and Receive Items button, you cannot modify the ship to address in your PeopleSoft CRM system. After the Purchase Order Requisition EIP has been published, you can change the ship to address only in your purchasing or inventory systems.

Requisition Workbench

If the implementation includes PeopleSoft Purchasing, you can click this link to check the requisition status by requester or requisition.

Receipts

Enter receiving information when automatic receiving is not selected at the business unit level. When automatic receiving is selected, the system hides this grid. Users can enter an amount in the Quantity Received field. To enter a substitute item, serial ID, and lot ID, select the Item tab.

After entering receipt data, click the Order and Receive Items button at the bottom of the page to save the information. The system then runs the PO Receipt and Interunit Receipt EIPs.

Order and Receive Items Click to save the page and create a requisition for the order quantity in PeopleSoft Purchasing or your third-party system.

Note. The label on the Order and Receive button changes to Order when automatic receiving is enabled.

Add Needed Items Click to add a new item to a service order. The system displays a new grid that you can use to add a new item to the order.

See Also

Chapter 8, “Ordering and Receiving Materials,” Understanding Material Management Transactions, page 109

PeopleSoft Enterprise CRM 8.9 Product and Item Management PeopleBook, “Defining Items”

PeopleSoft Enterprise CRM 8.9 Product and Item Management PeopleBook, “Tracking Installed Products”

PeopleSoft Enterprise CRM 8.9 Product and Item Management PeopleBook, “Checking Item Balances and Availability”

Chapter 7, “Creating and Managing Service Orders,” Service Order Toolbar Functions, page 70

PeopleSoft Enterprise PeopleTools Internet Technology PeopleBook

Modifying Ship To Addresses

Access the Material - Ship to Address page.

Material - Ship to Address

Shipping Address

Business Unit US200

Item ID	Quantity Ordered
Description	
Country	AUS Australia
Address 1	123 Main Street
Address 2	
Address 3	
Address 4	
City	Perth
County	Australia
Postal	6839
State	NT Northern Territory

OK Cancel Refresh

Material - Ship to Address page

You can modify the ship to address information for each material line on the Order Materials page until the quantity is ordered for the line. After you enter an order quantity on the material line and click the Order and Receive Items button on the Order Materials page, the ship to address information can be only viewed, not updated.

Setting Up, Viewing, and Recording Material Usage from the Service Order

To define failure codes types, use the Failure Code (RF_FAILURE_CD) component. To load data into the tables for this component, you can also use the RF_FAILURE_CD_SCI component interface.

This section provides an overview on material usage and discusses how to:

- Define failure codes.
- View required materials.
- Tracking Time, materials, and expenses associated with a service order.

See Also

Chapter 12, “Integrating with PeopleSoft Applications,” page 157

Chapter 3, “Defining Business Units in PeopleSoft Integrated FieldService,” page 13

PeopleSoft Enterprise CRM 8.9 Product and Item Management PeopleBook, “Defining Items”

PeopleSoft Enterprise CRM 8.9 Product and Item Management PeopleBook, “Tracking Installed Products”

Chapter 4, “Understanding Inventory Storage Locations for Technicians,” page 23

PeopleSoft Enterprise CRM 8.9 Application Fundamentals PeopleBook, “Setting Up and Managing Agreements and Warranties”

PeopleSoft Enterprise Components PeopleBook

PeopleSoft 8.8 Inventory PeopleBook

Understanding Material Usage and Removal

This section discusses:

- Material usage.
- Automatic receiving.
- Material removed from customer sites.

Material Usage

Technicians record the quantity of material used to perform the work for a service order activity on the Time Material Expense page for the service order. When an item ID and quantity is entered and saved, the PeopleSoft CRM system determines whether a corresponding installed product exists for the item.

Depending on the rules governing creation and updates for installed products, an installed product may exist if an order for the material was placed using PeopleSoft Order Capture, Order Capture Self Service or if an automatic shipping notification (ASN) message for the item was sent to the PeopleSoft CRM system.


If an installed product exists, the system updates the status of the record by using the rules that are established on the Installed Product page of the Product Definition component.

The system publishes the Inventory Adjustment EIP to stage negative adjustment transactions in your inventory system. Your inventory system processes the staged adjustment transactions to decrease the quantity in the storage location that is associated with the selected technician’s good truck stock by the usage quantity.

If your system integrates with PeopleSoft Inventory, the system decreases the quantity in the technician’s good truck stock storage location when the Inventory Adjustment process is run for the staged transaction. If required, the system also creates a new installed product for the item by using rules that are defined for the corresponding product on the Installed Product page of the Product Definition component.

Note. When you are recording material usage you may choose a technician from those assigned to any service order activity. The system records the user ID of the person who entered the usage transaction. If the system cannot determine the user ID of the technician who entered the transaction, it uses the ID of the lead technician. On the SCM side, the inventory adjustment (decrease) is made against the good storage location of the technician who used the materials.

This diagram illustrates the material usage transaction:



Material usage transaction

Note. Because the order of positive and negative adjustment transactions to inventory storage locations cannot be predicted, set up your inventory system to allow transactions to drive inventory quantity balances to be negative.

Automatic Receiving

In field service business units that enable automatic receiving, technicians use the Time Material Expense page for the service order to record the portion of the material shipment that was not required to complete the work on the service order activity. The system automatically runs the expected receipts to prepopulate the Material grid on the page.

The system adds the used and unused quantity to derive the receipt quantity and increases the selected technician's good storage location in PeopleSoft Inventory or your third-party inventory system.

If automatic receiving is enabled, technicians enter usage information for a material shipment in the Material grid on the Time Material Expense page of the Service Order.

When you save the Service Order, the PeopleSoft CRM system stages the appropriate receipt transactions in your purchasing or inventory systems by using the PO Receipt EIP for purchase orders and the Interunit Receipt EIP for interunit transfers. The system derives the receipt quantity by adding the used and not used quantities.

Material Removed from Customer Sites

Technicians record material that they remove from a customer's site by selecting *Removed* from the Action field on the Usage Details tab on the Time Material Expense page for the service order.

Note. When you record material removed from a customer site, you may choose the technician from those assigned to the service order activity. The system records the user ID of the person who entered the removal transaction. If the system cannot determine the user ID of the technician who entered the transaction, it uses the ID of the lead technician. On the SCM side, the inventory adjustment (increase) is made against the defective storage location of the technician who removed the materials.

When an item quantity is entered in the Usage Details grid and the page is saved, the PeopleSoft CRM system publishes the Inventory Adjustment EIP to stage positive adjustment transactions in your inventory system. Your inventory system processes the staged adjustment transactions to increase the quantity in the storage location that is associated with the lead technician's defective truck stock by the removal quantity.

If your system integrates with PeopleSoft Inventory, the system increases the quantity in the selected technician's defective truck stock storage location when the Inventory Adjustment process is run for the staged transaction.

If the item that is associated with the product on the service order header and the serial number on the service order header are the same as the item and serial number on the Usage Details grid, saving the item quantity also triggers PeopleSoft CRM to check the installed products for the customer on the service order activity.

The system sets the installed product for the removed item to *Uninstalled*. Before saving, if an item that is associated with an installable product is also listed on the Usage Details grid, the system inserts a new installed product for the replacement item and serial number with a status of *Installed*.


Note. To set up statuses use the Installed Product page of the Product component.

While you can use the same default values across all products by applying the default values at the product level with a click of a button, you can also overwrite the default values for specific products.

If the system replaces the installed product, it also determines whether any of the customer's agreement lines reference the removed item as a product under service. If the removed item is referenced as a product under service, the system removes the obsolete line from the record for the product under service and inserts a new line representing the replacement item. If preventive maintenance is available to the installed product of the removed item, it is transferred and made available to the replacement installed product.

If the removed item is defined as a consumable item on the Item Definition page, no adjustment transaction is triggered. It is expected that the consumable item is thrown away rather than returned to the truck. However, you should record removal of consumable items in the Usage Details tab on the Time Material Expense page so that the system can make appropriate changes to the customer's installed product and the products under service on the associated agreement line.

This diagram illustrates how the integration between the PeopleSoft CRM system and your inventory and purchasing system supports recording the removal of material from a customer site:



Integration that supports recording the removal of material from a customer site

Your business processes dictate how removed material in a technician's defective storage location should be handled. Typically, this stock is transferred to a distribution center's inspection storage location by using the inventory system. At the distribution center's inspection location, a decision is made to scrap, recycle, repair, or restock the item in available inventory stores.

See Also

[Chapter 12, "Integrating with PeopleSoft Applications," page 157](#)

[Chapter 3, "Defining Business Units in PeopleSoft Integrated FieldService," page 13](#)

[Chapter 4, "Understanding Inventory Storage Locations for Technicians," page 23](#)

PeopleSoft Enterprise Components for CRM 8.9 PeopleBook

PeopleSoft Inventory 8.8 PeopleBook

Pages Used to Set Up, View, and Record Material Usage and Removal on Service Orders

Page Name	Object Name	Navigation	Usage
Failure Codes	RF_FAILURE_CD	Set Up CRM, Product Related, FieldService, Failure Codes, Failure Code	Define failure codes to be used for removed materials.
Required Material	RF_MAT_REQUIRED	FieldService, Create a Service Order, Required Material	Lists all items and their quantities needed for the service. You can also view item availability and balances.
Time Material Expense	RF_SO_TIME_MAT_EXP	FieldService, Create a Service Order, Time Material Expense.	Record time, material and expense information. Note. You cannot log time, material and expense entries against a service order until the service order has been saved.

Defining Failure Codes

Access the Failure Codes page.

Failure Codes

SetID CRM01

Failure Codes

Customize | Find | View All |

First 1-23 of 23 Last

*Failure Code	*Description	Short Description	
AIRSWITCH	Air Switch Failure	Switch	
BADSEAL	Bad Seal	Seal	
BENTSHAFT	Bent Shaft	Shaft	
CASEFAIL	Compressor Case Cracked	Case	
COILFAIL	Coil Failure	Coil	
CYCLEFAIL	Cycle Setting Failure	Cycle	
EXCESSFLOW	Excess Flow	Excess	
FRZTMPFAIL	Freezer Temp Setting Failure	Temp Set	
HDFAIL	Heated Drying Setting Failure	Drying	
LOWCOMP	Low Compression Rate	Compress	
LOWEXCHANG	Low Exchange Rate	Exchange	
LOWPOWER	Low Power	Low Power	
NOPOWER	No Power	No Power	
NOREVERSE	Fan Does Not Reverse	Reverse	

Failure Codes page (1 of 2)

ONOFFFAIL	On/Off Switch Failure	Switch	
REFTMPFAIL	Refrigerator Temp Setting Fail	Temp Set	
RINSEFAIL	Rinse Setting Failure	Rinsing	
SENSORFAIL	Sensor Failure	Sensor	
SOLSWITCH	Solenoid Switch Defective	Switch	
SOLSWITCHS	Slow Solenoid Switch	Switch	
THERMFAIL	Thermostat Failure	Thermostat	
TIMERFAIL	Timer Failure	Timer	
TUBELEAK	Tube Leak	Tube	

Add Failure Code

Failure Codes page (2 of 2)

Failure Code

Enter a failure code that can be used when specifying removed items on the Time Material Expense page. Failure codes identify what went wrong with parts that caused them to be removed from customers' sites. You can enter up to 10 alphanumeric characters.

Add Failure Code

Click to add a new failure code.

Viewing Required Materials

Access the Required Material page.

Service Order 05/04/2004 4:41:13PM PDT My Time Zone

Save | Search | Add | Next | Previous | 360 360-Degree View | Notification | Personalize

Service Order ID SVC0030023 **Unit** APP01
Customer [Shoreview Medical](#) **Customer Value** Platinum☆☆☆☆
Contact [Jack Pepper](#) **Status** Open
Priority Normal

Service Order | Activities | **Required Material** | Solutions | Time Material Expense | Notes

Materials Needed for Service

No Materials Required for Service.

Material Needed for Service

Item ID	Description	Quantity Needed	Quantity in Truck	Check Availability	Quantity Ordered	Quantity Received	UOM
10020	Freezer Thermostat	1.0000	0.0000	Check Availability			EA
10022	Freezer, Compressor	1.0000	0.0000	Check Availability			EA

Required Material page

Use this page to view the required materials for the service order. For specific information on using the fields on this page refer to Viewing Required Materials section in the Creating and Managing Service Orders chapter.

See Also

[Chapter 7, “Creating and Managing Service Orders,” Viewing Required Materials, page 97](#)

Tracking Time, Material, and Expenses Associated with a Service Order

Access the Time Material Expense page.

Service Order 05/04/2004 4:13:17PM PDT My Time Zone

Save Add 360 360-Degree View Notification Correspondence Email Hierarchy Personalize

Service Order ID SVC0030023 **Unit** APP01
Customer Shoreview Medical **Customer Value** Platinum☆☆☆☆
Contact Jack Pepper **Status** Open
Priority Normal

Service Order Activities Required Material Solutions **Time Material Expense** Notes

Technician All Technicians

Time Customize Find First 1-3 of 3 Last

Summary Time Entry Comments

*Type	*Activity	*Technician	Billable	Duration
Activity	All Activities	Bill Kilmer	<input checked="" type="checkbox"/>	2 hours
	1 - Repair Thermostat	Bill Kilmer	<input type="checkbox"/>	0 min.
	2 - Repair Compressor	Bill Kilmer	<input type="checkbox"/>	0 min.
Total				2 hours

Add Time Copy Planned Times

Time Material Expense page (1 of 2)

Material Customize Find First 1 of 1 Last

Usage Details Receipt Details Failure Code Item Type Technician

Activity	Item ID	Description	Action	Quantity	Serial ID	Lot ID	Billable
1 - Repair Thermosta	10000	Refrigerator, Plastic Bins	Removed	1.000			<input checked="" type="checkbox"/>

Add Material

Technician All Technicians

Expense Customize Find First 1 of 1 Last

Summary Description

*Technician	Transaction Date	*Expense Type	*Amount	*Currency	Billable
Bill Kilmer	05/04/2004	Mileage	33.45	USD	<input checked="" type="checkbox"/>
Total			33.450	USD	

Add Expense

Time Material Expense page (2 of 2)

Use this page to record time, material and expense information. For specific information on using this page refer to the Tracking Time, Material and Expenses Associated with a Service Order section in the Creating and Managing Service Orders chapter.

See Also

Chapter 7, "Creating and Managing Service Orders," Tracking Time, Material, and Expenses Associated with a Service Order, page 99

CHAPTER 9

Working with My Service Orders

This chapter provides an overview of the My Service Order component and discusses how to:

- View and update service orders.
- Troubleshoot service order problems.

Understanding the My Service Order Component

Typically, a call center agent or dispatcher creates and assigns service orders on the Service Order page. Once a service order line is assigned, the assigned technician, using the My Service Order component, can update the status of the service order line, record time and expenses for the requested work, and report material usage. To order materials usage but the technician must use the Order Material component.

The My Service Order component and the Service Order component provide two views of a customer's service order. You can modify the service order from either component, because both components are subject to the same edits. Because the My Service Order and Service Order components have similar functionality, they share features for service orders. For example, both components are enabled for Active Analytics Framework (AAF), which triggers workflow. In addition, you can control the visibility of certain fields and features in service orders through the use of configuration templates.

See [Chapter 3, “Defining Business Units in PeopleSoft Integrated FieldService,” Defining Configuration Templates for Service Orders, page 19.](#)

There are, however, functional differences between the Service Order and My Service Order components. The My Service Order component does not provide:

- Time zone information.
- Customer entitlement searches.

Entitlement details are provided through a link next to the agreement.

- Approval processing.

The page, however, shows whether a service order or activity needs approval.

In addition to page layout, AAF has been enabled for the My Service Order component to trigger workflow actions and send notifications. Use AAF to set up workflow processing, which includes defining workflow actions, setting up the workflow action event handler, and associating workflow actions with events in the event handler. When the conditions that are defined in events become true, associated workflow actions are triggered automatically and corresponding notifications are sent to assigned recipients.

See Also

[Chapter 7, “Creating and Managing Service Orders,” page 63](#)

[Chapter 3, “Defining Business Units in PeopleSoft Integrated FieldService,” Understanding Field Service Configuration Templates, page 15](#)

Viewing and Updating Service Orders

This section discusses how to view and update service orders.

Page Used to View and Update Service Orders

Page Name	Object Name	Navigation	Usage
My Service Order	RF_SO_TECH	FieldService, My Service Orders, My Service Order	View and update assigned service orders. Note. You cannot access this page if no service orders have been assigned to you.

Viewing and Updating Service Orders

Access the My Service Order page.

My Service Order

Save | 360 360-Degree View | Notification | Correspondence | Hierarchy | Personalize

Service Order ID 0000000048 **Customer** [Sparkle Clean Laundromats](#)
Customer Value Gold★★★★ **Contact** [Becky Lee Campton](#)
Status Open **Priority** Normal

My Service Order | Required Material | Solutions | Time Material Expense | Notes | Interaction History

Customer Information

Customer [Sparkle Clean Laundromats](#) **Contact**

Phone 800/966-2546(2388)

Site

Address [View Address](#)

Alternate Phone

Service Details

Service ID APP0000001 **Service Description** PM for A/C

Problem

***Status** Open ***Priority** Normal

Product ID **Description**

Serial Number **Case ID**

Agreement COM-AGR-108 [More Detail](#)

My Service Order page (1 of 2)

Step	*Activity Name	Status	Lead Technician	
10	Check Compressor	On Site	David Perry	
20	Check Heat Exchanger	Hold Assignment	David Perry	
30	Clean Outside Hot and Ins	Hold Assignment	David Perry	
40	Clean Ducts and Pipes	Hold Assignment	David Perry	

Modified 09/04/2002 1:14PM PDT SAMPLE

[Top of Page](#)

My Service Order page (2 of 2)

Most of the fields on this page are identical to fields on the service order page of the Service Order component. If you open service orders from the My Service Order component, you have access to almost all service order-specific information and actions that are available in the Service Order component. The only exception is that you cannot create new service orders, view time zone information, or select agreements and warranties in the My Service Order component.

See [Chapter 7, “Creating and Managing Service Orders,” page 63.](#)

Customer Information

This section is almost identical to its equivalent section in the Service Order component. You cannot modify values in the Customer and Service fields however. You can use the Alternative Phone field to connect a phone number with the service order. The field, however, is for informational purposes only.

Agreement and Warranty

Agreement and warranty information does not appear if it has not been specified in the associated service order records. A technician cannot change the agreement or warranty, but can use the More Detail link to view entitlements. The agreement name is not a link, because the technician should not be able to transfer to the agreement definition.

Incident Address

This group box is the same as the one for service orders.

This group box appears if the Allow Incident Address check box is selected in the configuration template that is tied to the business unit to which the service order belongs.

See [Chapter 3, “Defining Business Units in PeopleSoft Integrated FieldService,” Defining Configuration Templates for Service Orders, page 19.](#)

Service Details

Both the Service Order and My Service Order pages display the service ID and the service description. You can enter the service ID in add mode only. Because the technician performing the work is usually first interested in what the service is and then any additional supporting detail, the system displays the Problem field after the service information.

Note. The information in the Problem field can come from the case if the service order was created from a case.

You can access the service definition from both the Service Order and My Service Order components. The product ID and serial number prompts are based on the service order configuration.

Priority values available for the service order are *Low*, *Normal*, *High*, or *Urgent*.

The system displays the Case ID field on both the Service Order and My Service Order pages, but it is read only on the My Service Order page. Once the service order is saved, however, the field is read only on the Service Order page as well.

Note. The Activity Actions section, which is available on the Service Order page is not available on the My Service Order page. Users do have the ability, however, to change the status for all activities by section a value from the Change Status for All My Activities drop-down list menu beneath the Activities grid.

Activity Details

This group box appears in a grid on the first page of the component. The grid contains three tabs: Activity Details, Planned Dates and Times, and Technicians Assigned. If the service order is assigned to only one technician, then the Technicians Assigned tab is not visible and Lead Technician is not visible on the Activity Details tab. Also, if the activity priority is not selected during service order configuration, the system hides the Priority column on the Activity Details tab.

If Priority is hidden and there is only 1 technician assigned, the system does not display any tabs in this grid.

The View drop-down list box is displayed only when more than one technician is assigned to the service order.

The Activity Details grid provides a summary list of activities for the service order. Each activity in the grid contains information such as step numbers, the associated service activity, the current status, the planned start date and time, the estimated duration, and the number of technicians that is required to finish the activity.

Note. The system displays the Required Technicians field shown if the Technicians Assigned tab is visible

Required Material

Access the Required Material page to view all items and their quantities needed for the service. You can also view item availability and balances, which are based on the service definition for the service order. The Required Material page appears in both the Service Order and My Service Order components and behaves similarly in both.

Solutions

Access the Solutions page to search for and suggest solutions that are associated with the service order. The Solutions page appears in both the Service Order and My Service Order components and behaves similarly in both.

Time Material Expense

Access the Time Material Expense page to record time, materials, and expenses for the activities on the service order. This page appears in both the Service Order and My Service Order components and behaves similarly in both. The default technician is the person who is signed in. Technicians can view and update only their own expenses. The display of the billable flag is based on the service order configuration.

Note. The system displays time and dates fields in the Time grid on the Time Material Expense tab for the My Service Orders page. They do not appear, however, on the Time Material Expense tab for the Service Orders page.

Notes

Access the Notes page to add or view notes and attachments for the activities on the service order. The Notes page appears in both the Service Order and My Service Order components and behaves similarly in both.

Interactions History

Access the Interaction History page to view a list of interactions that are associated with the service order. The page displays a summary of all interactions for the service order. The Interactions History page appears in both the Service Order and My Service Order components and behaves similarly in both.

Related Objects

Access the Related Objects page to view business projects and troubleshooting scripts and to associate them with the service order. The Related Objects page appears in both the Service Order and My Service Order components and behaves similarly in both.

See Also

[Chapter 7, “Creating and Managing Service Orders,” Entering or Modifying Service Orders, page 87](#)

[Chapter 7, “Creating and Managing Service Orders,” Entering Information Related to Specific Activity Lines, page 93](#)

[Chapter 7, “Creating and Managing Service Orders,” Viewing Required Materials, page 97](#)

[Chapter 7, “Creating and Managing Service Orders,” Using Solutions to Resolve Problems, page 98](#)

[Chapter 7, “Creating and Managing Service Orders,” Tracking Time, Material, and Expenses Associated with a Service Order, page 99](#)

[Chapter 7, “Creating and Managing Service Orders,” Adding Notes and Attachments, page 102](#)

[Chapter 7, “Creating and Managing Service Orders,” Viewing Interaction History, page 105](#)

[Chapter 7, “Creating and Managing Service Orders,” Inserting Related Objects, page 106](#)

PART 4

Management Tools

Chapter 10

Using the Dispatch Board

Chapter 11

Managing Your FieldService Operations

CHAPTER 10

Using the Dispatch Board

This chapter provides an overview of the dispatch board and discusses how to:

- Define dispatch board configuration settings.
- Work with the dispatch board.

Understanding the Dispatch Board

The dispatch board in PeopleSoft Integrated FieldService offers a graphical representation of the task assignments for technicians over a given period of time, together with a list of assigned and unassigned service orders in a business unit that have not been completed, closed, or canceled. With the dispatch board, dispatchers can manage the daily service order workload for field service business units, assign service orders to technicians, resolve scheduling conflicts, and escalate high-priority work.

A dispatcher can select a technician and enter the priority, status, and start dates and times for a service order activity without leaving the Dispatch Board page.

On the Dispatch Board page, you can view a bar graph that represents 24-hour work schedules and availability for a group of technicians, beginning with the date and start time that you enter on the page. On the bar graph header, click the Previous Day and Next Day links to scroll through days prior to or after the selected date.

You can also view all open service order activities for a selected business unit. Links provide access to each technician's daily work schedule calendars, where you can view details of scheduled tasks and events that are unrelated to service order assignments.

You can also change technician assignments, modify start and end times, and update current statuses directly from the Dispatch Board page through the grids. You can also access the Service Order page to complete these tasks.

Similarly, you can access the Service Order page, where you can change technician assignments, modify start and end times, and update the current status for each assigned and unassigned service order activity in the business unit.

Before using the dispatch board, define a dispatch board configuration for each field service business unit on the Dispatch Board Setup page. Dispatch board configuration settings control the pattern that the system uses to represent the service order activity status, the number of technicians that are listed on each Dispatch Board page, the default start time of the dispatch board display, and the smallest increment of time that a task bar on the dispatch board represents.

See Also

[Chapter 7, "Creating and Managing Service Orders," page 63](#)

Defining Dispatch Board Configuration Settings

To define dispatch board configuration settings, use the Dispatch Board Setup (RF_DISP_SETUP) component.

This section discusses how to define dispatch board configuration settings.

Page Used to Define Dispatch Board Configuration Settings

Page Name	Object Name	Navigation	Usage
Dispatch Board Setup	RF_DISP_SETUP	Set Up CRM, Product Related, FieldService, Dispatch Board, Dispatch Board Setup	Define dispatch board configuration settings for the display attributes of each field service business unit.

Defining Dispatch Board Configuration Settings

Access the Dispatch Board Setup page.

Dispatch Board Setup

Unit US200

Display Options

Select time increments to display bars on the Dispatch Board:

☐ 10 Minutes
☒ 15 Minutes

Display Start Hour

Enter the number of technicians to display on the Dispatch Board:

Number of Technicians (maximum 99)

Legend Setup		Customize	Find	View All	First	1-8 of 8	Last
*Status	Patterns	Display on Chart	Last Modified	Last Maintained By			
Accepted	<input type="text" value="Green Block"/>	<input checked="" type="checkbox"/>	06/02/2001 1:48PM	SAMPLE	<input type="button" value="+"/>	<input type="button" value="-"/>	
En Route	<input type="text" value="Green Block"/>	<input checked="" type="checkbox"/>	07/11/2002 6:21PM	CVP1	<input type="button" value="+"/>	<input type="button" value="-"/>	
Hold Assignment	<input type="text" value="Yellow Block"/>	<input checked="" type="checkbox"/>	06/02/2001 1:48PM	SAMPLE	<input type="button" value="+"/>	<input type="button" value="-"/>	
Hold Customer	<input type="text" value="Yellow Block"/>	<input checked="" type="checkbox"/>	06/02/2001 1:48PM	SAMPLE	<input type="button" value="+"/>	<input type="button" value="-"/>	
Hold Part	<input type="text" value="Yellow Block"/>	<input checked="" type="checkbox"/>	06/02/2001 1:48PM	SAMPLE	<input type="button" value="+"/>	<input type="button" value="-"/>	

Dispatch Board Setup page (1 of 2)

On Site	Blue Block	<input checked="" type="checkbox"/>	06/02/2001 1:48PM	SAMPLE	<input type="button" value="+"/> <input type="button" value="-"/>
Assigned	Green Block	<input checked="" type="checkbox"/>	06/02/2001 1:48PM	SAMPLE	<input type="button" value="+"/> <input type="button" value="-"/>
Rejected	Red-Orange Blo	<input checked="" type="checkbox"/>	06/02/2001 1:48PM	SAMPLE	<input type="button" value="+"/> <input type="button" value="-"/>
<div> <div>Modified</div> <div>06/02/2001 1:48PM PDT</div> <div>SAMPLE</div> </div>					
<div> <input type="button" value="Save"/> <input type="button" value="Return to Search"/> <input type="button" value="Add"/> <input type="button" value="Update/Display"/> </div>					

Dispatch Board Setup page (2 of 2)

Display Options

10 Minutes and 15 Minutes Select the smallest interval of time that a taskbar can represent on the dispatch board. If a task or the remaining part of a task is shorter than the selected time segment (for example, the task takes 8 minutes to complete and you select the 15-minute time segment), the taskbar covers the entire segment on the dispatch board. When you hover over the color-coded taskbar, the system displays the exact start and end times and other pertinent information for the task.

Note. The 15-minute display option provides optimal performance for field service business units with high service order volumes or with large numbers of technicians within regions and provider groups. If you expect both service order and nonservice order tasks to last at least 15 minutes, select 15 Minutes.

Display Start Hour

Select the time when the 24-hour display begins on the dispatch board. By default, this value is *12:00 AM* (midnight).

When you access the dispatch board for the first time, the system populates the Start Time field on the Dispatch Board page with the value that you specify here. The next time that you access the Dispatch Board page, the system populates the Start Time field with the previous value that you used in the dispatch board.

Number of Technicians

Enter the maximum number of technicians to display per page of the dispatch board. Each row of the dispatch board represents a technician's work schedule and availability. The number of rows that the system returns equals the number of active group members who are associated with the specified region or provider group. You can use the Next 10 and Previous 10 navigation arrows to display additional technician schedules that the system returns.

Note. For optimal performance, display more than 10 technicians per page of the dispatch board. Though initial loading time increases with the number of rows that are displayed, this reduces the need to navigate through multiple pages of the dispatch board.

Legend Setup

The system populates this grid with status values for available service order activities and the default color that is associated with each status.

Status

Select a status value for the service order activity.

Note. If you do not define a service order activity status here, service order activities with that status do not appear on the dispatch board. The dispatch board does not display service order activities with a *Complete*, *Closed*, or *Canceled* status.

Patterns

Select the color and pattern that is associated with the service order activity status. Values are:

- *Blue Block*
- *Blue Stripes*
- *Blue Yellow Stripe*
- *Blue-Green Block*
- *Bright Green Stripe*
- *Dark Green Stripe*
- *Gray Stripes*
- *Green Block*
- *Light Blue Stripes*
- *Olive Orange Stripes*
- *Olive Stripes*
- *Orange Block*
- *Pink Green Stripe*
- *Pink Yellow Stripes*
- *Purple Block*
- *Red Stripes*
- *Red-Yellow Stripes*
- *Red-Orange Block*
- *Thin Blue Stripes*
- *Yellow Block*
- *Yellow Prink Stripe*
- *Yellow-Green Block*
- *Yellow-Orange Block*

Display on Chart

Select to have service order activities with the associated status value appear on the dispatch board. This check box is selected by default.

Working with the Dispatch Board

Use the dispatch board to manage technician schedules and view and update service order statuses for a specified business unit.

This section discusses how to view and manage technician availability and service orders.

Page Used to View and Manage Technician Availability and Service Orders

Page Name	Object Name	Navigation	Usage
Dispatch Board	RF_DISPATCH_BRD	FieldService, Dispatch Board, Dispatch Board	View and manage technician availability and service orders.

Viewing and Managing Technician Availability and Service Orders

Access the Dispatch Board page.

Dispatch Board

Dispatch Board Filters

*Unit

Region ID

Provider Group

Refresh Dispatch Board

Dispatch Board

*Date

Previous Day

Saturday 05/29/2004 PST

Technician	View All	00AM	01AM	02AM	03AM	04AM	05AM	06AM	07AM	08AM	09AM	10AM	11AM	12PM	01PM	02PM	03PM	04PM	05PM	06PM
1-10 of 14																				
Alicia Lewis																				
Ben Harris																				
Brian Walsh																				
Candice Greene																				
David Perry																				
Douglas Miller																				
James Mahoney																				
John Turner																				
Joseph Bartlett																				
Marion Zigarido																				

Accepted

Assigned

En Route

Hold Assignment

Hold Customer

Hold Part

Urgent

Not Available

Overlap

On Site

Rejected

Dispatch Board page (1 of 2)

Unassigned Service Orders

Assigned Service Orders

Unassigned Service Orders

Expand All

Collapse All

Service Order ID	Customer	Service	Start Date	Status	Priority	Provider Group		
<div>0000000048</div>	Sparkle Clean Laundromats	Preventive Maintenance Service for Air Conditioners		<div>Open</div>	<div>Normal</div>	Appliances Western		
Activities								
Step	Activity	Planned Start Date	Planned Start Time	Planned End Date	Planned End Time	Duration	Activity Status	Provider Group
50	Check Fan	<div></div>	<div></div>	<div></div>	<div></div>	3 min.	<div>Open</div>	Appliances Western
60	Preventive Maintenance of other A/C parts	<div></div>	<div></div>	<div></div>	<div></div>	6 min.	<div>Open</div>	Appliances Western

Service Order ID	Customer	Service	Start Date	Status	Priority	Provider Group
<div>0000000049</div>	Lakeview Community College	Repair Air Conditioner		<div>Open</div>	<div>Normal</div>	Appliances Western
<div>0000000053</div>	Cady Montgomery	Preventive Maintenance for Refrigerators		<div>Open</div>	<div>Normal</div>	Appliances Western

Dispatch Board page (2 of 2)

Dispatch Board

Enter criteria for the service orders that you want to work with and click the Update Dispatch Board button. The system populates the page with the service order activities that match your criteria. To minimize data-entry effort, the system saves the unit, region ID, provider group, and start time every time you click the Update Dispatch Board button during the session, and it populates these fields (except for Unit) on the page the next time that you access the dispatch board. The system populates the Unit field on the Dispatch Board page with what you define for the user on the User Preferences - Overall Preferences page.

Note. If a service order task spans multiple days, or if it starts or finishes at a time that goes beyond the assigned technician’s normal working hours, the system codes the entire task duration (from start time through end time) with the color that you select for the corresponding service order status as one block of time. The system treats any nonworking hours within this period of time as part of the task.

- Unit

Enter the ID for the business unit that is associated with the service orders with which you want to work. The system returns all service order activities for the business unit that do not have a status of *Completed*, *Closed*, or *Canceled*.
- Region ID and Provider Group

Enter a region ID or provider group. The system returns the work schedules of the active technicians in the provider group or region. By default, these fields contain the values, if any, that you entered in the last session.
- Date

Enter the date of the assignment schedule. By default, the value is the current system date.

Use the Previous Day and Next Day links to scroll through days before or after this date.

Display Start Hour

Select the time when the dispatch board display begins. When you first access this page, the system populates this field with the display start time that you define on the Dispatch Board Setup page. The next time that you return to the page, the system populates this field with the value that you entered in the last session.

Note. The system automatically refreshes the page after entering a valid start hour or date after you leave the field.

Update Dispatch Board

Click to refresh the assignment schedule after entering new search criteria for the unit, region ID or provider group, date, and time.

Dispatch Board Assignment Grid

At the top of the grid, the time zone of the database server appears. The left column of the grid lists, in alphabetical order, the name of each technician who is associated with the specified region or provider group. Use the navigation controls below the assignment grid to view additional pages. Click the Daily Calendar button next to the technician's name to access his or her work schedule.

The colored bars on each row of the assignment grid represent service order activity assignments and periods of unavailability that are recorded on the associated technician's work schedule calendar for the 24-hour period that appears. Place the cursor on a bar to see what the bar represents. The system uses a white bar to display a technician's available hours that you define on the worker's schedule page. A gray bar represents a technician's unavailable hours; these are nonworking hours, or when the technician is working on tasks that are unrelated to service orders (for example, appointments, meetings, and so on). Click the Daily Calendar button next to the technician's name to access the associated technician's daily work schedule on the Daily Calendar page, where you can view details about the technician's nonservice order task or event. You cannot click gray bars that represent a technician's nonworking hours.

Service order activity assignments for each technician appear in a color that indicates the status of the service order activity. The legend below the assignment grid explains each color. Click the Service Order ID link to access the Service Order page, where you can modify the status, priority, start and end dates and times, and technician assignment for service order activities.

You can also modify this information for the service order activity without leaving the Dispatch Board page by clicking the Expanded button for the service order activity.

Urgent service order activities appear with a red stripe on the taskbar. A taskbar with an outline indicates a service order activity that does not have a defined service activity. Conflicts in a technician's schedule appear as an orange stripe. Click the orange stripe to access the Service Order page, where you can resolve the schedule conflict.

Schedule conflicts occur in the dispatch board when multiple service order activities from different service orders are assigned to a technician within the same 10-minute or 15-minute segment

If the two service order activities belong to different service orders and both assignments are on the 10:00 to 10:15 time segment, then this segment appears as having a conflict whether or not there is a true time conflict. For example, if the first service order activity ends at 10:10 a.m. and the second one starts at 10:12 a.m., the system indicates a conflict on the dispatch board for the technician if these two service order activities belong to two different service orders. However, if the service order activities belong to the same service order, the system does not consider this a schedule conflict. Clicking the 10:10 to 10:15 time segment brings you to the service order activity that ends before the other activity.

Unassigned Service Orders and Assigned Service Orders

These grids list the open service orders that match the search criteria that you enter at the top of the page. To populate the Unassigned Service Orders tab, the system bases its search on the business unit and provider group or region. To populate the Assigned Service Orders page, the system finds matches based on the business unit and provider group or region. Service order activities with a *Completed*, *Closed*, or *Canceled* status do not appear.

In both tabs you can click the Service Order ID link or the Expanded button to access the service order information, where you can modify the status, priority, start and end dates and times, and technician assignments for the service order activities.



Click this button to expand all the assigned or unassigned service order information on the page.



Click this button to collapse all the assigned or unassigned service order information on the page.

Save

Click to update the individual service orders that were modified in the Assigned Service Orders and Unassigned Service Orders tabs. Clicking Save also refreshes the Dispatch Board page with the changes

See Also

PeopleSoft Enterprise CRM 8.9 Application Fundamentals PeopleBook, “Setting Up and Maintaining Provider Groups and Group Members”

PeopleSoft Enterprise CRM 8.9 Application Fundamentals PeopleBook, “Using Calendars”

Chapter 7, “Creating and Managing Service Orders,” page 63

CHAPTER 11

Managing Your FieldService Operations

This chapter provides an overview of PeopleSoft Integrated FieldService interactive reports and discusses how to:

- Set up PeopleSoft Integrated FieldService Interactive Reports.
- Run PeopleSoft Integrated FieldService Interactive Reports.

Understanding PeopleSoft Integrated FieldService Interactive Reports

PeopleSoft CRM delivers these tools to help you manage your field service organization more effectively:

- Reports
- Interactive Reports

These tools offer important information about your business process performance, which assists you in making the right business decisions.

Reports

PeopleSoft Integrated FieldService delivers four Crystal reports that are run using PeopleSoft Process Scheduler. These reports provide information on expenses, average time spent on service orders, and completed service orders within a predefined time period.

Interactive Reports

PeopleSoft Integrated FieldService interactive reports, which are dynamic and interactive analytic reports, are an implementation of Business Analysis Modeler (BAM). The implementation has a BAM server and a model designer but does not include an Analytic Logic server and a separate database to store data. Interactive reports enable you to move data elements around on a report and view the report using different dimensions in realtime. Viewing reports using different dimensions provides you with the opportunity to gather valuable information about your service business.

Interactive reports also enable you to perform “what-if” scenarios. This capability is available in the Utilization Rate interactive report delivered with PeopleSoft Integrated FieldService. In essence, you can modify the value of certain inputs of the report in a “what-if” situation, such as lowering the hourly rate of a provider group and visualizing the impact that this change has on your organization (for example, a decrease in the expense spent on unused value). By analyzing hypothetical situations, you can make intelligent decisions about resource allocation.

PeopleSoft Integrated FieldService delivers three interactive reports:

- Service Order Aging

- Utilization Rate
- FieldService Dashboard

Access to interactive reports in PeopleSoft Integrated FieldService is controlled by user roles. Interactive reports output can be exported to Microsoft Excel or printed in hard copy. While you can interact with these reports by moving around data elements (dimensions) on the reports, the communication between interactive reports and PeopleSoft CRM is one-way. This one-way communication means that the changes you make to interactive reports do not affect the PeopleSoft CRM database where the data originates. You also cannot transfer from an interactive report to any of the PeopleSoft CRM components to access data.

See Also

PeopleSoft Enterprise CRM 8.9 Application Fundamentals PeopleBook, “Using Interactive Reports”

[Appendix A, “PeopleSoft Integrated FieldService Reports,” page 165](#)

Setting Up PeopleSoft Integrated FieldService Interactive Reports

To setup interactive reports for PeopleSoft Integrated FieldService, use the Date Configuration (RF_DATE_CONFIG) and Utility Setup (RF_UTIL_SETUP) components.

This section discusses how to:

- Configure the Service Order Aging Interactive Report.
- Configure the Utilization Rate Interactive Report.

Note. You do not need to set up the FieldService Dashboard interactive report.

Pages Used to Set Up PeopleSoft Integrated FieldService Interactive Reports

Page Name	Object Name	Navigation	Usage
Service Order Aging Date Configuration Options	RF_DATE_CONFIG	Set Up CRM, Product Related, FieldService, Service Order Aging Report, Service Order Aging Date Configuration Options	Configure the Service Order Aging interactive report. For each PeopleSoft Integrated FieldService business unit, define day ranges in which open service orders are categorized per business unit.
Utilization Rate Setup Options	RF_UTIL_SETUP	Set Up CRM, Product Related, FieldService, Utilization Rate Report Time Type, Utilization Rate Setup Options	Define configuration options, such as the period for day range validation, utilization goal, and cost category definitions for the Utilization Rate interactive report.

Configuring the Service Order Aging Interactive Report

Access the Service Order Aging Date Configuration Options page.

Service Order Aging Date Configuration Options

Unit: US200

Day Ranges [Customize](#) | [Find](#) | First ◀ 1-4 of 4 ▶ Last

SeqNum	From Day	To Day	Day Range	
1	1	10	1-10 Days	[-]
2	11	30	11-30 Days	[-]
3	31	60	31-60 Days	[-]
4	61	99999	> 60 Days	[-]

[Add](#)

[Save](#) [Return to Search](#) [Add](#) [Update/Display](#)

Service Order Aging Date Configuration Options page

SeqNum (sequence number) Displays the order in which the day ranges appear on the interactive report as horizontal axis headings.

From Day Enter the start number for the day range. For example, enter 0 for a 0-4 day range.

To Day Enter the end number for the day range. For example, enter 4 for a 0-4 day range.

Day Range Enter the day range description.

Configuring the Utilization Rate Interactive Report

Access the Utilization Rate Setup Options page.

Utilization Rate Setup Options

Range and Goal Definition

*Valid Range

*Utilization Goal

Cost Category Definition [Customize](#) | [Find](#) | [View All](#) | First 1-3 of 8 Last

*SetID	*Cost Category	Description		
COM01	STRT	Straight Time	<input type="button" value="+"/>	<input type="button" value="-"/>
CRM01	STRT	Straight Time	<input type="button" value="+"/>	<input type="button" value="-"/>
CRM02	STRT	Straight Time	<input type="button" value="+"/>	<input type="button" value="-"/>

Save

Utilization Rate Setup Options page

Period for Range Validation

Valid Range

Enter the maximum duration (in days, weeks, months, or years) that a day range can be specified for the analysis. When you specify the start and end dates on the Utilization Rate page to run the interactive report, the system validates the dates with this period value to ensure that the duration of the day range does not go beyond the duration specified here.

For example, you have set the period for range validation to three weeks. When you enter the start and end dates for the Utilization Rate interactive report, the system displays an error if the defined date range lasts more than three weeks.

Utilization Goal Definition

Utilization Goal

Enter the number, in percentage, that represents how much of an hour technicians are expected to spend on work. The system populates this value on the Utilization Rate page. You can, however, override it.

Cost Category Definition

Cost Category

Select the code of the cost category used to account for the labor time of members in the provider group by setID. Cost category codes are defined on the Cost Categories page.

Running PeopleSoft Integrated FieldService Interactive Reports

This section discusses how to:

- Work with the Service Order Aging interactive report.
- Work with the Utilization Rate interactive report.

- Work with the FieldService Dashboard interactive report.

Pages Used to Run PeopleSoft Integrated FieldService Interactive Reports

Page Name	Object Name	Navigation	Usage
Service Order Aging - Existing Run Control	RF_SO_AGE_UPD	FieldService, Interactive Report, Service Order Aging, Existing Run Control	Select an existing run control ID on the Existing Run Control page to run the Service Order Aging interactive report. You can also update any existing run control profiles, such as selecting a different business unit or customer before running the interactive report. Go to the Add New Run Control page (RF_SO_AGE_ADD) to add new run control profiles.
Utilization Rate - Existing Run Control	RF_UTIL_CONFIG_UPD	FieldService, Interactive Report, Utilization Rate, Existing Run Control	Select an existing run control ID on the Existing Run Control page to run the Utilization Rate interactive report. You can also update any existing run control profiles, such as entering a different start or end date, utilization goal, or different provider group before running the interactive report. Go to the Add New Run Control page (RF_UTIL_CONFIG_ADD) to add new run control profiles.
FieldService Dashboard - Existing Run Control	RF_MGMT_DASHBD_UPD	FieldService, Interactive Report, FieldService Dashboard, Existing Run Control	Select an existing run control ID on the Existing Run Control page to run the FieldService Dashboard interactive report. You can also update any existing run control profiles, such as selecting a different provider group or customer before running the interactive report. Go to the Add New Run Control page (RF_MGMT_DASHBD_ADD) to add new run control profiles.

Working with the Service Order Aging Interactive Report

This section discusses:

- The usage of the Service Order Aging interactive report.
- Available parameters to run the interactive report.
- Available dimensions within the interactive report.

Usage

The Service Order Aging Analysis interactive report shows, within the selected business unit, the age (in days) of all open service orders. The report provides field service managers, dispatchers, and other interested parties a summary of how long those service orders have remained opened since they were created. You can look at this report by customer or by product. The age of a service order is the result of the current system date minus the service order creation date.

You can set up day ranges under which service orders are categorized depending on their ages. Day ranges are used as the horizontal axis headings of the interactive report.

When you first run the interactive report on the Service Order Aging page, the system displays the Summary of Service Order report in the column chart view by default. Switch to the Summary of Service Order Aging report to view the report in the table view.

Available Parameters

Access the Service Order Aging page. You can refine the result of the Service Order Aging Analysis interactive report using the these parameters in the run control page:

- Unit

The Service Order Aging Analysis interactive report is business-unit based.

- Customer

View open service orders for all or only a particular customer in the business unit.

Available Dimensions

Use these dimensions to rearrange data on the Service Order Aging Analysis interactive report:

- Customer
- Product
- Date range

Working with the Utilization Rate Interactive Report

This section discusses:

- The usage of the Utilization Rate interactive report.
- Available parameters to run the interactive report.
- Available dimensions within the interactive report.

Usage

The Technician Utilization Rate Analysis interactive report calculates and displays the percentage of available working time that a provider group or its group members spent on servicing customers in a given period. This report enables field service managers to see how much time technicians spent on site handling customer service requests. Based on inputs like provider group hourly rates, available working time, actual working time, and user-defined utilization goal, the report analyzes the amount of resources (in the currency value defined for the provider group cost category) wasted or needed within the selected time period in the operation.

To gather more information on what must be done to optimize the business, the manager can run what-if scenarios on the report by varying input values in a test case scenario. For example, if the manager notices a significant amount of unused value in one of its provider groups, the manager can adjust values in the test case scenario (such as the utilization goal, provider group hourly rates, and technician working hours), examine the impact of these changes, and then decide where to adjust to yield the best business performance and revenue.

When you run the interactive report on the Utilization Rate page, the system automatically displays the Summary Utilization View report in the table view. Use the Utilization Rate View report to view the utilization rate of all members in the selected provider groups in line chart view. Use the Utilization % at Provider Group Level (utilization percent at provider group level) report to view the utilization rates among provider groups in column chart view.

Available Parameters

Access the Utilization Rate page. You can refine the result of the Technician Utilization Rate Analysis interactive report using the these parameters in the run control page:

- Start and end dates

Specify the start and end dates for the interactive report and make sure the defined duration does not exceed that specified in the Valid Range field. The value of both dates can be a past, current, or future date.

- Utilization goal

This value appears by default from the Utilization Rate Setup Options page. You can, however, override it before running the interactive report.

- Provider group

Run the interactive report for selected provider groups or for all provider groups.

Available Dimensions

Use these dimensions to rearrange data on the Technician Utilization Rate Analysis interactive report:

- Provider group
- Technician
- Scenario

Select *Base Case* to analyze actual data. Select *Test Case* to analyze a “what-if” scenario. If you attempt the test case scenario, modify the variables (the utilization goal, provider group hourly rates, and technician working hours) for the test case on the Change Assumptions page.

These data cubes are available in the interactive report:

- Hours available for technician.

The total amount of technician working hours within the period defined for the report. Technician working hours are specified using the Worker component.

- Hours on-site.

Compiled from all of the time logs created for the technician within the period defined for the report.

- Utilization % (utilization percentage).

Hours on site divided by hours available for a technician.

- Utilization rate by group.

The average utilization rate of all members in the group.

- Universal utilization goal.

The utilization goal defined on the Utilization Rate page.

- Goal hours.

The utilization goal times the hours available for a technician.

- Variance.

The difference between goal hours and hours on site.

- Currency CD (currency code).

The currency code.

- Rate.

The hourly rate of the provider group, which applies to its group member.

- Unused value.

Variance times the hourly rate for the provider group. The hourly rate for the provider group is also used for its group members. This rate is defined using the Provider Groups component.

Working with the FieldService Dashboard Interactive Report

This section discusses:

- The usage of the FieldService Dashboard interactive report.
- The available parameters to run the interactive report.
- The available dimensions within the interactive report.

Usage

The Management Dashboard Analysis interactive report offers a graphical tabular representation of all open service order activities (these activities are associated with open service orders) that are assigned to all or selected provider groups or customers on the day the report is run. Also available in the report are the total number of service order activities with a priority of urgent and service orders that have missed commitments.

When you run the interactive report from the FieldService Dashboard page, the system automatically displays the report in the table view. This report provides a complete view of the analysis, which includes statistics on different service order activity statuses, urgent service order activities, and missed commitments. There are other views in the report that enable you to view specific data. Use the Urgent & Missed report to view statistics on urgent service order activities and missed commitments. Use the Status Comparison report to view the number of service order activities in each of these open activity statuses: accepted, hold customer, hold parts, and on site.

Available Parameters

Access the FieldService Dashboard page. You can refine the result of the Management Dashboard Analysis interactive report using these parameters in the run control page:

- Provider group
- Customer

Available Dimensions

Use these dimensions to rearrange data on the Management Dashboard Analysis interactive report:

- Provider group
- Technician
- Customer
- Business unit

These data cubes are available in the interactive report:

- Open service orders.
Includes all service orders that are currently opened.
- Open service order activities.
Includes all open service order activities (those not in the statuses of closed, completed, or canceled).
- Accepted service order activities.
Includes all service order activities in the accepted status.
- Hold customer service order activities.
Includes all service order activities in the hold customer status.
- Hold parts service order activities.
Includes all service order activities in the hold parts status.
- On site service order activities.
Includes all service order activities in the on site status.
- Urgent service order activities.
Includes all open service order activities with a priority of urgent.
- Missed commitment.
Includes all service order activities (which are not in the canceled status) that were unable to respond to customers or restore product functionality by the required response or restore time specified by the entitlement.

A service order activity misses a response commitment if the least logged start date and time of the timelog exceeds the customer preferred or committed start date and time. Similarly, a service order activity misses a restore commitment if the maximum of the logged end date and time in the timelog exceeds the customer preferred or committed date and time. If a technician is unable to meet both the response and restore commitments in a service order activity, it is considered a single missed commitment incident and is reported under the name of the line's lead technician.

PART 5

PeopleSoft Product Integration

Chapter 12

Integrating with PeopleSoft Applications

CHAPTER 12

Integrating with PeopleSoft Applications

This chapter discusses how to:

- Integrate with PeopleSoft Supply Chain Management (PeopleSoft SCM).
- Integrate with PeopleSoft Financial Management Services (PeopleSoft FMS).
- Integrate with PeopleSoft Human Resources Management (PeopleSoft HRMS).

Integrating with PeopleSoft SCM

Material management functions and realtime item balance and availability checks in PeopleSoft Integrated FieldService require integration with inventory and purchasing systems. If you are integrating with PeopleSoft Inventory and PeopleSoft Purchasing in the PeopleSoft SCM product line, refer to the information in the section below.

See Also

Chapter 8, “Ordering and Receiving Materials,” page 107

PeopleSoft Enterprise CRM 8.9 Product and Item Management PeopleBook, “Checking Item Balances and Availability”

Activating Application Message Enterprise Integration Points

Material management transactions require these application message enterprise integration points (EIPs):

- Business Unit EIP.
- Item Master EIP.
- Customer EIP.
- Product EIP.
- Purchase Order Requisition EIP.
- Inventory Adjustment EIP.
- Interunit Receiving EIP.
- PO Receipt EIP (purchase order receipt EIP).
- Item Balance EIP.
- Get PO IUT EIP.
- Service Inventory EIP.

As delivered, PeopleSoft EIP application messages are inactive. In both PeopleSoft Customer Relationship Management (PeopleSoft CRM) and PeopleSoft SCM, you must activate the required application messages, activate the message subscription PeopleCode, set the associated message channel to run mode, configure an existing message node or define a new message node, and define asynchronous or synchronous transactions on the message node.

Depending on the rules governing creation and updates for installed products, an installed product may exist if an order for the material was placed using PeopleSoft Order Capture, Order Capture Self Service or if an automatic shipping notification (ASN) message for the item was sent to the PeopleSoft CRM system. If an installed product exists, the system updates the status of the record by using the rules that are established on the Installed Product page of the Product Definition component.

See Also

Chapter 8, “Ordering and Receiving Materials.” Understanding Material Usage and Removal, page 120

PeopleSoft Enterprise CRM 8.9 Business Object Management PeopleBook, “Managing Enterprise Integration for PeopleSoft Enterprise CRM”

PeopleSoft Enterprise PeopleTools 8.45 PeopleBook: PeopleSoft Enterprise Components

PeopleSoft Enterprise PeopleTools 8.45 PeopleBook: PeopleSoft Integration Broker

Setting Up Business Interlinks

The Item Balance EIP and the Get PO IUT EIP are business interlink EIPs. When you implement these EIPs, you must modify the RF_IN_ITEM_BALANCES and RF_GETPOIUT business interlink definitions to reference the correct merchant URL, user ID, and password for PeopleSoft Inventory and PeopleSoft Purchasing.

See Also

PeopleSoft Enterprise Components for CRM 8.9 PeopleBook

Defining Inventory Business Units

Define business units in PeopleSoft Inventory for storage locations in your field service trucks. These truck inventory business units should be separate from the inventory business units that represent your distribution warehouses. As the integration is designed, stock requested on orders that are initiated from a field service truck and fulfilled from inventory stores is transferred to the truck with an interunit transfer. This integration design assumes that the truck stock storage location is in a different business unit than the stock used to fulfill the material order.

If both the truck stock storage location and the fulfillment stock are in the same business unit, you must perform a bin-to-bin transfer within the inventory business unit to move the required material to the trucks. This material movement transaction within PeopleSoft Inventory would not provide warehouse staff with a pick list for the required move, nor would it support receiving transactions at the truck.

For the inventory business units that represent field service trucks, turn off soft reservation processing and exclude the truck business units from distribution networks. Stock in truck storage locations should not be available to fulfill sales orders and material stock requests.

Because the order of positive and negative adjustment transactions to inventory storage locations cannot be predicted, set up your inventory business units to enable transactions to drive inventory quantity balances negative.

See Also

PeopleSoft Inventory 8.8 PeopleBook

Defining Storage Locations for FieldService Truck Stock

After defining inventory business units representing field service trucks in PeopleSoft Inventory, define storage locations within the inventory business units that represent good and defective storage locations on your field service trucks. In PeopleSoft CRM, use the Storage Locations page of the Worker component to associate one good truck stock location and one defective truck stock location with each member of your provider groups.

When defining storage areas in PeopleSoft Inventory, represent each field service truck as a storage area, with storage levels within the area representing the good and defective locations for the truck. This model facilitates searching and reporting on truck stock storage areas in PeopleSoft Inventory.

Define the good truck storage locations as netable and the defective truck storage locations as non-netable in PeopleSoft Inventory. For implementations that include PeopleSoft Enterprise Planning or PeopleSoft Production Planning, defining defective truck storage locations as non-netable prevents planning processes from counting the defective or returned stock in these locations as available.

On the Storage Location page of the Worker component in PeopleSoft CRM, business units defined in PeopleSoft SCM are available for selection if the Business Unit EIP has been implemented. The business unit prompt includes all business units; the system does not filter by inventory business units. Additionally, there are no prompts for the storage location definition fields. Your data-entry staff must know the correct inventory business unit to select and the correct storage location information to enter. Carefully check the storage locations entered in PeopleSoft CRM for accuracy. For material movement transactions initiated from the Order Materials and Service Order component to be successfully recorded in PeopleSoft Inventory, the storage locations entered in PeopleSoft CRM must define a valid storage location for the inventory business unit referenced in the IN Unit (inventory unit) field on the Storage Location page.

The good truck storage location is used on receipt and material usage transactions initiated from the Order Materials and Service Order component. The defective truck storage location is used for material removal transactions initiated from the Service Order component.

When you perform an Item Balance By Group Member inquiry in PeopleSoft CRM, only item balances from good truck storage locations appear.

See Also

Chapter 4, “Understanding Inventory Storage Locations for Technicians,” page 23

PeopleSoft Inventory 8.8 PeopleBook

Defining Items

Item information in PeopleSoft CRM must be synchronized with item information in PeopleSoft SCM. Although you can manually enter item information in PeopleSoft CRM, it's better to use the Item Master EIP to populate item tables in PeopleSoft CRM with the master item data in PeopleSoft SCM. Once the Item Master EIP is activated, however, the pages of the Item Definition component in PeopleSoft CRM can be used only to view item information. You cannot add or update item definitions in PeopleSoft CRM.

PeopleSoft CRM stores only a subset of the item attributes defined in PeopleSoft SCM (only the item attributes that are used in PeopleSoft CRM are synchronized). To view the complete item definition, use the item definition components in PeopleSoft SCM.

Item definitions in PeopleSoft CRM are stored at the setID level only. Therefore, it is possible that a particular item may have a status of *Active* at the setID level but a status of *Inactive* in any of the business units in which it is defined.

See Also

PeopleSoft Enterprise CRM 8.9 Product and Item Management PeopleBook, “Defining Items”

Defining Interunit Transfer Defaults

When you define interunit transfer defaults for your inventory business units using the Interunit Transfer Setup component in PeopleSoft Supply Chain Management, clear the Flag Items for Auto-Putaway check box for destination business units that represent field service trucks. You must clear the this check box to require a receipt transaction to be performed against all interunit receipts. When the Flag Items for Auto-Putaway check box is selected, PeopleSoft Inventory automatically sets the status of the interunit transfer to *Received* without requiring a receipt transaction. If the status of the receipt is *Received*, PeopleSoft CRM cannot retrieve the expected receipt information for the order on the Order Materials page.

The Service Order component in PeopleSoft Integrated FieldService validates that all material ordered for a service order activity is received before enabling the service order activity to be closed. If interunit receipt information cannot be entered, the status of the service order activity cannot be set to *Closed*.

See Also

Chapter 7, “Creating and Managing Service Orders,” page 63

PeopleSoft Inventory 8.8 PeopleBook

PeopleSoft Cost Management 8.8 PeopleBook

Setting the Automatic Receiving Option for FieldService Business Units

When defining a field service business unit on the FieldService Definition page, you can determine whether the material orders initiated from the Service Order component can be automatically received. In environments without automatic receiving, technicians must enter receiving information for a material shipment before they can record usage of the material.

With automatic receiving, technicians enter only usage information (the quantity used and the quantity not used) from which the system automatically derives and posts the appropriate receiving transactions. Select the automatic receiving option that best meets your business practices. Neither option offers significant data-entry advantages, and the material management transactions produced in both automatic and manual receiving environments are identical.

With autoreceiving turned on, the receipt of materials comes into the system through the Service Order component. If you are not using autoreceiving, the receipt of materials comes into the system through the Order Materials component.

Defining Defaults and Procurement Options for Requisition Processing

Field service business units in PeopleSoft CRM must be defined as a valid source of requisitions in PeopleSoft SCM. Using the Requisition Loader Defaults component in PeopleSoft SCM, you define each field service business unit as a loader business unit and establish processing defaults for requisitions staged by the field service business unit, including the PeopleSoft Purchasing business unit that will process the requisitions.

When defining procurement options in PeopleSoft SCM, you can use the Ship To Locations page to associate a field service business unit with an appropriate distribution network. Sourcing processes in PeopleSoft Purchasing can be configured to check available quantity in the distribution network before creating a purchase order with an external vendor. If quantity exists in one of the inventory business units in the defined distribution network, an interunit transfer is created to fulfill the requisition. Inventory business units representing field service trucks should not be included in distribution networks.

Since it's a one way sync from the FIN/SCM database to the CRM database, you need to add PeopleSoft Integrated FieldService business units to the FIN/SCM database.

See Also

PeopleSoft Purchasing 8.8 PeopleBook

PeopleSoft Application Fundamentals for Financials, Enterprise Service Automation and Supply Chain Management 8.8 PeopleBook

PeopleSoft Inventory 8.8 PeopleBook

Understanding Requisition IDs

For requisitions initiated from the Order Materials component in PeopleSoft CRM, the system builds a requisition ID by combining the material header ID and the material line number. Material header IDs are created through automatic numbering and are a maximum of eight digits long. The material line number is two digits long.

See Also

PeopleSoft Enterprise CRM 8.9 Application Fundamentals PeopleBook, "Setting Up General Options"

Defining Valid Requisition Requester IDs

Every requisition generated in PeopleSoft CRM includes a requester ID, representing the person or entity that initiates a requisition request. For requisitions initiated from the Order Materials page, the system populates the Requester field with the default requester ID defined on the User Preferences - Overall Preferences page. You can select an alternate requester ID as necessary; however, the requester ID on requisitions staged in PeopleSoft Purchasing must be defined as a valid requester ID in PeopleSoft SCM. Requesters are established on the Requester Setup page in PeopleSoft SCM under Structure Procurement Options.

You can set up requester IDs that are associated with multiple user IDs. In this case, a requester ID represents a specific group or region. Setting up requester IDs this way enables you to monitor requisitions staged by the associated group or region, rather than by a specific person. (Monitor requisitions using the Requisition Workbench in PeopleSoft Purchasing.)

See Also

PeopleSoft Application Fundamentals for Financials, Enterprise Service Automation and Supply Chain Management 8.8 PeopleBook

PeopleSoft Purchasing 8.8 PeopleBook

Correcting Transaction Errors

Correct errors in transactions staged to PeopleSoft SCM using the error correction pages in PeopleSoft SCM. For example, if a material management transaction is sent to PeopleSoft SCM using an invalid storage location, the transaction remains staged until the error is corrected in PeopleSoft SCM. After correction, you can reprocess the transaction.

Setting Up Links to PeopleSoft Purchasing and PeopleSoft Inventory

When using the Order Materials component within the portal, users can link to the Requisition Workbench component in PeopleSoft Purchasing and the Item/Product Availability component in PeopleSoft Inventory. Implementation of these links depends on where the portal is installed in your system. To correctly install the portal define content reference for SCM in the ERP node under the portal content tab.

See Also

PeopleSoft Enterprise PeopleTools 8.45 PeopleBook: PeopleSoft Administration Tools

PeopleSoft Enterprise PeopleTools 8.45 PeopleBook: PeopleTools Internet Technology

Integrating with PeopleSoft Financial Management Services

You can integrate with PeopleSoft FMS to bill and book revenue for recurring and on demand services that are initiated in PeopleSoft CRM. For service order and case transactions, on demand services are always one-time charges. Agreement fees, however, can be recurring and also go through PeopleSoft Transaction Billing Processor.

Once you establish the integration to PeopleSoft Transaction Billing Processor, users send agreement fees, service order fees (including service, material, time, and expense fees), and case fees to PeopleSoft Transaction Billing Processor from the Billing pages in PeopleSoft Integrated FieldService and PeopleSoft Call Center.

PeopleSoft CRM sends only those transactions to PeopleSoft Transaction Billing Processor that are ready to be billed. PeopleSoft Transaction Billing Processor does not modify PeopleSoft CRM transactions. It may, however, split the fees so that they can be billed periodically. PeopleSoft Transaction Billing Processor enables the ability to recognize revenue periodically as well. Once you establish the integration, all agreement-based and on-demand transactions are sent to PeopleSoft Contracts. Use the set up pages in PeopleSoft Billing, PeopleSoft Contracts, and PeopleSoft General Ledger to recognize revenue, initiate billing cycles, set up schedule details, and establish account rules for applying revenue to the general ledger.

Information on setting up an integration to PeopleSoft Transaction Billing Processor for billing can be found in the *PeopleSoft Enterprise CRM 8.9 Call Center Applications PeopleBook*, the *PeopleSoft Enterprise CRM 8.9 Services Foundation PeopleBook*, and the *PeopleSoft Enterprise CRM 8.9 Order Capture Applications PeopleBook*.

See Also

PeopleSoft Enterprise CRM 8.9 Services Foundation PeopleBook, “Setting Up an Integration to PeopleSoft Transaction Billing Processor”

PeopleSoft Enterprise CRM 8.9 Call Center Applications PeopleBook, “Managing Cases,” Entering Case Information

Chapter 7, “Creating and Managing Service Orders,” Recording Billing Information, page 102

PeopleSoft Enterprise CRM 8.9 Order Capture Applications PeopleBook, “Integrating with Fulfillment and Billing Systems,” Integrating with Billing Systems

Integrating with PeopleSoft Human Resources Management

You can integrate with PeopleSoft HRMS to populate PeopleSoft CRM tables with workers and competency information associated with your workers. For a list of EIPs used with PeopleSoft HRMS, refer to the links in the See Also section.

See Also

PeopleSoft Enterprise CRM 8.9 Business Object Management PeopleBook, “Managing Enterprise Integration for PeopleSoft Enterprise CRM”

PeopleSoft Enterprise CRM 8.9 Business Object Management PeopleBook, “Managing Enterprise Integration for PeopleSoft Enterprise CRM,” Integration with PeopleSoft HRMS or Third-Party HR Data

PeopleSoft Enterprise CRM 8.9 Application Fundamentals PeopleBook, “Managing Workforce Competencies”

PeopleSoft Enterprise CRM 8.9 Business Object Management PeopleBook, “Defining Workers”

Activating Application Message EIPs

In PeopleSoft CRM, you can enter competencies, competency proficiency ratings, and competency assignments online using components within PeopleSoft CRM. However, if you are integrating with PeopleSoft HRMS, use the Person Competency EIP to synchronize your system tables with the competency information defined in PeopleSoft HRMS.

Similarly, you can maintain worker records in PeopleSoft HRMS or a third-party human resources system and move the worker data to PeopleSoft CRM by implementing the Workforce Data EIP.

See *PeopleSoft Enterprise CRM 8.9 Business Object Management PeopleBook*, “Defining Workers”.

As delivered, PeopleSoft EIP application messages are inactive. In both PeopleSoft CRM and PeopleSoft HRMS, you must activate the required application messages of the Person Competency EIP, set the associated message channel to run mode, define the publication or subscription routing rules, and configure an existing message node or define a new message node.

Note that PeopleSoft CRM is a subscriber to Person Competency EIP messages, not a publisher. Any changes made to competency definitions or ratings in PeopleSoft CRM are not published or synchronized with PeopleSoft HRMS. All updates to competency records should be made in PeopleSoft HRMS and published to PeopleSoft CRM.

See Also

PeopleSoft Enterprise Components for CRM 8.9 PeopleBook

PeopleSoft Enterprise PeopleTools 8.45 PeopleBook: PeopleSoft Integration Broker

Setting the Use Only Evaluation Type Option in PeopleSoft CRM

Before assigning competencies on the Competency Assignment page in PeopleSoft CRM, you must set the Use Only Evaluation Type field on the General Options page under Set Up CRM, Install, Installation Options.

The Person Competency EIP loads competency data with all evaluation types in PeopleSoft CRM. Specifying an evaluation type at installation enables the system to limit the competency records that can be selected on CRM pages. Although the evaluation type does not appear in PeopleSoft CRM, the pages in PeopleSoft CRM display only the competency records that match the specified evaluation type.

See Also

PeopleSoft Enterprise CRM 8.9 Application Fundamentals PeopleBook, “Setting Up General Options,”
Setting Up PeopleSoft Enterprise CRM Application Installation Options

APPENDIX A

PeopleSoft Integrated FieldService Reports

This appendix provides an overview of PeopleSoft Integrated FieldService reports and enables you to view summary tables of all reports.

Note. For samples of these reports, see the PDF files published on CD-ROM with your documentation.

See Also

Chapter 11, “Managing Your FieldService Operations,” Setting Up PeopleSoft Integrated FieldService Interactive Reports, page 146

Chapter 11, “Managing Your FieldService Operations,” Running PeopleSoft Integrated FieldService Interactive Reports, page 148

PeopleSoft Enterprise PeopleTools 8.45 PeopleBook: PeopleSoft Process Scheduler PeopleBook

PeopleSoft Integrated FieldService Reports: General Description

This table lists the PeopleSoft Integrated FieldService reports, sorted alphanumerically by report ID. All of the reports are Crystal reports.

Report ID and Report Name	Description	Navigation	Run Control Page
RFC5000 Dispatch Performance	Shows, by customer, the percentage of service orders completed each month. On the run control page, select the business unit, customer (optional), and date range for the report.	FieldService, Reports, Dispatch Performance	RUN_RFC5000
RFC5001 Expense Report by Product	Shows, by region, monthly expenses for products that were serviced. On the run control page, select the business unit, currency code, region (optional), and date range for the report.	FieldService, Reports, Expenses by Product	RUN_RFC5001

Report ID and Report Name	Description	Navigation	Run Control Page
RFC5001A Expenses by Customer	Shows, by region and customer, monthly expenses for products that were serviced. On the run control page, select the business unit, currency code, region (optional), customer (optional), and date range for the report.	FieldService, Reports, Expenses By Customer	RUN_RFC5001A
RFC5002 Mean Time to Repair	Shows, by region and customer, the average time spent on service orders each month. On the run control page, select the business unit, region (optional), customer (optional), and date range for the report.	FieldService, Reports, Mean Time To Repair	RUN_RFC5002
RFC5006 Service Order Estimate	Provides an estimate of the cost that is planned to perform the service.	Click the Estimate Report button on the toolbar from the Service Order page or the My Service Order page.	Not Applicable
RFC5005 Service Order Detail	Lists the work that the technician has to perform to fulfill the requirements of the service order.	Click the Detail Report button on the toolbar from the Service Order page or the My Service Order page.	Not Applicable

APPENDIX B

ISO Country and Currency Codes

PeopleBooks use International Organization for Standardization (ISO) country and currency codes to identify country-specific information and monetary amounts.

This appendix discusses:

- ISO country codes.
- ISO currency codes.

See Also

"About This PeopleBook." Typographical Conventions and Visual Cues

ISO Country Codes

This table lists the ISO country codes that may appear as country identifiers in PeopleBooks:

ISO Country Code	Country Name
ABW	Aruba
AFG	Afghanistan
AGO	Angola
AIA	Anguilla
ALB	Albania
AND	Andorra
ANT	Netherlands Antilles
ARE	United Arab Emirates
ARG	Argentina
ARM	Armenia
ASM	American Samoa
ATA	Antarctica

ISO Country Code	Country Name
ATF	French Southern Territories
ATG	Antigua and Barbuda
AUS	Australia
AUT	Austria
AZE	Azerbaijan
BDI	Burundi
BEL	Belgium
BEN	Benin
BFA	Burkina Faso
BGD	Bangladesh
BGR	Bulgaria
BHR	Bahrain
BHS	Bahamas
BIH	Bosnia and Herzegovina
BLR	Belarus
BLZ	Belize
BMU	Bermuda
BOL	Bolivia
BRA	Brazil
BRB	Barbados
BRN	Brunei Darussalam
BTN	Bhutan
BVT	Bouvet Island
BWA	Botswana
CAF	Central African Republic
CAN	Canada
CCK	Cocos (Keeling) Islands

ISO Country Code	Country Name
CHE	Switzerland
CHL	Chile
CHN	China
CIV	Cote D'Ivoire
CMR	Cameroon
COD	Congo, The Democratic Republic
COG	Congo
COK	Cook Islands
COL	Colombia
COM	Comoros
CPV	Cape Verde
CRI	Costa Rica
CUB	Cuba
CXR	Christmas Island
CYM	Cayman Islands
CYP	Cyprus
CZE	Czech Republic
DEU	Germany
DJI	Djibouti
DMA	Dominica
DNK	Denmark
DOM	Dominican Republic
DZA	Algeria
ECU	Ecuador
EGY	Egypt
ERI	Eritrea
ESH	Western Sahara

ISO Country Code	Country Name
ESP	Spain
EST	Estonia
ETH	Ethiopia
FIN	Finland
FJI	Fiji
FLK	Falkland Islands (Malvinas)
FRA	France
FRO	Faroe Islands
FSM	Micronesia, Federated States
GAB	Gabon
GBR	United Kingdom
GEO	Georgia
GHA	Ghana
GIB	Gibraltar
GIN	Guinea
GLP	Guadeloupe
GMB	Gambia
GNB	Guinea-Bissau
GNQ	Equatorial Guinea
GRC	Greece
GRD	Grenada
GRL	Greenland
GTM	Guatemala
GUF	French Guiana
GUM	Guam
GUY	Guyana
GXA	GXA - GP Core Country

ISO Country Code	Country Name
GXB	GXB - GP Core Country
GXC	GXC - GP Core Country
GXD	GXD - GP Core Country
HKG	Hong Kong
HMD	Heard and McDonald Islands
HND	Honduras
HRV	Croatia
HTI	Haiti
HUN	Hungary
IDN	Indonesia
IND	India
IOT	British Indian Ocean Territory
IRL	Ireland
IRN	Iran (Islamic Republic Of)
IRQ	Iraq
ISL	Iceland
ISR	Israel
ITA	Italy
JAM	Jamaica
JOR	Jordan
JPN	Japan
KAZ	Kazakstan
KEN	Kenya
KGZ	Kyrgyzstan
KHM	Cambodia
KIR	Kiribati
KNA	Saint Kitts and Nevis

ISO Country Code	Country Name
KOR	Korea, Republic of
KWT	Kuwait
LAO	Lao People's Democratic Rep
LBN	Lebanon
LBR	Liberia
LBY	Libyan Arab Jamahiriya
LCA	Saint Lucia
LIE	Liechtenstein
LKA	Sri Lanka
LSO	Lesotho
LTU	Lithuania
LUX	Luxembourg
LVA	Latvia
MAC	Macao
MAR	Morocco
MCO	Monaco
MDA	Moldova, Republic of
MDG	Madagascar
MDV	Maldives
MEX	Mexico
MHL	Marshall Islands
MKD	Fmr Yugoslav Rep of Macedonia
MLI	Mali
MLT	Malta
MMR	Myanmar
MNG	Mongolia
MNP	Northern Mariana Islands

ISO Country Code	Country Name
MOZ	Mozambique
MRT	Mauritania
MSR	Montserrat
MTQ	Martinique
MUS	Mauritius
MWI	Malawi
MYS	Malaysia
MYT	Mayotte
NAM	Namibia
NCL	New Caledonia
NER	Niger
NFK	Norfolk Island
NGA	Nigeria
NIC	Nicaragua
NIU	Niue
NLD	Netherlands
NOR	Norway
NPL	Nepal
NRU	Nauru
NZL	New Zealand
OMN	Oman
PAK	Pakistan
PAN	Panama
PCN	Pitcairn
PER	Peru
PHL	Philippines
PLW	Palau

ISO Country Code	Country Name
PNG	Papua New Guinea
POL	Poland
PRI	Puerto Rico
PRK	Korea, Democratic People's Rep
PRT	Portugal
PRY	Paraguay
PSE	Palestinian Territory, Occupie
PYF	French Polynesia
QAT	Qatar
REU	Reunion
ROU	Romania
RUS	Russian Federation
RWA	Rwanda
SAU	Saudi Arabia
SDN	Sudan
SEN	Senegal
SGP	Singapore
SGS	Sth Georgia & Sth Sandwich Is
SHN	Saint Helena
SJM	Svalbard and Jan Mayen
SLB	Solomon Islands
SLE	Sierra Leone
SLV	El Salvador
SMR	San Marino
SOM	Somalia
SPM	Saint Pierre and Miquelon
STP	Sao Tome and Principe

ISO Country Code	Country Name
SUR	Suriname
SVK	Slovakia
SVN	Slovenia
SWE	Sweden
SWZ	Swaziland
SYC	Seychelles
SYR	Syrian Arab Republic
TCA	Turks and Caicos Islands
TCD	Chad
TGO	Togo
THA	Thailand
TJK	Tajikistan
TKL	Tokelau
TKM	Turkmenistan
TLS	East Timor
TON	Tonga
TTO	Trinidad and Tobago
TUN	Tunisia
TUR	Turkey
TUV	Tuvalu
TWN	Taiwan, Province of China
TZA	Tanzania, United Republic of
UGA	Uganda
UKR	Ukraine
UMI	US Minor Outlying Islands
URY	Uruguay
USA	United States

ISO Country Code	Country Name
UZB	Uzbekistan
VAT	Holy See (Vatican City State)
VCT	St Vincent and the Grenadines
VEN	Venezuela
VGB	Virgin Islands (British)
VIR	Virgin Islands (U.S.)
VNM	Viet Nam
VUT	Vanuatu
WLF	Wallis and Futuna Islands
WSM	Samoa
YEM	Yemen
YUG	Yugoslavia
ZAF	South Africa
ZMB	Zambia
ZWE	Zimbabwe

ISO Currency Codes

This table lists the ISO country codes that may appear as currency identifiers in PeopleBooks:

ISO Currency Code	Description
ADP	Andorran Peseta
AED	United Arab Emirates Dirham
AFA	Afghani
AFN	Afghani
ALK	Old Lek
ALL	Lek
AMD	Armenian Dram

ISO Currency Code	Description
ANG	Netherlands Antilles Guilder
AOA	Kwanza
AOK	Kwanza
AON	New Kwanza
AOR	Kwanza Reajustado
ARA	Austral
ARP	Peso Argentino
ARS	Argentine Peso
ARY	Peso
ATS	Schilling
AUD	Australian Dollar
AWG	Aruban Guilder
AZM	Azerbaijani Manat
BAD	Dinar
BAM	Convertible Marks
BBD	Barbados Dollar
BDT	Taka
BEC	Convertible Franc
BEF	Belgian Franc
BEL	Financial Belgian Franc
BGJ	Lev A/52
BGK	Lev A/62
BGL	Lev
BGN	Bulgarian LEV
BHD	Bahraini Dinar
BIF	Burundi Franc
BMD	Bermudian Dollar

ISO Currency Code	Description
BND	Brunei Dollar
BOB	Boliviano
BOP	Peso
BOV	Mvdol
BRB	Cruzeiro
BRC	Cruzado
BRE	Cruzeiro
BRL	Brazilian Real
BRN	New Cruzado
BRR	Brazilian Real Dollar
BSD	Bahamian Dollar
BTN	Ngultrum
BUK	N/A
BWP	Pula
BYB	Belarussian Ruble
BYR	Belarussian Ruble
BZD	Belize Dollar
CAD	Canadian Dollar
CDF	Franc Congolais
CHF	Swiss Franc
CLF	Unidades de fomento
CLP	Chilean Peso
CNX	Peoples Bank Dollar
CNY	Yuan Renminbi
COP	Colombian Peso
CRC	Costa Rican Colon
CSD	Serbia Dinar

ISO Currency Code	Description
CSJ	Krona A/53
CSK	Koruna
CUP	Cuban Peso
CVE	Cape Verde Escudo
CYP	Cyprus Pound
CZK	Czech Koruna
DEM	Deutsche Mark
DJF	Djibouti Franc
DKK	Danish Krone
DOP	Dominican Peso
DZD	Algerian Dinar
ECS	Sucre
ECV	Unidad de Valor
EEK	Kroon
EGP	Egyptian Pound
EQE	Ekwele
ERN	Nakfa
ESA	Spanish Peseta
ESB	Convertible Peseta
ESP	Spanish Peseta
ETB	Ethiopian Birr
EUR	euro
FIM	Markka
FJD	Fiji Dollar
FKP	Falklands Isl. Pound
FRF	French Franc
GBP	Pound Sterling

ISO Currency Code	Description
GEK	Georgian Coupon
GEL	Lari
GHC	Cedi
GIP	Gibraltar Pound
GMD	Dalasi
GNE	Syli
GNF	Guinea Franc
GNS	Syli
GQE	Ekwele
GRD	Drachma
GTQ	Quetzal
GWE	Guinea Escudo
GWP	Guinea-Bissau Peso
GYD	Guyana Dollar
HKD	Hong Kong Dollar
HNL	Lempira
HRD	Dinar
HRK	Kuna
HTG	Gourde
HUF	Forint
IDR	Rupiah
IEP	Irish Pound
ILP	Pound
ILR	Old Shekel
ILS	New Israeli Sheqel
INR	Indian Rupee
IQD	Iraqi Dinar

ISO Currency Code	Description
IRR	Iranian Rial
ISJ	Old Krona
ISK	Iceland Krona
ITL	Italian Lira
JMD	Jamaican Dollar
JOD	Jordanian Dinar
JPY	Yen
KES	Kenyan Shilling
KGS	Som
KHR	Riel
KMF	Comoro Franc
KPW	North Korean Won
KRW	Won
KWD	Kuwaiti Dinar
KYD	Cayman Islands dollar
KZT	Tenge
LAJ	Kip Pot Pol
LAK	Kip
LBP	Lebanese Pound
LKR	Sri Lanka Rupee
LRD	Liberian Dollar
LSL	Loti
LSM	Maloti
LTL	Lithuanian Litas
LTT	Talonas
LUC	Convertib Franc
LUF	Luxembourg Franc

ISO Currency Code	Description
LUL	Financial Franc
LVL	Latvian Lats
LVR	Latvian Ruble
LYD	Libyan Dinar
MAD	Moroccan Dirham
MAF	Mali Franc
MDL	Moldovan Leu
MGF	Malagasy Franc
MKD	Denar
MLF	Mali Franc
MMK	Kyat
MNT	Tugrik
MOP	Pataca
MRO	Ouguiya
MTL	Maltese Lira
MTP	Maltese Pound
MUR	Mauritius Rupee
MVQ	Maldiva Rupee
MVR	Rufiyaa
MWK	Malawian Kwacha
MXN	Mexican Peso
MXP	Mexican Peso
MXV	Mexican UDI
MYR	Malaysian Ringgit
MZE	Mozambique Escudo
MZM	Metical
NAD	Namibia Dollar

ISO Currency Code	Description
NGN	Naira
NIC	Cordoba
NIO	Cordoba Oro
NLG	Netherlands Guilder
NOK	Norwegian Krone
NPR	Nepalese Rupee
NZD	New Zealand Dollar
OMR	Rial Omani
PAB	Balboa
PEI	Inti
PEN	Nuevo Sol
PES	Sol
PGK	Kina
PHP	Philippine Peso
PKR	Pakistan Rupee
PLN	Zloty
PLZ	Zloty
PTE	Portuguese Escudo
PYG	Guarani
QAR	Qatari Rial
ROK	Leu A/52
ROL	Leu
RUB	Russian Ruble
RUR	Russian Federation Rouble
RWF	Rwanda Franc
SAR	Saudi Riyal
SBD	Solomon Islands

ISO Currency Code	Description
SCR	Seychelles Rupee
SDD	Sudanese Dinar
SDP	Sudanese Pound
SEK	Swedish Krona
SGD	Singapore Dollar
SHP	St Helena Pound
SIT	Tolar
SKK	Slovak Koruna
SLL	Leone
SOS	Somali Shilling
SRG	Surinam Guilder
STD	Dobra
SUR	Rouble
SVC	El Salvador Colon
SYP	Syrian Pound
SZL	Lilangeni
THB	Baht
TJR	Tajik Ruble
TJS	Somoni
TMM	Manat
TND	Tunisian Dinar
TOP	Pa'anga
TPE	Timor Escudo
TRL	Turkish Lira
TTD	Trinidad Dollar
TWD	New Taiwan Dollar
TZS	Tanzanian Shilling

ISO Currency Code	Description
UAH	Hryvnia
UAK	Karbovanet
UGS	Uganda Shilling
UGW	Old Shilling
UGX	Uganda Shilling
USD	US Dollar
USN	US Dollar (Next day)
USS	US Dollar (Same day)
UYN	Old Uruguay Peso
UYP	Uruguayan Peso
UYU	Peso Uruguayo
UZS	Uzbekistan Sum
VEB	Bolivar
VNC	Old Dong
VND	Dong
VUV	Vatu
WST	Tala
XAF	CFA Franc BEAC
XAG	Silver
XAU	GOLD
XBA	European Composite Unit
XBB	European Monetary Unit
XBC	European Unit of Account 9
XBD	European Unit of Account 17
XCD	East Caribbean Dollar
XDR	SDR
XEU	EU Currency (E.C.U)

ISO Currency Code	Description
XFO	Gold-Franc
XFU	UIC-Franc
XOF	CFA Franc BCEAO
XPD	Palladium
XPF	CFP Franc
XPT	Platinum
XTS	For Testing Purposes
XXX	Non Currency Transaction
YDD	Yemeni Din
YER	Yemeni Rial
YUD	New Yugoslavian Dinar
YUM	New Dinar
YUN	Yugoslavian Dinar
ZAL	Financial Rand
ZAR	Rand
ZMK	Zambian Kwacha
ZRN	New Zaire
ZRZ	Zaire
ZWC	Rhodesian Dollar
ZWD	Zimbabwe Dollar

Glossary of PeopleSoft Terms

absence entitlement	This element defines rules for granting paid time off for valid absences, such as sick time, vacation, and maternity leave. An absence entitlement element defines the entitlement amount, frequency, and entitlement period.
absence take	This element defines the conditions that must be met before a payee is entitled to take paid time off.
accounting class	In PeopleSoft Enterprise Performance Management, the accounting class defines how a resource is treated for generally accepted accounting practices. The Inventory class indicates whether a resource becomes part of a balance sheet account, such as inventory or fixed assets, while the Non-inventory class indicates that the resource is treated as an expense of the period during which it occurs.
accounting date	The accounting date indicates when a transaction is recognized, as opposed to the date the transaction actually occurred. The accounting date and transaction date can be the same. The accounting date determines the period in the general ledger to which the transaction is to be posted. You can only select an accounting date that falls within an open period in the ledger to which you are posting. The accounting date for an item is normally the invoice date.
accounting split	The accounting split method indicates how expenses are allocated or divided among one or more sets of accounting ChartFields.
accumulator	You use an accumulator to store cumulative values of defined items as they are processed. You can accumulate a single value over time or multiple values over time. For example, an accumulator could consist of all voluntary deductions, or all company deductions, enabling you to accumulate amounts. It allows total flexibility for time periods and values accumulated.
action reason	The reason an employee's job or employment information is updated. The action reason is entered in two parts: a personnel action, such as a promotion, termination, or change from one pay group to another—and a reason for that action. Action reasons are used by PeopleSoft Human Resources, PeopleSoft Benefits Administration, PeopleSoft Stock Administration, and the COBRA Administration feature of the Base Benefits business process.
action template	In PeopleSoft Receivables, outlines a set of escalating actions that the system or user performs based on the period of time that a customer or item has been in an action plan for a specific condition.
activity	<p>In PeopleSoft Enterprise Learning Management, an instance of a catalog item (sometimes called a class) that is available for enrollment. The activity defines such things as the costs that are associated with the offering, enrollment limits and deadlines, and waitlisting capacities.</p> <p>In PeopleSoft Enterprise Performance Management, the work of an organization and the aggregation of actions that are used for activity-based costing.</p> <p>In PeopleSoft Project Costing, the unit of work that provides a further breakdown of projects—usually into specific tasks.</p> <p>In PeopleSoft Workflow, a specific transaction that you might need to perform in a business process. Because it consists of the steps that are used to perform a transaction, it is also known as a step map.</p>

agreement	In PeopleSoft eSettlements, provides a way to group and specify processing options, such as payment terms, pay from a bank, and notifications by a buyer and supplier location combination.
allocation rule	In PeopleSoft Enterprise Incentive Management, an expression within compensation plans that enables the system to assign transactions to nodes and participants. During transaction allocation, the allocation engine traverses the compensation structure from the current node to the root node, checking each node for plans that contain allocation rules.
alternate account	A feature in PeopleSoft General Ledger that enables you to create a statutory chart of accounts and enter statutory account transactions at the detail transaction level, as required for recording and reporting by some national governments.
AR specialist	Abbreviation for <i>receivables specialist</i> . In PeopleSoft Receivables, an individual in who tracks and resolves deductions and disputed items.
arbitration plan	In PeopleSoft Enterprise Pricer, defines how price rules are to be applied to the base price when the transaction is priced.
assessment rule	In PeopleSoft Receivables, a user-defined rule that the system uses to evaluate the condition of a customer's account or of individual items to determine whether to generate a follow-up action.
asset class	An asset group used for reporting purposes. It can be used in conjunction with the asset category to refine asset classification.
attribute/value pair	In PeopleSoft Directory Interface, relates the data that makes up an entry in the directory information tree.
authentication server	A server that is set up to verify users of the system.
base time period	In PeopleSoft Business Planning, the lowest level time period in a calendar.
benchmark job	In PeopleSoft Workforce Analytics, a benchmark job is a job code for which there is corresponding salary survey data from published, third-party sources.
book	In PeopleSoft Asset Management, used for storing financial and tax information, such as costs, depreciation attributes, and retirement information on assets.
branch	A tree node that rolls up to nodes above it in the hierarchy, as defined in PeopleSoft Tree Manager.
budgetary account only	An account used by the system only and not by users; this type of account does not accept transactions. You can only budget with this account. Formerly called "system-maintained account."
budget check	In commitment control, the processing of source transactions against control budget ledgers, to see if they pass, fail, or pass with a warning.
budget control	In commitment control, budget control ensures that commitments and expenditures don't exceed budgets. It enables you to track transactions against corresponding budgets and terminate a document's cycle if the defined budget conditions are not met. For example, you can prevent a purchase order from being dispatched to a vendor if there are insufficient funds in the related budget to support it.
budget period	The interval of time (such as 12 months or 4 quarters) into which a period is divided for budgetary and reporting purposes. The ChartField allows maximum flexibility to define operational accounting time periods without restriction to only one calendar.
business event	In PeopleSoft Receivables, defines the processing characteristics for the Receivable Update process for a draft activity.

	In PeopleSoft Sales Incentive Management, an original business transaction or activity that may justify the creation of a PeopleSoft Enterprise Incentive Management event (a sale, for example).
business unit	A corporation or a subset of a corporation that is independent with regard to one or more operational or accounting functions.
buyer	In PeopleSoft eSettlements, an organization (or business unit, as opposed to an individual) that transacts with suppliers (vendors) within the system. A buyer creates payments for purchases that are made in the system.
catalog item	In PeopleSoft Enterprise Learning Management, a specific topic that a learner can study and have tracked. For example, "Introduction to Microsoft Word." A catalog item contains general information about the topic and includes a course code, description, categorization, keywords, and delivery methods. A catalog item can have one or more learning activities.
catalog map	In PeopleSoft Catalog Management, translates values from the catalog source data to the format of the company's catalog.
catalog partner	In PeopleSoft Catalog Management, shares responsibility with the enterprise catalog manager for maintaining catalog content.
categorization	Associates partner offerings with catalog offerings and groups them into enterprise catalog categories.
channel	In PeopleSoft MultiChannel Framework, email, chat, voice (computer telephone integration [CTI]), or a generic event.
ChartField	A field that stores a chart of accounts, resources, and so on, depending on the PeopleSoft application. ChartField values represent individual account numbers, department codes, and so forth.
ChartField balancing	You can require specific ChartFields to match up (balance) on the debit and the credit side of a transaction.
ChartField combination edit	The process of editing journal lines for valid ChartField combinations based on user-defined rules.
ChartKey	One or more fields that uniquely identify each row in a table. Some tables contain only one field as the key, while others require a combination.
checkbook	In PeopleSoft Promotions Management, enables you to view financial data (such as planned, incurred, and actual amounts) that is related to funds and trade promotions.
Class ChartField	A ChartField value that identifies a unique appropriation budget key when you combine it with a fund, department ID, and program code, as well as a budget period. Formerly called <i>sub-classification</i> .
clone	In PeopleCode, to make a unique copy. In contrast, to <i>copy</i> may mean making a new reference to an object, so if the underlying object is changed, both the copy and the original change.
collection	To make a set of documents available for searching in Verity, you must first create at least one collection. A collection is set of directories and files that allow search application users to use the Verity search engine to quickly find and display source documents that match search criteria. A collection is a set of statistics and pointers to the source documents, stored in a proprietary format on a file server. Because a collection can only store information for a single location, PeopleSoft maintains a set of collections (one per language code) for each search index object.

collection rule	In PeopleSoft Receivables, a user-defined rule that defines actions to take for a customer based on both the amount and the number of days past due for outstanding balances.
compensation object	In PeopleSoft Enterprise Incentive Management, a node within a compensation structure. Compensation objects are the building blocks that make up a compensation structure's hierarchical representation.
compensation structure	In PeopleSoft Enterprise Incentive Management, a hierarchical relationship of compensation objects that represents the compensation-related relationship between the objects.
condition	In PeopleSoft Receivables, occurs when there is a change of status for a customer's account, such as reaching a credit limit or exceeding a user-defined balance due.
configuration parameter catalog	Used to configure an external system with PeopleSoft. For example, a configuration parameter catalog might set up configuration and communication parameters for an external server.
configuration plan	In PeopleSoft Enterprise Incentive Management, configuration plans hold allocation information for common variables (not incentive rules) and are attached to a node without a participant. Configuration plans are not processed by transactions.
content reference	Content references are pointers to content registered in the portal registry. These are typically either URLs or iScripts. Content references fall into three categories: target content, templates, and template pagelets.
context	<p>In PeopleCode, determines which buffer fields can be contextually referenced and which is the current row of data on each scroll level when a PeopleCode program is running.</p> <p>In PeopleSoft Enterprise Incentive Management, a mechanism that is used to determine the scope of a processing run. PeopleSoft Enterprise Incentive Management uses three types of context: plan, period, and run-level.</p>
control table	Stores information that controls the processing of an application. This type of processing might be consistent throughout an organization, or it might be used only by portions of the organization for more limited sharing of data.
cost profile	A combination of a receipt cost method, a cost flow, and a deplete cost method. A profile is associated with a cost book and determines how items in that book are valued, as well as how the material movement of the item is valued for the book.
cost row	A cost transaction and amount for a set of ChartFields.
current learning	In PeopleSoft Enterprise Learning Management, a self-service repository for all of a learner's in-progress learning activities and programs.
data acquisition	In PeopleSoft Enterprise Incentive Management, the process during which raw business transactions are acquired from external source systems and fed into the operational data store (ODS).
data elements	<p>Data elements, at their simplest level, define a subset of data and the rules by which to group them.</p> <p>For Workforce Analytics, data elements are rules that tell the system what measures to retrieve about your workforce groups.</p>
dataset	A data grouping that enables role-based filtering and distribution of data. You can limit the range and quantity of data that is displayed for a user by associating dataset rules with user roles. The result of dataset rules is a set of data that is appropriate for the user's roles.

delivery method	<p>In PeopleSoft Enterprise Learning Management, identifies the primary type of delivery method in which a particular learning activity is offered. Also provides default values for the learning activity, such as cost and language. This is primarily used to help learners search the catalog for the type of delivery from which they learn best. Because PeopleSoft Enterprise Learning Management is a blended learning system, it does not enforce the delivery method.</p> <p>In PeopleSoft Supply Chain Management, identifies the method by which goods are shipped to their destinations (such as truck, air, rail, and so on). The delivery method is specified when creating shipment schedules.</p>
delivery method type	In PeopleSoft Enterprise Learning Management, identifies how learning activities can be delivered—for example, through online learning, classroom instruction, seminars, books, and so forth—in an organization. The type determines whether the delivery method includes scheduled components.
directory information tree	In PeopleSoft Directory Interface, the representation of a directory's hierarchical structure.
document sequencing	A flexible method that sequentially numbers the financial transactions (for example, bills, purchase orders, invoices, and payments) in the system for statutory reporting and for tracking commercial transaction activity.
dynamic detail tree	A tree that takes its detail values—dynamic details—directly from a table in the database, rather than from a range of values that are entered by the user.
edit table	A table in the database that has its own record definition, such as the Department table. As fields are entered into a PeopleSoft application, they can be validated against an edit table to ensure data integrity throughout the system.
effective date	A method of dating information in PeopleSoft applications. You can predate information to add historical data to your system, or postdate information in order to enter it before it actually goes into effect. By using effective dates, you don't delete values; you enter a new value with a current effective date.
EIM ledger	Abbreviation for <i>Enterprise Incentive Management ledger</i> . In PeopleSoft Enterprise Incentive Management, an object to handle incremental result gathering within the scope of a participant. The ledger captures a result set with all of the appropriate traces to the data origin and to the processing steps of which it is a result.
elimination set	In PeopleSoft General Ledger, a related group of intercompany accounts that is processed during consolidations.
entry event	In PeopleSoft General Ledger, Receivables, Payables, Purchasing, and Billing, a business process that generates multiple debits and credits resulting from single transactions to produce standard, supplemental accounting entries.
equitization	In PeopleSoft General Ledger, a business process that enables parent companies to calculate the net income of subsidiaries on a monthly basis and adjust that amount to increase the investment amount and equity income amount before performing consolidations.
event	<p>A predefined point either in the Component Processor flow or in the program flow. As each point is encountered, the event activates each component, triggering any PeopleCode program that is associated with that component and that event. Examples of events are FieldChange, SavePreChange, and RowDelete.</p> <p>In PeopleSoft Human Resources, also refers to an incident that affects benefits eligibility.</p>
event propagation process	In PeopleSoft Sales Incentive Management, a process that determines, through logic, the propagation of an original PeopleSoft Enterprise Incentive Management event and creates a derivative (duplicate) of the original event to be processed by other objects.

	Sales Incentive Management uses this mechanism to implement splits, roll-ups, and so on. Event propagation determines who receives the credit.
exception	In PeopleSoft Receivables, an item that either is a deduction or is in dispute.
exclusive pricing	In PeopleSoft Order Management, a type of arbitration plan that is associated with a price rule. Exclusive pricing is used to price sales order transactions.
fact	In PeopleSoft applications, facts are numeric data values from fields from a source database as well as an analytic application. A fact can be anything you want to measure your business by, for example, revenue, actual, budget data, or sales numbers. A fact is stored on a fact table.
forecast item	A logical entity with a unique set of descriptive demand and forecast data that is used as the basis to forecast demand. You create forecast items for a wide range of uses, but they ultimately represent things that you buy, sell, or use in your organization and for which you require a predictable usage.
fund	In PeopleSoft Promotions Management, a budget that can be used to fund promotional activity. There are four funding methods: top down, fixed accrual, rolling accrual, and zero-based accrual.
generic process type	In PeopleSoft Process Scheduler, process types are identified by a generic process type. For example, the generic process type SQR includes all SQR process types, such as SQR process and SQR report.
group	In PeopleSoft Billing and Receivables, a posting entity that comprises one or more transactions (items, deposits, payments, transfers, matches, or write-offs). In PeopleSoft Human Resources Management and Supply Chain Management, any set of records that are associated under a single name or variable to run calculations in PeopleSoft business processes. In PeopleSoft Time and Labor, for example, employees are placed in groups for time reporting purposes.
incentive object	In PeopleSoft Enterprise Incentive Management, the incentive-related objects that define and support the PeopleSoft Enterprise Incentive Management calculation process and results, such as plan templates, plans, results data, user interaction objects, and so on.
incentive rule	In PeopleSoft Sales Incentive Management, the commands that act on transactions and turn them into compensation. A rule is one part in the process of turning a transaction into compensation.
incur	In PeopleSoft Promotions Management, to become liable for a promotional payment. In other words, you owe that amount to a customer for promotional activities.
item	In PeopleSoft Inventory, a tangible commodity that is stored in a business unit (shipped from a warehouse). In PeopleSoft Demand Planning, Inventory Policy Planning, and Supply Planning, a noninventory item that is designated as being used for planning purposes only. It can represent a family or group of inventory items. It can have a planning bill of material (BOM) or planning routing, and it can exist as a component on a planning BOM. A planning item cannot be specified on a production or engineering BOM or routing, and it cannot be used as a component in a production. The quantity on hand will never be maintained.
	In PeopleSoft Receivables, an individual receivable. An item can be an invoice, a credit memo, a debit memo, a write-off, or an adjustment.
KPI	An abbreviation for <i>key performance indicator</i> . A high-level measurement of how well an organization is doing in achieving critical success factors. This defines the data value or calculation upon which an assessment is determined.

LDIF file	Abbreviation for <i>Lightweight Directory Access Protocol (LDAP) Data Interchange Format file</i> . Contains discrepancies between PeopleSoft data and directory data.
learner group	In PeopleSoft Enterprise Learning Management, a group of learners who are linked to the same learning environment. Members of the learner group can share the same attributes, such as the same department or job code. Learner groups are used to control access to and enrollment in learning activities and programs. They are also used to perform group enrollments and mass enrollments in the back office.
learning components	In PeopleSoft Enterprise Learning Management, the foundational building blocks of learning activities. PeopleSoft Enterprise Learning Management supports six basic types of learning components: web-based, session, webcast, test, survey, and assignment. One or more of these learning component types compose a single learning activity.
learning environment	In PeopleSoft Enterprise Learning Management, identifies a set of categories and catalog items that can be made available to learner groups. Also defines the default values that are assigned to the learning activities and programs that are created within a particular learning environment. Learning environments provide a way to partition the catalog so that learners see only those items that are relevant to them.
learning history	In PeopleSoft Enterprise Learning Management, a self-service repository for all of a learner's completed learning activities and programs.
ledger mapping	You use ledger mapping to relate expense data from general ledger accounts to resource objects. Multiple ledger line items can be mapped to one or more resource IDs. You can also use ledger mapping to map dollar amounts (referred to as <i>rates</i>) to business units. You can map the amounts in two different ways: an actual amount that represents actual costs of the accounting period, or a budgeted amount that can be used to calculate the capacity rates as well as budgeted model results. In PeopleSoft Enterprise Warehouse, you can map general ledger accounts to the EW Ledger table.
library section	In PeopleSoft Enterprise Incentive Management, a section that is defined in a plan (or template) and that is available for other plans to share. Changes to a library section are reflected in all plans that use it.
linked section	In PeopleSoft Enterprise Incentive Management, a section that is defined in a plan template but appears in a plan. Changes to linked sections propagate to plans using that section.
linked variable	In PeopleSoft Enterprise Incentive Management, a variable that is defined and maintained in a plan template and that also appears in a plan. Changes to linked variables propagate to plans using that variable.
load	In PeopleSoft Inventory, identifies a group of goods that are shipped together. Load management is a feature of PeopleSoft Inventory that is used to track the weight, the volume, and the destination of a shipment.
local functionality	In PeopleSoft HRMS, the set of information that is available for a specific country. You can access this information when you click the appropriate country flag in the global window, or when you access it by a local country menu.
location	Locations enable you to indicate the different types of addresses—for a company, for example, one address to receive bills, another for shipping, a third for postal deliveries, and a separate street address. Each address has a different location number. The primary location—indicated by a <i>1</i> —is the address you use most often and may be different from the main address.
logistical task	In PeopleSoft Services Procurement, an administrative task that is related to hiring a service provider. Logistical tasks are linked to the service type on the work order so that different types of services can have different logistical tasks. Logistical tasks include both preapproval tasks (such as assigning a new badge or ordering a new

	laptop) and postapproval tasks (such as scheduling orientation or setting up the service provider email). The logistical tasks can be mandatory or optional. Mandatory preapproval tasks must be completed before the work order is approved. Mandatory postapproval tasks, on the other hand, must be completed before a work order is released to a service provider.
market template	In PeopleSoft Enterprise Incentive Management, additional functionality that is specific to a given market or industry and is built on top of a product category.
match group	In PeopleSoft Receivables, a group of receivables items and matching offset items. The system creates match groups by using user-defined matching criteria for selected field values.
MCF server	Abbreviation for <i>PeopleSoft MultiChannel Framework server</i> . Comprises the universal queue server and the MCF log server. Both processes are started when <i>MCF Servers</i> is selected in an application server domain configuration.
merchandising activity	In PeopleSoft Promotions Management, a specific discount type that is associated with a trade promotion (such as off-invoice, billback or rebate, or lump-sum payment) that defines the performance that is required to receive the discount. In the industry, you may know this as an offer, a discount, a merchandising event, an event, or a tactic.
meta-SQL	Meta-SQL constructs expand into platform-specific Structured Query Language (SQL) substrings. They are used in functions that pass SQL strings, such as in SQL objects, the SQLExec function, and PeopleSoft Application Engine programs.
metastring	Metastings are special expressions included in SQL string literals. The metastings, prefixed with a percent (%) symbol, are included directly in the string literals. They expand at run time into an appropriate substring for the current database platform.
multibook	In PeopleSoft General Ledger, multiple ledgers having multiple-base currencies that are defined for a business unit, with the option to post a single transaction to all base currencies (all ledgers) or to only one of those base currencies (ledgers).
multicurrency	The ability to process transactions in a currency other than the business unit's base currency.
national allowance	In PeopleSoft Promotions Management, a promotion at the corporate level that is funded by nondiscretionary dollars. In the industry, you may know this as a national promotion, a corporate promotion, or a corporate discount.
node-oriented tree	A tree that is based on a detail structure, but the detail values are not used.
pagelet	Each block of content on the home page is called a pagelet. These pagelets display summary information within a small rectangular area on the page. The pagelet provide users with a snapshot of their most relevant PeopleSoft and non-PeopleSoft content.
participant	In PeopleSoft Enterprise Incentive Management, participants are recipients of the incentive compensation calculation process.
participant object	Each participant object may be related to one or more compensation objects. See also <i>compensation object</i> .
partner	A company that supplies products or services that are resold or purchased by the enterprise.
pay cycle	In PeopleSoft Payables, a set of rules that define the criteria by which it should select scheduled payments for payment creation.
pending item	In PeopleSoft Receivables, an individual receivable (such as an invoice, a credit memo, or a write-off) that has been entered in or created by the system, but hasn't been posted.

PeopleCode	PeopleCode is a proprietary language, executed by the PeopleSoft application processor. PeopleCode generates results based upon existing data or user actions. By using business interlink objects, external services are available to all PeopleSoft applications wherever PeopleCode can be executed.
PeopleCode event	An action that a user takes upon an object, usually a record field, that is referenced within a PeopleSoft page.
PeopleSoft Internet Architecture	The fundamental architecture on which PeopleSoft 8 applications are constructed, consisting of a relational database management system (RDBMS), an application server, a web server, and a browser.
performance measurement	In PeopleSoft Enterprise Incentive Management, a variable used to store data (similar to an aggregator, but without a predefined formula) within the scope of an incentive plan. Performance measures are associated with a plan calendar, territory, and participant. Performance measurements are used for quota calculation and reporting.
period context	In PeopleSoft Enterprise Incentive Management, because a participant typically uses the same compensation plan for multiple periods, the period context associates a plan context with a specific calendar period and fiscal year. The period context references the associated plan context, thus forming a chain. Each plan context has a corresponding set of period contexts.
plan	In PeopleSoft Sales Incentive Management, a collection of allocation rules, variables, steps, sections, and incentive rules that instruct the PeopleSoft Enterprise Incentive Management engine in how to process transactions.
plan context	In PeopleSoft Enterprise Incentive Management, correlates a participant with the compensation plan and node to which the participant is assigned, enabling the PeopleSoft Enterprise Incentive Management system to find anything that is associated with the node and that is required to perform compensation processing. Each participant, node, and plan combination represents a unique plan context—if three participants are on a compensation structure, each has a different plan context. Configuration plans are identified by plan contexts and are associated with the participants that refer to them.
plan template	In PeopleSoft Enterprise Incentive Management, the base from which a plan is created. A plan template contains common sections and variables that are inherited by all plans that are created from the template. A template may contain steps and sections that are not visible in the plan definition.
planned learning	In PeopleSoft Enterprise Learning Management, a self-service repository for all of a learner's planned learning activities and programs.
planning instance	In PeopleSoft Supply Planning, a set of data (business units, items, supplies, and demands) constituting the inputs and outputs of a supply plan.
portal registry	In PeopleSoft applications, the portal registry is a tree-like structure in which content references are organized, classified, and registered. It is a central repository that defines both the structure and content of a portal through a hierarchical, tree-like structure of folders useful for organizing and securing content references.
price list	In PeopleSoft Enterprise Pricer, enables you to select products and conditions for which the price list applies to a transaction. During a transaction, the system either determines the product price based on the predefined search hierarchy for the transaction or uses the product's lowest price on any associated, active price lists. This price is used as the basis for any further discounts and surcharges.
price rule	In PeopleSoft Enterprise Pricer, defines the conditions that must be met for adjustments to be applied to the base price. Multiple rules can apply when conditions of each rule are met.

price rule condition	In PeopleSoft Enterprise Pricer, selects the price-by fields, the values for the price-by fields, and the operator that determines how the price-by fields are related to the transaction.
price rule key	In PeopleSoft Enterprise Pricer, defines the fields that are available to define price rule conditions (which are used to match a transaction) on the price rule.
process category	In PeopleSoft Process Scheduler, processes that are grouped for server load balancing and prioritization.
process group	In PeopleSoft Financials, a group of application processes (performed in a defined order) that users can initiate in real time, directly from a transaction entry page.
process definition	Process definitions define each run request.
process instance	A unique number that identifies each process request. This value is automatically incremented and assigned to each requested process when the process is submitted to run.
process job	You can link process definitions into a job request and process each request serially or in parallel. You can also initiate subsequent processes based on the return code from each prior request.
process request	A single run request, such as a Structured Query Report (SQR), a COBOL or Application Engine program, or a Crystal report that you run through PeopleSoft Process Scheduler.
process run control	A PeopleTools variable used to retain PeopleSoft Process Scheduler values needed at runtime for all requests that reference a run control ID. Do not confuse these with application run controls, which may be defined with the same run control ID, but only contain information specific to a given application process request.
product category	In PeopleSoft Enterprise Incentive Management, indicates an application in the Enterprise Incentive Management suite of products. Each transaction in the PeopleSoft Enterprise Incentive Management system is associated with a product category.
programs	In PeopleSoft Enterprise Learning Management, a high-level grouping that guides the learner along a specific learning path through sections of catalog items. PeopleSoft Enterprise Learning Systems provides two types of programs—curricula and certifications.
progress log	In PeopleSoft Services Procurement, tracks deliverable-based projects. This is similar to the time sheet in function and process. The service provider contact uses the progress log to record and submit progress on deliverables. The progress can be logged by the activity that is performed, by the percentage of work that is completed, or by the completion of milestone activities that are defined for the project.
project transaction	In PeopleSoft Project Costing, an individual transaction line that represents a cost, time, budget, or other transaction row.
promotion	In PeopleSoft Promotions Management, a trade promotion, which is typically funded from trade dollars and used by consumer products manufacturers to increase sales volume.
publishing	In PeopleSoft Enterprise Incentive Management, a stage in processing that makes incentive-related results available to participants.
record group	A set of logically and functionally related control tables and views. Record groups help enable TableSet sharing, which eliminates redundant data entry. Record groups ensure that TableSet sharing is applied consistently across all related tables and views.
record input VAT flag	Abbreviation for <i>record input value-added tax flag</i> . Within PeopleSoft Purchasing, Payables, and General Ledger, this flag indicates that you are recording input VAT

	<p>on the transaction. This flag, in conjunction with the record output VAT flag, is used to determine the accounting entries created for a transaction and to determine how a transaction is reported on the VAT return. For all cases within Purchasing and Payables where VAT information is tracked on a transaction, this flag is set to Yes. This flag is not used in PeopleSoft Order Management, Billing, or Receivables, where it is assumed that you are always recording only output VAT, or in PeopleSoft Expenses, where it is assumed that you are always recording only input VAT.</p>
record output VAT flag	<p>Abbreviation for <i>record output value-added tax flag</i>.</p> <p>See <i>record input VAT flag</i>.</p>
reference data	In PeopleSoft Sales Incentive Management, system objects that represent the sales organization, such as territories, participants, products, customers, channels, and so on.
reference object	In PeopleSoft Enterprise Incentive Management, this dimension-type object further defines the business. Reference objects can have their own hierarchy (for example, product tree, customer tree, industry tree, and geography tree).
reference transaction	In commitment control, a reference transaction is a source transaction that is referenced by a higher-level (and usually later) source transaction, in order to automatically reverse all or part of the referenced transaction's budget-checked amount. This avoids duplicate postings during the sequential entry of the transaction at different commitment levels. For example, the amount of an encumbrance transaction (such as a purchase order) will, when checked and recorded against a budget, cause the system to concurrently reference and relieve all or part of the amount of a corresponding pre-encumbrance transaction, such as a purchase requisition.
regional sourcing	In PeopleSoft Purchasing, provides the infrastructure to maintain, display, and select an appropriate vendor and vendor pricing structure that is based on a regional sourcing model where the multiple ship to locations are grouped. Sourcing may occur at a level higher than the ship to location.
relationship object	In PeopleSoft Enterprise Incentive Management, these objects further define a compensation structure to resolve transactions by establishing associations between compensation objects and business objects.
remote data source data	Data that is extracted from a separate database and migrated into the local database.
REN server	Abbreviation for <i>real-time event notification server</i> in PeopleSoft MultiChannel Framework.
requester	In PeopleSoft eSettlements, an individual who requests goods or services and whose ID appears on the various procurement pages that reference purchase orders.
role	Describes how people fit into PeopleSoft Workflow. A role is a class of users who perform the same type of work, such as clerks or managers. Your business rules typically specify what user role needs to do an activity.
role user	A PeopleSoft Workflow user. A person's role user ID serves much the same purpose as a user ID does in other parts of the system. PeopleSoft Workflow uses role user IDs to determine how to route worklist items to users (through an email address, for example) and to track the roles that users play in the workflow. Role users do not need PeopleSoft user IDs.
roll up	In a tree, to roll up is to total sums based on the information hierarchy.
run control	A run control is a type of online page that is used to begin a process, such as the batch processing of a payroll run. Run control pages generally start a program that manipulates data.
run control ID	A unique ID to associate each user with his or her own run control table entries.

run-level context	In PeopleSoft Enterprise Incentive Management, associates a particular run (and batch ID) with a period context and plan context. Every plan context that participates in a run has a separate run-level context. Because a run cannot span periods, only one run-level context is associated with each plan context.
search query	You use this set of objects to pass a query string and operators to the search engine. The search index returns a set of matching results with keys to the source documents.
section	In PeopleSoft Enterprise Incentive Management, a collection of incentive rules that operate on transactions of a specific type. Sections enable plans to be segmented to process logical events in different sections.
security event	In commitment control, security events trigger security authorization checking, such as budget entries, transfers, and adjustments; exception overrides and notifications; and inquiries.
serial genealogy	In PeopleSoft Manufacturing, the ability to track the composition of a specific, serial-controlled item.
serial in production	In PeopleSoft Manufacturing, enables the tracing of serial information for manufactured items. This is maintained in the Item Master record.
session	In PeopleSoft Enterprise Learning Management, a single meeting day of an activity (that is, the period of time between start and finish times within a day). The session stores the specific date, location, meeting time, and instructor. Sessions are used for scheduled training.
session template	In PeopleSoft Enterprise Learning Management, enables you to set up common activity characteristics that may be reused while scheduling a PeopleSoft Enterprise Learning Management activity—characteristics such as days of the week, start and end times, facility and room assignments, instructors, and equipment. A session pattern template can be attached to an activity that is being scheduled. Attaching a template to an activity causes all of the default template information to populate the activity session pattern.
setup relationship	In PeopleSoft Enterprise Incentive Management, a relationship object type that associates a configuration plan with any structure node.
share driver expression	In PeopleSoft Business Planning, a named planning method similar to a driver expression, but which you can set up globally for shared use within a single planning application or to be shared between multiple planning applications through PeopleSoft Enterprise Warehouse.
single signon	With single signon, users can, after being authenticated by a PeopleSoft application server, access a second PeopleSoft application server without entering a user ID or password.
source transaction	In commitment control, any transaction generated in a PeopleSoft or third-party application that is integrated with commitment control and which can be checked against commitment control budgets. For example, a pre-encumbrance, encumbrance, expenditure, recognized revenue, or collected revenue transaction.
SpeedChart	A user-defined shorthand key that designates several ChartKeys to be used for voucher entry. Percentages can optionally be related to each ChartKey in a SpeedChart definition.
SpeedType	A code representing a combination of ChartField values. SpeedTypes simplify the entry of ChartFields commonly used together.
staging	A method of consolidating selected partner offerings with the offerings from the enterprise's other partners.

statutory account	Account required by a regulatory authority for recording and reporting financial results. In PeopleSoft, this is equivalent to the Alternate Account (ALTACCT) ChartField.
step	In PeopleSoft Sales Incentive Management, a collection of sections in a plan. Each step corresponds to a step in the job run.
storage level	In PeopleSoft Inventory, identifies the level of a material storage location. Material storage locations are made up of a business unit, a storage area, and a storage level. You can set up to four storage levels.
subcustomer qualifier	A value that groups customers into a division for which you can generate detailed history, aging, events, and profiles.
Summary ChartField	You use summary ChartFields to create summary ledgers that roll up detail amounts based on specific detail values or on selected tree nodes. When detail values are summarized using tree nodes, summary ChartFields must be used in the summary ledger data record to accommodate the maximum length of a node name (20 characters).
summary ledger	An accounting feature used primarily in allocations, inquiries, and PS/nVision reporting to store combined account balances from detail ledgers. Summary ledgers increase speed and efficiency of reporting by eliminating the need to summarize detail ledger balances each time a report is requested. Instead, detail balances are summarized in a background process according to user-specified criteria and stored on summary ledgers. The summary ledgers are then accessed directly for reporting.
summary time period	In PeopleSoft Business Planning, any time period (other than a base time period) that is an aggregate of other time periods, including other summary time periods and base time periods, such as quarter and year total.
summary tree	A tree used to roll up accounts for each type of report in summary ledgers. Summary trees enable you to define trees on trees. In a summary tree, the detail values are really nodes on a detail tree or another summary tree (known as the <i>basis</i> tree). A summary tree structure specifies the details on which the summary trees are to be built.
syndicate	To distribute a production version of the enterprise catalog to partners.
system function	In PeopleSoft Receivables, an activity that defines how the system generates accounting entries for the general ledger.
TableSet	A means of sharing similar sets of values in control tables, where the actual data values are different but the structure of the tables is the same.
TableSet sharing	Shared data that is stored in many tables that are based on the same TableSets. Tables that use TableSet sharing contain the SETID field as an additional key or unique identifier.
target currency	The value of the entry currency or currencies converted to a single currency for budget viewing and inquiry purposes.
template	A template is HTML code associated with a web page. It defines the layout of the page and also where to get HTML for each part of the page. In PeopleSoft, you use templates to build a page by combining HTML from a number of sources. For a PeopleSoft portal, all templates must be registered in the portal registry, and each content reference must be assigned a template.
territory	In PeopleSoft Sales Incentive Management, hierarchical relationships of business objects, including regions, products, customers, industries, and participants.
TimeSpan	A relative period, such as year-to-date or current period, that can be used in various PeopleSoft General Ledger functions and reports when a rolling time frame, rather

	than a specific date, is required. TimeSpans can also be used with flexible formulas in PeopleSoft Projects.
trace usage	In PeopleSoft Manufacturing, enables the control of which components will be traced during the manufacturing process. Serial- and lot-controlled components can be traced. This is maintained in the Item Master record.
transaction allocation	In PeopleSoft Enterprise Incentive Management, the process of identifying the owner of a transaction. When a raw transaction from a batch is allocated to a plan context, the transaction is duplicated in the PeopleSoft Enterprise Incentive Management transaction tables.
transaction state	In PeopleSoft Enterprise Incentive Management, a value assigned by an incentive rule to a transaction. Transaction states enable sections to process only transactions that are at a specific stage in system processing. After being successfully processed, transactions may be promoted to the next transaction state and “picked up” by a different section for further processing.
Translate table	A system edit table that stores codes and translate values for the miscellaneous fields in the database that do not warrant individual edit tables of their own.
tree	The graphical hierarchy in PeopleSoft systems that displays the relationship between all accounting units (for example, corporate divisions, projects, reporting groups, account numbers) and determines roll-up hierarchies.
unclaimed transaction	In PeopleSoft Enterprise Incentive Management, a transaction that is not claimed by a node or participant after the allocation process has completed, usually due to missing or incomplete data. Unclaimed transactions may be manually assigned to the appropriate node or participant by a compensation administrator.
universal navigation header	Every PeopleSoft portal includes the universal navigation header, intended to appear at the top of every page as long as the user is signed on to the portal. In addition to providing access to the standard navigation buttons (like Home, Favorites, and signoff) the universal navigation header can also display a welcome message for each user.
user interaction object	In PeopleSoft Sales Incentive Management, used to define the reporting components and reports that a participant can access in his or her context. All Sales Incentive Management user interface objects and reports are registered as user interaction objects. User interaction objects can be linked to a compensation structure node through a compensation relationship object (individually or as groups).
variable	In PeopleSoft Sales Incentive Management, the intermediate results of calculations. Variables hold the calculation results and are then inputs to other calculations. Variables can be plan variables that persist beyond the run of an engine or local variables that exist only during the processing of a section.
VAT exception	Abbreviation for <i>value-added tax exception</i> . A temporary or permanent exemption from paying VAT that is granted to an organization. This terms refers to both VAT exoneration and VAT suspension.
VAT exempt	Abbreviation for <i>value-added tax exempt</i> . Describes goods and services that are not subject to VAT. Organizations that supply exempt goods or services are unable to recover the related input VAT. This is also referred to as exempt without recovery.
VAT exoneration	Abbreviation for <i>value-added tax exoneration</i> . An organization that has been granted a permanent exemption from paying VAT due to the nature of that organization.
VAT suspension	Abbreviation for <i>value-added tax suspension</i> . An organization that has been granted a temporary exemption from paying VAT.
warehouse	A PeopleSoft data warehouse that consists of predefined ETL maps, data warehouse tools, and DataMart definitions.

work order	In PeopleSoft Services Procurement, enables an enterprise to create resource-based and deliverable-based transactions that specify the basic terms and conditions for hiring a specific service provider. When a service provider is hired, the service provider logs time or progress against the work order.
worksheet	A way of presenting data through a PeopleSoft Business Analysis Modeler interface that enables users to do in-depth analysis using pivoting tables, charts, notes, and history information.
worklist	The automated to-do list that PeopleSoft Workflow creates. From the worklist, you can directly access the pages you need to perform the next action, and then return to the worklist for another item.
XML schema	An XML definition that standardizes the representation of application messages, component interfaces, or business interlinks.
yield by operation	In PeopleSoft Manufacturing, the ability to plan the loss of a manufactured item on an operation-by-operation basis.
zero-rated VAT	Abbreviation for <i>zero-rated value-added tax</i> . A VAT transaction with a VAT code that has a tax percent of zero. Used to track taxable VAT activity where no actual VAT amount is charged. Organizations that supply zero-rated goods and services can still recover the related input VAT. This is also referred to as exempt with recovery.

Index

A

- action required 35
- activities 96
 - defining 29
- activities details 132
- Activities page 93
- Activities page - Service Order 86
- activity actions
 - service order, entering activities 95
- Activity Code page 29, 30
- Activity Types page 29
- add technician 97
- additional documentation x
- addresses
 - ship to, modifying 118
- agreement and warranty 131
- agreements
 - service order data model 63
- Allow Anonymous User field 21
- Allow Expenses field 21
- Allow Preventive Maintenance 18
- Allow Priority on Service Order Line field 21
- alternate phone 89
- Anonymous Caller check box 88
- anonymous user 21, 88
- application fundamentals ix, xv
- approval information 92, 96
- approval required 32
- Approval Required check box 92
- Approval Status field 93
- approvals 22
- assigned order 144
- assignment
 - default workforce values for services 36
 - notifications for service orders, understanding 80
 - of workforce to service orders, enabling 18
 - of workforce to service orders, understanding 78
 - of workforce to service orders, viewing 141
- assignment grid

- dispatch board 143
- assignment notifications 80
- ATP, *See* available-to-promise (ATP)
- attachments
 - adding to service orders 102
 - service order data model 63
- automatic
 - assignment of workforce to service orders 78
 - calculation of service order's dates and times 72
- automatic receiving 122
 - material orders 113
 - setting 160
- Automatic Receiving field 18
- automatic shipping notification (ASN) 120
- automation and configuration tools xvi
- availability
 - of technicians, viewing 141
- available-to-promise (ATP) 111

B

- balance checking on items, types of 109
- BAM, *See* Business Analysis Modeler (BAM)
- billable 101
- Billable field 91
- billing
 - extended price 105
- billing details 104
- billing information
 - entering 103
 - recording for service orders 102
 - setting to display on my service orders 21
 - setting to display on service orders 21
- Billing Options page 16
- Billing page 102
- Billing page - Service Order 87
- Branch Script page 33, 45
- branch scripts
 - service order data model 63
 - using in services 45
- BU, *See* business units (BU)

BUS_UNIT_RF1 16
 Business Analysis Modeler (BAM) 145
 See Also interactive reports
 business interlinks, setting up 158
 business object management xvii
 business processes, PeopleSoft Integrated
 FieldService 3
 business projects
 service order data model 63
 business units (BU)
 field service, defining 16
 field service, understanding 13
 inventory, defining 158

C

Candidate must be available 19
 Case ID field 90
 check availability 98, 116
 comments, submitting xiii
 committed dates and times 85
 common elements xiii
 competencies
 element of services 26
 needed to perform a service, listing 40
 Use Only Evaluation Type field 164
 configuration templates
 field service, defining 20
 field service, understanding 15
 contact information xiii
 copy planned times 101
 Create Preventive Maintenance page 55,
 59
 Create Preventive Maintenance process
 (RF_PM_SO_ADD) 59
 cross-references xii
 Customer Connection website x
 customer preferred dates and times 85

D

date
 service order, entering 92
 dates and times of service 95
 default values
 configuration template 15
 workforce assignment, entering 36
 dimensions
 FieldService Dashboard interactive
 report 153

Service Order Aging interactive
 report 150
 Utilization Rate interactive report 151
 dispatch board
 configuring 138
 understanding 137
 using 137, 140
 Dispatch Board page 141
 Dispatch Board Setup page 138
 Dispatch Performance report 165
 display start hour 139
 documentation
 printed x
 related x
 updates x

E

EIP, *See* enterprise integration point (EIP)
 email response management system
 (ERMS) 105
 enterprise integration point (EIP)
 activating for CRM and HRMS
 integration 163
 activating for CRM and SCM
 integration 157
 Get PO IUT EIP 113
 Interunit Receipt EIP 114
 Inventory Adjustment EIP 120
 Item Balance EIP 109
 Item Master EIP 159
 Person Competency EIP 163
 PO Receipt EIP 114
 Purchase Order Requisition EIP 111
 Workforce Data EIP 163
 entitlement plan name 38
 entitlements 92
 calculating service order's dates and
 times, inputs 74
 defining for services 38
 Entitlements page - Service 33, 38
 ERMS, *See* email response management
 system (ERMS)
 escalation, understanding notifications for
 service orders 82
 estimated duration 35
 estimated time 31
 Excel to Component Interface utility 6
 Expense Report by Product report 165
 expenses
 entering 102

entering on service order 126
Expenses by Customer report 166

F

Failure Codes page 124
failure codes, defining for unwanted material 124
field service 16
 See Also PeopleSoft Integrated FieldService; service orders
 business units, defining 16
 business units, understanding 13
 templates used to configure service orders 15
field service center 9
FieldService Dashboard interactive report, using 152
FieldService Dashboard page - Existing Run Control 149
FieldService Definition page 16
formula
 calculating overall service order's dates and times 74
 calculating planned dates and times for service order activities 75
frequency of service 36
Frequency of Service page - Service 33, 37
Frequency of Service page - Service Product 33, 41

G

Get PO IUT EIP 113
getting started 3
glossary 187
group members, *See* technicians

H

history
 preventive maintenance, tracking 55
 service order interaction, viewing 105

I

implementation 6
incident address 89, 131
installed products
 creating PM entries 49
 validating for preventive maintenance 49

Integrated FieldService, *See* PeopleSoft Integrated FieldService
integration
 PeopleSoft Financial Management Services (FMS) 162
 PeopleSoft Human Resources Management (HRMS) 163
 PeopleSoft Integrated FieldService with other applications 4
 PeopleSoft Supply Chain Management (SCM) applications 157
integrations 5
Interaction History page - Service Order 87, 105
interactions
 history for service orders, viewing 105
 service order data model 63
interactive reports
 PeopleSoft Integrated FieldService, understanding 145
 running 148
 Service Order Aging, configuring 147
 Utilization Rate, configuring 147
Interunit Receipt EIP 114
interunit transfers
 defining default values 160
 description 112
Inventory Adjustment EIP 120
Item Balance EIP 109
item ID 97
Item Master EIP 159
items
 checking availability 111
 checking balances 109
 defining 159

L

lead technician 97
links, accessing PeopleSoft Purchasing and Inventory 162

M

managing materials 109
material
 defining failure codes for unwanted material 124
 element of services 26
 entering 101
 managing for service orders 115

- modifying ship to addresses 118
- needed to perform a service, listing 39
- ordering process from PeopleSoft
 - Integrated FieldService to inventory and purchasing systems 13
- transaction - checking item
 - availability 111
- transaction - checking item
 - balances 109
- transaction - checking requisition
 - status 112
- transaction - ordering material 111
- transaction - receiving material 113
- transaction - recording material
 - removal 122
- transaction - recording material
 - usage 120
- Material - Ship to Address page 115, 118
- material information
 - material information 43
- Material Orders page 115
- material usage
 - usage 126
- Mean Time to Repair report 166
- MMA Partners x
- My Service Order component 129, 130
 - See Also* service orders
 - understanding 129
 - viewing and updating service orders 130
- My Service Order page 130

N

- navigating 9
- notes xii
 - adding to service orders 102
 - service order data model 63
- Notes page - Service 33, 44
- Notes page - Service Order 86, 102
- notifications
 - automatic calculation of service order's
 - dates and times 77
 - service order assignment,
 - understanding 80
 - service order escalation,
 - understanding 82
- number of technicians 31, 35

O

- order capture information 58
- order materials
 - system setup 107
- Order Materials page 115
- order materials, prerequisites for using the
 - component 107
- overview
 - field service 3

P

- parameters
 - FieldService Dashboard interactive
 - report 152
 - Service Order Aging interactive
 - report 150
 - Utilization Rate interactive report 151
- patterns 140
- payment information
 - billing 104
 - purchase order 104
- PeopleBooks
 - ordering x
- PeopleCode, typographical
 - conventions xi
- PeopleSoft application fundamentals ix
- PeopleSoft CRM for Government
 - anonymous user 21
 - incident address 21
- PeopleSoft Financial Management Services (FMS), integrating with 162
- PeopleSoft Human Resources Management (HRMS), integrating with 163
- PeopleSoft Integrated FieldService
 - features 3
 - integration 4
- PeopleSoft Inventory, integrating
 - with 157
- PeopleSoft Purchasing, integrating
 - with 157
- PeopleSoft Setup Manager 6
- PeopleSoft Supply Chain Management (SCM), integrating with 157
- Person Competency EIP 163
- planned dates and times 85
- PM, *See* preventive maintenance (PM)
- PM entries, *See* preventive maintenance (PM) entries
- PO Receipt EIP 114

- prerequisites ix
- prerequisites, using the order materials component 107
- preventative maintenance history 57
- Preventive Maintenance 18
- preventive maintenance (PM)
 - automatic calculation of service order's dates and times 77
 - completing the life cycle 52
 - entries, creating 49
 - entries, editing 55
 - entries, status change 51
 - entries, validating for service order creation 50
 - frequently used terminology 48
 - history, reviewing 55
 - managing 54
 - process flow 49
 - setting up in services 35
 - setup procedure 52
 - understanding 47
 - validating installed products 49
- Preventive Maintenance Detail page - Installed Product 55
- Preventive Maintenance Details page 55, 57
- Preventive Maintenance field 28
- printed documentation x
- procurement, setting up for requisition processing 160
- product and item management xvii
- product display options 21
- products
 - element of services 26
 - service coverage 41
- provider groups
 - default assignment for service orders 43
 - default assignment for services 36
- purchase order
 - credit card 104
 - invoice 104
 - payment terms 104
- Purchase Order Requisition EIP 111

Q

- quantity in truck 116
- quantity in truck 98
- quantity needed 97
- quantity ordered 98, 117

- quantity received 98

R

- receipts 118
- regions
 - element of services 26
 - service coverage 40
- related documentation x
- Related Objects page - Service Order 87, 106
- related objects, adding to service orders 106
- removal of material, recording 122
- Renewal Number 56
- reports 145
- reports, types of 165
- requester ID
 - defining 161
 - field description 117
- required material 132
- Required Material page 97, 124
- Required Material page - Service Order 86
- required materials
 - viewing 97, 126
- required quantity 40
- requisition
 - checking status 112
 - defining processing defaults 108, 160
 - requisition ID 161
- Requisition Loader Defaults
 - component 13
- requisition workbench 117
- Requisition Workbench 112
- Review Preventive Maintenance page 55
- RF_ACT_CODE 29, 33
- RF_ASSOCIATION 87
- RF_BU_BILL_OPTIONS 16
- RF_DATE_CONFIG 146
- RF_DISP_SETUP 138
- RF_DISPATCH_BRD 141
- RF_FAILURE_CD 124
- RF_INDUSTRY 20
- RF_INST_PROD_PM 55
- RF_INTERACT_HIST 87
- RF_IP_PM_INQUIRY 55
- RF_IP_PM_SEC_INQ 55
- RF_MANAGE_MAT_ADD 115
- RF_MAT_REQUIRED 86, 124
- RF_MATERIAL_ORDER 115

RF_MGMT_DASHBD_UPD 149
 RF_SERVICE_ACT 33
 RF_SERVICE_ATTRIB 33
 RF_SERVICE_ENT 33
 RF_SERVICE_FREQ1 33
 RF_SERVICE_NOTE 33
 RF_SERVICE_ORDER 86
 RF_SERVICE_TYPE 27
 RF_SO_ACTIVITY 86
 RF_SO_AGE_UPD 149
 RF_SO_BILL_DET 87
 RF_SO_NOTE2 86
 RF_SO_SOLN 86
 RF_SO_TECH 130
 RF_SO_TIME_MAT_EXP 86, 124
 RF_SVC_ACT_TYPE 29
 RF_SVC_BSCRIPT 33
 RF_UTIL_CONFIG_UPD 149
 RF_UTIL_SETUP 146
 rules, performing automatic service order
 assignment 79
 RUN_CNTL_RFSOADD 55

S

saleable 40
 search provider group 96
 Select Agreement or Warranty field 91
 Serial Number page 90
 service activities
 defining 30, 41
 defining activity types 29
 element of services 25
 Service Activities page 33
 service activity
 competency information 43
 service details 90, 131
 Service Details page 33, 39
 service frequency 37
 service order
 activity statuses 67
 data model 64
 header statuses 66
 processing 65
 Service Order Aging Date Configuration
 Options page 146, 147
 Service Order Aging interactive report
 configuring 147
 using 150
 Service Order Aging page - Existing Run
 Control 149
 Service Order Configuration page 20
 Service Order Detail report 166
 Service Order Estimate report 166
 Service Order page 86, 87
 service order toolbar functions 70
 service orders
 adding notes and attachments 102
 assignment notifications, setting up 81
 assignment notifications,
 understanding 80
 auto calculation to reset dates for
 activities dates 77
 automatic assignment, enabling 18
 automatic assignment, process flow 79
 automatic assignment, setting up 80
 automatic assignment,
 understanding 78
 automatic calculation of dates and times,
 flow diagram 74
 automatic calculation of dates and times,
 notification 77
 automatic calculation of dates and times,
 setting up 78
 automatic calculation of dates and times,
 understanding 72
 calculating dates and times, preventive
 maintenance 77
 calculating overall dates and times,
 formula 74
 calculating service order activities
 planned dates and times, formula 75
 conditions when field values cannot be
 changed 84
 configuration templates, defining 20
 configuring by templates 15
 creating and managing 63, 87
 entering date and time 92
 escalation notifications, setting up 83
 escalation notifications,
 understanding 82
 inserting related objects 106
 interaction history, viewing 105
 managing 84
 material orders 115
 ordering and receiving materials 107
 recording billing information 102
 statuses 66
 technician assignment using dispatch
 board 137

- technician availability and assignment, managing 141
- technician view of service orders 129
- time, expense and material reporting 68
- unavailability of automatic service order date and time calculation, conditions 76
- understanding and data model 63
- ways to access 69
- workflow, types of 81, 82, 83
- Service page 33
- service types
 - defining 27
- Service Types page 27
- service VAT treatment defaults 28
- services
 - associating with branch scripts 45
 - data model 25
 - defining 32
 - defining entitlements 38
 - defining frequency 37
 - defining frequency by products 41
 - defining header information 33
 - defining service elements 39
 - elements 25
 - entering notes 44
 - setting up 25
 - types, defining 27
- services foundation xvi
- ship to addresses, modifying 118
- solutions 132
- Solutions page 98
- Solutions page - Service Order 86
- statuses
 - changes, preventive maintenance (PM) 51
 - order requisition, checking 112
 - service orders 66
- storage locations
 - between field service and inventory and purchasing systems, diagram 23
 - defining for field service truck stock 159
 - defining for technician truck stock 23
- suggest a provider group 96
- suggest group member 96
- suggest provider group 96
- suggestions, submitting xiii

T

- tax parameters 104
- technician assignment 96
- technicians
 - associating with storage locations 23
 - availability and assignment, managing 141
 - default assignment for service orders 43
 - default assignment for services 36
 - number of 139
 - task assignment display 137
- templates, service order configuration 15
- terms 187
- time
 - entering 100
- time material and expenses
 - tracking 99
- time material expense 132
- Time Material Expense page 99, 124
- Time Material Expense page - Service Order 86
- time tracking 126
- time, entering for service order 92
- toolbar functions 70
- transactions
 - rectifying errors 162
- truck stock
 - field service, defining storage locations for 159
 - storage locations, understanding 23
- typographical conventions xi

U

- unassigned orders 144
- UOM 98
- usage details 101
- usage, recording for material 120
- Use Only Evaluation Type field 164
- Utilization Goal field 148
- Utilization Rate interactive report
 - configuring 147
 - using 150
- Utilization Rate page - Existing Run Control 149
- Utilization Rate Setup Options page 146, 147

V

- VAT defaults 28
- visual cues xii

W

- warnings xii
- warranties
 - service order data model 63
- what-if scenarios, interactive reports 145
- workflow
 - Service Order Activity Cancellation
 - workflow 81
 - Service Order Assignment Accepted
 - workflow 81
 - Service Order Assignment Change
 - workflow 81
 - Service Order Assignment Rejection
 - workflow 81
 - service order assignment workflow 81
 - Service Order Not Assigned
 - workflow 83
 - Service Order Not Completed
 - workflow 83
 - Service Order Not Started workflow 82
 - Service Order Response Time Exceeded
 - workflow 83
 - Service Order Restore Time Exceeded
 - workflow 83
- Workforce Data EIP 163
- workforce, service order assignment, *See* assignment