

**Oracle[®] Retail Price Management
User Guide
Release 11.0.8
September 2006**

Copyright © 2006, Oracle. All rights reserved.

The Programs (which include both the software and documentation) contain proprietary information; they are provided under a license agreement containing restrictions on use and disclosure and are also protected by copyright, patent, and other intellectual and industrial property laws. Reverse engineering, disassembly, or decompilation of the Programs, except to the extent required to obtain interoperability with other independently created software or as specified by law, is prohibited.

The information contained in this document is subject to change without notice. If you find any problems in the documentation, please report them to us in writing. This document is not warranted to be error-free. Except as may be expressly permitted in your license agreement for these Programs, no part of these Programs may be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose.

If the Programs are delivered to the United States Government or anyone licensing or using the Programs on behalf of the United States Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the Programs, including documentation and technical data, shall be subject to the licensing restrictions set forth in the applicable Oracle license agreement, and, to the extent applicable, the additional rights set forth in FAR 52.227-19, Commercial Computer Software—Restricted Rights (June 1987). Oracle Corporation, 500 Oracle Parkway, Redwood City, CA 94065

The Programs are not intended for use in any nuclear, aviation, mass transit, medical, or other inherently dangerous applications. It shall be the licensee's responsibility to take all appropriate fail-safe, backup, redundancy and other measures to ensure the safe use of such applications if the Programs are used for such purposes, and we disclaim liability for any damages caused by such use of the Programs.

Oracle, JD Edwards, PeopleSoft, and Siebel are registered trademarks of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

The Programs may provide links to Web sites and access to content, products, and services from third parties. Oracle is not responsible for the availability of, or any content provided on, third-party Web sites. You bear all risks associated with the use of such content. If you choose to purchase any products or services from a third party, the relationship is directly between you and the third party. Oracle is not responsible for: (a) the quality of third-party products or services; or (b) fulfilling any of the terms of the agreement with the third party, including delivery of products or services and warranty obligations related to purchased products or services. Oracle is not responsible for any loss or damage of any sort that you may incur from dealing with any third party.

Contents

Preface	vii
Audience	vii
Related Documents	vii
Customer Support	vii
1 Welcome to RPM	1
2 Navigating RPM	3
Navigating RPM	3
Accessing the Workspace	3
Viewing the Workspace	3
Resizing Elements of the Workspace	5
Looking up Field Level Data	8
Searching for and Filtering Records	13
3 System Options	15
Define Aggregation Levels	15
Maintain Aggregation Level Settings	15
Define System Options	17
Edit System Options	20
View System Options	21
Define System Defaults	22
Edit System Defaults	23
View System Defaults	23
Maintain Codes	24
Create a Code	24
Edit a Code	25
Delete a Code	26
4 Set up Pricing	27
Define Price Guides	27
Create a Price Guide	27
Maintain a Price Guide	29
Copy a Price Guide	31
Link a Price Guide	32
Update Candidate Rules and Rule Variables	33
Set up a Candidate Rule and Define a Variable for the Rule	34
Maintain Rule Variables by Variable or by Department	36
Maintain a Candidate Rule	38
Create Link Codes	41
Create a Link Code	41
Maintain Link Codes	42
Search for a Link Code	42
Maintain or Override a Link Code	44
Create Market Basket Codes	47
Create a Market Basket Code	47
Maintain Market Basket Codes	49
Search for a Link Code	49
Maintain or Override a Market Basket Code Relationship	50

Set up Zone Structure.....	54
Zone Groups	54
Zones	54
Primary Zone Groups	54
Create a Zone Group.....	54
Maintain a Zone Group.....	56
Create a Primary Zone Group.....	58
Maintain a Primary Zone Group.....	60
Maintain Location Move.....	61
Request a Location Move	61
Create Calendar.....	64
Create a Calendar.....	64
Maintain Calendar.....	67
Maintain a Calendar.....	67
Retrieve an Item Price.....	69
Retrieve an Item Price	71
5 Pricing Strategies	75
Define Area Differentials.....	75
Create an Area Differential.....	76
Create a Competitive Price Strategy Associated with an Area Differential.....	78
Create a Clearance Pricing Strategy.....	80
Create a Clearance Pricing Strategy	80
Create a Competitive Pricing Strategy.....	82
Create a Competitive Price Strategy	83
Create a Margin Pricing Strategy.....	86
Create a Margin Pricing Strategy.....	87
Create a Maintain Margin Pricing Strategy	89
Create a Maintain Margin Pricing Strategy	89
Maintain Price Strategies	93
Edit an Area Differential Price Strategy	93
Edit a Clearance Price Strategy.....	95
Edit a Competitive Pricing Strategy	96
Edit a Margin Pricing Strategy	98
Edit a Maintain Margin Pricing Strategy	100
Delete a Price Strategy.....	103
6 Worksheets	105
Navigate the Worksheet.....	105
Change the Value in a Cell	105
Maintain Columns	105
Maintain Views.....	108
Apply Filters	109
Worksheet Status	111
Maintain a Pricing Worksheet	111
Worksheet Detail	114
Maintain Worksheet Details	115
View Totals.....	118
Perform a What-if Analysis	121
Export a Worksheet	126
Worksheet Columns.....	128
View Conflict Check Results.....	142
View Conflict Check Results.....	142

7 Price Changes.....	145
Create a Price Change	145
Create a Regular Price Change	145
Create a Vendor Funded Price Change	149
Create a Link Code Price Change	153
Maintain a Price Change	156
Search for a Price Change	156
Maintain a Price Change	158
Change the Status of a Price Change	165
Change the Status of a Price Change	166
8 Clearances	169
Create a Clearance	169
Create a Regular Clearance	169
Create a Vendor Funded Clearance	173
Maintain a Clearance	175
Search for a Clearance	175
Maintain a Clearance	176
Change the Status of a Clearance	182
Change the Status of a Clearance	182
9 Set up Promotions.....	185
Create a Promotion Event	185
Create a Promotion Event	185
Add a Promotion to an Event	186
Create a Threshold Definition	187
Create a Threshold Definition	187
Create Vendor Funding Defaults	188
Create a Vendor Funded Default	188
Edit Vendor Funded Defaults	189
Maintain a Promotion Constraint	190
Maintain a Promotion Constraint	190
Create a promotion	192
Create a Simple Component	194
Create a Threshold Component	197
Create a Buy/Get Component	199
Add Funding to a Promotion	202
Maintain promotions	206
Maintain a Promotion	206
Maintain a Promotion Event	214
Maintain a Promotion Component	215
Glossary	219
Index	225

Oracle Retail Price Management User Guide is a complete guide to the user of Oracle Retail Price Management.

Audience

This document is intended for the users of Oracle Retail Price Management.

Related Documents

Here you would list the other documents related to this product. An example is shown below.

You can find more information about this product in these resources:

- Oracle Retail Price Management Installation Guide
- Oracle Retail Price Management Release Notes
- Oracle Retail Price Management Operations Guide
- Oracle Retail Price Management Data Model
- Oracle Retail Price Management Online Help

Customer Support

- <https://metalink.oracle.com>

When contacting Customer Support, please provide:

- Product version and program/module name.
- Functional and technical description of the problem (include business impact).
- Detailed step-by-step instructions to recreate.
- Exact error message received.
- Screen shots of each step you take.

Welcome to RPM

Oracle Retail Price Management (RPM) is a strategy based pricing solution that suggests and assists with pricing decisions. With RPM, retailers are empowered to automate and streamline pricing strategies across the organization that yields a more predictable and profitable outcome. It provides decision support to all pricing-focused business information at the retailer's fingertips to validate and approve pricing and markdown suggestions. This approach results in higher margins, increased sales and strengthened productivity, all while remaining competitive.

Navigating RPM

This section describes how to navigate in general in RPM. This section provides instructions to:

- Access the workspace
- View the workspace
- Resize elements of the workspace
- Look up field level data
- Search for and filtering records


Accessing the Workspace

Log in to RPM

How you access Oracle Retail Price Management depends on how the application is set up at your location. Contact your system administrator for instructions. Use the exit procedure when you are done using the application.

Exit RPM


There are a few ways you can log out of and close RPM. You can:

- Click Logout in the global links area of the header.
- Select Close Window from the File menu.
- Select Exit from the File menu.
- Click the close  button on the title bar.

If any tasks are open, you are prompted to confirm your decision to log out.

Viewing the Workspace

After logging into RPM, you have access to the application window. The primary elements in the application window are as follows:



The RPM Workspace

The workspace is comprised of all the elements within the application window. You manage the application and perform tasks within the workspace. Many of the elements within the workspace can be minimized, maximized, or manually resized. This allows you to customize the workspace to fit your work habits. Any changes you make are remembered by the application. The next time you log in, the elements appear as you last left them.

Element		Purpose
A	Title bar	Located at the top of the window. The title bar displays the product name. The three buttons at the far right on the title bar allow you to minimize, restore, maximize, and close the application window.
B	Header	Located below the title bar. The header provides access to commands that remain static across all tasks. The menu bar and welcome message appear here.
C	Toolbar	Located below the header. The toolbar contains paging control icons.
D	Workspace	Located next to the task pad and below the toolbar. What appears in the workspace depends on what you select on the task pad. The workspace is where you complete the tasks assigned to you.

Element		Purpose
E	Task pad	Located on the left side of the application window. From top to bottom, you can access an application, a task group, and then a task. When you select a task, the contents of the task are displayed in the workspace.
F	Task bar	Located at the bottom of the window. Task buttons, located on the task bar allow you to switch between open tasks.
G	Status bar	Located at the bottom of the window. The status bar lists the status of a task and gives other information.
H	Pane	A sub-section of a window that appears in the work space. Multiple panes may appear in the workspace when a task is selected.
	Task	A pane or a group of panes that appear in the workspace, allowing you to work.


Resizing Elements of the Workspace

The benefits of resizing become apparent as you customize the workspace to fit your work habits. You can hide or minimize elements that do not pertain to the current task. You can show or maximize the elements that are of greater importance.

The RPM Window

You can resize the RPM window in order to increase or decrease the amount of space it occupies on your desktop.

- To manually resize the window, place the cursor over the edge of the window. When the cursor changes to a double arrow, press and hold the left mouse button. Move the cursor until the window is the desired size. Release the left mouse button.




Minimize and maximize the RPM window

- To minimize the window, click the minimize icon (A).
- To maximize the window, click the maximize icon (B).
- To restore the window to its previous size, click the restore icon (C).
- As an alternative method for resizing the window, right click on the RPM button found on the Microsoft Windows task bar. On the context menu that appears, select Restore, Minimize, or Maximize.

Toolbar

Although the toolbar occupies relatively little space in the window, you can choose to hide it or show it.




RPM toolbar

- To collapse the toolbar (A), click the expand/collapse toolbar icon (B). The icon is located on the far right side of the header.
- To expand the toolbar, click again on the same icon.

Workspace

The workspace is likely to be the most used element in the application. As such, you may want to maximize its size. Should you need to access the task pad, restore the content area to its original size.




RPM workspace

- To expand the workspace (A), click the explode icon (B). The icon is located on the upper left corner of the content area. The content area expands to the width of the window. The task pad and the toolbar disappear.
- To restore the window to its original size, click again on the same icon. The task pad and toolbar reappear.

Task Pad

The task pad provides access to the tasks assigned to you. Once you are working on a task, you may want to reduce the size of the task pad. You may want to increase the size of the task pad in order to see the full names of the task. As you increase or decrease the width of the task pad, the width of the workspace is resized proportionally.

- To maximize the task pad, click the right arrow on the separator bar (A). To minimize the task pad, click the left arrow.




RPM task pad

- maximized to the width of the application window.
- minimized to where it is no longer visible.
- restored to its previous size.
- To manually resize the width of the task pad or the length of the work areas within the task pad, place the cursor over the desired resizer (B). When the cursor changes to a left/right (or an up/down) arrow, press and hold the left mouse button. Drag the resizer until the task pad or work area is the desired size. Release the mouse button.

Pane

One or more panes appear in the workspace when you select a task on the task pad. You can collapse a pane so that it does not distract you from the panes you want to work in. Only the title bar of the container is displayed after you collapse it. When you are ready to work in the collapsed container, you can then return it to its regular size.



RPM pane

- To collapse a pane (A), click the collapse icon (B).
- To expand a pane, click the expand icon (C).


Looking up Field Level Data

The basic method for entering data in a text field is to type the text in the field. Some fields are restricted, however, as to the type of data that may be entered. The options for entering or selecting data depend on the type of data that may be required or permitted in the field. For example, some fields permit only numeric data, while others permit only alphabetic or alphanumeric data. Some fields require a date to be entered in a specific format. Some fields permit only one value, while others permit multiple values.

Calendars, drop-down lists, lists of values, and transfer boxes provide you with access to preformatted, predefined values. Instructions for using these tools are provided below.

Drop-down List

Some fields are restricted to a predefined list of values. You access a drop-down list from which you can pick the desired value.



Drop-down list

1. Click on the drop-down arrow (A) next to a field. A list of predefined values appears.
2. Scroll through the list until the desired value appears. Select the value. The field is automatically filled in with the selected value.

List of Values

When a drop-down list has many values, you can typically access them from the list of values (LOV) button.

Create Price Guide

Price Guide Create

Price Guide Type: Corporate

* Name:

* Description:

Department: +


* Currency: USD US Dollar


Code	Description
Filter by: B	Filter by:
ADP	Andorran Peseta
AED	UAE Dirham
AFA	Afghani
ALL	Lek
AMD	Armenian Dram
ANG	Netherlands Antillian Guilder
AOA	Kwanza
ARS	Argentine Peso
ATS	Schilling
AUD	Australian Dollar
AWG	Aruban Guilder
AZM	Azerbaijani Manat
BAM	Convertible Marks
BBD	Barbados Dollar
BDT	Taka
BEF	Belgian Franc
BGL	Lev
BGN	Bulgarian Lev
BHD	Bahraini Dinar

C D 1-183 of 183

Cancel Select

List of values


1. Click the LOV  button next to a text field (A). The list of values opens. The number of values in the list and the total number of values appears at the bottom (D) of the LOV.
 - Click the page icon (C) to open the Paging Configuration window and adjust the page size and page links.




Paging Configuration window

2. To find a value, use one or a combination of the following methods:
 - Scroll through the list.
 - Enter a partial value in the Filter by text box (B) and press Enter. Select the desired value from the results.
 - Select the down arrow next to the Filter by text box (B) and use the Advanced Filter option. Enter conditions in the Advanced Filter and click **OK**.
 - Enter the wildcard (%) and letters before or after it in the Filter by text box (B) to limit values.
3. Select the value and click **Select**. The field is automatically filled in with the selected value.

Multi-select List of Values

Some lists of value allow you to select more than one value. Multi-select LOV  button allows a user to select multiple rows in a single block by using the Shift and Control keys. The functionality is similar to the select functionality of other Windows applications.




ID	Description
Filter by:	Filter by:
f	f
àçé	àçé
SIMREG1	Externally generated Price Change
test	test
AREADIFFAA	Area Diff Auto Approve Price Change
Joes Code	Joes Description
RegCodeNew	newDesc

1-16 of 16

Cancel Select

Multi-select list of values

Open the Multi-select LOV

- Click the LOV  button next to a text field, or click the down arrow. The list of values opens.

Select Continuous Information

1. Select a row.
2. Press Shift and click on another row to select all the rows in between, inclusively.

Select Non-continuous Information

1. Select a row.
2. Control click on rows to select or clear the individual rows clicked on (depending on whether they are currently selected) while leaving the other selected rows still selected.

Add the Values

1. Click the down arrow to add the value to the selected area.
2. Click the up arrow to remove a value from the selected area.


Searching for and Filtering Records

You search for records when none are displayed. By entering search criteria, you indicate which records must be displayed for your use. Filtering, on the other hand, allows you to reduce the number of records (or values) displayed. Again, you enter criteria indicating which of the currently displayed records must remain visible. The unwanted records are hidden from view. In either case, you are restricting the number of records (or values) displayed to a more manageable and useful number.

Filter Records in a Table

Column-level filtering is available in tables that have drop-down lists.

- To use a simple filter:
 - a. Enter a partial string in the active cell. For example: Enter D or d to retrieve all records that begin with D, such as Department.



Simple Filter

- b. Press the Enter key. The records that match the filter criterion are displayed in the table.
- c. To show all records again, click on the down arrow in the active cell and select Clear Filter.

- To use the advanced filter tool:
 - a. Click the down arrow in the active cell and select Advanced Filter. The Advanced Filter window opens.

Advanced Filter

Show rows where

Merchandise Level is equal to

(none)

Cancel OK

Advanced Filter

- b. Select a relational operator in the first list box. Then select a value in the second list box.
 - c. If another condition is necessary, select a logical operator (And or Or). Then select the second relational operator and value.
 - d. Click **OK**. The records that match the conditions are displayed in the table.
 - e. To show all records again, click on the down arrow in the active cell and select Clear Filter.
- To reuse a filter:
 - a. Click the down arrow in the active cell.
 - b. Scroll through the list of recent filters; then select the desired filter.
 - c. To show all records again, click on the down arrow in the active cell and select Clear Filter.

System Options

Define Aggregation Levels

The Aggregation Level Settings workspace allows you to define system parameters that vary for price strategies and price worksheet. When a department is created in the merchandising system, Oracle Retail Price Management assigns the default value for each parameter to the default or default level defined in the system. You may choose to define the aggregation level at a different parameter than the default. Once these parameters are set, they are not typically changed in Oracle Retail Price Management.

Maintain Aggregation Level Settings

Navigate: From the Task Pad, select Aggregation Level > Maintain Aggregation Levels. The Aggregation Level Settings workspace opens.

ID	Department Name	Lowest Definable	Worksheet Level	Historical Sales	Regular	Clearance	Promotion	Include WH Inve	Include On order	Price Change An
22	DW working dept	Department	Department	Week	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Current-New
7777	Retail Dept	Department	Department	Week	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Current-New
7778	Cost Dept	Department	Department	Week	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Current-New
3457	jap dept	Subclass	Subclass	Week	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Current-New
20	Merch Extract...	Department	Department	Week	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Current-New
1221	Kitchenware	Subclass	Subclass	Half Year	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	New-Current
1234	Glassware	Subclass	Department	Week	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Current-New
7000	DOC Test Dept	Department	Department	Week	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Current-New
7001	DOC Test Dep...	Class	Class	Week	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Current-New
13	SLH Test Dep...	Department	Department	Week	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Current-New
8004	*Women Appa...	Department	Department	Week	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Current-New
1104	*Test Depart...	Department	Department	Week	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Current-New
1704	*Candidate Ru...	Department	Department	Week	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Current-New
8000	djm_dept1	Department	Department	Week	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Current-New
777	*Dairy	Department	Department	Week	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Current-New
1111	*Grocery Non ...	Department	Department	Week	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Current-New
2222	*Deli	Department	Department	Week	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Current-New
6000	*Health&Beauty	Department	Department	Week	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Current-New
6100	General Merch...	Department	Department	Week	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Current-New

Aggregation Level Settings workspace

1. Select the record you want to update.
2. Click in the field that you want to change.
 - **Lowest Definable Level:** Select the lowest level of the merchandise hierarchy for which a price strategy can be defined.
 - **Worksheet Level:** Select the level of the merchandise hierarchy at which the worksheet status opens at.
 - **Historical Sales:** Select the sales period RPM should look at when calculating price changes.
 - **Regular:** Select the check box to indicate that regular sales should be included as part of historical sales in the price worksheet.
 - **Clearance:** Select the check box to indicate that clearance sales should be included as part of historical sales in on the price worksheet.

- **Promotion:** Select the check box to indicate that promotional sales should be included as part of historical sales in on the price worksheet.
- **Include WH Inventory:** Select the check box to indicate that warehouse inventory should be included in the calculations for sell through and price change impact in the price worksheet.
- **Include On Order In Sell Thru:** Select the check box to indicate that inventory ordered is included in the sell through calculations on the price worksheet.
- **Price Change Amount Calc:** Select the method of calculating the price change amount on the price worksheet.
 - **New-Current:** The current price is subtracted from the new price.
 - **Current-New:** The new price is subtracted from the current price
- **Past Retail Change Highlight Days:** Enter the number of days previous retail changes will cause the Last Price Change column of the pricing worksheet to be highlighted.
- **Past Cost Change Highlight Days:** Enter the number of days previous cost changes will cause the Last Cost Change column on the pricing worksheet.
- **Pending Cost Change Window Days:** Enter the number of days into the future the system should look for pending cost changes.
- **Pending Cost Change Highlight Days:** Enter the number of days into the near future the system should look for pending cost changes. The Pending Cost Change column on the worksheet will be highlighted if a cost change falls within the Pending Cost Change Highlight Days.

Note: Pending Cost Change Highlight Days must be less than or equal to Pending Cost Change Window Days.

3. Click **Done** to save any changes and close the workspace.

Define System Options

The system options workspace allows you to configure RPM to maximize the system for your company. System options allow you to customize various parameters, defaults, and constants that are used throughout the system. Normally, these elements are set when RPM is installed by the system or database administrator. They tend to remain fixed unless a business practice is changed which necessitates a change in RPM. System options are the values used in your system that define the overall configuration of the system.

System Option	Definition
Sales Calculation Method	The method used by the merchandise extract program to populate the Projected Sales column in the worksheet.
Multiple Item/Loc Promotions	When selected, an item/location can exist on more than one promotion (and more than one component within the promotion).
Update Item Attributes	When selected, the merchandise extract program should update certain item attributes during each extract that occurs during a worksheet review period.
Price Change/Promotion Overlaps	When selected, indicates an item/location can have a price change occur during the middle of an active promotion.
Cost Calculation Method	The way cost is determined for the zone. Choose Highest Location Cost or Average Location Cost.
Clearance/Promotion Overlaps	When selected, indicates an item/location can be on clearance and promotion at the same time.
Recognize WHs as Locations	When selected, indicates warehouses can be assigned to price zones.
Allow Complex Promotions	When selected, indicates all promotion types are available.
Open Zone Use	When selected, indicates a zone can be used across different types of pricing, regardless of zone type.
Exact Deal/Funded Promotion Dates	When selected, indicates that the dates of a deal associated with a vendor funded promotion must match exactly. When selected, only deals with the same begin and end dates as the promotion component being created will appear in the deal
Purge Reset Clearance Months	The number of months RPM will retain clearance price events that have reset before purging them.

System Option	Definition
Default Out of Stock Days	The number of days that should be added to an items clearance effective date in order to calculate the Out of Stock date. The default is applied to generate the out of stock date when the clearance is first created.
# of Days Reject Held	The number of days after the effective date of a rejected price change or clearance that it is purged from the system.
Default Reset Date	When selected, indicates a reset date should be defaulted when a clearance is created. The reset date is defaulted to one day greater than the out of stock date.
Promotion # Days Rejects Held	The number of days, set in system options, after the end date (or start date for promotions with no end date) of a rejected promotion that it is purged from the system.
Price Change Processing Days	The number of days, set in system options, between the creation date of a price change and the first date it can become effective. It allows the retailer to insure that price changes are created with enough advance timing that stores and other process areas can react.
Promotion History Months	The number of months, set in system options, after a promotion is completed that is purged. This parameter is also used to purge cancelled promotions.
Ends in Digits for Zero Decimal Currencies	The number of digit fields, set in system options, that are available in the Ends In definition area. This field is used for currencies that do not contain a place after the decimal point. For currencies that contain places after the decimal point, the digit fields that are available.
Event ID Required	When selected, a promotion event must be assigned to the promotion.
External Prices Allowed	When selected, RPM will accept pricing events created in other systems.

System Option	Definition
Zone/Parent Ranging	When selected, RPM should perform ranging checks for price changes, promotions, and clearances that are created at a higher level than transaction/location. If the indicator is set to yes, the system will not let you create a price change at the parent or zone level if none of the transaction item/location combinations are ranged. If the indicator is set to no, the system will let you create a price change at the parent or zone level even if none of the transaction item/location combinations are ranged.
Apply Promo Change Type 1st	Allows you to indicate, in system options, which type of promotion should be applied first.
Location Move Lead Time	The number of days, set in system options, required before a location can be moved between zones in RPM.
Location Move Purge Days	The number of days RPM will retain location moves that have either successfully completed or are the same number of days past the scheduled effective date but have had no action taken on them.
Dynamic Area Differentials	When selected, allows the worksheet to dynamically update secondary locations based on changes to the primary location.
Allow Buy Get Cycles	When selected, allows Buy Get Promotions to contain multiple identical items to be in the buy and get lists. It also allows items to be on the buy list of one promotion and the get list of another. The Point Of Sale system used must be able to manage cycles for this option to work as intended.
Background Conflict Check	When selected, conflict checking of worksheets, price changes, promotions, and clearances occur in the background, or when the system is idle.
Display Promotion Header Markup %	When selected, the total markup percentage for the promotion will appear on the promotion header.
Display Conflicts Only	When selected, only conflicts appear on the conflict review screen. If cleared # Days event displayed before VDate (effective date) and # Days event displayed after VDate must be specified.
# Days event displayed before VDate	The number of days before an effective date (VDate) that a pricing event appears in the conflict review window.

System Option	Definition
# Days event displayed after VDate	The number of days after an effective date (VDate) that a pricing event appears in the conflict review window.

Edit System Options

Navigate: From Task Pad, select System Options > System Options Edit. The System Options workspace opens.

The screenshot shows the 'System Options' workspace with a list of options to be configured. The options are as follows:

- * Sales Calculation Method: Smoothed Average Sales (dropdown)
- * Multiple Item/Loc Promotions: ☐
- * Update Item Attributes: ☒
- * Price Change/Promotion Overlaps: ☐
- * Cost Calculation Method: Average Location Cost (dropdown)
- * Clearance/Promotion Overlaps: ☐
- * Recognize WHs as Locations: ☐
- * Allow Complex Promotions: ☒
- * Open Zone Use: ☒
- Exact Deal / Funded Promotion Dates: ☐
- * Purge Reset Clearance Months: 1 (text input)
- * Default Out of Stock Days: 5 (text input)
- * # of Days Rejects Held: 15 (text input)
- * Default Reset Date: ☒
- * Promotion # Days Rejects Held: 10 (text input)
- * Price Change Processing Days: 5 (text input)
- * Promotion History Months: 1 (text input)
- * Ends In Digits For Zero Decimal Currencies: 0 (text input)
- * Event Id Required: ☐
- External Prices Allowed: ☒
- Zone/Parent Ranging: ☒
- Apply Promo Change Type 1st: Amount Off (dropdown)
- * Location Move Lead Time: 1 (text input)
- * Location Move Purge Days: 2 (text input)
- Dynamic Area Differentials: ☒
- Background Conflict Check**
 - Price Changes / Clearances: ☐
 - Promotions: ☐
 - Worksheet: ☐

At the bottom right of the workspace are 'Cancel' and 'Save' buttons.

System Options workspace

1. Update any enabled fields as necessary.
2. Click **Save** to commit any changes and close the workspace.

View System Options

Navigate: From Task Pad, select System Options > System Options View. The System Options View workspace opens.

The screenshot displays the 'System Options View' workspace. It features a title bar with a folder icon and the text 'System Options View'. Below the title bar is a tab labeled 'Options'. The main area contains a list of system options, each with a label and a corresponding input field (checkbox, text box, or dropdown menu). The options are as follows:

- * Sales Calculation Method: Smoothed Average Sales (dropdown)
- * Multiple Item/Loc Promotions: ☐
- * Update Item Attributes: ☒
- * Price Change/Promotion Overlaps: ☐
- * Cost Calculation Method: Average Location Cost (dropdown)
- * Clearance/Promotion Overlaps: ☐
- * Recognize WHs as Locations: ☐
- * Allow Complex Promotions: ☒
- * Open Zone Use: ☒
- Exact Deal / Funded Promotion Dates: ☐
- * Purge Reset Clearance Months: 1 (text box)
- * Default Out of Stock Days: 5 (text box)
- * # of Days Rejects Held: 15 (text box)
- * Default Reset Date: ☒
- * Promotion # Days Rejects Held: 10 (text box)
- * Price Change Processing Days: 5 (text box)
- * Promotion History Months: 1 (text box)
- * Ends In Digits For Zero Decimal Currencies: 0 (text box)
- * Event Id Required: ☐
- External Prices Allowed: ☒
- Zone/Parent Ranging: ☒
- Apply Promo Change Type 1st: Amount Off (dropdown)
- * Location Move Lead Time: 1 (text box)
- * Location Move Purge Days: 2 (text box)
- Dynamic Area Differentials: ☒
- Background Conflict Check** (grouped options):
 - Price Changes / Clearances: ☐
 - Promotions: ☐
 - Worksheet: ☐


A 'Close' button is located in the bottom right corner of the workspace.

System Options View workspace

- Click **Close** to exit the workspace.

Define System Defaults

The System Defaults Edit workspace allows you to configure RPM to maximize the system for your company. Select the values that should be initially displayed when a user enters the workspace. This helps the user save time as they do not have to select the appropriate value each time they complete a task. The values entered will appear in other areas of the application. The table below describes the system defaults.

System Default	Definition	Options
Item Level	The level of an item in an item group.	Parent Item Parent Item/Diff Transaction Level Item
Pricing Strategy	The pricing strategy is the default strategy type displayed for the user when entering the Pricing Strategy workspace.	Area Differential Clearance Competitive Margin Maintain Margin
Diff Type	The category that a diff belongs.	Valid diff types from the Merchandising System.
Type	The type is the default price change type displayed when creating a price change.	Change by Amount Change by Percent Fixed Price
Currency	The primary currency used in RPM.	See LOV  button on System Default screen for code and description.
Maintain Margin Strategy Method	Defines the default method used when creating a maintain margin pricing strategy.	Market Basket Margin Current Margin
Ignore Constraint Handling	Defines whether or not promotion constraints will be taken into account when conflict checking is performed in the worksheet.	Select/Clear checkbox

Edit System Defaults

Navigate: From Task Pad, select System Options > System Defaults Edit. The System Defaults Edit workspace opens.

System Defaults Edit workspace

1. Update enabled fields as necessary.
2. Click **Save** to commit any changes and close the workspace.

View System Defaults

Navigate: From Task Pad, select System Options > System Defaults View. The System Defaults View workspace opens.

System Defaults View workspace

- Click **Close** to exit the workspace.

Maintain Codes

The foundation area allows you to maintain reason codes and link codes. Reason codes are used to explain the rationale for clearances and price changes. Link codes are used to associate items to each other at a location and price them exactly the same.

Create a Code

Navigate: From the Task Pad, select Foundation > Code Maintenance. The Code Maintenance workspace opens.

Type	Code	Description	SIM
Link Code	Ééçà	Ééçà	
Regular Price	àçé	àçé	<input type="radio"/>
Link Code	Code	LaLa	
Regular Price	RegCodeNew	newDesc	<input type="radio"/>
Link Code	Link 12	T	
Link Code	SD-1704	Single Dept LC	
Link Code	M-Dept	Multi Dept-1704-1234-1221	
Link Code	Parent-LC	Parent Link Code	
Link Code	MZ-SD	Multiple Zone	
Link Code	LC for WH	Link Code for WH testing	
Link Code	Drop It	Only On the left side	
Link Code	Jodi Zone	Jodi Zone	
Regular Price	Code3333	Farmland Milk	<input checked="" type="radio"/>
Regular Price	Code 46	Andy Dufresne	<input type="radio"/>
Link Code	Pizza	Code used for all frozen pizzas	
Link Code	What If	Link Code for What If stories	
Regular Price	Code 2	Alli Code	<input type="radio"/>
Clearance Price	Code Clear	Summer Everything Clearance	<input type="radio"/>
Clearance Price	Code Blue	Code Blue Sale???	<input type="radio"/>

New Delete

Code Maintenance workspace

1. Click **New**. The next line on the table is enabled.
2. In the Type field, select the type of code you are creating.
3. In the Code field, enter a unique identifier for the code.
4. In the Description field, enter a description of the code.
5. In the SIM field, select the radio button to indicate that the reason code is used exclusively by Store Inventory Management (SIM).

Note: Only one reason code for price changes and clearances can be assigned as a SIM reason code.

6. Click **Done** to save any changes and close the workspace.

Edit a Code

Navigate: From the Task Pad, select Foundation > Code Maintenance. The Code Maintenance workspace opens.

The screenshot shows the 'Code Maintenance' workspace. It contains a table with the following columns: Type, Code, Description, and SIM. The table lists various codes and their descriptions, with radio buttons in the SIM column for selection. At the bottom right, there are 'New' and 'Delete' buttons.

Type	Code	Description	SIM
Link Code	Ééçà	Ééçà	
Regular Price	àçé	àçé	<input type="radio"/>
Link Code	Code	LaLa	
Regular Price	RegCodeNew	newDesc	<input type="radio"/>
Link Code	Link 12	T	
Link Code	SD-1704	Single Dept LC	
Link Code	M-Dept	Multi Dept-1704-1234-1221	
Link Code	Parent-LC	Parent Link Code	
Link Code	MZ-SD	Multiple Zone	
Link Code	LC for WH	Link Code for WH testing	
Link Code	Drop It	Only On the left side	
Link Code	Jodi Zone	Jodi Zone	
Regular Price	Code3333	Farmland Milk	<input checked="" type="radio"/>
Regular Price	Code 46	Andy Dufresne	<input type="radio"/>
Link Code	Pizza	Code used for all frozen pizzas	
Link Code	What If	Link Code for What If stories	
Regular Price	Code 2	Alli Code	<input type="radio"/>
Clearance Price	Code Clear	Summer Everything Clearance	<input type="radio"/>
Clearance Price	Code Blue	Code Blue Sale???	<input type="radio"/>

Code Maintenance workspace

1. Select the field you want to edit.
2. Make necessary changes.
3. In the SIM field, select the radio button to indicate that the reason code is used exclusively by Store Inventory Management (SIM).

Note: Only one reason code for price changes and clearances can be assigned as a SIM reason code. You are prompted to confirm your choice to change the SIM reason code.

4. Click **Save + Repeat** to commit your changes.
5. Click **Done** to save any changes and close the workspace.

Delete a Code

Navigate: From the Task Pad, select Foundation > Code Maintenance. The Code Maintenance workspace opens.

The screenshot shows the 'Code Maintenance' workspace. It features a table with four columns: Type, Code, Description, and SIM. The table contains 20 rows of data. At the bottom right of the workspace, there are two buttons: 'New' and 'Delete'.

Type	Code	Description	SIM
Link Code	Ééçà	Ééçà	
Regular Price	àçé	àçé	<input type="radio"/>
Link Code	Code	LaLa	
Regular Price	RegCodeNew	newDesc	<input type="radio"/>
Link Code	Link 12	T	
Link Code	SD-1704	Single Dept LC	
Link Code	M-Dept	Multi Dept-1704-1234-1221	
Link Code	Parent-LC	Parent Link Code	
Link Code	MZ-SD	Multiple Zone	
Link Code	LC for WH	Link Code for WH testing	
Link Code	Drop It	Only On the left side	
Link Code	Jodi Zone	Jodi Zone	
Regular Price	Code3333	Farmland Milk	<input checked="" type="radio"/>
Regular Price	Code 46	Andy Dufresne	<input type="radio"/>
Link Code	Pizza	Code used for all frozen pizzas	
Link Code	What If	Link Code for What If stories	
Regular Price	Code 2	Alli Code	<input type="radio"/>
Clearance Price	Code Clear	Summer Everything Clearance	<input type="radio"/>
Clearance Price	Code Blue	Code Blue Sale???	<input type="radio"/>

Code Maintenance workspace

1. Select the record you want to delete.
2. Click **Delete**. The record is removed from the table.

Note: You cannot delete a reason or link code that is in use.

3. Click **Done** to close the window.

Define Price Guides

A price guide allows you to create a uniform price strategy. You can use them to maintain consistent price points. You can determine if the prices in a guide should be rounded in the same manner or if they should all end in the same digits.

Price guides can be set up at the corporate level or at the department level. A corporate level price guide is created and maintained at the corporate level, but can be referenced by many departments. If any changes are made to a corporate price guide all departments that are linked to the corporate guide will reflect the updated changes. A department-level price guide is created and maintained at the department level.

After price guides are defined, they can be used when setting up pricing strategies, price changes, clearances, and promotions. Price guides are also used when creating the primary zone group for a merchandise level. When a price guide is attached to a primary zone group definition, it will be applied to the initial prices proposed by RPM during the initial price setting process in RMS (if the proposed price falls within one of the defined intervals on the guide).

Create a Price Guide


Navigate: From the Task Pad, select Price Guides > Create Price Guide. The Create Price Guide workspace opens.

The screenshot shows a software interface for creating a price guide. The window has a title bar that says "Create Price Guide". Below the title bar is a yellow header area with a minus icon and the text "Price Guide Create". The main area contains a form with the following fields:

- Price Guide Type:** A dropdown menu currently showing "Corporate".
- * Name:** A text input field.
- * Description:** A text input field with a small speech bubble icon to its right.
- * Currency:** A dropdown menu showing "USD" with a small icon of a US dollar bill and the text "US Dollar" to its right.


At the bottom right of the form area is a button labeled "Add Details". At the bottom of the window, outside the form area, are three buttons: "Cancel", "Save + Repeat", and "Done".

Create Price Guide workspace

1. In the Price Guide Type field, select the type of price guide you are creating.
2. In the Name field, enter the name of the price guide.
3. In the Description field, enter a description of the price guide.
4. In the Department field, enter the ID of the department, or click the LOV  button and select a department.

Note: This field is available only if you selected Department in the Price Guide Type field.

5. In the Currency field, select the currency for the price guide.
6. Click **Add Details**. The Price Guide Details Create pane opens.



The screenshot shows the 'Price Guide Details Create' pane. It features a table with three columns: 'From', 'To', and 'New Retail'. The table contains 11 rows of data, with the 9th row (From: 9.00, To: 9.49, New Retail: 9.00) highlighted. To the right of the table are input fields for 'Start Price', 'End Price', 'Increment', and 'New Retail Based On' (a dropdown menu). Below these fields is an 'Autofill' button. At the bottom of the pane, there are input fields for 'From', 'To', 'New Retail', and 'Add', along with 'Delete Intervals' and 'Validate Intervals' buttons.

From	To	New Retail
5.00	5.49	5.00
5.50	5.99	5.50
6.00	6.49	6.00
6.50	6.99	6.50
7.00	7.49	7.00
7.50	7.99	7.50
8.00	8.49	8.00
8.50	8.99	8.50
9.00	9.49	9.00
9.50	9.99	9.50
10.00	10.49	10.00
10.50	10.99	10.50

Price Guide Details Create pane

Add Price Intervals Individually

1. In the From field, enter the low price of the interval.
2. In the To field, enter the high price of the interval.

Note: The value in the From field must be lower than the value in the To field.

3. In the New Retail field, enter the price that all values in the interval adjust to.
4. Click **Add**. The information is added to the table.

Add Multiple Price Intervals

1. In the Start Price field, enter the low price of the block of intervals.
2. In the End Price field, enter the high price of the block of intervals.
3. In the Increment field, enter the amount each interval should increase by.
4. In the New Retail Based On field, select how the new retail price should be determined:
 - **From Price:** The new price will be set to the same value as the value in the From column on the list of intervals.
 - **To Price:** The new price will be set to the same value as the value in the To column on the list of intervals.
 - **Average Price:** The new retail will be set to the average value of values in the From and To columns on the list of intervals.

- Click **Autofill**. The information is added to the table.

Note: If the End Price is not divisible by the value in the Increment field, RPM will suggest the last valid price in the range. Click **Yes** to accept the price and continue, or **No** to cancel the process.

Define Ends in Values

- Select the intervals you want to add an ends in value.
- In the New Retail Ends In field, enter the digits the price ends in.

Note: The number of fields available are determined at system set up. If your currency uses decimals the number of fields corresponds to the number of decimals used in the currency. If you currency does not use decimals, the number of digits is determined at system set up.

- Click **Apply**. The New Retail field on the selected intervals in the table is updated with the Ends In Digits specified by the user.

Complete the Price Guide

- Click **Done** to save any changes and close the workspace.

Maintain a Price Guide

Navigate: From the Task Pad select, Price Guides > Maintain Price Guide. The Price Guides Maintenance workspace opens.

The screenshot displays the 'Price Guides Maintenance' workspace. At the top, there is a 'Pricing Guides List' section with a 'Filter by:' dropdown. Below this is a table with the following columns: Guide Type, Name, Description, Dept., Currency, and Linked. The table contains several rows of data, including guides for 'Corin's Rockin PG', 'Huh?', 'PG for PC & Clear Testing', 'PG Diff cur (AUD)', 'Jodi's 2nd copy', and 'Jodi's 2nd copy'. The last row is highlighted in blue. At the bottom of the table, there are 'Delete' and 'Edit' buttons. The bottom of the workspace has a 'Cancel', 'Save + Repeat', and 'Done' buttons.

Guide Type	Name	Description	Dept.	Currency	Linked
Department	Corin's Rockin PG	Sweetness	8001 - *Meat	USD	
Department	Huh?	What?	1704 - *Candidate Rules Dep	USD	
Department	PG for PC & Clear Testing	PG for PC & Clear Testing	1704 - *Candidate Rules Dep	USD	
Department	PG Diff cur (AUD)	AUD	1704 - *Candidate Rules Dep	AUD	
Corporate	Jodi's 2nd copy	Jodi's 2nd copy		USD	
Department	Jodi's 2nd copy	Jodi's 2nd copy	1221 - Kitchenware	USD	

Price Guides Maintenance workspace

1. Select the price guide you want to edit.

Note: Linked department price guides cannot be edited. They can only be viewed. The details of a linked department price guide are owned at the corporate level, so changes must be made to the corporate price guide.

2. Click **Edit**. The Price Guide Maintenance Details pane opens.

Price Guide Maintenance Details

* Name: le nom

* Description: c'est le description ça

* Department: 7001 +DOC Test Dept. 2

* Currency: USD US Dollar

From	To	New Retail
100.00	104.99	100.00
105.00	109.99	105.00
110.00	114.99	110.00
115.00	119.99	115.00
120.00	124.99	120.00
125.00	129.99	125.00
130.00	134.99	130.00
135.00	139.99	135.00
140.00	144.99	140.00
145.00	149.99	145.00

Start Price:

End Price:

Increment:

New Retail Based On:

Autofill

From: To: New Retail: Add

New Retail Ends In: Apply

Delete Intervals Validate Intervals

Price Guide Maintenance Details pane

3. Edit the enabled fields as necessary.
4. Update the intervals as necessary.
 - Add price intervals individually.
 - Add multiple price intervals.
 - Define the ends in price.
5. To delete an interval:
 - a. Select the intervals you want to delete.
 - b. Click Delete Intervals. The intervals are removed from the table.
6. To verify the intervals are sequential:
 - a. Click **Verify Intervals**. If non-sequential intervals exist, an error message appears.
 - b. Click **OK**. The non-sequential values are highlighted in red.
 - c. Correct the intervals as necessary.
 - Add price intervals individually.
 - Delete an interval.
7. Click **Done** to save any changes and close the workspace.

Copy a Price Guide

Navigate: From the Task Pad, select Price Guides > Copy Price Guide. The Copy Price Guide workspace opens.

Pricing Guides Origin

☒ Corporate Pricing Guides
☐ Department Pricing Guides

Pricing Guides Destination

☒ Corporate Pricing Guides
☐ Department Pricing Guides

Create Copy Price Guide


Guide Type	Name	Description	Dept.	Currency	Linked
Filter by:			Filter by:		
Corporate	Jedi's 2nd copy	Jedi's 2nd copy		USD	
Corporate	HL-corporate	HL-corporate		USD	
Corporate	foo	foo		USD	
Corporate	SLH guide	test guide		USD	
Corporate	DW Corp Guide	Prices so low we call it crazy ...		USD	
Corporate	corin's corporate	hi		USD	

Copy

Cancel Save + Repeat Done

Copy Price Guide workspace

- In the Price Guides Origin pane, select the price guide type of the price guide you are copying.
 - If you select Department Pricing Guides, enter the department ID in the field to the right, or click the LOV button and select a department.
- In the Price Guides Destination pane, select the price guide type of the price guide you are creating.
 - If you select Department Pricing Guides, enter the department ID in the field to the right, or click the LOV button and select a department.
- In the Create Copy Price Guide container, select the price guide you want to copy.
- Click **Copy**. The Pricing Guide Copy Details pane opens.



Pricing Guide Copy Details

Name:

Description:

Currency: ☐ US Dollar

From	To	New Retail
30.00	35.99	35.00
40.00	45.99	45.00
50.00	55.99	55.00
60.00	65.99	65.00
70.00	75.99	75.00
80.00	85.99	85.00
90.00	95.99	95.00

Start Price:

End Price:

Increment:

New Retail Based On:


From: To: New Retail: New Retail Ends In:

Pricing Guide Copy Details pane

- Maintain the price guide as necessary.
- Click **Done** to save any changes and close the workspace.

Link a Price Guide

Navigate: From the Task Pad, select Price Guides > Link Price Guide. The Link Price Guide workspace opens.



Link Price Guide

Department To Link

Department:

Price Guides List

Name	Description	Currency	Linked
Jodi's 2nd copy	Jodi's 2nd copy	USD	<input type="checkbox"/>
HL-corporate	HL-corporate	USD	<input type="checkbox"/>
foo	foo	USD	<input type="checkbox"/>
SLH guide	test guide	USD	<input type="checkbox"/>
DW Corp Guide	Prices so low we ca...	USD	<input type="checkbox"/>
corin's corporate	hi	USD	<input type="checkbox"/>
Jodi's Corp Price G...	Jodi's Corporate Pr...	USD	<input type="checkbox"/>

Link Price Guide workspace

1. In the Department field, enter the ID of the department you want to link to a corporate price guide.
2. In the Price Guides List container, select the corporate price guide you want to link to.
3. Click **Link**. A red X appears in the Linked column, indicating the corporate price guide has been linked.
4. Click **Done** to save any changes close the workspace.

Update Candidate Rules and Rule Variables

The pricing office of your organization determines the optimum strategies for using RPM in your business. After these strategies are decided, you can define the candidate rules and set up the following parameters:

- Candidate rules
- Variables for candidate rules

You use candidate rules to search the database for items that need to be identified for pricing review. Candidate rules help determine which item/locations should have pricing strategies applied to them. The strategies in turn create the worksheet.

Candidate rules are defined at the corporate level. You can modify any of the candidate rule parameters. Some rules have variable values. These values are assigned and can be modified at the department level.

Note: Rules that have variables defined are run only against items in Departments where a value has been assigned to the variable. If there is no variable value for a Department, the candidate rule will not run against items from that Department.

There are two types of candidate rules: Inclusion and Exclusion. Exclusion rules are always run first. Inclusion rules can contain a variable for Department level differences in the value to be searched against. Items that meet an inclusion candidate rule are flagged on the worksheet. Items that meet an exclusion candidate rule do not appear on the worksheet.

Note: Candidate rules are run against the worksheet when it is first created. They are not run again if the worksheet is updated.

Set up a Candidate Rule and Define a Variable for the Rule

Navigate: From the Task Pad, select Candidate Rules > Create Candidate Rules. The Create Candidate Rule workspace opens.

Create Candidate Rule

Candidate Rule Maintenance

* Name

Description

Type ☒ Inclusion ☐ Exclusion

Status ☐ Inactive ☒ Active

Condition Definition

Field	Operator	Variable Value
- Select -	- Select -	<input type="checkbox"/> <input type="text"/>
- Select -	- Select -	<input type="checkbox"/> <input type="text"/>
- Select -	- Select -	<input type="checkbox"/> <input type="text"/>
- Select -	- Select -	<input type="checkbox"/> <input type="text"/>

Clear Add

Conditions

Remove Criteria Edit Condition

Cancel Save + Repeat Done


Create candidate rule workspace

1. In the Name field, enter the name of the candidate rule.
2. In the Description field, enter a description of the candidate rule. This description can be up to 250 characters.
3. In the Type, select the kind of candidate rule that you are creating.
4. In the Status field, select the active status of the rule. Only active rules are run during a review period.
5. In the Field column, select the field to which the candidate rule is applied.

- In the Operator field, select the relationship that the Field item has to the Value or Variable Name.


Note: All options may not be available for some field types.

Operator	Relationship
=	Equal to
<	Less Than
>	Greater Than
<=	Less than or equal to
>=	Greater than or equal to
	Not equal to

- In the Value field, enter the ID of value or click the LOV  button and select a value.

Note: If you enter a Value, the rule runs against all Departments that use this value in the rule. If you enter a Variable, you can assign the value of the Variable by Department.

Assign a Variable Value

- Select the Variable check box.
- If the Variable is a new variable, select the New check box.
- In the Value field, enter the name if it is a new variable or click the LOV  button and select an existing variable.

Complete the Candidate Rule

- Enter additional conditions as necessary.
- Click **Add**. The condition opens in the conditions area.

Note: A single rule can have multiple conditions. If multiple conditions exist for a rule, an item must meet all of the conditions in order for the rule to be met.

- Click **Done** to save any changes and close the window.

Maintain Rule Variables by Variable or by Department

Navigate: From the Task Pad, select Candidate Rules > Maintain Rule Variables. The Rule Variable Maintenance workspace opens.

Rule Variable Maintenance

Method: By Variable

Variable:

Rule Variable Maintenance By Variable

Department	Description	Variable Value
------------	-------------	----------------

Remove Value

Cancel Save + Repeat Done

Rule variable maintenance workspace

1. In the Method field, select how you want to update the rule variables
2. In the Variable/Department field, select the value you want to use to update the rule variable.
3. In the Variable Value field, enter the value to be associated with the variable when the rule is run against items in the department.
4. To update the values for multiple departments:
 - a. Multi-select the departments you want to update
 - b. In the Value field below the Rule Variable Maintenance By Variable table, enter the value to be associated with the variable when the rule is run against items in the department.
 - c. Click **Apply**.
5. Click **Done** to save any changes and close the workspace.

Delete a Candidate Rule Variable

Note: If the variable is attached to a candidate rule, you must delete the candidate rule before you can delete the variable. To delete the candidate rule, see the Delete a candidate rule procedure.

1. In the Department field, enter the Department number or click (LOV) and select from the list of values.
2. Click **View**. A list of the defined variables with their assigned values appears.
3. Select the radio button for the candidate rule variable that you want to remove.
4. Click **Delete**. A message appears, “This variable will be deleted for all Departments. Do you want to continue?”
5. Click **OK**. The variable is removed from the list.

Note: To leave the window without making changes, click Cancel.

Update a Candidate Rule Variable

Note: Rules that have variables defined are run only against items in Departments where a value has been assigned to the variable. If there is no variable value for a Department, the candidate rule will not run against items from that Department.

1. In the Department field, enter the Department number or click (LOV) and select from the list of values.
2. Click **View**. A list of the defined variables with their assigned values appear.

Note: To apply the same variable to more than one Department, select the desired Departments from the list. For more information on selecting multiple items from a list, see the Select multiple options from a list procedure.

3. In the Value field for the candidate rule variable that you want to edit, enter the appropriate value.
4. Click **Save**. The information is saved.

Note: To leave the window without making changes, click Cancel.

Maintain a Candidate Rule


Navigate: From the Task Pad, select Candidate Rules > Maintain Candidate Rules. The Maintain Candidate Rules workspace opens.

Name	Text	Variable	Type	Status
SLL Second Retest test	Projected Sales < [FU...	<input checked="" type="checkbox"/>	Inclusion	Active
SLL Retest 4198 Candida...	Sell Through = 0.2;C...		Inclusion	Active
Test Candidate Rules	Department = 1818 Clas...		Inclusion	Active
Dept 2	Department = 2		Inclusion	Active
Test 2	Season Code = Sprin...		Inclusion	Active
Test 3	Market Basket Code = 00...		Inclusion	Active
Dept 1704	Department = 1704		Inclusion	Active

Maintain candidate rules workspace

1. Select the candidate rule you want to change.
2. Click **Edit**. The Candidate Rule Maintenance workspace opens with information about the selected candidate rule.
3. Change information in any of the fields, as necessary.

Note: See the Set up a candidate rule and define a variable for the rule procedure for additional information.

4. If you want to use the value as a variable:
 - a. Check the box in front of Use value as variable.
 - b. Enter or Click  (LOV) to display a list of existing values.
 - c. Select an appropriate value from the list.

5. If you want to edit only the Condition portion of a rule:

Note: To add a new Condition to a rule without changing any existing Conditions, follow steps c-d below.

- a. In the Conditions box, select the Condition that you want to change.
- b. Click **Edit**. The components of the selected condition display in the Field, Operator, and Values or Variable Name fields.
- c. Enter the appropriate information in the Field, Operator, and Values or Variable Name fields.
- d. To include the new or updated Condition without removing the existing Condition, click **Add**.

Or

To substitute the existing Condition with the one you just created or edited, click **Replace**.

6. To return to the Candidate Rules window, click **Cancel**. All information that you did not save in the Candidate Rule Maintenance window is lost.
7. To delete a condition, select the condition in the Conditions box.
8. Click **Delete**. The condition is removed.
9. To apply all of the changes that you made in this window, click **Save**. You are returned to the Candidate Rules window.

Delete a Candidate Rule

Navigate: From the Task Pad, select Candidate Rules > Maintain Candidate Rules. The Maintain Candidate Rules workspace opens with all of the current candidate rules listed.

The screenshot shows the 'Maintain Candidate Rules' workspace. At the top, there is a title bar 'Maintain Candidate Rules'. Below it is a 'Candidate Rule List' table. The table has five columns: Name, Test, Variable, Type, and Status. There are eight rows of data. The first row is selected. Below the table, there are 'Delete' and 'Edit' buttons. At the bottom of the workspace, there are 'Cancel', 'Save + Repeat', and 'Done' buttons.

Name	Test	Variable	Type	Status
SLL Second Retest test	Projected Sales < [FU...	<input checked="" type="checkbox"/>	Inclusion	Active
SLL Retest 4198 Candida...	Sell Through = 0.2;C...		Inclusion	Active
Test Candidate Rules	Department = 1818 Clas...		Inclusion	Active
Dept 2	Department = 2		Inclusion	Active
Test 2	Season Code = Sprin...		Inclusion	Active
Test 3	Market Basket Code = 00...		Inclusion	Active
Dept 1704	Department = 1704		Inclusion	Active

Maintain candidate rules workspace

1. Select the candidate rule you want to delete.
2. Click **Delete**. A message appears, “Are you sure you want to delete the selected rule?”
3. Click **OK** to delete the rule. The rule is removed from the list.

Note: Variables are not deleted if you delete a rule that has a condition with variables and values assigned at the Department level. This feature allows you to use the existing variables and assigned values when you create a new rule. To delete the variables, see the Delete a candidate rule variable procedure.


Create Link Codes

The create link codes area allows you to create link codes for a transaction level item/location. The items can be associated to the code through the merchandise hierarchy, at the item level, or through item attributes such as diff or diff type. Locations can be associated to the code through the zone group or zone or by entering the location directly.




Create a Link Code




Navigate: From the Task Pad, select Link Codes > Create Link Codes. The Create Link Codes window opens.

Create Link Code workspace

4. Enter the ID of the merchandise level you want to apply the link code to, or click the LOV  button and select the appropriate merchandise level.

Note: You must enter a department. Subsequent merchandise levels are enabled as you add the level above. You may enter more than one department, in which case you cannot enter class or subclass.

5. Select the locations for the link code:
 - **Zone Group:** Enter the ID of the zone group that contains the zones the link code should apply to, or click the LOV  button and select a zone group.
 - **Zone:** Enter the ID of the zone that contains the locations the link code should apply to, or click the LOV  button and select a zone.
 - **Location:** Enter the ID of the location the link code should apply to, or click the LOV  button and select a location.


6. Select the item type for the link code from the Item Type drop-down.
 - **Item:** Select an item for the link code.
 - a. In the Item Level drop-down, select Parent Item, Parent Item/Diff, or Transaction Level Item.
 - b. If enabled, select a diff type from the Diff Type drop-down.
 - c. In the Item field, enter the ID of the item(s) you want the link code to apply to, or click the LOV  button and select an item.
 - d. If enabled, enter the ID of the diff(s), or click the LOV  button and select a diff.
 - **Item List:** Select an item list for the link code.
 - Enter the ID of the item list you want the link code to apply to, or click the LOV  button and select an item list.
7. Click **Apply**. A row is added to the table for each transaction level item/location that meets the selected criteria.
8. Click **Done** to save any changes and close the workspace.

Maintain Link Codes










The maintain link codes area allows you to assign link codes to a transaction level item/location. The items can be associated to the code through the merchandise hierarchy, at the item level, or through item attributes such as diff or diff type. Locations can be associated to the code through the zone group or zone or by entering the location directly.

Search for a Link Code

Navigate: From the Task Pad, select Link Codes > Maintain Link Codes. The **Maintain Link Codes workspace** opens.



The screenshot shows the 'Maintain Link Codes' workspace. At the top is a 'Link Codes Search' form with the following fields:

- Link Code:**
 - Department: 
 - Class: 
 - Subclass: 
 - Item Type:
 - Item Level:
 - Diff Type:
 - Item: 
 - Diff: 
- Zone Group:** 
- Zone:** 
- Location:** 
- Link Code:** 

At the bottom right of the form are 'Clear' and 'Search' buttons. The Retek logo is visible in the bottom left corner of the workspace, and a 'Cancel' button is in the bottom right corner.

Maintain Link Code workspace

1. Enter criteria as necessary to restrict the search to the link codes you want to maintain.
2. Click **Search**. Your results appear in the Maintain Link Codes table.

Item	Item Description	Parent Item	Parent Item Description	Location	Location Description	Link Code	Link Code Description
100008018	eph:Dark Blue	100008000	eph	1000000007	Fresno	1-sh	T
100008018	eph:Dark Blue	100008000	eph	1000000013	Buffalo	1-sh	T
100008018	eph:Dark Blue	100008000	eph	1000000022	Omaha	1-sh	T
100008018	eph:Dark Blue	100008000	eph	1000000025	Las Vegas	1-sh	T
100008018	eph:Dark Blue	100008000	eph	1000001000	Edina	1-sh	T
100008018	eph:Dark Blue	100008000	eph	1000001001	Eagan	1-sh	T
100008018	eph:Dark Blue	100008000	eph	1000001002	Mall of Ameri...	1-sh	T
100008026	eph:Dark Bro...	100008000	eph	1111	Ithica	1-sh	T
100008026	eph:Dark Bro...	100008000	eph	1000000000	Fargo	1-sh	T
100008026	eph:Dark Bro...	100008000	eph	1000000001	Minneapolis	1-sh	T
100008026	eph:Dark Bro...	100008000	eph	1000000002	Madison	1-sh	T
100008026	eph:Dark Bro...	100008000	eph	1000000007	Fresno	1-sh	T
100008026	eph:Dark Bro...	100008000	eph	1000000013	Buffalo	1-sh	T
100008026	eph:Dark Bro...	100008000	eph	1000000022	Omaha	1-sh	T
100008026	eph:Dark Bro...	100008000	eph	1000000025	Las Vegas	1-sh	T
100008026	eph:Dark Bro...	100008000	eph	1000001000	Edina	1-sh	T
100008026	eph:Dark Bro...	100008000	eph	1000001001	Eagan	1-sh	T
100008026	eph:Dark Bro...	100008000	eph	1000001002	Mall of Ameri...	1-sh	T
100008034	eph:Dark Gre...	100008000	eph	1111	Ithica	1-sh	T

Filter

Zone Group

Zone

Delete


Maintain Link Codes table


Maintain or Override a Link Code

1. Search for and retrieve the link codes you want to maintain. Your results appear in the Maintain Link Codes table.

Item	Item Description	Parent Item	Parent Item Description	Location	Location Description	Link Code	Link Code Description
100008018	eph:Dark Blue	100008000	eph	1000000007	Fresno	1-sh	T
100008018	eph:Dark Blue	100008000	eph	1000000013	Buffalo	1-sh	T
100008018	eph:Dark Blue	100008000	eph	1000000022	Omaha	1-sh	T
100008018	eph:Dark Blue	100008000	eph	1000000025	Las Vegas	1-sh	T
100008018	eph:Dark Blue	100008000	eph	1000001000	Edina	1-sh	T
100008018	eph:Dark Blue	100008000	eph	1000001001	Eagan	1-sh	T
100008018	eph:Dark Blue	100008000	eph	1000001002	Mall of Ameri...	1-sh	T
100008026	eph:Dark Bro...	100008000	eph	1111	Ithica	1-sh	T
100008026	eph:Dark Bro...	100008000	eph	1000000000	Fargo	1-sh	T
100008026	eph:Dark Bro...	100008000	eph	1000000001	Minneapolis	1-sh	T
100008026	eph:Dark Bro...	100008000	eph	1000000002	Madison	1-sh	T
100008026	eph:Dark Bro...	100008000	eph	1000000007	Fresno	1-sh	T
100008026	eph:Dark Bro...	100008000	eph	1000000013	Buffalo	1-sh	T
100008026	eph:Dark Bro...	100008000	eph	1000000022	Omaha	1-sh	T
100008026	eph:Dark Bro...	100008000	eph	1000000025	Las Vegas	1-sh	T
100008026	eph:Dark Bro...	100008000	eph	1000001000	Edina	1-sh	T
100008026	eph:Dark Bro...	100008000	eph	1000001001	Eagan	1-sh	T
100008026	eph:Dark Bro...	100008000	eph	1000001002	Mall of Ameri...	1-sh	T
100008034	eph:Dark Gre...	100008000	eph	1111	Ithica	1-sh	T


Filter

Zone Group 




Zone  +




Delete

Maintain Link Codes table


2. Enter the ID of the merchandise level you want to apply the link code to, or click the LOV  button and select the appropriate merchandise level.




















Note: You must enter a department. Subsequent merchandise levels are enabled as you add the level above. You may enter more than one department, in which case you cannot enter class or subclass.


3. Select the locations for the link code:
 - **Zone Group:** Enter the ID of the zone group that contains the zones the link code should apply to, or click the LOV  button and select a zone group.
 - **Zone:** Enter the ID of the zone that contains the locations the link code should apply to, or click the LOV  button and select a zone.
 - **Location:** Enter the ID of the location the link code should apply to, or click the LOV  button and select a location.

4. Select the item type for the link code from the Item Type drop-down.
 - **Item:** Select an item or for the link code.
 - a. In the Item Level drop-down, select Parent Item, Parent Item/Diff, or Transaction Level Item.
 - b. If enabled, select a diff type from the Diff Type drop-down.
 - c. In the Item field, enter the ID of the item(s) you want the link code to apply to, or click the LOV  button and select an item.
 - d. If enabled, enter the ID of the diff(s), or click the LOV  button and select a diff.
 - **Item List:** Select an item list for the link code.
 - Enter the ID of the item list you want the link code to apply to, or click the LOV  button and select an item list.
5. Click **Apply**. The following may occur:
 - A row is added to the table for each transaction level item/location that meets the selected criteria.
 - An existing row changes based on the selected criteria.
6. Click **Done** to save any changes and close the workspace.



Update Link Codes


1. In the Maintain Link Codes table select the rows you want to edit by clicking the box  to the left of the row. Press and hold the Ctrl key while selecting to select multiple rows. Click **Select All** to select all the rows.


Item	Item Description	Parent Item	Parent Item De	Location	Location Descr	Link Code	Link Code Desc
	100008018	eph:Dark Blue	100008000	eph	1000000007	Fresno	1-sh T
	100008018	eph:Dark Blue	100008000	eph	1000000013	Buffalo	1-sh T
	100008018	eph:Dark Blue	100008000	eph	1000000022	Omaha	1-sh T
	100008018	eph:Dark Blue	100008000	eph	1000000025	Las Vegas	1-sh T
	100008018	eph:Dark Blue	100008000	eph	1000001000	Edina	1-sh T
	100008018	eph:Dark Blue	100008000	eph	1000001001	Eagan	1-sh T
	100008018	eph:Dark Blue	100008000	eph	1000001002	Mall of Ameri...	1-sh T
	100008026	eph:Dark Bro...	100008000	eph	1111	Ithica	1-sh T
	100008026	eph:Dark Bro...	100008000	eph	1000000000	Fargo	1-sh T
	100008026	eph:Dark Bro...	100008000	eph	1000000001	Minneapolis	1-sh T
	100008026	eph:Dark Bro...	100008000	eph	1000000002	Madison	1-sh T
	100008026	eph:Dark Bro...	100008000	eph	1000000007	Fresno	1-sh T
	100008026	eph:Dark Bro...	100008000	eph	1000000013	Buffalo	1-sh T
	100008026	eph:Dark Bro...	100008000	eph	1000000022	Omaha	1-sh T
	100008026	eph:Dark Bro...	100008000	eph	1000000025	Las Vegas	1-sh T
	100008026	eph:Dark Bro...	100008000	eph	1000001000	Edina	1-sh T
	100008026	eph:Dark Bro...	100008000	eph	1000001001	Eagan	1-sh T
	100008026	eph:Dark Bro...	100008000	eph	1000001002	Mall of Ameri...	1-sh T
	100008034	eph:Dark Gre...	100008000	eph	1111	Ithica	1-sh T



Filter


 

Zone Group 

Zone  +


Maintain Link Codes table

- Right click in the link code field. The Link Code dialog opens.





The Link Code dialog box has a blue title bar with the text "Link Code" and a red close button. It contains two rows of input fields. The first row is labeled "Current Value" and contains a text field with "1-sh" and a list-of-values (LOV) button with a dropdown arrow showing "T". The second row is labeled "Edited Value" and contains a text field with "1-sh" and a list-of-values (LOV) button with a dropdown arrow showing "T". At the bottom right are "Apply" and "Cancel" buttons.

Link Code dialog

- Enter the ID of the link code in the Edited Value field, or click the LOV  button and select a code.
- Click **OK**. Your changes appear in the table.

Delete a Link Code Relationship

- In the Maintain Link Codes table select the row you want to delete by clicking the box  to the left of the row. Press and hold the Ctrl key while selecting to select multiple rows. Click **Select All** to select all the rows.



The Maintain Link Codes table is a data grid with columns: Item, Item Description, Parent Item, Parent Item Description, Location, Location Description, Link Code, and Link Code Description. Each column has a "Filter by:" dropdown menu. The table contains 20 rows of data. To the left of each row is a small yellow box for selection. At the bottom right of the table is a "Delete" button. Below the table is a "Filter" section with checkboxes for "Zone Group" and "Zone", and input fields for filtering.

Item	Item Description	Parent Item	Parent Item Description	Location	Location Description	Link Code	Link Code Description
100008018	eph:Dark Blue	100008000	eph	1000000007	Fresno	1-sh	T
100008018	eph:Dark Blue	100008000	eph	1000000013	Buffalo	1-sh	T
100008018	eph:Dark Blue	100008000	eph	1000000022	Omaha	1-sh	T
100008018	eph:Dark Blue	100008000	eph	1000000025	Las Vegas	1-sh	T
100008018	eph:Dark Blue	100008000	eph	1000001000	Edina	1-sh	T
100008018	eph:Dark Blue	100008000	eph	1000001001	Eagan	1-sh	T
100008018	eph:Dark Blue	100008000	eph	1000001002	Mall of Ameri...	1-sh	T
100008026	eph:Dark Bro...	100008000	eph	1111	Ithica	1-sh	T
100008026	eph:Dark Bro...	100008000	eph	1000000000	Fargo	1-sh	T
100008026	eph:Dark Bro...	100008000	eph	1000000001	Minneapolis	1-sh	T
100008026	eph:Dark Bro...	100008000	eph	1000000002	Madison	1-sh	T
100008026	eph:Dark Bro...	100008000	eph	1000000007	Fresno	1-sh	T
100008026	eph:Dark Bro...	100008000	eph	1000000013	Buffalo	1-sh	T
100008026	eph:Dark Bro...	100008000	eph	1000000022	Omaha	1-sh	T
100008026	eph:Dark Bro...	100008000	eph	1000000025	Las Vegas	1-sh	T
100008026	eph:Dark Bro...	100008000	eph	1000001000	Edina	1-sh	T
100008026	eph:Dark Bro...	100008000	eph	1000001001	Eagan	1-sh	T
100008026	eph:Dark Bro...	100008000	eph	1000001002	Mall of Ameri...	1-sh	T
100008034	eph:Dark Gre...	100008000	eph	1111	Ithica	1-sh	T

Maintain Link Codes table

- Click **Delete**. You are prompted to confirm your decision.
- Click **Yes**. The link code relationship is deleted.

Create Market Basket Codes

The create market basket codes area allows you to create market baskets codes for an item/zone. The items can be associated to the code through the merchandise hierarchy, at the item level, or through item attributes such as diff or diff type.

Create a Market Basket Code





Navigate: From the Task Pad, select Market Basket Codes > Create Market Basket Codes. The Create Market Basket Codes Workspace opens.

Create Market Basket Codes workspace


4. Enter the ID of the merchandise level you want to apply the market basket to, or click the LOV button and select the appropriate merchandise level.

Note: You must enter a department. Subsequent merchandise levels are enabled as you add the level above. You may enter more than one department, in which case you cannot enter class or subclass.

5. Select the zones for the market basket:
 - **Zone Group:** Enter the ID of the zone group that contains the zones the market basket should apply to, or click the LOV button and select a zone group.
 - **Zone:** Enter the ID of the zone the market basket should apply to, or click the LOV button and select a zone.

6. Select the item type for the market basket code from the Item Type drop-down.
 - **Item:** Select an item for the market basket code.
 - a. In the Item Level drop-down, select Parent Item, Parent Item/Diff, or Transaction Level Item.
 - b. If enabled, select a diff type from the Diff Type drop-down.
 - c. In the Item field, enter the ID of the item(s) you want the market basket code(s) to apply to, or click the LOV  button and select an item.
 - d. If enabled, enter the ID of the diff, or click the LOV  button and select a diff.
 - **Item List:** Select an item list for the market basket code.
 - Enter the ID of the item list you want the market basket code(s) to apply to, or click the LOV  button and select an item list.
7. In the Margin Market Basket Code field, enter the ID of the code, or click the LOV  button and select the code.

Or

Select the Remove Margin Market Basket Code checkbox to disassociate the margin market basket code from the item(s)/zone(s) that meet the selected criteria.
8. In the Competitive Market Basket Code field, enter the ID of the code, or click the LOV  button and select the code.

Or

Select the Remove Competitive Market Basket Code checkbox to disassociate the competitive market basket code from the item(s)/zone(s) that meet the selected criteria.
9. Click **Apply**. A row is added to the table for each transaction level item/location that meets the selected criteria.
10. Click **Done** to save any changes and close the workspace.

Maintain Market Basket Codes

The maintain market basket codes area allows you to assign market baskets codes to an item/zone. The items can be associated to the code through the merchandise hierarchy, at the item level, or through item attributes such as diff or diff type.

Search for a Link Code

Navigate: From the Task Pad, select Market Basket Codes > Maintain Market Basket Codes. The **Maintain Market Basket Codes workspace** opens.

The screenshot shows the 'Maintain Market Basket Codes' workspace. At the top, there's a title bar 'Maintain Market Basket Codes'. Below it is a yellow header for 'Market Basket Codes Search'. The search area contains several input fields and dropdown menus:

- Market Basket Code:**
 - Department: [Text Field] + [Icon]
 - Class: [Text Field] + [Icon]
 - Subclass: [Text Field] + [Icon]
 - Item Type: [Dropdown Menu] (Current selection: Item)
 - Item Level: [Dropdown Menu] (Current selection: Transaction Level Item)
 - Diff Type: [Dropdown Menu] (Current selection: - Select -)
 - Item: [Text Field] + [Icon]
 - Diff: [Text Field] + [Icon]
 - Margin Market Basket Code: [Text Field] + [Icon]
 - Competitive Market Basket Code: [Text Field] + [Icon]
- Zone Group:** [Text Field] + [Icon]
- Zone:** [Text Field] + [Icon]

At the bottom right of the search area are 'Clear' and 'Search' buttons. At the bottom left is the 'Retek' logo, and at the bottom right is a 'Cancel' button.

Maintain Link Code workspace

1. Enter criteria as necessary to restrict the search to the market basket codes you want to maintain.
2. Click **Search**. Your results appear in the Maintain Market Basket Codes table.

Item	Item Description	Parent Item	Parent Item Description	Zone Group	Zone	Margin Market Basket
Filter by:	Filter by:	Filter by:	Filter by:	Filter by:	Filter by:	Filter by:
100120122	Approved Item	100120114	Parent with Approved a...	187	360	006
100136001	test			115	477	005
100136001	test			115	486	005
100136001	test			115	563	005
100136001	test			115	564	005
100154015	C1	100154007	Parent A	115	215	005
100154015	C1	100154007	Parent A	115	477	005
100154015	C1	100154007	Parent A	115	486	005
100154015	C1	100154007	Parent A	115	563	005
100154015	C1	100154007	Parent A	115	564	005
100154031	C2	100154007	Parent A	115	215	005
100154031	C2	100154007	Parent A	115	477	005
100154031	C2	100154007	Parent A	115	486	005
100154031	C2	100154007	Parent A	115	563	005
100154031	C2	100154007	Parent A	115	564	005
100154058	C3	100154007	Parent A	115	215	005
100154058	C3	100154007	Parent A	115	477	005
100154058	C3	100154007	Parent A	115	486	005
100154058	C3	100154007	Parent A	115	563	005

Filter
Location

Delete

Maintain Link Codes table

Maintain or Override a Market Basket Code Relationship


1. Search for and retrieve the link codes you want to maintain. Your results appear in the Maintain Market Basket Codes table.

Item	Item Description	Parent Item	Parent Item Description	Zone Group	Zone	Margin Market Basket
Filter by:	Filter by:	Filter by:	Filter by:	Filter by:	Filter by:	Filter by:
100120122	Approved Item	100120114	Parent with Approved a...	187	360	006
100136001	test			115	477	005
100136001	test			115	486	005
100136001	test			115	563	005
100136001	test			115	564	005
100154015	C1	100154007	Parent A	115	215	005
100154015	C1	100154007	Parent A	115	477	005
100154015	C1	100154007	Parent A	115	486	005
100154015	C1	100154007	Parent A	115	563	005
100154015	C1	100154007	Parent A	115	564	005
100154031	C2	100154007	Parent A	115	215	005
100154031	C2	100154007	Parent A	115	477	005
100154031	C2	100154007	Parent A	115	486	005
100154031	C2	100154007	Parent A	115	563	005
100154031	C2	100154007	Parent A	115	564	005
100154058	C3	100154007	Parent A	115	215	005
100154058	C3	100154007	Parent A	115	477	005
100154058	C3	100154007	Parent A	115	486	005
100154058	C3	100154007	Parent A	115	563	005








Filter
Location

Delete


Maintain Link Codes table


2. Enter the ID of the merchandise level you want to apply the market basket to, or click the LOV  button and select the appropriate merchandise level.

Note: You must enter a department. Subsequent merchandise levels are enabled as you add the level above. You may enter more than one department, in which case you cannot enter class or subclass.




3. Select the zones for the market basket:
 - **Zone Group:** Enter the ID of the zone group that contains the zones the market basket should apply to, or click the LOV  button and select a zone group.
 - **Zone:** Enter the ID of the zone the market basket should apply to, or click the LOV  button and select a zone.
4. Select the item type for the market basket code from the Item Type drop-down.
 - **Item:** Select an item for the market basket code.
 - a. In the Item Level drop-down, select Parent Item, Parent Item/Diff, or Transaction Level Item.
 - b. If enabled, select a diff type from the Diff Type drop-down.
 - c. In the Item field, enter the ID of the item(s) you want the market basket code(s) to apply to, or click the LOV  button and select an item.
 - d. If enabled, enter the ID of the diff, or click the LOV  button and select a diff.
 - **Item List:** Select an item list for the market basket code.
 - Enter the ID of the item list you want the market basket code(s) to apply to, or click the LOV  button and select an item list.
5. In the Margin Market Basket Code field, enter the ID of the code, or click the LOV  button and select the code.
 Or
 Select the Remove Margin Market Basket Code checkbox to disassociate the margin market basket code from the item(s)/zone(s) that meet the selected criteria.
6. In the Competitive Market Basket Code field, enter the ID of the code, or click the LOV  button and select the code.
 Or
 Select the Remove Competitive Market Basket Code checkbox to disassociate the competitive market basket code from the item(s)/zone(s) that meet the selected criteria.
7. Click **Apply**. The following may occur:
 - A row is added to the table for each transaction level item/location that meets the selected criteria.
 - An existing row changes based on the selected criteria.
8. Click **Done** to save any changes and close the workspace.

Update Market Basket Codes

1. In the Maintain Market Basket Codes table select the row you want to edit by clicking the box  to the left of the row. Press and hold the Ctrl key while selecting to select multiple rows. Click **Select All** to select all the rows.




Item	Item Description	Parent Item	Parent Item Description	Zone Group	Zone	Margin Market Basket Code
100136001	test			115	564	005
100154015	C1	100154007	Parent A	115	215	005
100154015	C1	100154007	Parent A	115	477	005
100154015	C1	100154007	Parent A	115	486	005
100154015	C1	100154007	Parent A	115	563	005
100154015	C1	100154007	Parent A	115	564	005
100154031	C2	100154007	Parent A	115	215	005
100154031	C2	100154007	Parent A	115	477	005
100154031	C2	100154007	Parent A	115	486	005
100154031	C2	100154007	Parent A	115	563	005
100154031	C2	100154007	Parent A	115	564	005
100154058	C3	100154007	Parent A	115	215	005
100154058	C3	100154007	Parent A	115	477	005
100154058	C3	100154007	Parent A	115	486	005
100154058	C3	100154007	Parent A	115	563	005
100154058	C3	100154007	Parent A	115	564	005
100154074	Parent A Diff:La...	100154066	Parent A Diff	115	215	005
100154074	Parent A Diff:La...	100154066	Parent A Diff	115	477	005
100154074	Parent A Diff:La...	100154066	Parent A Diff	115	486	005

Filter
Location   


Delete


Maintain Market Basket Codes table

2. Right click in the field you wish to edit:
 - **Margin Market Basket Code** - The Margin Market Basket Code dialog opens.



Margin Market Basket Code


Current Value  Margin1

Edited Value  Margin1

Apply Cancel


Margin Market Basket Code dialog

- **Competitive Market Basket Code** - The Competitive Market Basket Code dialog opens.



The dialog box has a title bar 'Competitive Market Basket Code' with a close button. It contains two text input fields: 'Current Value' with '002' and 'Edited Value' with '002'. To the right of each field is a small icon and a dropdown menu showing 'Seasonal'. At the bottom are 'Apply' and 'Cancel' buttons.

Competitive Market Basket Code dialog


3. Enter the ID of the Market Basket Code in the Edited Value field, or click the LOV  button and select a code.


Or

Clear the field to disassociate the market basket code from the selected record.

4. Click **OK**. Your changes appear in the table.

Delete a Market Basket Code Relationship

1. In the Maintain Market Basket Codes table select the row you want to delete by clicking the box  to the left of the row. Press and hold the Ctrl key while selecting to select multiple rows. Click **Select All** to select all the rows.



Item	Item Description	Parent Item	Parent Item Description	Zone Group	Zone	Margin Market Basket
100120122	Approved Item	100120114	Parent with Approved a...	187	360	006
100136001	test			115	477	005
100136001	test			115	486	005
100136001	test			115	563	005
100136001	test			115	564	005
100154015	C1	100154007	Parent A	115	215	005
100154015	C1	100154007	Parent A	115	477	005
100154015	C1	100154007	Parent A	115	486	005
100154015	C1	100154007	Parent A	115	563	005
100154015	C1	100154007	Parent A	115	564	005
100154031	C2	100154007	Parent A	115	215	005
100154031	C2	100154007	Parent A	115	477	005
100154031	C2	100154007	Parent A	115	486	005
100154031	C2	100154007	Parent A	115	563	005
100154031	C2	100154007	Parent A	115	564	005
100154058	C3	100154007	Parent A	115	215	005
100154058	C3	100154007	Parent A	115	477	005
100154058	C3	100154007	Parent A	115	486	005
100154058	C3	100154007	Parent A	115	563	005

Below the table is a 'Filter' section with a 'Location' input field and a 'Delete' button.

Maintain Market Basket Codes table

2. Click **Delete**. You are prompted to confirm your decision.
3. Click **Yes**. The market basket code relationship is deleted.

Set up Zone Structure

Zone structures allow you to group locations that are priced the same. Additionally, you identify the types of pricing the zone is used for; Regular, Promotional, or Clearance. There are several components that you need to define in order to use zone structures.

Zone Groups

Zone groups are a collection of zones. You can define multiple zone groups that are suited to your business. After you define the zone group, you can define the zones in the zone group. Multiple currencies may exist within a zone group.

Zones

A zone is a group of locations that are priced the same within a zone group. Locations within a zone must have the same currency. Not all locations must be assigned to a zone.

Primary Zone Groups

The primary zone group is used to determine how items are initially priced in the merchandising system. When you create a primary zone group, you identify the merchandise hierarchy level, the zone group, the markup percent, the markup type, and the price guide. The merchandise hierarchy assigned to a new item in merchandising system will determine the primary zone group definition in RPM used to initially price the item. Based on the information associated with the primary zone group and the cost of the item, as entered in merchandising system, prices will be proposed.

Create a Zone Group

Navigate: From the Task Pad, select Zone Structure > Create Zone Group. The Create Zone Group workspace opens.


The screenshot shows the 'Create Zone Group' workspace. It features a form with the following fields and controls:

- Zone Group ID:** A text field containing '451'.
- Zone Group Name:** A text field containing 'Zone'.
- Type:** A dropdown menu set to 'Regular'.
- Like Group:** A checkbox that is unchecked.
- Buttons:** 'Next' (disabled), 'Apply' (active), 'Save', 'Locations', 'Delete' (at the bottom).
- Table:** A table with columns 'Zone ID', 'Name', 'Currency', 'Location Count', and 'Base'. It is currently empty.
- Footer:** 'Cancel', 'Save + Repeat', and 'Done' buttons.

Create Zone Group workspace

1. In the Zone Group ID field, edit the generated Zone Group ID field as necessary.


Note: The Zone Group ID field appears with the next available number. If you choose to update the field, you must choose a unique ID.

2. In the Zone Group Name field, enter a description of the zone group.
3. In the Type field, enter the type of pricing this zone group is used for, or click the LOV  button and select a type.
4. Click **Next**. Your zone group is created.

Add Zones to a Zone Group


1. In the Zone ID field, edit the generated Zone Group ID field as necessary.

Note: The Zone ID field appears with the next available number. If you choose to update the field, you must choose a unique ID.

2. In the Zone Name field, enter a description of the zone.
3. In the Currency field, enter the currency for the zone, or click the LOV  button and select a currency.
4. Click **Apply**. Your zone is added to the table.
5. Add the appropriate number of zones for your zone group.


Add Locations to a Zone

1. Select a zone.
2. Click **Locations**. The Price Zone – Location Assignment pane opens.



The screenshot shows the 'Price Zone - Location Assignment' pane. At the top, there are input fields for 'Zone Group' (containing 'Zone'), 'Zone' (containing 'Zone 1'), and 'Zone Currency' (containing 'US Dollar'). Below these is a 'Type' dropdown menu set to 'Store'. There are also 'Value' and 'Location' input fields, each with a '+' button. An 'Apply' button is located to the right of the 'Location' field. Below the input fields is a table with the following columns: Location, Name, Location Type, New Zone, New Zone Name, Effective Date, and Status. The table is currently empty. At the bottom right of the pane are 'Save' and 'Delete' buttons.



Price Zone – Location Assignment pane

3. In the first field, select the type of location you want to add to the zone.
4. In the Value field, enter the ID of the location or location group, or click the LOV  button and select a location or location group.
5. Click **Apply** to add the location or location group to the list of locations.
6. Click **Save** to commit any changes.
7. Click **Done** to save any changes and close the workspace.

Copy an Existing Zone Group

1. In the Zone Group ID field, edit the generated Zone Group ID field as necessary.


Note: The Zone Group ID field appears with the next available number. If you choose to update the field, you must choose a unique ID.

2. In the Zone Group Name field, enter a description of the zone group.
3. In the Type field, enter the pricing strategy that the zone group will use, or click the LOV  button and select a type.
4. Select the Like Group check box.
5. Click **Next**. The Like Group container opens.
6. Enter the ID of the zone group that you want to copy, or click the LOV  button and select a group.
7. Click **Done** to save any changes and close the workspace.

Note: To edit the newly created Zone Group, see the Maintain a zone group procedure.


Maintain a Zone Group


Navigate: From the Task Pad, select Zone Structure > Maintain Zone Group. The Maintain Zone Group workspace opens.



Zone Group ID	Name	Type	Location Count
119	DW currency	Regular	7
130	SLH	Regular	3
131	DW USD	Regular	3
184	Jedi's 1221 ZG	Regular	3
199	ZG-0009	Clearance; Regular; Promotion	2
393	1221 Warehouses	Regular	8
402	corin test	Regular	1

Maintain Zone Group workspace

1. Filter for the records as necessary:
 - a. In the Location, Currency, and Type fields, enter the criteria you want to filter for.
 - b. Click the filter  button. Zone groups that match your criteria appear in the table below.

Note: Click the  clear filter button to remove the filter criteria. All zone groups appear in the table below.

2. To delete a zone group:
 - a. Select a zone group.
 - b. Click **Delete**. The zone group, zones, and locations are removed.

Edit Zones

1. Select a zone group.
2. Click **Edit**. The Maintain Zone Group pane opens.

Zone ID	Name	Currency	Location Count	Base
533	FRANCA\$	CAD	0	0
381	A1	USD	2	2

Maintain Zone Group pane

3. Edit the Zone Group Name, Location, and Currency fields as necessary.

Note: If there are no locations in the zone the currency field is editable. If locations exist in the zone than the currency field is NOT editable.

4. Add zones to the zone group.
5. To delete a zone:
 - a. Select a zone.
 - b. Click **Delete**. The zone is removed from the list of zones.

Note: You must first delete all locations from the zone before you can delete it.

Edit Locations

1. Select a zone.
2. Click **Locations**. The Price Zone – Location Assignment pane opens.

Location	Name	Location Type	New Zone	New Zone Name	Effective Date	Status
----------	------	---------------	----------	---------------	----------------	--------

Price Zone - Locations Assignment pane

3. Add locations to the zone.

Note: When you add a location to a zone that was previously saved, a location move is scheduled. Go to the Maintain Location Move workspace to view the location move.

4. To delete a location from a zone.
 - a. Select a location.
 - b. Click **Delete**. The location is removed from the list of locations.

Note: When you delete a location from a zone a location move is scheduled. Go to the Maintain Location Move workspace to view the location move.

Complete the Zone Edits

- Click **Done** to save any changes close the workspace.

Create a Primary Zone Group

Navigate: From the Task Pad, select Zone Structure > Maintain Primary Zone Groups. The Maintain Primary Zone Group workspace opens.

The screenshot shows the 'Maintain Primary Zone Group' workspace. At the top is the 'Zone Retail Definition List' table. Below the table are 'Delete', 'Edit', and 'Add' buttons. At the bottom are 'Cancel', 'Save + Repeat', and 'Done' buttons.

Dept.	Dept Description	Class	Class Description	Subclass	Subclass Description	Regular Price Zone	Regular Price Zone	Initial Price Setting	Markup Type
7001	DOC Test Dept. 2	700	DOC Class 1 in ...	71	DOC SC 2 in 700	91	Rick's Teams	33%	Retail Markup
22	DW working dept					12	HL-regular	20%	Retail Markup
1	Corin's Departm...					13	Corin's ZG	50%	Retail Markup
1221	Kitchenware					12	HL-regular	100%	Retail Markup
7000	DOC Test Dept					402	corin test	50%	Retail Markup
4567	Womens shoes					12	HL-regular	1%	Retail Markup
7001	DOC Test Dept. 2					131	DW USD	25%	Retail Markup


Maintain Primary Zone Group workspace

1. Click **Add**. The Zone Retail Definition Maintenance pane opens.


The screenshot shows the 'Zone Retail Definition Maintenance' pane. It has sections for 'Merchandise Level' (Department, Class, Subclass), 'Regular Price Zone Group' (Zone Group), and 'Initial Price Settings' (Markup %, Retail Markup/Cost Markup radio buttons, Price Guides button). An 'Apply' button is at the bottom right.

Zone Retail Definition Maintenance pane

2. In the Department field, enter the ID of the department, or click the LOV button and select a department.
3. In the Class field, enter the ID of the class, or click the LOV button and select a class.


4. In the Subclass field, enter the ID of the subclass, or click the LOV  button and select a subclass.

Note: You must select the merchandise hierarchy levels above class and subclass before you can identify class and subclass. Class and subclass are not required. You can define a primary zone group at the Department level.

5. In the Zone Group field, enter the ID of the zone group you want to associate with the selected merchandise hierarchy level, or click the LOV  button and select a zone group.


Note: Regular price zone groups are the only type of zone groups that can be attached to a primary zone group.

6. In the Initial Price Settings container:
 - a. In the Markup % field, enter the percent of markup that is applied to the cost of the item.
 - b. Select either Retail Markup or Cost Markup to indicate how the markup is calculated.
7. To add a price guide, click **Price Guides**. The Price Guide Definition window opens.



The screenshot shows a window titled "Price Guide Definition" with a close button (X) in the top right corner. Inside the window, there are two columns: "Zone Currency" and "Price Guide". Under "Zone Currency", the text "USD" is displayed. Under "Price Guide", there is an empty text box followed by a small LOV button icon. At the bottom of the window, there are two buttons: "Cancel" and "OK".

Price Guide Definition window

8. For each currency, enter a price guide ID, or click the LOV  button and select a price guide.

Note: Only price guides that are associated with the department selected in the Zone Retail Definition Maintenance container appear. For each currency, you can select a price guide, if a price guide has been set up for the currency and department.

9. Click **OK** to save any changes and close the window.
10. Click **Apply** to add your changes to the table.

- Click **Done** to save any changes and close the workspace.

Maintain a Primary Zone Group

Navigate: From the Zone Structure menu, select Maintain Primary Zone Groups. The Maintain Primary Zone Group workspace opens.

The screenshot shows the 'Maintain Primary Zone Group' workspace. At the top is a tab labeled 'Zone Retail Definition List'. Below it is a table with the following data:

Dept.	Dept Description	Class	Class Description	Subclass	Subclass Description	Regular Price Zone	Regular Price Zone	Initial Price Setting	Markup Type
7001	DOC Test Dept. 2	700	DOC Class 1 in ...	71	DOC SC 2 in 700	91	Rick's Teams	33%	Retail Markup
22	DW working dept					12	HL-regular	20%	Retail Markup
1	Corin's Departm...					13	Corin's ZG	50%	Retail Markup
1221	Kitchenware					12	HL-regular	100%	Retail Markup
7000	DOC Test Dept					402	corin test	50%	Retail Markup
4567	Womens shoes					12	HL-regular	1%	Retail Markup
7001	DOC Test Dept. 2					131	DW USD	25%	Retail Markup

Below the table are buttons for 'Delete', 'Edit', and 'Add'. At the bottom of the workspace are buttons for 'Cancel', 'Save + Repeat', and 'Done'.

Maintain Primary Zone Group workspace

- Click **Edit**. The Zone Retail Definition Maintenance pane opens.

The screenshot shows the 'Zone Retail Definition Maintenance' pane. It has two main sections: 'Merchandise Level' and 'Regular Price Zone Group'.

Merchandise Level:

- * Department: [Text Field]
- Class: [Text Field]
- Subclass: [Text Field]

Regular Price Zone Group:

- * Zone Group: [Text Field]

Initial Price Settings:

- Markup %: [Text Field]
- ☒ Retail Markup ☐ Cost Markup
- Price Guides: [Button]

At the bottom right is an 'Apply' button.

Zone Retail Definition Maintenance pane

- Edit the enabled fields as necessary.
- Click **Apply**.
- Click **Done** to save any changes and close the workspace

Delete a Primary Zone Group

- Select a primary zone group.
- Click **Delete**. Your changes are removed from the table.
- Click **Done** to save any changes and close the workspace.

Maintain Location Move

Location Moves allows you to smoothly move a location from one zone to another within a zone group. The process allows a location to keep all location level pricing events while it transfers from the old zones pricing strategies to those of the new zone, while at the same time inheriting the pricing events of the new zone. Keep the following in mind when scheduling location moves:

- A location does not automatically inherit the price of the new zone. Pricing events scheduled after the move date in the new zone, will be applied to the new location.
- Only location level promotions will follow a location into a new zone. Promotions from the old or new zone that span the move date must be stopped before scheduling a location move.

Request a Location Move

Navigate: From the Task Pad, select Zone Structure > Maintain Location Move. The Maintain Location Move workspace opens.

The screenshot displays the 'Maintain Location Move' workspace. It features a 'Location Move List' table with columns for ID, Location, Location Name, Location Type, Zone Group, Old Zone, Old Zone Name, New Zone, New Zone Name, Scheduled Date, Status, Conflict, and Move Results. Below the table are fields for Status, Action (a dropdown menu), and an Update button. At the bottom right of the table section are New and Delete buttons. Below the table is a 'Maintain Location Move' form with fields for Zone Group, Zone, Location, New Zone, and Effective Date, along with an Apply button. At the very bottom of the workspace are Cancel, Save + Repeat, and Done buttons.






ID	Location	Location Name	Location Type	Zone Group	Old Zone	Old Zone Name	New Zone	New Zone Name	Scheduled Date	Status	Conflict	Move Results
451	10000000...	Denver	Store				762	DW 762	11-23-2004	Completed		
452	10000000...	Las Vegas	Store				762	DW 762	11-23-2004	Completed		
461	10000000...	Minneapolis	Store	578	800	MF1			11-24-2004	Failed	⚠	
462	10000000...	Fargo	Store	578	800	MF1			11-24-2004	Failed	⚠	
465	10000000...	Baltimore	Store	572	794	BB3			11-24-2004	Completed		
466	10000000...	Buffalo	Store	572	794	BB3			11-24-2004	Completed		
415	10000000...	Savannah	Store	180	346	001	706	002	11-17-2004	Completed	⚠	

Maintain location move workspace

1. Click **New**. The Zone Group Field is enabled on the Maintain Location Move pane.

The screenshot shows a software interface titled "Maintain Location Move". It features five input fields arranged in two columns. The left column contains "Zone Group", "Zone", and "Location". The right column contains "New Zone" and "Effective Date". Each field has a small icon to its right, likely representing a LOV (List of Values) button. An "Apply" button is located at the bottom right of the pane.

Maintain location move pane

2. In the Zone Group field, enter the zone group of the location you need to move, or click the LOV  button and select a zone group.
3. In the Zone field, enter zone of the location you need to move, or click the LOV  button and select a zone.
4. In the Location field, enter the location you need to move, or click the LOV  button and select a Location.
5. In the New Zone field, enter the zone to move the location to, or click the LOV  button and select the new zone.
6. In the Effective Date field, enter the date the location should move zones, or click the calendar  button and select a date.

Note: The Effective Date you can set depends on the number of days set in the system option Location Move Lead Time. The earliest date a location move can be created is today's date plus the location move lead time.

7. Click **Apply**. The location move request appears with a status of Worksheet on the Location Move list.

Schedule a Location Move

1. Select a location move with a status of Worksheet.
2. Select Schedule from the Action drop-down.
3. Click **Update**. If no conflicts are found, the location move request is changed to a status of Scheduled and it becomes locked and uneditable. The location will be moved on the effective date.

Note: An alert is given when conflict checking is complete.

Reset a Failed Location Move

1. Select a location move with a status of Failed.
2. Select Worksheet from the Action drop-down.
3. Click **Update**. The failed location move is changed back to a worksheet location move request.
4. Fix the conflict that caused the location move to fail and reschedule it.

View Conflicts


- In the Conflict column, click the  button. The conflict window opens with the conflict information displayed.

There are three types of conflicts:

- **Promotion** - A promotion from the old or new zone spans the effective date of the move.
- **Schedule** - There is a location move already scheduled for the location.
- **Price Strategy** - The location or old zone is attached to a price strategy.

View Move Results

If RPM created any exceptions or exclusions in order for the location to be moved successfully, those items are viewable in the move results column.

- In the Move Results column, click the  button. The conflict review window opens with move results information displayed.

Delete a Location Move

Note: Only location moves in Worksheet status can be deleted.

1. Select a location move with a status of Worksheet.
2. Click **Delete**. A dialog appears asking "The selected Location Move Request will be deleted. Canceling this task will not return these records. Do you wish to continue?"
3. Click **Yes** to delete the location move.

Create Calendar


Calendars are used to define review periods for your pricing strategies. A review period is the amount of time you have to act on pricing events generated in the worksheet before they expire.

Create a Calendar


Navigate: From the Task Pad, select Calendar > Create Calendar. The Create Calendar workspace opens.

The screenshot shows the 'Create Calendar' workspace. At the top, there's a title bar 'Create Calendar'. Below it is a 'Calendar Setup' pane with fields for Name, Description, Start Date, End Date, Review Period Duration, and Days Between Review Periods. To the right is a 'Review Period Setup' pane with fields for Rules (set to 'Both'), Exception Frequency (set to '1'), and a section for 'New Calendar to Assign to Strategies When Calendar Expires' with a Name field. A 'Calculate Review Periods' button is at the bottom right of the panes. At the very bottom of the workspace are 'Cancel', 'Save + Repeat', and 'Done' buttons.

Create calendar workspace

1. In the Calendar Setup pane, in the Name field, enter a name for the calendar.
2. In the Description field, you can enter a description for the Calendar. Click the  button to open an editing window.

Setup the calendar

1. In the Calendar Setup area, in the Start Date field, enter the date the calendar becomes active, or click the calendar  button and select a date.
2. In the End Date field, enter the date the calendar is no longer active.
3. In the Review Period Duration field, enter the length of the review period in days.
4. In the Days Between Review Periods field, enter the number of days between review periods.

Note: The last review period duration plus the days between review periods must exactly reach the end date of the calendar. If this is not the case, the system can automatically adjust the end date, or you can chose to modify the Review Period Duration, Days Between Review Periods or End Date fields yourself.

Setup Review Periods

1. In the Review Period Setup area, from the Rules drop-down, select the type of rules to apply for the review period.
 - **Inclusion** - Items that meet inclusion candidate rules will be highlighted in the worksheet.
 - **Exclusion** - Items that meet exclusion candidate rules will be excluded from the worksheet.
 - **Both** - Both inclusion and exclusion candidate rules are applied for the review period.
 - **None** - No rules are applied for the review period.
2. In the Exception Frequency field, enter the frequency, in review periods, that RPM should process exceptions from the merchandising system.
 - Enter 1 for every review period.
 - Enter 2 for every other review period.
 - Enter 3 for every third review period.
 - Enter 0 if you never want RPM to process exceptions.
3. Click **Calculate Review Periods**. The review periods are calculated and the Review Period Details pane opens.

Review Period Details				
Review Period Details				
Start Date	End Date	Rules	Exception	
01/01/2005	01/01/2005	Both	<input checked="" type="checkbox"/>	
01/02/2005	01/02/2005	Both	<input checked="" type="checkbox"/>	
01/03/2005	01/03/2005	Both	<input checked="" type="checkbox"/>	
01/04/2005	01/04/2005	Both	<input checked="" type="checkbox"/>	
01/05/2005	01/05/2005	Both	<input checked="" type="checkbox"/>	
01/06/2005	01/06/2005	Both	<input checked="" type="checkbox"/>	
01/07/2005	01/07/2005	Both	<input checked="" type="checkbox"/>	
01/08/2005	01/08/2005	Both	<input checked="" type="checkbox"/>	
01/09/2005	01/09/2005	Both	<input checked="" type="checkbox"/>	
01/10/2005	01/10/2005	Both	<input checked="" type="checkbox"/>	
01/11/2005	01/11/2005	Both	<input checked="" type="checkbox"/>	
01/12/2005	01/12/2005	Both	<input checked="" type="checkbox"/>	
01/13/2005	01/13/2005	Both	<input checked="" type="checkbox"/>	

Review period details pane

- In the Review Period Details pane, in the Rules and Exceptions fields, edit as necessary for each review period.

Complete the Calendar

- Click **Done** at the bottom of the workspace. The new calendar is added and the Maintain Calendar workspace closes.

Maintain Calendar

After you create a calendar, you can maintain the different aspects of that calendar. You can modify the name, description or end date of the calendar. You can also change the rules and exceptions for future review periods.

Maintain a Calendar

Navigate: From the Task Pad, select Calendar > Maintain Calendar. The Maintain Calendar workspace opens.

The screenshot shows the 'Maintain Calendar' workspace. At the top, there is a 'Calendar List' table with the following columns: Name, Description, Start Date, End Date, Review Period Duration, Days Between Review Period, and Expired. The table contains several entries, including 'corin devac test', 'Daily Calendar', 'Demo Calendar', 'Starts 11/24', 'Update Item Attribute', 'Test weekly schedule', and 'Future calendar'. Below the table, there are 'Delete' and 'Edit' buttons. At the bottom of the workspace, there are 'Cancel', 'Save + Repeat', and 'Done' buttons.

Name	Description	Start Date	End Date	Review Period Duration	Days Between Review Period	Expired
corin devac test		11/19/2004	11/20/2004	1	1	<input checked="" type="checkbox"/>
Daily Calendar		10/08/2004	10/09/2005	1	0	<input type="checkbox"/>
Demo Calendar	Weekly Calendar	11/12/2004	02/10/2005	5	2	<input type="checkbox"/>
Starts 11/24		11/24/2004	11/29/2004	6	0	<input type="checkbox"/>
Update Item Attribute		10/19/2004	10/17/2005	3	1	<input type="checkbox"/>
Test weekly schedule	Test schedule	10/25/2004	12/26/2004	5	2	<input type="checkbox"/>
Future calendar		09/23/2005	09/25/2005	2	1	<input type="checkbox"/>

Maintain calendar workspace

1. Select the calendar you want to maintain from the Calendar List pane.
2. Click **Edit**. The Calendar Detail and Review Period Details panes are displayed and the fields that can be changed are enabled.

Review Period Details				
Start Date	End Date	Rules	Exception	
01/01/2005	01/01/2005	Both	<input checked="" type="checkbox"/>	
01/02/2005	01/02/2005	Both	<input checked="" type="checkbox"/>	
01/03/2005	01/03/2005	Both	<input checked="" type="checkbox"/>	
01/04/2005	01/04/2005	Both	<input checked="" type="checkbox"/>	
01/05/2005	01/05/2005	Both	<input checked="" type="checkbox"/>	
01/06/2005	01/06/2005	Both	<input checked="" type="checkbox"/>	
01/07/2005	01/07/2005	Both	<input checked="" type="checkbox"/>	
01/08/2005	01/08/2005	Both	<input checked="" type="checkbox"/>	
01/09/2005	01/09/2005	Both	<input checked="" type="checkbox"/>	
01/10/2005	01/10/2005	Both	<input checked="" type="checkbox"/>	
01/11/2005	01/11/2005	Both	<input checked="" type="checkbox"/>	
01/12/2005	01/12/2005	Both	<input checked="" type="checkbox"/>	
01/13/2005	01/13/2005	Both	<input checked="" type="checkbox"/>	

Review period details

Calendar Details	
* Name: 2005 Calendar Description:	
Calendar Setup	Review Period Setup
* Start Date: 01/01/2005 * End Date: 12/31/2005 * Review Period Duration: 1 * Days Between Review Periods: 0	Rules: Both Exception Frequency: 1 New Calendar to Assign to Strategies When Calendar Expires Name:
Calculate Review Periods	

Calendar detail

- Edit the enabled fields as necessary.
 - Calendar Detail
 - End Date:** Select the end date for the calendar.
 - New Calendar to Assign to Strategies when Calendar expires: Select the calendar that replaces the current calendar after the end date.
 - Review Period Details
 - Rules:** Select Inclusion, Exclusion, Both, or None.
 - Exceptions:** Select if exceptions, from the merchandising system, should be processed during the review period.
- Click **Calculate Review Periods**. If edits are made to the calendar detail, you must press the Calculate Review Periods button.
- Click **Done**.

Delete a Calendar

- Select the calendar you want to delete from the list.
- Click **Delete**. You are prompted to confirm your decision.
- Click **Yes**. The calendar is deleted.
- Click **Done** to close the window.

Retrieve an Item Price

The Price Inquiry workspace allows you to look up the price of an item for a selected date and location. The following information appears in the Price Inquiry Results table:

Column	Description
Item ID/Description	The transaction or parent level items found based on the selected criteria.
Diff ID	The differentiators for the parent item if Parent Item/Diff type is selected.
Location/Description	The selected locations, zones, or zone groups depending on selected criteria.
Primary Zone	Selected if the zone is within the primary zone group.
Date	The selected date. The date the item/location price is valid far.
Regular Retail	The regular price of the item/location for the specified date.
Regular Retail UOM	The unit of measure of the regular item/location.
Regular Multi-Units	The regular multi-units of the item/location.
Regular Multi-Units Retail	The regular multi-unit price of the item/location.
Regular Multi-Units Retail UOM	The unit of measure of the regular item/location multi-unit.
Clearance Retail	The clearance price of the item/location for the specified date.
Clearance Retail UOM	The unit of measure of the clearance item/location.
Promotional Retail	The promotional price of the item/location for the specified date.
Promotional Retail UOM	The unit of measure of the promotional item/location.
Complex Promotion	Selected if the item/location is included on a complex promotion.

Regular retail and multi-unit prices are calculated as follows:

Location hierarchy	Transaction Level Item	Parent Item	Parent Item/Diff
Location	Transaction level price at the location.	Average of prices for all transaction level items under parent at the location.	Average of prices for all transaction level items under parent/diff at the location.
Zone	Average of transaction level prices for all locations in the zone.	Average of prices for all transaction level items under parent at all the locations in the zone.	Average of prices for all transaction level item under parent/diff at the locations in the zone.
Primary Zone	Primary zone price.	Average of prices for all transaction level items under parent in the primary zone.	Average of prices for all transaction level items under parent/diff in the primary zone.
Note: "Price" refers to Regular Retail or Regular Multi-Units Retail.			

Clearance and promotion prices are calculated as follows:

Location hierarchy	Transaction Level Item	Parent Item	Parent Item/Diff
Location	Transaction level price at the location.	Average of prices for all transaction level items under parent at the location.	Average of prices for all transaction level items under parent/diff at the location.
Zone	Average of transaction level prices for all locations in the zone.	Average of prices for all transaction level items under parent at all the locations in the zone.	Average of prices for all transaction level item under parent/diff at the locations in the zone.
Note: "Price" refers to Clearance Retail or Promotional Retail.			

Retrieve an Item Price

Navigation: From Task Pad, select Price Inquiry > Retrieve Item Price. The Price Inquiry workspace opens.

Price Inquiry

Filter

Department +

Class +

Subclass +

Item Type

Item Level

Diff Type

Item +

Diff +

Zone Group +

Zone +

Location +

* Date

Clear Retrieve Price

Price Inquiry Results

Item ID	Item Description	Diff ID	Location	Location Desc	Primary Zone	Date	Regular Retail	Regular UOM	Regular Multi
Filter by: ▼	Filter by: ▼	Filter by: ▼	Filter by: ▼	Filter by: ▼	Filter by: ▼	Filter by: ▼	Filter by: ▼	Filter by: ▼	Filter by: ▼

Cancel

Price Inquiry workspace

1. Enter criteria as necessary to restrict the search to the price changes you want to maintain.

Field	Criteria
Merchandise Level	Select criteria in the following fields to search for prices in a specific merchandise level: Department Class Subclass Item Type Item Level Diff Type Item Diff
Zone/Location	Select Zone Groups, Zones, and Locations to search for prices from specific zones or locations.



Field	Criteria
Date	Select the date you need to retrieve a price for.


- Click **Retrieve Price**. Your results appear in the Price Inquiry Results table.

Price Inquiry Results									
Item ID	Diff ID	Location	Location Desc	Primary Zone	Date	Regular Retail	Regular UOM	Regular Multi	Regular Mu
Filter by: ▼	Filter by: ▼	Filter by: ▼	Filter by: ▼	Filter by: ▼	Filter by: ▼	Filter by: ▼	Filter by: ▼	Filter by: ▼	Filter by: ▼
8444		8	Z1	<input type="checkbox"/>	08/10/2005	\$200.00	EA		
100256126		8	Z1	<input type="checkbox"/>	08/10/2005	\$6.88	EA		
100134196		8	Z1	<input type="checkbox"/>	08/10/2005	\$220.00*	EA		
100134145		8	Z1	<input type="checkbox"/>	08/10/2005	\$108.80*	EA		
100256142		8	Z1	<input type="checkbox"/>	08/10/2005	\$6.88	EA		
100134161		8	Z1	<input type="checkbox"/>	08/10/2005	\$200.00	EA		
100134170		8	Z1	<input type="checkbox"/>	08/10/2005	\$200.00	EA		
100256011		8	Z1	<input type="checkbox"/>	08/10/2005	\$6.88	EA		
100134153		8	Z1	<input type="checkbox"/>	08/10/2005	\$200.00	EA		
100134188		8	Z1	<input type="checkbox"/>	08/10/2005	\$200.00	EA		
100134209		8	Z1	<input type="checkbox"/>	08/10/2005	\$248.00*	EA		
100134137		8	Z1	<input type="checkbox"/>	08/10/2005	\$200.00	EA		
100256089		8	Z1	<input type="checkbox"/>	08/10/2005	\$6.88	EA		
100134250		8	Z1	<input type="checkbox"/>	08/10/2005	\$1,000.00	EA		
100256020		8	Z1	<input type="checkbox"/>	08/10/2005	\$6.88	EA		
100134233		8	Z1	<input type="checkbox"/>	08/10/2005	\$192.80*	EA		
100134129		8	Z1	<input type="checkbox"/>	08/10/2005	\$200.00	EA		
100256193		8	Z1	<input type="checkbox"/>	08/10/2005	\$6.88	EA		
100256062		8	Z1	<input type="checkbox"/>	08/10/2005	\$6.88	EA		

Price Inquiry Results table

Export Price Inquiry Results

- Select the row you want to export by clicking the box  to the left of the row. Press and hold the Ctrl key while selecting to select multiple rows.
- Click the Export  button. The Save window opens.



Save window

3. Select a location to save the file to from the Save In drop-down.
4. Enter a name for the file in the File Name field.
5. Click **Save**. The file is saved.
6. Open the file in the program of your choice such as a spreadsheet or word processor.

Define Area Differentials

Area differential pricing allows you to set prices for items at a particular zone or zone group differently than another zone or zone group. The price differential is based on the rules you define. Area differentials can be used when you create a price change to ensure consistent pricing. Differential pricing cannot be applied to other pricing events, such as clearances or promotions.

When creating an area differential:

- You first establish a primary area, by defining the merchandise hierarchy and zone hierarchy for the primary area.
- Next, select the zones that fall within the secondary area.
- Then define how prices for the items in the hierarchy will differ in the secondary areas from the prices in the primary area. You can choose to price the item higher or lower by percent, or set the price to the same as the primary area.
- You can choose to exclude certain items in the merchandise hierarchy from the secondary area differential prices.
- You can choose to create and associate a competitive pricing strategy with the secondary area differential.

Area differentials are applied when price changes are created manually or directly from the Price Strategy workspace. They are also created in the worksheet if there are item/zone combinations brought into the worksheet that are part of the primary area on an area differential strategy. When competitive information is associated with an area differential the worksheet chooses the lower of the retails proposed by the strategies.

If you set up the secondary area to be auto-approved, secondary area price changes are conflict checked, and if no conflict exists, created in approved status. If conflicts exist, the secondary area price change is created in worksheet status. If you set up the secondary area to not be auto-approved, secondary area price changes are created in worksheet status. The Change the status of a price change topic provides additional information about status changes and conflict checking.


Create an Area Differential

Navigate: From Task Pad, select Price Strategy > Create Price Strategy. The Create Pricing Strategy workspace opens.



Create Pricing Strategy workspace

1. In the Type field, select Area Differential.
2. Click **Next**. Additional fields appear.

Strategy Maintenance pane



3. Enter the ID of the merchandise level you want to apply the area differential to, or click the LOV  button and select the appropriate merchandise level.

Note: You must enter a department. Subsequent merchandise levels are enabled as you add the level above, if the definition of the department in the aggregation level dialog allows it.

4. Select the zones that define the primary area:
 - **Zone Group:** Enter the ID of the zone group that contains the locations to add to the area differential price strategy, or click the LOV  button and select a zone group.
 - **Zone:** Enter the ID of the zone to add to the area differential price strategy, or click the LOV  button and select a zone.
5. Click **Define Secondary Areas**. The Area Differential Strategy Details pane opens.

Area Differential Strategy Details pane

Define Secondary Areas

1. Click **New** to enable the fields.
2. In the Price Zone field, enter the ID of the zone that you want to add to the secondary area of the area differential price strategy, or click the LOV  button and select a zone.
3. In the Price Guides field, enter the ID of the price guide you want to apply to the differential pricing, or click the LOV  button and select a price guide.

Note: Only price guides associated with the selected departments can be selected.

4. Select the Create Price Changes check box to create price changes on the effective date.

Note: Selecting this check box will create price changes for all of the items on the strategy at the zone on the secondary area

5. In the Differential field, select how the price differs from the primary area:
 - **Price Higher:** The items at the specified secondary area are priced higher by the percentage entered in the Percent field.
 - **Price Lower:** The items at the specified secondary area are priced lower by the percentage entered in the Percent field.
 - **Price Equal:** The items at the specified secondary area are priced the same as the items in the primary area.
6. In the Percent field, enter the percent by which the secondary area price is different from the primary area price.
7. Select the Auto Approve check box to indicate price changes for the area differential should be created in Approved status.

8. In the Effective Date field, enter the date on which the price change for the area differentials should occur.

Note: This field is only enabled if you selected the Create Price Changes check box.

Exclude Items From the Area Differential

Note: Expand the Item Exclusion section of the Area Differentials pane to complete the procedure.



1. Enter or select criteria ID of the items you want to exclude.
2. Click **Add**. The information is added to the item exclusion table.
3. To remove an item from the item exclusion table:
 - a. Select an item.
 - b. Click **Remove**. The item is removed from the item exclusion table.

Complete the Area Differential

1. Click **Apply**. Any changes are added to the table
2. Click **Done** to save your changes and close the window.

Create a Competitive Price Strategy Associated with an Area Differential

Note: Expand the Competitor section of the Area Differentials pane to complete the procedure.

1. In the Competitor field, enter the ID of the competitor or click the LOV  button and select a competitor.
2. In the Competitor Store field, enter the ID of the store that proposed retails are being compared against or click the LOV  button and select a store.

Note: The currency at the competitor store must be the same as the zones previously selected.

3. In the Compete Type, select how the price strategy determines the prices:
 - **Match:** Prices are proposed to be the same as the competitor's prices.
 - **Price Above:** Prices are proposed to be a percentage above the competitor's prices.
 - **Price Below:** Prices are proposed to be a percentage below the competitor's prices.
 - **Price by Code:** Prices are proposed by the market basket code for the merchandise hierarchy/zone.

Define Match Strategy Details

1. Define reference competitors as necessary.
2. Click **Done** to save any changes and close the workspace.

Define Price Above or Price Below Strategy Details

1. In the Compete Percent field, enter the percent above or below the competitor's price that the new price is set at.
2. Setup the acceptable range:

Note: Acceptable range is the amount by percentage that a retail price can vary from a competitor before a price change is proposed.

- a. In the Acceptable Range From field, enter the bottom of the range.
 - b. In the Acceptable Range To field, enter the top of the range.
3. Define reference competitors as necessary.
 4. Click **Done** to save any changes and close the workspace.

Define Price by Code Strategy Details



1. In the Code field, select the competitive market basket code you want to use to set the price.
2. In the Compete Type, select how the price strategy determines the prices:
 - **Match:** Prices are proposed to be the same as the competitor's prices.
 - **Price Above:** Prices are proposed to be a percentage above the competitor's prices.
 - **Price Below:** Prices are proposed to be a percentage below the competitor's prices.
3. In the Compete Percent field, enter the percent above or below the competitor's price that the new price is set at.
4. Setup the acceptable range:

Note: Acceptable range is the amount by percentage that a retail price can vary from a competitor before a price change is proposed.

- a. In the Acceptable Range From field, enter the bottom of the range.
 - b. In the Acceptable Range To field, enter the top of the range.
5. Define reference competitors as necessary.
 6. Click **Done** to save any changes and close the workspace.

Define Reference Competitors

Note: Expand the Reference Competitor section of the Area Differentials pane to complete the procedure.

1. In the Reference Competitors section, enter the ID of the competitor in the Competitor field, or click the LOV  button and select a competitor.
2. In the Competitor Store field, enter the ID of the store, or click the LOV  button and select a store.

3. In the Compete Type, select how to compare prices to the reference competitors:
 - **Match:** A pass or fail indicator appears on the worksheet depending on if the proposed price matches the referenced competitors price.
 - **Price Above:** A pass or fail indicator appears on the worksheet depending on if the proposed price is at least the specified percent above the referenced competitor's price.
 - **Price Below:** A pass or fail indicator appears on the worksheet depending on if the proposed price is at least the specified percent below the referenced competitor's price.
4. If you selected Price Above or Price Below, enter the percent above or below the competitor's price that the new price is compared.
5. Click **Done** to save any changes and close the workspace.

Create a Clearance Pricing Strategy

Pricing strategies allow you to define how prices are proposed when pricing worksheets are generated. You can define pricing strategies at the department, class, or subclass level to identify the items that are affected by the strategy. The lowest merchandise level you can define for a price strategy is determined by the aggregation levels defined for the department. An item/location can only be on one regular pricing strategy (clearance, competitive, or margin) and one maintain margin pricing strategy.

A clearance pricing strategy allows you to define the method used to markdown items.


Create a Clearance Pricing Strategy

Navigate: From Task Pad, select Price Strategy > Create Price Strategy. The Create Pricing Strategy workspace opens.




Create pricing strategy workspace

1. In the Type field, select Clearance.
2. Click **Next**. Additional strategy fields appear.


Clearance strategy fields

3. Enter the ID of the merchandise level you want to apply the strategy to, or click the LOV  button and select the appropriate merchandise level.


Note: You must enter a department. Subsequent merchandise levels are enabled as you add the level above, if the definition of the department in the aggregation level dialog allows it.

4. Select the zones for the strategy:
 - **Zone Group:** Enter the ID of the zone group that contains the locations to add to the price strategy, or click the LOV  button and select a zone group.
 - **Zone:** Enter the ID of the zone to add to the price strategy, or click the LOV  button and select a zone.
5. In the Price Guides field, enter the ID of the Price Guide field, or click the LOV  button and select a price guide.

Note: Only price guides associated with the selected departments can be selected.


6. In the Calendar field, enter the ID of the calendar you want to associate with the strategy, or click the LOV  button and select a calendar.
7. In the Suspend field, select the check box to indicate that reviews of the existing strategy are stopped.

Note: Clear the check box to indicate the review periods should begin with the next review period.

8. In the New Calendar field, enter the ID of the calendar you want to associate with the strategy, or click the LOV  button and select a calendar.

Note: You must select the Suspend check box before you can add a new calendar.

9. Click **Define Strategy Details**. The Clearance Strategy Details pane opens.



Clearance strategy details

Define Clearance Strategy Details

1. In the Markdown Percent field, select the price from which the clearance price is calculated.
2. Click **Add Row**.
3. In the Discount Percent field, enter the percent of the markdown.
4. Click **Apply**.

Note: If the price from which the clearance price is calculated is Regular Retail, the Discount Percent fields must increase with each markdown added.

Create a Competitive Pricing Strategy

Pricing strategies allow you to define how prices are proposed when pricing worksheets are generated. You can define pricing strategies at the department, class, or subclass level to identify the items that are affected by the strategy. The lowest merchandise level you can define for a price strategy is determined by the aggregation levels defined for the department. An item/location can only be on one regular pricing strategy (clearance, competitive, or margin) and one maintain margin pricing strategy.

A competitive pricing strategy allows you to define your pricing strategy for items based on your primary competitor's prices

Note: All locations in a competitive pricing strategy must use the same currency.

You can also assign reference competitors to a competitive pricing strategy. This information allows you to compare the proposed prices to the prices available from other retailers. If the proposed prices vary from the target percentages defined for the reference competitors, you are informed so you can adjust the price in the pricing worksheet.


Create a Competitive Price Strategy

Navigate: From Task Pad, select Price Strategy > Create Price Strategy. The Create Pricing Strategy workspace opens.




Create pricing strategy workspace

1. In the Type field, select Competitive.
2. Click **Next**. Additional strategy fields appear.


Competitive strategy fields

3. Enter the ID of the merchandise level you want to apply the strategy to, or click the LOV  button and select the appropriate merchandise level.

Note: You must enter a department. Subsequent merchandise levels are enabled as you add the level above, if the definition of the department in the aggregation level dialog allows it.

4. Select the zones for the strategy:
 - **Zone Group:** Enter the ID of the zone group that contains the locations to add to the price strategy, or click the LOV  button and select a zone group.
 - **Zone:** Enter the ID of the zone to add to the price strategy, or click the LOV  button and select a zone.
5. In the Price Guides field, enter the ID of the Price Guide field, or click the LOV  button and select a price guide.

Note: Only price guides associated with the selected departments can be selected.

6. In the Calendar field, enter the ID of the calendar you want to associate with the strategy, or click the LOV  button and select a calendar.


- In the Suspend field, select the check box to indicate that reviews of the existing strategy are stopped.

Note: Clear the check box to indicate the review periods should begin with the next review period.

- In the New Calendar field, enter the ID of the new calendar you want to associate with the strategy, or click the LOV  button and select a calendar.


Note: you must select the Suspend check box before you can add a new calendar.

- Click **Define Strategy Details**. The Competitive Strategy Details pane opens.



Competitive strategy details

Define Competitive Strategy Details

- In the Competitor field, enter the ID of the primary competitor or click the LOV  button and select a competitor.
- In the Competitor Store field, enter the ID of the store that proposed retails are being compared against.

Note: The currency at the competitor store must be the same as the zones previously selected.

- In the Compete Type, select how the price strategy determines the prices:
 - Match:** Prices are proposed to be the same as the primary competitor's prices.
 - Price Above:** Prices are proposed to be a percentage above the primary competitor's prices.
 - Price Below:** Prices are proposed to be a percentage below the primary competitor's prices.
 - Price by Code:** Prices are proposed by the market basket code for the merchandise hierarchy/zone.

Define Match Strategy Details

1. Define reference competitors as necessary.
2. Click **Done** to save any changes and close the workspace.

Define Price Above or Price Below Strategy Details

1. In the Compete Percent field, enter the percent above or below the primary competitor's price that the new price is set at.
2. Setup the acceptable range:

Note: Acceptable range is the amount by percentage that a retail price can vary from a primary competitor before a price change is proposed.

- a. In the Acceptable Range From field, enter the bottom of the range.
- b. In the Acceptable Range To field, enter the top of the range.
3. Define reference competitors as necessary.
4. Click **Done** to save any changes and close the workspace.



Define Price by Code Strategy Details

1. In the Code field, select the competitive market basket code you want to use to set the price.
2. In the Compete Type, select how the price strategy determines the prices:
 - **Match:** Prices are proposed to be the same as the primary competitor's prices.
 - **Price Above:** Prices are proposed to be a percentage above the primary competitor's prices.
 - **Price Below:** Prices are proposed to be a percentage below the primary competitor's prices.
3. In the Compete Percent field, enter the percent above or below the primary competitor's price that the new price is set at.
4. Setup the acceptable range:

Note: Acceptable range is the amount by percentage that a retail price can vary from a primary competitor before a price change is proposed.

- a. In the Acceptable Range From field, enter the bottom of the range.
- b. In the Acceptable Range To field, enter the top of the range.
5. Define reference competitors as necessary.
6. Click **Done** to save any changes and close the workspace.

Define Reference Competitors

1. In the Reference Competitors section, enter the ID of the competitor in the Competitor field, or click the LOV  button and select a competitor.
2. In the Competitor Store field, enter the ID of the store, or click the LOV  button and select a store.
3. In the Compete Type, select how to compare prices to the reference competitors:
 - **Match:** A pass or fail indicator appears on the worksheet depending on if the proposed price matches the referenced competitors price.
 - **Price Above:** A pass or fail indicator appears on the worksheet depending on if the proposed price is at least the specified percent above the referenced competitor's price.
 - **Price Below:** A pass or fail indicator appears on the worksheet depending on if the proposed price is at least the specified percent below the referenced competitor's price.
4. If you selected Price Above or Price Below, enter the percent above or below the competitor's price that the new price is compared.
5. Click **Done** to save any changes and close the workspace.

Create a Margin Pricing Strategy

Pricing strategies allow you to define how prices are proposed when pricing worksheets are generated. You can define pricing strategies at the department, class, or subclass level to identify the items that are affected by the strategy. The lowest merchandise level you can define for a price strategy is determined by the aggregation levels defined for the department. An item/location can only be on one regular pricing strategy (clearance, competitive, or margin) and one maintain margin pricing strategy.

A margin pricing strategy allows you to define the pricing strategy for items based on margin targets.

Create a Margin Pricing Strategy

Navigate: From Task Pad, select Price Strategy > Create Price Strategy. The Create Pricing Strategy workspace opens.

Create pricing strategy workspace

1. In the Type field, select Margin.
2. Click **Next**. Additional strategy fields appear.

Margin strategy fields

3. Enter the ID of the merchandise level you want to apply the strategy to, or click the LOV + button and select the appropriate merchandise level.

Note: You must enter a department. Subsequent merchandise levels are enabled as you add the level above, if the definition of the department in the aggregation level dialog allows it.


4. Select the zones for the strategy:
 - **Zone Group:** Enter the ID of the zone group that contains the locations to add to the price strategy, or click the LOV button and select a zone group.
 - **Zone:** Enter the ID of the zone to add to the price strategy, or click the LOV + button and select a zone.
5. In the Price Guides field, enter the ID of the Price Guide field, or click the LOV button and select a price guide.

Note: Only price guides associated with the selected departments can be selected.

6. In the Calendar field, enter the ID of the calendar you want to associate with the strategy, or click the LOV button and select a calendar.


7. In the Suspend field, select the check box to indicate that reviews of the existing strategy are stopped.

Note: Clear the check box to indicate the review periods should begin in the next period.

8. In the New Calendar field, enter the ID of the calendar you want to associate with the strategy, or click the LOV  button and select a calendar.

Note: you must select the Suspend check box before you can add a new calendar.

9. Click **Define Strategy Details**. The Margin Strategy Details pane opens.



Margin strategy details

Define Margin Strategy Details

1. In the Code field, select the margin market basket code you want to use to set the price.
2. In the Margin Target field, enter the percent of margin you want to earn on the item/zone.
3. Setup the acceptable range:

Note: Acceptable range is the amount by percentage that a margin can vary from the target before a price change is proposed.

- a. In the Acceptable Range From field, enter the bottom of the range.
 - b. In the Acceptable Range To field, enter the top of the range.
4. Click **Apply**. An entry is added to the Margin Strategy Details table.
5. Define reference competitors as necessary.
6. Click **Done** to save any changes and close the workspace.

Create a Maintain Margin Pricing Strategy

Pricing strategies allow you to define how prices are proposed when pricing worksheets are generated. You can define pricing strategies at the department, class, or subclass level to identify the items that are affected by the strategy. The lowest merchandise level you can define for a price strategy is determined by the aggregation levels defined for the department. An item/location can only be on one regular pricing strategy (clearance, competitive, or margin) and one maintain margin pricing strategy.

A maintain margin pricing strategy allows you to define the pricing strategy for items based on future cost changes. The proposed retails can be based on current or market basket margin percentages. Reference competitors may be assigned for comparison purposes.


Create a Maintain Margin Pricing Strategy

Navigate: From Task Pad, select Price Strategy > Create Price Strategy. The Create Pricing Strategy workspace opens.




Create pricing strategy workspace

1. In the Type field, select Maintain Margin.
2. Click **Next**. Additional strategy fields appear.


Maintain margin strategy fields

3. Enter the ID of the merchandise level you want to apply the strategy to, or click the LOV  button and select the appropriate merchandise level.


Note: You must enter a department. Subsequent merchandise levels are enabled as you add the level above, if the definition of the department in the aggregation level dialog allows it.

4. Select the zones for the strategy:
 - **Zone Group:** Enter the ID of the zone group that contains the locations to add to the price strategy, or click the LOV  button and select a zone group.
 - **Zone:** Enter the ID of the zone to add to the price strategy, or click the LOV  button and select a zone.
5. In the Price Guides field, enter the ID of the Price Guide field, or click the LOV  button and select a price guide.

Note: Only price guides associated with the selected departments can be selected.


6. In the Calendar field, enter the ID of the calendar you want to associate with the strategy, or click the LOV  button and select a calendar.
7. In the Suspend field, select the check box to indicate that reviews of the existing strategy are stopped.

Note: Clear the check box to indicate the review periods should begin in the next period.

8. In the New Calendar field, enter the ID of the calendar you want to associate with the strategy, or click the LOV  button and select a calendar.

Note: you must select the Suspend check box before you can add a new calendar.

9. Click **Define Strategy Details**. The Margin Strategy Details pane opens.



Maintain Margin Strategy Details

Auto Approve ☐

* Method ☐ Market Basket Margin ☐ Current Margin

* Cost Change Forward Days

Increase ☐ Margin % ☐ Change by Cost Change Amount

Decrease ☐ Margin % ☐ Change by Cost Change Amount

▼ Reference Competitors

Competitor	Competitor Store	Compete Type	Percent
A <input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
B <input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
C <input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
D <input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
E <input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Maintain margin strategy details

Define Maintain Margin Strategy Details

1. Select the Auto Approve check box to indicate price changes should be created in Approved status.
2. In the Cost Change Forward Days, enter the number of days into the next review period that the strategy will consider cost changes when proposing price changes.

Note: Cost Change Forward Days should not exceed the length of a review period.

3. Select the method for the strategy:
 - **Market Basket Margin:** Select to have the margin for the item's market basket applied to the item's new cost. The Margin Strategy Details area appears.

Maintain Margin Strategy Details

Auto Approve ☐ * Cost Change Forward Days

* Method ☒ Market Basket Margin ☐ Current Margin

Increase ☐ Margin % ☐ Change by Cost Change Amount

Decrease ☐ Margin % ☐ Change by Cost Change Amount

Code Margin Target

Acceptable Range From

Acceptable Range To

Code	Margin Target	Acceptable Range From	Acceptable Range To

▼ Reference Competitors

Competitor	Competitor Store	Compete Type	Percent
A <input type="text"/>	<input type="text"/>	Match	<input type="text"/>
B <input type="text"/>	<input type="text"/>	Match	<input type="text"/>
C <input type="text"/>	<input type="text"/>	Match	<input type="text"/>
D <input type="text"/>	<input type="text"/>	Match	<input type="text"/>
E <input type="text"/>	<input type="text"/>	Match	<input type="text"/>

Margin strategy details

- **Current Margin:** Select to have the current margin applied to the item's new cost. The current margin fields enable.

Maintain Margin Strategy Details

Auto Approve ☐ * Cost Change Forward Days

* Method ☐ Market Basket Margin ☒ Current Margin

Increase ☐ Margin % ☐ Change by Cost Change Amount

Decrease ☐ Margin % ☐ Change by Cost Change Amount

▼ Reference Competitors

Competitor	Competitor Store	Compete Type	Percent
A <input type="text"/>	<input type="text"/>	Match	<input type="text"/>
B <input type="text"/>	<input type="text"/>	Match	<input type="text"/>
C <input type="text"/>	<input type="text"/>	Match	<input type="text"/>
D <input type="text"/>	<input type="text"/>	Match	<input type="text"/>
E <input type="text"/>	<input type="text"/>	Match	<input type="text"/>

Current margin increase and decrease fields

Define Market Basket Margin

1. In the Code drop-down, select the margin market basket code you want to use to set the price.
2. In the Margin Target field, enter the percent of margin you want to earn on the item/zone.
3. Setup the acceptable range:



Note: Acceptable range is the amount by percentage that a margin can vary from the target before a price change is proposed.

- a. In the Acceptable Range From field, enter the bottom of the range.
 - b. In the Acceptable Range To field, enter the top of the range.
4. Click **Apply**. An entry is added to the Maintain Strategy Details table.
 5. Define reference competitors as necessary.
 6. Click **Done** to save any changes and close the workspace.

Define Current Margin

1. Select how the strategy will apply an increase in margin to a proposed retail:
 - **Margin %:** Select to have the percent of the cost change added to the basis retail to determine the proposed retail.
 - **Change by Cost Change Amount:** Select to have the amount of the cost change added to the basis retail.
2. Select how the strategy will apply a decrease in margin to a proposed retail:
 - **Margin %:** Select to have the percent of the cost change subtracted from the basis retail to determine the proposed retail.
 - **Change by Cost Change Amount:** Select to have the amount of the cost change subtracted from the basis retail.
3. Click **Done** to save any changes and close the workspace.

Define Reference Competitors

1. In the Reference Competitors section, enter the ID of the competitor in the Competitor field, or click the LOV  button and select a competitor.
2. In the Competitor Store field, enter the ID of the store, or click the LOV  button and select a store.
3. In the Compete Type, select how to compare prices to the reference competitors:
 - **Match:** A pass or fail indicator appears on the worksheet depending on if the proposed price matches the referenced competitors price.
 - **Price Above:** A pass or fail indicator appears on the worksheet depending on if the proposed price is at least the specified percent above the referenced competitor's price.
 - **Price Below:** A pass or fail indicator appears on the worksheet depending on if the proposed price is at least the specified percent below the referenced competitor's price.

4. If you selected Price Above or Price Below, enter the percent above or below the competitor's price that the new price is compared.
5. Click **Done** to save any changes and close the workspace.

Maintain Price Strategies

Pricing strategies allow you to define how prices are proposed when pricing worksheets are generated. You can define pricing strategies at the department, class, or subclass level to identify the items that are affected by the strategy. The lowest merchandise level you can define for a price strategy is determined by the aggregation levels defined for the department. An item/location can only be on one regular pricing strategy (clearance, competitive, or margin) and one maintain margin pricing strategy.

After you have created a price strategy, you can maintain different aspects of the price strategy.

Note: Updates to pricing strategies affect only future worksheets. Current worksheets will not be updated.

Edit an Area Differential Price Strategy

Navigate: From Task Pad, select Price Strategy > Maintain Price Strategy. The Maintain Pricing Strategy workspace opens.

The screenshot shows the 'Maintain Pricing Strategy' workspace. At the top, there's a 'Strategy Maintenance' header. Below it is a 'Pricing Strategies List' table. The table has columns for Department, Class, Subclass, Zone Group, Zone, Location, Type, Price Guide, Calendar, and Calendar Status. Each column has a 'Filter by:' dropdown menu. The table contains several rows of data, including strategies for Kitchenware, Utensils, Gadgets, Warehouses, Meat, and Retail Dept. At the bottom of the table, there are 'Delete' and 'Edit' buttons. Below the table, there are 'Cancel', 'Save + Repeat', and 'Done' buttons.

Department	Class	Subclass	Zone Group	Zone	Location	Type	Price Guide	Calendar	Calendar Status
1221: Kitchenw...			Corin's ZG	Z1		Area Differential			None
5000: ALL Fcst...	101: ALL Class	101: ALL Subcl...	Ranjit 001	Ranjit Test Group	Baltimore	Clearance			None
1234: Glassware			ZG-TC0004b	Z1		Clearance			None
1704: *Candida...			ZG-forDev	Z1-USD		Clearance		SH-1	Assigned
1704: *Candida...			ZG-0009	A1		Clearance		Daily Calendar	Assigned
1704: *Candida...			ZG-2WH	Z-WH		Clearance		Daily Calendar	Assigned
1221: Kitchenw...	1000: Utensils	1000: Gadgets	Rick's Teams	Polars	Buffalo	Competitive		Daily Calendar	Assigned
1221: Kitchenw...			1221 Warehouses	Warehouses		Competitive		Corin 10/21	Suspended
1221: Kitchenw...	1000: Utensils	1000: Gadgets	1221 Warehouses	Warehouses		Competitive		Starts 10/23, En...	Assigned
1221: Kitchenw...	1000: Utensils	1000: Gadgets	Mpls and Fargo	Mpls and Fargo		Competitive		Daily Calendar	Assigned
99: SIG Meat			Ranjit 001	Ranjit Test Group	Baltimore	Margin		Daily Calendar	Assigned
111: *Test Dep ...			HL-CAD	HL_CAD		Margin			None
7778: Cost Dept			name	HL_CAD		Margin			None
2345: Small Ap...			DW USD	DW USD		Margin			None
2345: Small Ap...			Ranjit 001	Ranjit Test Group	Edina	Margin			None
7777: Retail Dept			MERCH EXTRA...	My Zone/ 2 Locs		Margin			None
7777: Retail Dept			Ranjit 001	Ranjit Test Group		Margin			None
7777: Retail Dept			Ranjit 001	ranjit test 2		Margin			None
7777: Retail Dept			Ranjit 001	New Zone		Margin			None

Maintain Pricing Strategy workspace

1. From the Pricing Strategies List, select the area differential strategy you want to maintain.
2. Click **Edit**, or double-click the strategy selected. A second Strategy Maintenance pane opens and the fields that can be changed are enabled.

Strategy Maintenance

Type: Area Differential [Next]

* Department: 1818 [+CJT department] * Zone Group: 119 [DW currency]
 Class: 1000 [+Heather class] Zone: 224 [DW USD]
 Subclass: 1000 [+Henry subclass] Location: []

Zone ID	Zone Name	Location ID	Location Name	Differential	Percent	Auto Approve	Price Guide	Create Price Change
223	DW AUS			Price Higher	10%	<input checked="" type="checkbox"/>		<input type="checkbox"/>

Price Zone ID [] +
 Location [] +
 Price Guides [] +
 Create Price Changes ☐

Differential: - Select -
 Percent: []
 Auto Approve: ☐
 Effective Date: []

Item Exclusion

[Apply] [Cancel] [Save + Repeat] [Done]

Strategy Maintenance pane

3. If you selected an area differential strategy, select the location you want to update.

Remove a Zone From an Area Differential Strategy

1. Select the zone you want to delete.
2. Click **Delete**. The zone is removed from the table

Exclude Items From the Area Differential

Note: Expand the Item Exclusion section of the Area Differentials pane to complete the procedure.

1. Enter or select criteria ID of the items you want to exclude.
2. Click **Add**. The information is added to the item exclusion table.
3. To remove an item from the item exclusion table:
 - a. Select an item.
 - b. Click **Remove**. The item is removed from the item exclusion table.

Complete the Area Differential

1. Click **Apply**. Any changes are added to the table
2. Click **Done** to save your changes and close the window.

Edit a Clearance Price Strategy

Navigate: From Task Pad, select Price Strategy > Maintain Price Strategy. The Maintain Pricing Strategy workspace opens.

The screenshot shows the 'Maintain Pricing Strategy' workspace. At the top is a 'Strategy Maintenance' header. Below it is a table titled 'Pricing Strategies List'. The table has columns: Department, Class, Subclass, Zone Group, Zone, Location, Type, Price Guide, Calendar, and Calendar Status. Each column has a 'Filter by:' dropdown menu. The table contains several rows of data, including clearance strategies. At the bottom of the table are 'Delete' and 'Edit' buttons. Below the table are 'Cancel', 'Save + Repeat', and 'Done' buttons.

Department	Class	Subclass	Zone Group	Zone	Location	Type	Price Guide	Calendar	Calendar Status
1221: Kitchenw...			Corin's ZG	Z1		Area Differential			None
5000: ALL Fcst...	101: ALL Class	101: ALL Subcl...	Ranjit 001	Ranjit Test Group	Baltimore	Clearance			None
1234: Glassware			ZG-TC0004b	Z1		Clearance			None
1704: *Candida...			ZG-forDev	Z1-USD		Clearance		SH-1	Assigned
1704: *Candida...			ZG-0009	A1		Clearance		Daily Calendar	Assigned
1704: *Candida...			ZG-2WH	Z-WH		Clearance		Daily Calendar	Assigned
1221: Kitchenw...	1000: Utensils	1000: Gadgets	Rick's Teams	Polars	Buffalo	Competitive		Daily Calendar	Assigned
1221: Kitchenw...			1221 Warehouses	Warehouses		Competitive		Corin 10/21	Suspended
1221: Kitchenw...	1000: Utensils	1000: Gadgets	Warehouses	Warehouses		Competitive		Starts 10/23, En...	Assigned
1221: Kitchenw...	1000: Utensils	1000: Gadgets	Mpls and Fargo	Mpls and Fargo		Competitive		Daily Calendar	Assigned
99: SIG Meat			Ranjit 001	Ranjit Test Group	Baltimore	Margin		Daily Calendar	Assigned
111: *Test Dep ...			HL-CAD	HL_CAD		Margin			None
7778: Cost Dept			name	HL_CAD		Margin			None
2345: Small Ap...			DW USD	DW USD		Margin			None
2345: Small Ap...			Ranjit 001	Ranjit Test Group	Edina	Margin			None
7777: Retail Dept			MERCH EXTRA...	My Zone/ 2 Locs		Margin			None
7777: Retail Dept			Ranjit 001	Ranjit Test Group		Margin			None
7777: Retail Dept			Ranjit 001	ranjit test 2		Margin			None
7777: Retail Dept			Ranjit 001	New Zone		Margin			None

Maintain Pricing Strategy workspace

1. From the Pricing Strategies List, select the clearance strategy you want to maintain.
2. Click **Edit**, or double-click the strategy selected. A second Strategy Maintenance pane opens and the fields that can be changed are enabled.


The screenshot shows the 'Strategy Maintenance' workspace for editing a clearance strategy. The 'Type' dropdown is set to 'Clearance'. The form includes fields for Department (20), Class, Subclass, Zone Group (586), Zone (808), Location, Price Guide, Calendar (Daily Calendar), Suspend (checked), New Calendar, Markdown Percent (Regular Price), and Discount Percent. There are buttons for 'Remove Markdown', 'Edit', 'Add Row', and 'Apply'. At the bottom is a table titled 'Clearance Strategies' with columns 'Markdown Number' and 'Discount Percent'. The table contains two rows: 1 with 2% and 2 with 3%. At the bottom are 'Cancel', 'Save + Repeat', and 'Done' buttons.

Markdown Number	Discount Percent
1	2%
2	3%

Clearance Pricing Strategy workspace


3. Make necessary changes

Edit a Price Guide

- Change or enter a price guide name or click the LOV  button and select the appropriate price guide if necessary.

Change Calendars

Note: In order to specify a new calendar, the existing calendar must be suspended.

1. Select the Suspend checkbox.
2. Enter a calendar name, or click the LOV  button and select a calendar

Edit a Markdown


1. Select the Markdown number from the Clearance Strategies table.
2. Click **Edit**. The Discount Percent field is enabled.
3. Edit the discount percent.
4. Click **Apply**.

Delete a Markdown

1. Select the highest Markdown number from the Clearance Strategies table.
2. Click **Remove Markdown**.
3. Click **Apply**.

Edit a Competitive Pricing Strategy

Navigate: From Task Pad, select Price Strategy > Maintain Price Strategy. The Maintain Pricing Strategy workspace opens.



The screenshot shows the 'Maintain Pricing Strategy' workspace. At the top is a 'Strategy Maintenance' window with a 'Pricing Strategies List' table. The table has columns: Department, Class, Subclass, Zone Group, Zone, Location, Type, Price Guide, Calendar, and Calendar Status. Below the table are 'Delete' and 'Edit' buttons. At the bottom of the workspace are 'Cancel', 'Save + Repeat', and 'Done' buttons.

Department	Class	Subclass	Zone Group	Zone	Location	Type	Price Guide	Calendar	Calendar Status
1221: Kitchenw...			Corin's ZG	Z1		Area Differential			None
5000: ALL Fcst...	101: ALL Class	101: ALL Subcl...	Ranjit 001	Ranjit Test Group	Baltimore	Clearance			None
1234: Glassware			ZG-TC0004b	Z1		Clearance			None
1704: *Candida...			ZG-forDev	Z1-USD		Clearance		SH-1	Assigned
1704: *Candida...			ZG-0009	A1		Clearance		Daily Calendar	Assigned
1704: *Candida...			ZG-2WH	Z-WH		Clearance		Daily Calendar	Assigned
1221: Kitchenw...	1000: Utensils	1000: Gadgets	Rick's Teams	Polars	Buffalo	Competitive		Daily Calendar	Assigned
1221: Kitchenw...			1221 Warehouses	Warehouses		Competitive		Corin 10/21	Suspended
1221: Kitchenw...	1000: Utensils	1000: Gadgets	1221 Warehouses	Warehouses		Competitive		Starts 10/23, En...	Assigned
1221: Kitchenw...	1000: Utensils	1000: Gadgets	Mpls and Fargo	Mpls and Fargo		Competitive		Daily Calendar	Assigned
99: SIG Meat			Ranjit 001	Ranjit Test Group	Baltimore	Margin		Daily Calendar	Assigned
111: *Test Dep ...			HL-CAD	HL_CAD		Margin			None
7778: Cost Dept			name	HL_CAD		Margin			None
2345: Small Ap...			DW USD	DW USD		Margin			None
2345: Small Ap...			Ranjit 001	Ranjit Test Group	Edina	Margin			None
7777: Retail Dept			MERCH EXTRA...	My Zone/ 2 Locs		Margin			None
7777: Retail Dept			Ranjit 001	Ranjit Test Group		Margin			None
7777: Retail Dept			Ranjit 001	ranjit test 2		Margin			None
7777: Retail Dept			Ranjit 001	New Zone		Margin			None

Maintain Pricing Strategy workspace

1. From the Pricing Strategies List, select the competitive strategy you want to maintain.
2. Click **Edit**, or double-click the strategy selected. A second Strategy Maintenance pane opens and the fields that can be changed are enabled.

Strategy Maintenance

Type: Competitive Next

* Department: 13 + SLH Test Depar... * Zone Group: 15 Shawshank

Class: + Zone: 10 + Land O Lakes

Subclass: + Location: +

Price Guide: Suspend: ☐

Calendar: Daily Calendar New Calendar:

Competitor: 301 Corin's Compet... Competitor Store: 601 A

Compete Type: Match

▼ Reference Competitors

Competitor	Competitor Store	Compete Type	Percent
A		Match	
B		Match	
C		Match	
D		Match	
E		Match	

Cancel Save + Repeat Done

Maintain Strategy pane

3. Make necessary changes.

Edit a Price Guide



- Enter the price guide name or click the LOV button and select the appropriate price guide.

Change calendars

Note: In order to specify a new calendar, the existing calendar must be suspended.

1. Select the Suspend checkbox.
2. Enter a calendar name, or click the LOV button and select a calendar

Edit a Competitor

1. In the Competitor field, enter or change the competitor ID, or click the LOV  button and select the appropriate competitor.
2. In the Competitor Store field, enter a competitor store ID, or click the LOV  button and select the appropriate store.
3. In the Compete Type drop-down, select the compete type.
4. For Price Above and Price Below compete types, setup the acceptable range:

Note: Acceptable range is the amount by percentage that a retail price can vary from a competitor before a price change is proposed.

- a. In the Acceptable Range From field, enter the bottom of the range.
- b. In the Acceptable Range To field, enter the top of the range.

Edit Reference Competitors


Define reference competitors as necessary.

Complete the Competitive Price Strategy

1. Click **Save + Repeat** to commit your changes.
2. Click **Done** to save any changes and close the workspace.

Edit a Margin Pricing Strategy

Navigate: From Task Pad, select Price Strategy > Maintain Price Strategy. The Maintain Pricing Strategy workspace opens.



The screenshot shows the 'Maintain Pricing Strategy' workspace. At the top, there's a 'Strategy Maintenance' header. Below it is a 'Pricing Strategies List' table with columns: Department, Class, Subclass, Zone Group, Zone, Location, Type, Price Guide, Calendar, and Calendar Status. Each column has a 'Filter by:' dropdown menu. The table contains several rows of data, including entries for 'Kitchenware', 'Utensils', 'Meat', and 'Retail Dept'. At the bottom of the table are 'Delete' and 'Edit' buttons. Below the table are three buttons: 'Cancel', 'Save + Repeat', and 'Done'.

Department	Class	Subclass	Zone Group	Zone	Location	Type	Price Guide	Calendar	Calendar Status
1221: Kitchen...			Corin's ZG	Z1		Area Differential			None
5000: ALL Fcst...	101: ALL Class	101: ALL Subcl...	Ranjit 001	Ranjit Test Group	Baltimore	Clearance			None
1234: Glassware			ZG-TC0004b	Z1		Clearance			None
1704: *Candida...			ZG-forDev	Z1-USD		Clearance		SH-1	Assigned
1704: *Candida...			ZG-0009	A1		Clearance		Daily Calendar	Assigned
1704: *Candida...			ZG-2WH	Z-WH		Clearance		Daily Calendar	Assigned
1221: Kitchen...	1000: Utensils	1000: Gadgets	Rick's Teams	Polars	Buffalo	Competitive		Daily Calendar	Assigned
1221: Kitchen...			1221 Warehouses	Warehouses		Competitive		Corin 10/21	Suspended
1221: Kitchen...	1000: Utensils	1000: Gadgets	1221 Warehouses	Warehouses		Competitive		Starts 10/23, En...	Assigned
1221: Kitchen...	1000: Utensils	1000: Gadgets	Mpls and Fargo	Mpls and Fargo		Competitive		Daily Calendar	Assigned
99: SIG Meat			Ranjit 001	Ranjit Test Group	Baltimore	Margin		Daily Calendar	Assigned
111: *Test Dep ...			HL-CAD	HL-CAD		Margin			None
7778: Cost Dept			name	HL-CAD		Margin			None
2345: Small Ap...			DW USD	DW USD		Margin			None
2345: Small Ap...			Ranjit 001	Ranjit Test Group	Edina	Margin			None
7777: Retail Dept			MERCH EXTRA...	My Zone/ 2 Locs		Margin			None
7777: Retail Dept			Ranjit 001	Ranjit Test Group		Margin			None
7777: Retail Dept			Ranjit 001	ranjit test 2		Margin			None
7777: Retail Dept			Ranjit 001	New Zone		Margin			None

Maintain Pricing Strategy workspace

1. From the Pricing Strategies List, select the margin strategy you want to maintain.
2. Click **Edit**, or double-click the strategy selected. A second Strategy Maintenance pane opens and the fields that can be changed are enabled.

Strategy Maintenance

Type: Margin Next

* Department: 1 +Corin's Depart... * Zone Group: 13 +Corin's ZG

Class: + Zone: 8 +Z1

Subclass: + Location: +

Price Guide: Suspend: ☒

Calendar: Daily Calendar New Calendar:

Code: - Select - Acceptable Range From:

Margin Target: Acceptable Range To:

Apply Add Row Delete

Margin Strategy Details

Code	Margin Target	Acceptable Range From	Acceptable Range To
No Code	5%	4%	6%

Reference Competitors


Competitor	Competitor Store	Compete Type	Percent
A 		Match	
B 		Match	
C 		Match	
D 		Match	
E 		Match	

Cancel Save + Repeat Done

Strategy Maintenance pane


3. Make necessary changes.

Edit a Price Guide

- Enter the price guide name or click the LOV  button and select the appropriate price guide.

Change Calendars

Note: In order to specify a new calendar, the existing calendar must be suspended.

1. Select the Suspend checkbox.
2. Enter a calendar name, or click the LOV  button and select a calendar

Edit Margin Details

1. Select a row in the Margin Strategy Details table.
2. In the Margin Target field, enter the percent of margin you want to earn on the item/zone.

Note: Acceptable range is the amount by percentage that a margin can vary from the target before a price change is proposed.

3. In the Acceptable Range From field, enter the bottom of the range.

4. In the Acceptable Range To field, enter the bottom of the range.
5. Click **Apply**.

Delete Margin Details

1. Select the margin detail from the Margin Strategy Details table.
2. Click **Delete**. The row is removed from the table.

Edit Reference Competitors

- Define reference competitors as necessary.

Complete the Margin Price Strategy

1. Click **Save + Repeat** to commit your changes.
2. Click **Done** to save any changes and close the workspace.

Edit a Maintain Margin Pricing Strategy

Navigate: From Task Pad, select Price Strategy > Maintain Price Strategy. The Maintain Pricing Strategy workspace opens.

The screenshot shows the 'Maintain Pricing Strategy' workspace. At the top is a 'Strategy Maintenance' header. Below it is a 'Pricing Strategies List' table with columns: Department, Class, Subclass, Zone Group, Zone, Location, Type, Price Guide, Calendar, and Calendar Status. The table contains 20 rows of data. At the bottom of the table are 'Delete' and 'Edit' buttons. Below the table are 'Cancel', 'Save + Repeat', and 'Done' buttons.

Department	Class	Subclass	Zone Group	Zone	Location	Type	Price Guide	Calendar	Calendar Status
1221: Kitchenw...			Corin's ZG	Z1		Area Differential			None
5000: ALL Fcst...	101: ALL Class	101: ALL Subcl...	Ranjit 001	Ranjit Test Group	Baltimore	Clearance			None
1234: Glassware			ZG-TC0004b	Z1		Clearance			None
1704: *Candida...			ZG-forDev	Z1-USD		Clearance		SH-1	Assigned
1704: *Candida...			ZG-0009	A1		Clearance		Daily Calendar	Assigned
1704: *Candida...			ZG-2WH	Z-WH		Clearance		Daily Calendar	Assigned
1221: Kitchenw...	1000: Utensils	1000: Gadgets	Rick's Teams	Polars	Buffalo	Competitive		Daily Calendar	Assigned
1221: Kitchenw...			1221 Warehouses	Warehouses		Competitive		Corin 10/21	Suspended
1221: Kitchenw...	1000: Utensils	1000: Gadgets	1221 Warehouses	Warehouses		Competitive		Starts 10/23, En...	Assigned
1221: Kitchenw...	1000: Utensils	1000: Gadgets	Mpls and Fargo	Mpls and Fargo		Competitive		Daily Calendar	Assigned
99: SIG Meat			Ranjit 001	Ranjit Test Group	Baltimore	Margin		Daily Calendar	Assigned
111: *Test Dep ...			HL-CAD	HL_CAD		Margin			None
7778: Cost Dept			name	HL_CAD		Margin			None
2345: Small Ap...			DW USD	DW USD		Margin			None
2345: Small Ap...			Ranjit 001	Ranjit Test Group	Edina	Margin			None
7777: Retail Dept			MERCH EXTRA...	My Zone/ 2 Locs		Margin			None
7777: Retail Dept			Ranjit 001	Ranjit Test Group		Margin			None
7777: Retail Dept			Ranjit 001	ranjit test 2		Margin			None
7777: Retail Dept			Ranjit 001	New Zone		Margin			None

Maintain Pricing Strategy workspace

1. From the Pricing Strategies List, select the maintain margin strategy you want to maintain.
2. Click **Edit**, or double-click the strategy selected. A second Strategy Maintenance pane opens and the fields that can be changed are enabled.


The screenshot shows the 'Strategy Maintenance' window. At the top, there's a 'Type' dropdown set to 'Maintain Margin' and a 'Next' button. Below this, there are sections for 'Department' (2, Cloud Department), 'Class', 'Subclass', 'Zone Group' (13, Corin's ZG), and 'Zone' (8, Z1). There are also fields for 'Price Guide', 'Calendar' (2 Day Calendar), 'Suspend' (checkbox), and 'New Calendar'. A section for 'Auto Approve' has a checkbox. The 'Method' section has radio buttons for 'Market Basket Margin' and 'Current Margin'. The 'Cost Change Forward Days' section has a text input set to 2. Below this, there are radio buttons for 'Increase' and 'Decrease', and further radio buttons for 'Margin %' and 'Change by Cost Change Amount'. At the bottom, there's a 'Reference Competitors' section with a table for Competitor, Competitor Store, Compete Type, and Percent.

Competitor	Competitor Store	Compete Type	Percent
A		Match	
B		Match	
C		Match	
D		Match	
E		Match	

Maintain Margin Strategy Maintenance pane.


3. Make necessary changes.

Edit a Price Guide

- Enter the price guide name or click the LOV  button and select the appropriate price guide.

Change Calendars

Note: In order to specify a new calendar, the existing calendar must be suspended.

1. Select the Suspend checkbox.
2. Enter a calendar name, or click the LOV  button and select a calendar

Edit Maintain Margin Details

1. Select the Auto Approve check box to indicate price changes should be created in Approved status.
2. In the Cost Change Forward Days, enter the number of days into the next review period that the strategy will consider cost changes when proposing price changes.

Note: Cost Change Forward Days should not exceed the length of a review period.

3. Select the method for the strategy:
 - **Market Basket Margin:** Select to have the margin for the item's market basket applied to the item's new cost. The Margin Strategy Details area appears.

Auto Approve ☐

* Method

☒ Market Basket Margin
☐ Current Margin

* Cost Change Forward Days

2

Increase

☐ Margin %
☐ Change by Cost Change Amount

Decrease

☐ Margin %
☐ Change by Cost Change Amount

Code

- Select -

Margin Target

Acceptable Range From

Acceptable Range To

Apply

Add Row

Delete

Margin Strategy Details

Code	Margin Target	Acceptable Range From	Acceptable Range To

Margin strategy details

- **Current Margin:** Select to have the current margin applied to the item's new cost.

Edit Market Basket Margin

1. In the Code drop-down, select the margin market basket code you want to use to set the price.
2. In the Margin Target field, enter the percent of margin you want to earn on the item/zone.
3. Setup the acceptable range:

Note: Acceptable range is the amount by percentage that a margin can vary from the target before a price change is proposed.

- a. In the Acceptable Range From field, enter the bottom of the range.
- b. In the Acceptable Range To field, enter the top of the range.
4. Click **Apply**. An entry is added to the Maintain Strategy Details table.
5. Define reference competitors as necessary.
6. Click **Done** to save any changes and close the workspace.

Edit Current Margin

- Select how the strategy will apply an increase in margin to a proposed retail:
 - Margin %:** Select to have the percent of the cost change added to the basis retail to determine the proposed retail.
 - Change by Cost Change Amount:** Select to have the amount of the cost change added to the basis retail.
- Select how the strategy will apply a decrease in margin to a proposed retail:
 - Margin %:** Select to have the percent of the cost change subtracted from the basis retail to determine the proposed retail.
 - Change by Cost Change Amount:** Select to have the amount of the cost change subtracted from the basis retail.
- Click **Done** to save any changes and close the workspace.

Edit Reference Competitors

- Define reference competitors as necessary.

Complete the Margin Price Strategy

- Click **Save + Repeat** to commit your changes.
- Click **Done** to save any changes and close the workspace.

Delete a Price Strategy

Navigate: From Task Pad, select Price Strategy > Maintain Price Strategy. The Maintain Pricing Strategy workspace opens.

The screenshot shows the 'Maintain Pricing Strategy' workspace. At the top is a 'Strategy Maintenance' header. Below it is a 'Pricing Strategies List' table. The table has columns for Department, Class, Subclass, Zone Group, Zone, Location, Type, Price Guide, Calendar, and Calendar Status. Each column has a 'Filter by:' dropdown menu. The table contains several rows of data, including entries for 'Kitchenware', 'Glassware', 'Candida...', 'SIG Meat', 'Test Dep...', 'Cost Dept', 'Small Ap...', 'Retail Dept', and 'New Zone'. At the bottom of the table are 'Delete' and 'Edit' buttons. Below the table are 'Cancel', 'Save + Repeat', and 'Done' buttons.

Department	Class	Subclass	Zone Group	Zone	Location	Type	Price Guide	Calendar	Calendar Status
1221: Kitchenw...			Corin's ZG	Z1		Area Differential			None
5000: ALL Fcst...	101: ALL Class	101: ALL Subcl...	Ranjit 001	Ranjit Test Group	Baltimore	Clearance			None
1234: Glassware			ZG-TC0004b	Z1		Clearance			None
1704: *Candida...			ZG-forDev	Z1-USD		Clearance		SH-1	Assigned
1704: *Candida...			ZG-0009	A1		Clearance		Daily Calendar	Assigned
1704: *Candida...			ZG-2WH	Z-WH		Clearance		Daily Calendar	Assigned
1221: Kitchenw...	1000: Utensils	1000: Gadgets	Rick's Teams	Polars	Buffalo	Competitive		Daily Calendar	Assigned
1221: Kitchenw...			1221 Warehouses	Warehouses		Competitive		Corin 10/21	Suspended
1221: Kitchenw...	1000: Utensils	1000: Gadgets	1221 Warehouses	Warehouses		Competitive		Starts 10/23, En...	Assigned
1221: Kitchenw...	1000: Utensils	1000: Gadgets	Mpls and Fargo	Mpls and Fargo		Competitive		Daily Calendar	Assigned
99: SIG Meat			Ranjit 001	Ranjit Test Group	Baltimore	Margin		Daily Calendar	Assigned
111: *Test Dep ...			HL-CAD	HL_CAD		Margin			None
7778: Cost Dept			name	HL_CAD		Margin			None
2345: Small Ap...			DW USD	DW USD		Margin			None
2345: Small Ap...			Ranjit 001	Ranjit Test Group	Edina	Margin			None
7777: Retail Dept			MERCH EXTRA...	My Zone/ 2 Locs		Margin			None
7777: Retail Dept			Ranjit 001	Ranjit Test Group		Margin			None
7777: Retail Dept			Ranjit 001	ranjit test 2		Margin			None
7777: Retail Dept			Ranjit 001	New Zone		Margin			None

Maintain Pricing Strategy Workspace

- From the Price List, select the price strategy you want to delete.
- Click **Delete**. You are prompted to confirm your decision.
- Click **Yes**.
- Click **Done** to close the window.

Navigate the Worksheet


RPM uses strategies, calendars, and item/location information to automatically generate worksheets. The Worksheet functionality allows you to maintain the proposed price changes automatically generated by RPM.

Change the Value in a Cell

1. Double click the cell.
2. Enter a value, change a value, or select from a drop-down list.

Change the Values of Multiple cells

1. Press and hold the Ctrl key while selecting cells or column headings to select multiple cells or columns.
2. Right click on the selected cells or columns. A window appears that allows you to edit the value for all selected cells.




Example Edit Value window


3. Enter a value, change a value, or select from a drop-down list.
4. Click **OK**. The values for all selected cells change.

Maintain Columns




You can edit the worksheet to display only the columns you are concerned with, change the order the columns display, and change the number of rows that appear.

Hide and Position Columns





1. In the Worksheet Details pane, click the  button.
2. Select Column Display and Ordering... from the drop-down menu. The Column Display and Ordering window opens.



Column display and ordering window


3. To hide columns:
 - a. Select a column to hide in the Show these columns pane.
 - b. Click the  button. The column name appears in the Hide these columns pane.
 - c. Repeat the steps above to hide additional columns.
 - To hide individual columns, right-click on the column heading in the Worksheet Details pane and select Hide Column from the drop-down menu.
4. To position columns:
 - a. Select a column to re-position in the Show these columns pane.
 - b. Click the  and  buttons as necessary to move the columns. This determines the position of the columns from left to right.
 - c. Repeat the steps above to re-position additional columns.
 - To reposition individual columns, click on the column heading in the Worksheet Details pane and drag it to the desired position.
5. Click **OK**. The worksheet columns are repositioned to reflect your changes.

Sort the Worksheet


1. In the Worksheet Details pane, click the  button.
2. Select Sort Table... from the drop-down menu. The Column Display and Ordering window opens.
3. Set the sort order of the worksheet:
 - a. Select a column from the Columns pane.
 - b. Click the  button. The column name appears in the Priority Column pane.
 - c. Repeat the steps above to move additional columns.
 - d. Select a column in the Priority Column pane.
 - e. Click the  and  buttons as necessary to move the columns. This determines the order by which the worksheet information is sorted.
 - f. Clear the Ascending column to have the column sort date in a descending manner.
 - g. Repeat the steps above as necessary.

4. Click **OK**. The worksheet columns are sorted to reflect your changes.
 - To sort based on individual columns, right-click on the column heading in the Worksheet Details pane and select either Make Primary Sort, Ascending or Make Primary Sort, Descending from the drop-down menu.

Adjust the Size of the Worksheet Content


1. In the Worksheet Details pane, click the  button.
2. Move the cursor over Size Content.
3. Select from the drop-down menu:
 - Smallest
 - Smaller
 - Standard
 - Larger
 - Largest
 - Fit All
4. The size of the content on the worksheet is adjusted.


Adjust Column Sizes

1. In the Worksheet Details pane, click the  button.
2. Move the cursor over Column Resizing in the drop-down menu.
3. Select from the drop-down menu:
 - Adjust Next Column Only
 - Adjust Subsequent Columns
 - Adjust Last Column Only
 - Adjust All Columns
4. The worksheet columns are adjusted.
 - To resize individual columns, position the cursor on the right-hand border of the column heading. The cursor will change to a double arrow. Click and drag right or left to resize the column.

Set Non-scrolling Columns

You can set up to seven columns to be locked or non-scrolling. This allows comparison of values in the locked columns to all other columns in the worksheet.

1. In the Worksheet Details pane, click the  button.
2. Select Column Locking from the drop-down menu. The Column Locking dialog opens.




Column locking dialog

3. Enter the number of columns to lock.
4. Click **OK**. The columns are locked (non-scrolling).

Maintain Views

Add a View

1. Click **Maintain View**. The Maintain View dialog opens.



Maintain View dialog

2. Click **Add**. A new line appears in the list.
3. Enter a name for the view in the Description field.
4. Select the Default View checkbox if you would like the view you created to be the default view.
5. Click **Save**. The view is saved and is accessible from the drop-down at the top of the Worksheet Details pane.

Delete a View

1. Select the view you want to delete from the list.
2. Click **Delete**. The view is removed from the list.

Select a View

- Select a saved view from the drop-down menu.

Apply Filters

Since worksheets may contain many detail records, RPM gives you the ability to filter those records so you see only the details that need attention. You can perform an ad hoc filter on any column in the Worksheet Detail or you can create and save an advanced filter that you can continue to use in the future.

Apply an ad hoc Filter

- In the Worksheet Details pane, select a value from the Filter by: drop-down above the column you wish to filter the worksheet by. The worksheet refreshes, with the filter applied.

Clear an ad hoc Filter

- In the Worksheet Details pane, select Clear Filter from the Filter by: drop-down above the column that the filter was applied to. The filter is cleared and the worksheet returns to its previous state.

Note: Any other filters applied will still be applied to the worksheet.

Clear all Filters

- In the Worksheet Details pane, select Revert to Default from the Filter by: drop-down above any column. The filters are cleared and the worksheet returns to its original state.

Apply an Advanced Filter

Note: Advanced filters override any ad hoc filters previously applied to the worksheet.


1. In the Worksheet Details pane, select Advanced Filter from the Filter by: drop-down above the column you wish to filter the worksheet by. The Advanced Filter dialog opens.


Advanced filter dialog

2. Select a condition to apply to the column from the top drop-down in the dialog.
3. Enter or select a value for the filter to look for in the next drop-down.
4. You may enter an additional condition and value in the remaining drop-downs.
5. Select a logical operator (And or Or) in the area between the drop-downs.

- Click **OK** to apply the filter to the worksheet. The worksheet refreshes, with the filter applied.


Maintain Worksheet Detail Filters

- In the Worksheet Details pane, click the Filter  button. The Worksheet Detail Filter window opens.



The dialog box titled "Worksheet Detail Filter" has a blue title bar. Below the title bar is a toolbar with buttons: "Filter" (with a dropdown arrow), "Save Filter As...", "Delete Filter", and "Apply Filter". Below the toolbar is a table with three columns: "Column", "Condition", and "Value". The table is currently empty. Below the table are two radio buttons: "Filter on a Column or a Value" with "Column" selected and "Value" unselected. Below the radio buttons are two dropdown menus: "Column" (with "Select -" selected) and "Condition" (with "Select -" selected). To the right of these is a "Value" text input field. To the right of the "Value" field is an "Add Criteria" button. At the bottom right are "Remove Criteria" and "Remove All" buttons. At the very bottom are "Cancel" and "Done" buttons.

Worksheet detail filter window

Note: Click the  clear filter button to remove the filter criteria.

Create a Worksheet Detail Filter

- Select Column to have the filter compare the values in two columns.
Or
Select Value to have the filter match a value in a column.
- Select a column to filter by from the Column drop-down.
- Select a condition to apply to the filter from the Condition drop-down.
- Select a column to compare to the previous column in the Column drop-down if you chose to filter by column above.
Or
Select of Enter a value for the filter to look for in the next field if you chose to filter by value above.
- Click **Add Criteria**. The criteria is added to the Worksheet Detail Filter table.
- Repeat the steps above to continue adding criteria. Continue to the next step.
- Click **Save As** to save the filter.
 - Enter a name for the filter in the Save Filter dialog.

Apply a Worksheet Detail Filter

- Select a filter from the Filter drop-down.
- Select criteria from the Worksheet Detail Filter table. You can select multiple criteria.
- Click **Apply Filter**. The Worksheet Detail Filter window is closed and the filter is applied.

Delete Worksheet Detail Filter Criteria

1. Select a filter from the Filter drop-down .
2. Select criteria from the Worksheet Detail Filter table.
3. Click **Remove Criteria**. The criteria is removed from the filter. Click **Remove All**, to remove all criteria from the filter.

Delete a Worksheet Detail Filter

1. Select a filter from the Filter drop-down.
2. Click **Delete Filter**. The filter is removed from the Filter drop-down.

Worksheet Status

From the Worksheet Status workspace you can:

- Submit a price change worksheet for approval
- Approve a price change worksheet
- Reject a price change worksheet
- Reset a price change worksheet
- Delete a price change worksheet

See Worksheet columns for specific information on the columns displayed in the Worksheet workspace.

See Navigate the Worksheet for information on how to work within the Worksheet workspace.

Maintain a Pricing Worksheet

Navigate: From the Task Pad, select Worksheet > Worksheet Status. The Worksheet Status workspace opens.

Worksheet Status

Reason:

Action:

Apply

Merchandise Level	Merchandise ID	Location Level	Location ID	Location	Status	Conflict	Last Review Date	Reason
Filter by: <input type="text"/>	Filter by: <input type="text"/>	Filter by: <input type="text"/>	Filter by: <input type="text"/>	Filter by: <input type="text"/>	Filter by: <input type="text"/>	Filter by: <input type="text"/>	Filter by: <input type="text"/>	Filter by: <input type="text"/>
Department	2064	Zone	800	MF1	New		03-01-2005	
Department	2	Zone	8	Z1	New		03-02-2005	

Select All **Unselect All** **Worksheet Detail**

Total Price Change Amount:

Total Price Change SOH:

Total Price Change Items:

Total Sales Amount:

Close

Worksheet Status workspace

1. Select the worksheet you want to maintain.

Note: You can select multiple worksheets as long as they are for the same department and currency.

2. Click **Worksheet Detail** to maintain the details of the worksheet.

Submit a Pricing Worksheet for Approval

The Pricing Worksheet status must be In Progress to enable the Submit action. To change the status of the Pricing Worksheet from New or Updated to In Progress, you need to have at least one row or item selected for price change.

1. Select the worksheet that you want to submit.
2. Review the information in the Worksheet Status window to ensure that it is correct.
3. From the Action drop-down list, select Submit.
4. Click **Apply**. The status is changed to Submitted and the Pricing Worksheet is ready for approval.

Note: Before the status changes to Submitted, RPM checks the Pricing Worksheet to ensure that there are no conflicts. The status options that are available from the Action drop-down list change based on current status of the worksheet's details.

Approve a Pricing Worksheet

Note: The Pricing Worksheet status must be in either Submitted or Delete Pending status before you can select the approve action.

1. Select the worksheet that you want to approve.
2. When you are ready to approve the submitted or delete pending Pricing Worksheet, select Approve.
3. Click **Apply**. The Pricing Worksheet information is saved and applied.


Note: For worksheets in Submitted status, before the status changes to Approved, RPM checks the Pricing Worksheet to ensure that there are no conflicts. Delete pending status worksheets are not conflict checked before being moved to Deleted status.

When the system option, Dynamic Area Differentials is off, secondary area worksheets are enabled when the primary area is approved. When the system option is on, changes to secondary areas happen dynamically after changes to the primary area.

Reject a Pricing Worksheet

You can reject a Pricing Worksheet that has a status of Submitted or Delete Pending. When you reject a submitted or delete pending Pricing Worksheet, its status changes to Rejected or Delete Rejected.

Note: If you want to work with the Pricing Worksheet when its status is Rejected, Reset the status of the Pricing Worksheet (see the procedure below).

1. Select the worksheet that you want to reject.
2. You can enter a Reason for the rejection in the Reason field. Click the  button to open an editing window where you can enter a reason up to 250 characters long.
3. From the Action drop-down list, select Reject.
4. Click **Apply**. The status of the Pricing Worksheet changes to Rejected or Delete Rejected.

Reset the Status of a Pricing Worksheet

Use the Reset action to return the worksheet to its previous status.

1. Select the worksheet that you need to reset the status of.
2. From the Action drop-down list, select Reset.
3. Click **Apply**. The Worksheet Status window refreshes and the worksheet is returned to its previous status.

Delete a Pricing Worksheet

1. Select the worksheet that you want to delete.
2. From the Action drop-down list, select Delete.
3. Click **Apply**. The Pricing Worksheet is moved to Delete Pending status and is ready to have your deletion approved or rejected.

Note: The options that are available from the Action drop-down list change based on worksheet's current status.

Worksheet Detail

The Worksheet Detail workspace allows you to:

- Review the auto generated price change proposals.
- Review items that broke rules or were exceptions.
- Make clearance decisions.
- Accept the recommendations or delete the Pricing Worksheet.
- Examine the information about price change candidates and make decisions about which items to change and what retail prices to set.
- Modify column values.
- Perform what-if analysis on the Worksheet to help you make the best pricing decisions.
- Export the worksheet to a Comma Separated Value (csv) file that can be opened in other applications such as spreadsheets and work processors.

See Worksheet Columns for specific information on the columns displayed in the Worksheet workspace.

See Navigate the Worksheet for information on how to work within the Worksheet workspace.

Maintain Worksheet Details

Navigate: From the Task Pad, select Worksheet > Worksheet Status. The Worksheet Status workspace opens.

Worksheet Status

Reason: Apply

Action: - Select -

Merchandise Level	Merchandise ID	Location Level	Location ID	Location	Status	Conflict	Last Review Date	Reason
Filter by: ▼	Filter by: ▼	Filter by: ▼	Filter by: ▼	Filter by: ▼	Filter by: ▼	Filter by: ▼	Filter by: ▼	Filter by: ▼
Department	2064	Zone	800	MF1	New		03-01-2005	
Department	2	Zone	8	Z1	New		03-02-2005	

Select All Unselect All Worksheet Detail

Total Price Change Amount:

Total Price Change SOH:

Total Price Change Items:

Total Sales Amount:

Close

Worksheet status workspace

1. Select the worksheet you want to view the details of. You can select multiple worksheets or click **Select All** to select of all the worksheets.
2. Click **Worksheet Detail**. The Worksheet Detail workspace opens.

The screenshot displays the 'Worksheet Details' workspace. At the top, there's a header bar with the title 'Worksheet Details'. Below it, a toolbar contains a dropdown menu with 'corin', a 'Save View' button, and a section for 'Item Level' (set to 'Tran Level') and 'Diff Type'. To the right of these are several icons: a funnel, a red circle with a slash, a magnifying glass, a document, and a sum symbol.

The main area features a table with the following columns: Item ID, Item Description, Historical Sale, Historical Sale, Seasonal Sell, Sell Thru %, Rule, Season/Phase, and Store On H. Each of the first six columns has a 'Filter by:' dropdown menu. The table contains eight rows of data, each with an icon in the 'Rule' column.

Item ID	Item Description	Historical Sale	Historical Sale	Seasonal Sell	Sell Thru %	Rule	Season/Phase	Store On H
1900	RDP CML 76	0.00	0					
1901	RDP CML76	0.00	0					
1910	RDP Item for RPM	0.00	0					
1911	RDP item for RPM	0.00	0					
1960	RPD RPM item	0.00	0					
1961	RDP RPM item 2	0.00	0					
1962	RDP RPM Item 3	0.00	0					
1970	RDP RPM Item	0.00	0					

Below the table is a horizontal scrollbar. At the bottom of the workspace, there are five buttons: 'Unselect All', 'Select All', 'Reset Data', 'What If', and 'Suggest Date'. At the very bottom of the window, there are three buttons: 'Cancel', 'Save', and 'Done'.

Worksheet detail workspace

Edit the Proposed Retail

- Enter a new retail price in the New Retail field as required for each item.

Take or Don't Take Proposed Price Changes

1. Select the level to view the worksheet at from the Item Level drop-down.
2. Change the Price Change Indicator field in the appropriate row:

Maintain View

Item Level: Tran Level

Diff Type

	New Retail UOM	Price Change Indicator	Conflict	State	Promotion C
▼	Filter by: ▼	Filter by: ▼	Filter by: ▼	Filter by: ▼	Filter by: ▼
34	EACH	▼		New	
50	EACH			New	
94	EACH	Take		New	
88	EACH	Don't Take		New	
02	EACH			New	
39	EACH			New	
62	EACH			New	
01	EACH			New	
01	EACH			New	

Price Change Indicator column

- Select "Take" to accept the proposed price change for the item.
 - Select "Don't Take" to reject the proposed price change for the item.
3. Click **Save**. Your changes to the worksheet are saved and the Worksheet Status workspace opens.

See the Worksheet columns section for a complete list of the editable columns on the worksheet.

View Totals

Navigate: From the Task Pad, select Worksheet > Worksheet Status. The Worksheet Status workspace opens.

Worksheet Status

Reason:

Action:

Merchandise Level	Merchandise ID	Location Level	Location ID	Location	Status	Conflict	Last Review Date	Reason
Filter by: <input type="text"/>	Filter by: <input type="text"/>	Filter by: <input type="text"/>	Filter by: <input type="text"/>	Filter by: <input type="text"/>	Filter by: <input type="text"/>	Filter by: <input type="text"/>	Filter by: <input type="text"/>	Filter by: <input type="text"/>
Department	2064	Zone	800	MF1	New		03-01-2005	
Department	2	Zone	8	Z1	New		03-02-2005	

Total Price Change Amount:
 Total Price Change SOH:
 Total Price Change Items:
 Total Sales Amount:

Worksheet status workspace

1. Select the worksheet you want to view the details of. You can select multiple worksheets or click **Select All** to select of all the worksheets.
2. Click **Worksheet Detail**. The Worksheet Detail workspace opens.

Worksheet Details


corin Save View Item Level Tran Level Diff Type

Item ID	Item Description	Historical Sale	Historical Sale	Seasonal Sell	Sell Thru %	Rule	Season/Phase	Store On H
Filter by:	Filter by:	Filter by:	Filter by:	Filter by:	Filter by:	Filter by:	Filter by:	Filter by:
1900	RDP CML 76	0.00	0					
1901	RDP CML76	0.00	0					
1910	RDP Item for RPM	0.00	0					
1911	RDP item for RPM	0.00	0					
1960	RPD RPM item	0.00	0					
1961	RDP RPM item 2	0.00	0					
1962	RDP RPM Item 3	0.00	0					
1970	RDP RPM Item	0.00	0					

Unselect All Select All Reset Data What If Suggest Date

Cancel Save Done

Worksheet detail workspace

- Select the row you want to view totals for by clicking the box  to the left of the row.
 - Press and hold the Ctrl key while selecting to select multiple rows. Click **Select All** to select all the rows.

Note: If no items are selected, the totals appear for all items where a price change would occur.

- Click the Totals  button. The Totals window opens.

The screenshot shows a software window titled "totals". It features three tabs: "Price Change Totals", "Sales Totals", and "Competitive Analysis totals". The "Price Change Totals" tab is active, displaying a table with the following headers: "Zone ID", "Zone Name", "Price Change Amount", "Price Change SOH", and "Price Change Items". The table body is empty. At the bottom of the window, there are two buttons: "Recalculate Total" and "Done".

Totals window

View Price Change Totals

1. Select the Price Change Totals tab. The totals for all of the item rows that you selected appear on the Totals window.
2. Click **Done**. The Totals window is closed.

View sales totals

1. Select the Sales Totals tab. The totals for the sales for the item rows that you selected appear on the Totals window.
2. Click **Done**. The Totals window is closed.

View Competitive Analysis Totals

1. Select the Competitive Analysis Totals tab. The totals for how you are competing in all retail zones that you have selected appear on the Totals window.
2. Click **Done**. The Totals window is closed.

Perform a What-if Analysis

Navigate: From the Task Pad, select Worksheet > Worksheet Status. The Worksheet Status workspace opens.

Worksheet Status

Reason:

Action:

Merchandise Level	Merchandise ID	Location Level	Location ID	Location	Status	Conflict	Last Review Date	Reason
Filter by: <input type="text"/>	Filter by: <input type="text"/>	Filter by: <input type="text"/>	Filter by: <input type="text"/>	Filter by: <input type="text"/>	Filter by: <input type="text"/>	Filter by: <input type="text"/>	Filter by: <input type="text"/>	Filter by: <input type="text"/>
Department	2064	Zone	800	MF1	New		03-01-2005	
Department	2	Zone	8	Z1	New		03-02-2005	

Total Price Change Amount:
 Total Price Change SOH:
 Total Price Change Items:
 Total Sales Amount:

Worksheet status workspace


1. Select the worksheet you want to view the details of. You can select multiple worksheets or click **Select All** to select all of the worksheets.
2. Click **Worksheet Detail**. The Worksheet Detail workspace opens.

Worksheet Details

corin Item Level: Tran Level
Diff Type:


Item ID	Item Description	Historical Sale	Historical Sale	Seasonal Sell	Sell Thru %	Rule	Season/Phase	Store On H
<input type="text" value="Filter by:"/>	<input type="text" value="Filter by:"/>	<input type="text" value="Filter by:"/>	<input type="text" value="Filter by:"/>	<input type="text" value="Filter by:"/>	<input type="text" value="Filter by:"/>	<input type="text" value="Filter by:"/>	<input type="text" value="Filter by:"/>	<input type="text" value="Filter by:"/>
1900	RDP CML 76	0.00	0					
1901	RDP CML76	0.00	0					
1910	RDP Item for RPM	0.00	0					
1911	RDP item for RPM	0.00	0					
1960	RPD RPM item	0.00	0					
1961	RDP RPM item 2	0.00	0					
1962	RDP RPM Item 3	0.00	0					
1970	RDP RPM Item	0.00	0					

Worksheet detail workspace

3. Select the row you want to perform a what-if analysis on by clicking the box  to the left of the row.
 - Press and hold the Ctrl key while selecting to select multiple rows. Click **Select All** to select all the rows.

Perform a What-if Analysis on a Clearance Pricing Strategy

1. Click **What If**. The What If window opens.



The screenshot shows the 'Price Strategy - Clearance' window. It has a title bar with a close button. Inside, there are two sections: 'Pricing Guides' and 'Markdown Percents'. The 'Pricing Guides' section has two dropdown menus labeled 'Current' and 'New', both currently set to '- Select -'. The 'Markdown Percents' section contains a table with 8 rows. The first row is highlighted. The table has three columns: 'Markdown Number', 'Current', and 'New'. The 'Current' and 'New' columns show percentage values from 10% to 80% in increments of 10%. At the bottom of the window are three buttons: 'Cancel', 'Reset', and 'Apply'.

Markdown Number	Current	New
1	10%	10%
2	20%	20%
3	30%	30%
4	40%	40%
5	50%	50%
6	60%	60%
7	70%	70%
8	80%	80%

What If window

2. Make changes to the following fields to test what happens to the worksheet:
 - **Price guide:** Select a new price guide from the New drop-down.
 - **Markdown percent:** Enter a markdown percent in the New Markdown Percent field.
3. Click **Apply**. The What If window is closed and the data in the Worksheet change to reflect the changes made in the What If window.

Perform a What-if Analysis on a Competitive Pricing Strategy

1. Click **What If**. The What If window opens.

Price Strategy - Competitive

Pricing Guides

Current: - Select -
New: - Select -

Competitor Parameters

Current Compete Type: Price By Code * New Compete Type: Price By Code
Current Compete Percent: New Compete Percent:
Current Acceptable Range From: Current Acceptable Range To:

Compete Values by Code

Code	Current Compete Ty	Current Compete Perce	Current Acceptable Range F	Current Acceptable Range	New Compete Ty	New Compete Perce
No Code	Price Below	15%	15%	20%	Price Below	15%
Alpha1	Price Above	10%			Price Above	10%
Christm...	Price Above	7%	5%	8%	Price Above	7%
Seasonal Match	Match				Match	

Cancel Reset Apply

What If window

2. Make changes to the following fields to test what happens to the worksheet:
 - **Price guide:** Select a new price guide from the New drop-down.
 - **Compete type:** Select a different compete type for the whole worksheet or by code by selecting from the New Compete Type drop-downs.
 - **Compete percent:** Enter a new compete percent in the New Compete Percent field.
3. Click **Apply**. The What If window is closed and the data in the Worksheet change to reflect the changes made in the What If window.

Perform a What-if Analysis on a Margin Pricing Strategy

1. Click **What If**. The What If window opens.

Price Strategy - Margin

Pricing Guides

Current: - Select -

New: - Select -

Margin Percents

Code	Current Margin Target	Current Acceptable Range From	Current Acceptable Range To	New Margin Target
No Code	49%	43%	50%	49%
Alpha1	4%	4%	6%	4%
Christmas	15%	15%	20%	15%
Seasonal	5%	5%	7%	5%
Springtime	10%	10%	15%	10%

Buttons: Cancel, Reset, Apply

What If window

2. Make changes to the following fields to test what happens to the worksheet:
 - **Price guide:** Select a new price guide from the New drop-down.
 - **Margin target:** Enter a margin target in the New Margin Target field.
3. Click **Apply**. The What If window is closed and the data in the Worksheet change to reflect the changes made in the What If window.

Reset the What-if Data

1. Click **What If**. The What If window opens.
2. Click **Reset**. The values are returned to their original value.
3. Click **Apply**. The What if window is closed and the data in the Worksheet change back to their original value.

Export a Worksheet

Export allows you to export the current view of the worksheet to a Comma Separated Value (csv) file.

Navigate: From the Task Pad, select Worksheet > Worksheet Status. The Worksheet Status workspace opens.

Worksheet Status

Reason Apply

Action - Select -

Merchandise Level	Merchandise ID	Location Level	Location ID	Location	Status	Conflict	Last Review Date	Reason
Filter by: ▼	Filter by: ▼	Filter by: ▼	Filter by: ▼	Filter by: ▼	Filter by: ▼	Filter by: ▼	Filter by: ▼	Filter by: ▼
Department	2064	Zone	800	MF1	New		03-01-2005	
Department	2	Zone	8	Z1	New		03-02-2005	

Select All Unselect All Worksheet Detail

Total Price Change Amount

Total Price Change SOH

Total Price Change Items

Total Sales Amount

Close

Worksheet status workspace



1. Select the worksheet you want to view the details of. You can select multiple worksheets or click **Select All** to select of all the worksheets.
2. Click **Worksheet Detail**. The Worksheet Detail workspace opens.


Worksheet Details

corin Item Level: Tran Level
Diff Type:

Item ID	Item Description	Historical Sale	Historical Sale	Seasonal Sell	Sell Thru %	Rule	Season/Phase	Store On H
Filter by: <input type="text"/>	Filter by: <input type="text"/>	Filter by: <input type="text"/>	Filter by: <input type="text"/>	Filter by: <input type="text"/>	Filter by: <input type="text"/>	Filter by: <input type="text"/>	Filter by: <input type="text"/>	Filter by: <input type="text"/>
1900	RDP CML 76	0.00	0					
1901	RDP CML76	0.00	0					
1910	RDP Item for RPM	0.00	0					
1911	RDP item for RPM	0.00	0					
1960	RPD RPM item	0.00	0					
1961	RDP RPM item 2	0.00	0					
1962	RDP RPM Item 3	0.00	0					
1970	RDP RPM Item	0.00	0					

Worksheet detail workspace

- Select the row you want to export by clicking the box  to the left of the row.
 - Press and hold the Ctrl key while selecting to select multiple rows. Click **Select All** to select all the rows.
- Click the Export  button. The Save window opens.



Save window

5. Select a location to save the file to from the Save In drop-down.
6. Enter a name for the file in the File Name field.
7. Click **Save**. The file is saved.
8. Open the file in the program of your choice such as a spreadsheet or word processor.

Worksheet Columns

The worksheet may contain many different columns. See the descriptions and calculations for each column below.

Column	Description	Editable	Calculation
% off Regular Retail	The percent difference between the basis regular retail and the new retail of the item.	No	Price Change Amount divided by Basis Regular Retail (Before VAT) Depending on your aggregation level settings: Price Change Amount = Current Retail - New Retail Price Change Amount = New Retail - Current Retail The zone level regular retail is used if it exists.

Column	Description	Editable	Calculation
% off Basis Retail	The percent difference between the basis retail (regular or clearance) and the new retail of the item. This value is the same as % off Regular Retail if there is no clearance retail.	No	Price Change Amount divided by Basis Retail (Before VAT) Price Change Amount equals the difference between the New Retail and the Clearance or Regular Retail Depending on your aggregation level settings: Price Change Amount = Current Retail - New Retail Price Change Amount = New Retail - Current Retail The zone level clearance retail is used if it exists.
Base Cost	The base cost of the item on the effective date (including price change processing days).	No	When the record is at a zone level, the zone level base cost is used in the calculation if one exists.
Basis Cost	The pricing cost of the item on the effective date (including price change processing days).	No	When the record is at a zone level, the zone level basis cost is used in the calculation if one exists.
Class ID	The class hierarchy ID of the item's class.	No	
Class Description	The name of the class.	No	
Clearance Indicator	Checked and disabled if the item is on active clearance. Unchecked if the item is not on clearance.	Yes	
Clearance	Hyperlink that opens a window with details on approved clearances. "Pending" appears if the item is on a pending clearance.	No	

Column	Description	Editable	Calculation
Competitor A Alert	"Pass" appears if there is a competitor A and the strategy rules is met. "Fail" appears if the strategy rule is not met.	No	
Competitor A Retail	Competitor A's retail price.	No	
Competitor B Alert	"Pass" appears if there is a competitor B and the strategy rules is met. "Fail" appears if the strategy rule is not met.	No	
Competitor B Retail	Competitor B's retail price.	No	
Competitor C Alert	"Pass" appears if there is a competitor C and the strategy rules is met. "Fail" appears if the strategy rule is not met.	No	
Competitor C Retail	Competitor C's retail price.	No	
Competitor D Alert	"Pass" appears if there is a competitor D and the strategy rules is met. "Fail" appears if the strategy rule is not met.	No	
Competitor D Retail	Competitor D's retail price.	No	
Competitor E Alert	"Pass" appears if there is a competitor E and the strategy rules is met. "Fail" appears if the strategy rule is not met.	No	
Competitor E Retail	Competitor E's retail price.	No	

Column	Description	Editable	Calculation
Conflict	An exclamation point appears if conflicts were found during conflict checking.	No	When conflict checking is run again or the price change is taken or not taken, the column is reset.
Cost Changes During Review Period	"Yes" appears if there are approved cost changes that have an effective date during the review period of the worksheet.	No	
Current Clearance Retail	The clearance retail for today if the item is on clearance.	No	The zone level clearance retail appears if it exists.
Current Clearance Retail UOM	The unit of measure for the item clearance price.	No	
Basis Retail	The active retail (regular or clearance) on the effective date before the current price change.	No	The zone level basis retail appears if it exists.
Basis Retail UOM	The unit of measure for the item basis retail.	No	
Basis Retail Multi-units	The active multi-unit retail on the effective date before the current price change.	No	The zone level multi-unit retail appears if it exists.
Basis Multi-unit Retail	The active multi-unit retail on the effective date before the current price change.	No	
Basis Multi-unit Retail UOM	The unit of measure for the active multi-unit retail on the effective date before the current price change.	No	
Current Cost	The pricing cost today.	No	
Current Cost Markup %.	The cost markup of the item based on current cost and current retail.	No	Current Retail (regular or clearance, before VAT) minus Current Cost divided by Current Cost. The zone level current cost is used if it exists.

Column	Description	Editable	Calculation
Current Retail Markup %	The retail markup of the item based on current cost and current retail.	No	Current Retail (regular or clearance, before VAT) minus Current cost divided by Current Retail. The zone level current cost is used if it exists.
Current Multi-Units	The unit value of the multi-unit retail price. For example: "2 ea." if there is a 2 for \$5 multi-unit retail.	No	The primary zone current multi-units will appear if it exists.
Current Multi-units Retail	The retail value of the multi-unit retail price. For example: "\$5.00" if there is a 2 for \$5 multi-unit retail.	No	
Current Multi-units UOM	The unit of measure for the item multi-unit.	No	
Current Regular Retail	The item's regular retail value today.	No	The zone level current retail appears if it exists.
Current Retail UOM	The selling unit of measure for the current retail.	No	
Current Retail/UOM	The regular retail value per unit of measure in the package today. For example: ".05/oz" if there is a 16 oz. can of soup that retails for .89.	No	Current Retail divided by Package UOM
Diff One	The differentiator 1 value for a transaction level item.	No	
Diff Two	The differentiator 2 value for a transaction level item.	No	
Diff Three	The differentiator 3 value for a transaction level item.	No	
Diff Four	The differentiator 4 value for a transaction level item.	No	

Column	Description	Editable	Calculation
Effective Date	The date that price change goes into effect.	Yes	End of Review Period plus Price Change Processing Days
New Item Location Ind	An indicator appears if the item/location is a new combination in RPM.	No	
First Received Date	The date this item was first received into the location.	No	
Historical Sales	The monetary historical sales of the item based on the locations in the row.	No	The weekly, monthly, half-yearly, or yearly historical sales depending on aggregation level setting.
Historical Sales Units	The retail sales of the item for the current period.	No	The weekly, monthly, half-yearly, or yearly historical sales depending on aggregation level setting.
Item Description	The name of the item.	No	
Item ID	The transaction or parent item ID.	No	
Last Cost Change	The date of the last cost change. Note: Place the cursor over this field to show the average or highest cost of the item over the locations in the zone	No	
Last Price Change	The date of last price change. Note: Place the cursor over this field to show the items zone price.	No	
Last Received Date	The date the item was last received into the location.	No	

Column	Description	Editable	Calculation
Link Code	The link code assigned to the transaction level item. A hyperlink opens a link code information window.	No	
Proposed Retail Markdown #.	The markdown number if there is a proposed clearance price change.	No	
Margin Market Basket Code	The market basket code for transaction level items if one exists.	No	
Cost Markup %. On New Retail	The cost markup of the item based on new cost and new retail.	No	New Retail minus Basis Cost divided by Basis Cost The zone level basis cost is used if it exists.
New Multi-Units	The unit value of the new multi-unit retail price. For example: "2 ea." if there is a 2 for \$5 multi-unit retail.	Yes	
New Multi-units Retail	The retail value of the new multi-unit retail price. For example: "\$5.00" if there is a 2 for \$5 multi-unit retail.	Yes	
New Multi-units UOM	The unit of measure of the new item multi-unit. For example: ea. if there is a 2 for \$5 multi-unit retail.	Yes	
New Retail	The new proposed retail value for the effective date. Edit this field to override the proposed price.	Yes	

Column	Description	Editable	Calculation
New Retail/UOM	The new retail value per unit of measure. For example: ".05/oz" if there is a 16 oz. can of soup that retails for .89	No	New Retail divided by the Unit Of Measure.
New Retail Markup %.	The percent retail sales margin of the item based on the new retail.	No	New Retail minus New Cost divided by New Retail (Before VAT) The zone level basis cost if used if it exists.
New Retail UOM	The unit of measure for the item's new retail. If you enter a new retail, New Retail UOM is required.	Yes	
Original Retail	The original retail of the item.	No	
Out of Stock Date	The out of stock day for clearance price changes. You can change this field.	Yes	Default Out of Stock Days after the effective date
Package Size	The package size of the item.	No	
Package UOM	The package unit of measure of the item.	No	
Parent ID	The parent item ID if the worksheet is at transaction item level and the item has a parent.	No	
Parent Item Description	The name of the parent item.	No	
Pending Cost Changes	The date of the earliest pending cost change for the item for the primary supplier. A hyperlink opens a link to a window with more information.	No	

Column	Description	Editable	Calculation
Price Change Amount	The monetary value of the price change for one unit of that item.	No	New Retail minus Basis Retail at the location Depending on your aggregation level settings: Price Change Amount = Basis Retail - New Retail Price Change Amount = New Retail - Current Basis The zone level basis retail is used if it exists.
Price Change Indicator	Select "Take" to accept the proposed price change for the transaction level item and lock the row for editing. Select "Don't Take" to reject the proposed price change and lock the row for editing.	Yes	
Price Changes	A hyperlink "NONE" if no price changes exist during review period. A hyperlink "Pending" if price changes exist during review period. Click the hyperlink to view pending price change records. Note: During the review period means between today's date and the end of the review period.	No	
Primary Competitor Alert	"Pass" appears if there is a primary competitor and the strategy rules is met. "Fail" appears if the strategy rule is not met.	No	

Column	Description	Editable	Calculation
Primary Competitor Retail Changed Ind	"Yes" when a new or updated competitor retail is brought into RPM. Note: If more than one strategy uses the same competitor, "Yes" will only appear in the worksheet for the first strategy to find it.	No	
Primary Competitor Retail	The primary competitors retail.	No	
Primary Competitor Retail UOM.	The items selling unit of measure for the primary competitor.	No	
Primary Competitor Multi-Units	The unit value of the multi-unit retail price on the most recent shop date. For example: "2" if there is a 2 for \$5 multi-unit retail	No	
Primary Competitor Multi-Unit Retail	The primary competitors multi-unit retail with the number of units on the most recent shop date. For example: 2 for \$5	No	
Primary Competitor Multi-units UOM.	The items unit of measure for the multi-unit price on the most recent shop date.	No	
Primary Supplier	The primary supplier ID for the item. Note: Place the cursor over this field to view the supplier name.	No	

Column	Description	Editable	Calculation
Promotions	Hyperlink that opens a window with details on approved current or pending (after the effective date of the current price change) promotions.	No	
Proposed Cost Markup %.	The cost markup of the item based on proposed retail and basis cost.	No	Proposed Retail minus Basis Cost divided by Basis Cost. The zone level basis cost is used if it exists.
Proposed Retail	The retail on the proposed effective date.	No	Proposed Effective Date plus Price Prior Create Days
Proposed Retail/UOM	The proposed retail per unit of measure in the package. For example: ".05/oz" if there is a 16 oz. can of soup that retails for .89	No	Proposed Retail divided by Package UOM
Proposed Retail UOM	The unit of measure for the item's proposed retail.	No	
Proposed Retail Markup %	The retail sales margin of the item based on the new retail.	No	Proposed Retail minus Basis Cost divided by Proposed Retail (Before VAT) The zone level basis cost if used if it exists. For zone level records, if a zone level basis cost exists, use that value in the calculation
Replenishment Indicator	"Yes" if the item is on an active replenishment record.	No	
Reset Date	The reset date for the item. Enter a date to change the default.	Yes	Defaults to Out of Stock Date plus one day
Retail Label Type	The retail label type of the item.	No	
Retail Label Value	The retail label value of the item.	No	

Column	Description	Editable	Calculation
Price Zone Group ID	The price zone group ID for a zone level item. Note: Place the cursor over this field to view the price zone group description.	No	
Price Zone ID	The price zone ID for a zone level item. Note: The price zone description is available as a mouse over.	No	
Rule	Binocular icon appears if the item meets rules. Click the icon to open a window and view details of the rules met by the record.	No	
Projected Sales Units	The smoothed average regular price sales based on the number of weeks of sales that have occurred.	No	Total Sales divided by Total Weeks of Sales
Sales Change Amount	The difference between the items new retail and the basis retail on the effective date multiplied by the projected sales for a week.	No	Depending on your aggregation level settings: Sales Change Amount = Basis Retail - New Retail Sales Change Amount = New Retail - Current Basis On Worksheet Status the sum of all individual records. On Worksheet Detail per item.
Seasonal Sell Thru %	The sell through percent for the current season. Total sales for the stores in the zone or location divided by stock on hand for the zone/location.	No	Total Sales For the Season divided by Stock On Hand Depending on your aggregation level settings Warehouse Stock On Hand will be included or excluded.
Season/Phase	Hyperlink opens Season/Phase detail window.	No	

Column	Description	Editable	Calculation
Sell Thru %	The sell through percent for store locations in the zone.	No	Sales divided by (Stock On Hand plus Sales) Depending on your aggregation level settings Warehouse Stock On Hand will be included or excluded. The type of sales and the amount of time to be considered is determined by the Sales Calculation Method.
State	The status of the details of the record.	No	
Store On Hand	The current stock on hand at store locations.	No	
Store On Order	The total on order qty for all stores in the price zone. Note: On order is in the single unit size of the item, not case size.	No	
Store total inventory	Total inventory for all stores in the zone.	No	Store On Hand plus Store On Order plus Store In_Transit + Store OBNP_INV
Subclass ID	The subclass hierarchy ID of the item's subclass. Note: Place the cursor over the field to view the subclass description.	No	
UDA	Hyperlink opens UDA information for the item if it exists.	No	
VPN	The VPN for the primary supplier of the item.	No	
Weeks of Sales Exposure	The number of weeks the item has had sales exposure (on had at location).	No	
Weeks Since First Sale	The number of weeks since the items first sale.	No	
Total Inventory	Total inventory for the item/location.	No	Total Warehouse Inventory plus Total Store Inventory

Column	Description	Editable	Calculation
WH Stock On Hand	The current stock on hand at warehouse locations in.	No	
Warehouse On Order	Total on order qty for all stores in the price zone. Note: On order is in the single unit size of the item, not case size.	No	
WH total Inventory	The total inventory for all stores in the zone.	No	Warehouse On Hand plus Warehouse On Order plus Warehouse In Transit

View Conflict Check Results

The Conflict Check Results workspace allows you to review the results of background conflict checking for worksheets, price changes, promotions, and clearances. If the background conflict checking system option is selected, conflict reviews occur in the background, or when the system is not busy performing other tasks. An alert appears in the Conflict column of the worksheet, price change, promotion, or clearance maintenance pane when conflict checking is complete. At that time, follow the procedures below to view the results of background conflict checking.

When background conflict checking is off the system performs conflict checks immediately when **Conflict Check** is clicked from the Price Change, Promotions, or Clearances workspaces.

View Conflict Check Results

Navigation: From Task Pad, select Conflict Check Results > View Conflict Check Results. The Conflict Check Results workspace opens.

Event Type	ID	Promotion Co	Promotion Co	Department	Class	Subclass	Zone	Result	Result Date
Worksheet				1			800	No Conflict...	03/01/2005

Conflict Check Results workspace.

- ♦ Select the conflict results you want to view.

Delete Conflict Check Results

1. Select the conflict results to delete.
2. Click **Delete**.

Create a Price Change

A price change is the permanent change in the price of an item. You can use the price guides to move the new price to established price points, round the price, or define price internals.

The Create Price Change workspace allows you to establish the price changes for an item or group of items at a location or group of locations. When you open the window, the Price Change List and Price Change Maintenance containers open. After you create your price change in the Price Change Maintenance container, it is added to the Price Change List container.

If you select locations with multiple currencies, you can only choose to create a price change by percent or to reset the POS price. Additionally, you cannot create multi-unit pricing across multiple currencies.

Create price change allows you to create the following types of price changes.

Regular: The price change is occurring at the retailer's initiative.

Vendor Funded: The supplier is subsidizing a portion of the price change.

Link codes: Associate items to each other at a location and price them exactly the same.

Create a Regular Price Change

Navigate: From the Task Pad, select Price Changes > Create Price Change. The Create Price Change workspace opens.

Create Price Change workspace

1. In the Price Change Maintenance pane, in the Type field, select Regular.
2. In the Effective Date field, enter the date the price change should go into effect, or click the calendar button and select a date.

Note: The Effective Date you can set depends on the number of days set in the system option Price Change Processing Days. The earliest date price changes can be created is today's date plus the price change processing days. If you have emergency price change permission, Price Change Processing Days will be ignored.

3. In the Price Guide field, enter the ID of the price guide you want to apply to the price change, or click the LOV button and select a price guide.


Note: The price guide only applies to the items in the same department as the price guide and locations that share the same currency as the currency on the price guide.

4. In the Reason Code field, enter the ID of the reason you are creating the price change, or click the LOV button and select a reason code.




Setup Price Change Type

1. In the Price Change Type field, select the type of price change that is occurring.

Note: If you selected locations with multiple currencies, you can only choose to create a price change by percent or to reset the POS price.

- **Change By Percent:** A price for an item is changed by a percentage added to or removed from the basis regular retail. The percent of change is determined by the percent entered in the Change Amount field.
 - **Change By Amount:** A price for an item is changed by an amount added or removed from the basis regular retail. The amount of change is determined by the amount entered in the Change Amount field.
 - **Fixed Price:** The price for the item will be at a specified retail that will be defined in the change amount field.
 - **Reset POS Price:** The item will be recognized on a price change but no change to the retail will occur. When you select Reset POS Price, the Change Amount field and Selling UOM field will be disabled.
2. In the Change Amount field, enter an amount.
 3. If appropriate, define the multi-unit pricing for a price change:
 - a. Select the Multi Unit Pricing check box.
 - b. In the Multi Units field, enter the number of units that are part of the price change.
 - c. In the Multi Unit Retail field, enter the new price for the items.
 - d. In the Multi Unit UOM field, enter the ID of the unit of measure that applies to the price change, or click the LOV  button and select a unit of measure.

Select Locations

1. In the Location Selection area, select how you want to add locations to the price change.
 - **Zone Group:** Enter the ID of the zone group that contains the locations to add to the price change, or click the LOV  button and select a zone group.
 - **Zone:** Enter the ID of the zone to add to the price change, or click the LOV  button and select a zone.
 - **Location:** Enter the ID of the location that you want to add to the price change, or click the LOV  button and select a location.

Note: You can create price changes at the zone or location level.

2. Click **Select**. The zones and/or locations that meet your criteria are added to the table in the Location Selection table.

Select Items

1. In the Price Change Maintenance pane, in the Item Selection area, select items on the price change using the available fields.


The screenshot shows the 'Item Selection' section of a software interface. It contains several input fields with associated LOV (Look Up View) buttons (represented by a small grid icon and a plus sign):

- Department
- Class
- Subclass
- Item Type (a drop-down menu currently showing 'Item')
- Item Level (a drop-down menu)
- Diff Type (a drop-down menu currently showing '- Select -')
- Item
- Diff




Below these fields are three buttons: 'Clear', 'Delete', and 'Select'. At the bottom of the section is a table titled 'Item Selection' with the following columns: 'Level', 'ID', 'Diff ID', and 'Description'. The table is currently empty.

Item Selection area of Price Maintenance pane

Note: All fields with LOV  + buttons allow multiple selections.

- To select items from all available items, enter an ID in the Item field, or click the LOV  + button and select item.

Or

- a. Enter information in the enabled fields to limit the items available in the Item field.
 - In the Department field, enter a department number, or click the LOV  + button and select a department.
 - In the Class field, enter a class number, or click the LOV  + button and select a class.
 - In the Subclass field, enter a subclass number, or click the LOV  + button and select a subclass.
 - In the Item Type drop-down, select Item or Item List.

Note: If you select Item List from the Item Type drop-down, only item lists will be selectable from the Item field. If you select Item, only single items that conform to the other criteria specified will be selectable.

- In the Item Level drop-down, select Parent Item, Parent Item/Diff, or Transaction Level Item.

Note: The Diff Type and Diff fields are only enabled if Parent Item/Diff is selected.

- In the Diff Type drop-down, select a diff type.
- In the Diff drop-down, select a diff.

- b. In the Item field, click the LOV  + button and select items.

2. Click **Select**. Items that meet your criteria are added to the Item Selection table.

Complete the Price Change

1. In the Price Change Maintenance pane, click **Apply** to create price changes. One price change will be created for each item/location intersection.
2. Change the status of your price change as appropriate.
3. Click **Done** to save your changes and close the workspace.

Create a Vendor Funded Price Change

Navigate: From the Task Pad, select Price Changes > Create Price Change. The Create Price Change workspace opens.

Create Price Change

Price Change List

Price Change Maintenance

Type: ☒ Regular ☐ Vendor Funded ☐ Link Code

Price Guide:

* Reason Code:

* Effective Date:

Change Type:

Change Amount:

Selling UOM:

Multi Unit Pricing: ☐

Multi Units:

Multi Unit Retail:

Multi Unit UOM:

Location Selection

Clear Delete Select

Level	ID	Description	Location Type

Item Selection

Clear Delete Select

Level	ID	Diff ID	Description

Apply

Cancel Save + Repeat Done

Create Price Change workspace

1. In the Price Change Maintenance pane, in the Type field, select Vendor Funded.

Price Change Maintenance

Type: ☐ Regular ☒ Vendor Funded ☐ Link Code

Price Guide:

* Reason Code:

* Effective Date:

Change Type:

Change Amount:

Selling UOM:

Multi Unit Pricing: ☐

Multi Units:

Multi Unit Retail:

Multi Unit UOM:

Partner:

Partner Type:

* Deal ID:

* Deal Detail ID:

* Funding Type:

* Funding Amount:

Location Selection

Clear Delete Select

Level	ID	Description	Location Type

Item Selection

Clear Delete Select

Level	ID	Diff ID	Description

Apply

Price Change Maintenance pane

2. In the Effective Date field, enter the date the price change should go into effect, or click the calendar button and select a date.




Note: The Effective Date you can set depends on the number of days set in the system option Price Change Processing Days. The earliest date price changes can be created is today's date plus the price change processing days. If you have emergency price change permission, Price Change Processing Days will be ignored.

3. In the Price Guide field, enter the ID of the price guide you want to apply to the price change, or click the LOV button and select a price guide.

Note: The price guide only applies to the items in the same department as the price guide.

4. In the Reason Code field, enter the ID of the reason you are creating the price change, or click the LOV button and select a reason code.


Select the Vendor and Deal

1. In the Price Change Maintenance pane, in the Partner Type drop-down, select the partner type.
 - Manufacturer
 - Distributor
 - Wholesaler
 - Supplier
2. In the Partner field, enter the ID of the partner with the deal, or click the LOV  button and select a partner.
3. In the Deal ID field, enter the ID of the deal, or click the LOV  button and select a deal.
4. In the Deal Detail ID field, enter the ID of the deal details, or click the LOV  button and select the deal details.

Setup Price Change Type

1. In the Price Change Type field, select the type of price change that is occurring.

Note: If you selected locations with multiple currencies, you can only choose to create a price change by percent or to reset the POS price.

- **Change By Percent:** A price for an item changed by is a percentage added to or removed from the basis regular retail. The percent of change is determined by the percent entered in the Change Amount field.
 - **Change By Amount:** A price for an item is changed by an amount added or removed from the basis regular retail. The amount of change is determined by the amount entered in the Change Amount field.
 - **Fixed Price:** The price for the item will be at a specified retail that will be defined in the change amount field.
 - **Reset POS Price:** The item will be recognized on a price change but no change to the retail will occur. When you select, the Change Amount field and Selling UOM field will be disabled.
2. In the Change Amount field, enter an amount.
 3. If appropriate, define the multi unit pricing for a price change:
 - a. Select the Multi Unit Pricing check box.
 - b. In the Multi Units field, enter the number of units that are part of the price change.
 - c. In the Multi Unit Retail field, enter the new price for the items.
 - d. In the Multi Unit UOM field, enter the ID of the unit of measure that applies to the price change, or click the LOV  button and select a unit of measure.

Select Locations

1. In the location area of the Price Change Maintenance pane, in the Location field, enter a location ID, or click the LOV  button and select locations.

Note: Only locations on the deal are selectable.

2. Click **Select**. Locations are added to the table in the Location Selection table.

Enter Funding Information

1. In the Price Change Maintenance pane, in the Funding Type drop-down, select Percent or Amount.

Note: If the selected locations have different currencies, only Percent is available.

2. In the Funding Amount field, enter an amount.

Select Items

1. In the Item Selection area of the Price Change Maintenance pane, in the Item field, enter an item ID, or click the LOV  button and select items.

Note: Only items on the deal are selectable.

2. Click **Select**. The items appear in the Item Selection table.

Complete the Price Change

1. In the Price Change Maintenance pane, click **Apply** to add all your changes.
2. Change the status of your price change as appropriate.
3. Click **Done** to save your changes and close the workspace.

Create a Link Code Price Change

Navigate: From the Task Pad, select Price Changes > Create Price Change. The Create Price Change workspace opens.

Create Price Change

Price Change List

Price Change Maintenance

Type: ☒ Regular ☐ Vendor Funded ☐ Link Code

Price Guide:

* Reason Code:

* Effective Date:

Change Type:

Change Amount:

Selling UOM:

Multi Unit Pricing: ☐

Multi Units:

Multi Unit Retail:

Multi Unit UOM:

Location Selection

Clear Delete Select

Level	ID	Description	Location Type

Item Selection

Clear Delete Select


Level	ID	Diff ID	Description

Apply

Cancel Save + Repeat Done

Create Price Change workspace


1. In the Price Change Maintenance pane, select Link Code.




The form is titled "Price Change Maintenance" and contains the following fields and sections:

- Type:** Radio buttons for Regular, Vendor Funded, and Link Code (selected).
- Price Guide:** Text field with a LOV button.
- * Reason Code:** Text field with a LOV button.
- * Effective Date:** Text field with a calendar button.
- Change Type:** Dropdown menu.
- Change Amount:** Text field.
- Selling UOM:** Text field with a LOV button.
- Multi Unit Pricing:** Check box.
- Multi Units:** Text field.
- Multi Unit Retail:** Text field.
- Multi Unit UOM:** Text field with a LOV button.
- ▼ Link Code:** Section header.
- * Link Code:** Text field with a LOV button.
- * Currency:** Text field with "USD" selected and a LOV button showing "US Dollar".
- Zone Group:** Text field with a LOV button.
- Zone:** Text field with a LOV button and a "+" sign.
- Location:** Text field with a LOV button and a "+" sign.
- Apply:** Button at the bottom right.


Price Change Maintenance pane

- In the Effective Date field, enter the date the price change is should go into effect, or click the calendar  button and select a date.





Note: The Effective Date you can set depends on the number of days set in the system option Price Change Processing Days. The earliest date price changes can be created is today's date plus the price change processing days. If you have emergency price change permission, Price Change Processing Days will be ignored.

- In the Price Guide field, enter the ID of the price guide you want to apply to the price change, or click the LOV  button and select a price guide.


Note: The price guide only applies to the items in the same department as the price guide and locations that share the same currency as the currency on the price guide.

- In the Reason Code field, enter the ID of the reason you are creating the price change, or click the LOV  button and select a reason code.

Select Link Codes


1. In the Link Code area of the Price Change Maintenance pane, in the Link Code field, enter the ID of the link code, or click the LOV  button and select a link code.
2. In the Currency field, enter the currency code, or click the LOV  button and select the currency.
3. In the Zone Group field, enter the ID of the zone group that contains the locations you want to add to the price change, or click the LOV + button and select a zone group.
4. In the Zone field, enter the ID of the zone that contains the locations you want to add to the price change, or click the LOV + button and select a zone.

Note: The Zone field is limited by the currency entered in step 2.

5. In the Location field, enter the ID of the location that you want to add to the price change, or click the LOV + button and select a location.

Note: You can create price changes at the zone level. Locations are not required.

Setup Price Change Type

1. In the Change Type field, select Fixed Price.
 - **Fixed Price:** The price for the item will be at a specified retail that will be defined in the change amount field. Link code price changes can only be setup as fixed price.
2. In the Change Amount field, enter an amount.
3. If appropriate, define the multi unit pricing for a price change:
 - a. Select the Multi Unit Pricing check box.
 - b. In the Multi Units field, enter the number of units that are part of the price change.
 - c. In the Multi Unit Retail field, enter the new price for the items.
 - d. In the Multi Unit UOM field, enter the ID of the unit of measure that applies to the price change, or click the LOV  button and select a unit of measure.

Complete the Price Change

1. In the Price Change Maintenance pane, click **Apply** to add all your changes.
2. Change the status of your price change as appropriate.
3. Click **Done** to save your changes and close the workspace.

Maintain a Price Change

After you create a price change, you can maintain different aspects of the price change. You can create exceptions to the items and locations that exist on the price change, you can change the specifics of the price change, and you can copy an existing price change.

The procedures below allow you to navigate and search for price changes through the Maintain Price Change task on the Task Pad; however, you can accomplish these same tasks after you create a price change and the price change is displayed in the Price Change List pane in the Create Price Change workspace.

Search for a Price Change

Navigate: From the Task Pad, select Price Changes > Maintain Price Change. The Maintain Price Changes workspace opens.

Maintain Price Changes workspace Price Change Search pane

1. Enter criteria as necessary to restrict the search to the price changes you want to maintain.

Field	Criteria
Type	Select Regular, Vendor Funded, Link Code, or All price change types.
Status	Select Approved, Executed, Rejected, Submitted, or Worksheet status price changes.
Approved By	Enter a username to search for price changes approved by a specific user.

Field	Criteria
Created By	Enter a username to search for price changes created by a specific user.
Reason Code	Select reason codes
Deal ID	Select deal IDs to search for price changes related to specific deals. First select Vendor Funded from the Type field.
Deal Detail ID	Select deal detail IDs to search for price changes related to specific deal details. First select Vendor Funded from the Type field, then select a deal from the Deal ID field.
Price Change ID	Select price change IDs to search for specific price changes.
Effective Date	Select an effective date to search for price changes with a specific effective date.
Approved Date	Select an approved date to search for price changes with a specific approved date.
Create Date	Select a create date to search for price changes with a specific create date.
Price Guide	Select price guides to search for price changes with specific price guides.
Merchandise Level	Select criteria in the following fields to search for price changes in a specific merchandise level: Department Class Subclass Item Type Item Level Diff Type Item Diff
Zone/Location	Select Zone Groups, Zones, and Locations to search for price changes from specific zones or locations.
Market Basket Code	Select a Market Basket Code to search for price changes with a specific Market Basket Code.
Link Code	Select a Link Code to search for price changes with a specific Link Code.

Note: Select the Search on this Level Only checkbox to restrict the search to the selected level.

2. Click **Search**. Your results appear in the Price Change List pane.

Price Change List

ID	Link Code	Item	Item Description	Item Level	Diff ID	Diff ID Description	Location	Location Description	Location Type	Print
5701		100163000	CN-1	Parent Item			10000000...	Fargo	Store	
5700		100163000	CN-1	Parent Item			10000000...	Fargo	Store	
5698		100191001	Test Bug 8...	Transaction...			666	SH1-USD-5	Zone	
5697		100143092	SH2	Transaction...			666	SH1-USD-5	Zone	
5696		100143076	SH-1-Child2	Transaction...			666	SH1-USD-5	Zone	

Go To Page 1 of 5

Status: Worksheet Action: - Select - Update Conflict Check Suggest Date

Delete New Copy Loc Exception Tran Exception Select All

Price Change List pane

Maintain a Price Change

Navigate: From the Task Pad, select Price Changes > Maintain Price Change. The Maintain Price Changes workspace opens.

Maintain Price Changes

Price Change List

Price Change Maintenance

Type: ☒ Regular ☐ Vendor Funded ☐ Link Code

Price Guide:

* Reason Code:

* Effective Date:

Change Type:

Change Amount:

Selling UOM:

Multi Unit Pricing: ☐

Multi Units:

Multi Unit Retail:

Multi Unit UOM:

Location Selection

Clear Delete Select

Level	ID	Description	Location Type
Store	1000000001	Minneapolis	Store

Item Selection

Clear Delete Select

Level	ID	Diff ID	Description
Item	100013028		ALL Sec Test (1234-1000-1000):Ch...

Apply

Cancel Save + Repeat Done

Maintain Price Changes workspace

1. Search for and retrieve the price change you want to maintain. Your results appear in the Price Change List pane.

Price Change List

Price Change

ID	Link Code	Item	Item Description	Item Level	Diff ID	Diff ID Description	Location	Location Description	Location Type	Print
5701		100163000	CN-1	Parent Item			10000000...	Fargo	Store	
5700		100163000	CN-1	Parent Item			10000000...	Fargo	Store	
5698		100191001	Test Bug 8...	Transaction...			666	SH1-USD-5	Zone	
5697		100143092	SH2	Transaction...			666	SH1-USD-5	Zone	
5696		100143076	SH-1-Child2	Transaction...			666	SH1-USD-5	Zone	

Go To Page 1 of 5

Status: Worksheet Action: - Select - Update Conflict Check Suggest Date

Delete New Copy Loc Exception Tran Exception Select All

Price Change List pane

- From the list of results, select the price change you want to maintain. The price change details appear in the Price Change Maintenance pane.

Price Change Maintenance											
Type	<input checked="" type="radio"/> Regular <input type="radio"/> Vendor Funded <input type="radio"/> Link Code	Price Guide	<input type="text"/>								
* Effective Date	03/02/2005	* Reason Code	Code 2								
Change Type	Change By Amount	Multi Unit Pricing	<input type="checkbox"/>								
Change Amount	200.00	Multi Units	<input type="text"/>								
Selling UOM	<input type="text"/>	Multi Unit Retail	<input type="text"/>								
		Multi Unit UOM	<input type="text"/>								
<div> <div>Location Selection</div> <div> <div>Clear</div> <div>Delete</div> <div>Select</div> </div> </div>											
<div> <div>Location Selection</div> <div> <table border="1"> <thead> <tr> <th>Level</th> <th>ID</th> <th>Description</th> <th>Location Type</th> </tr> </thead> <tbody> <tr> <td>Store</td> <td>1000000000</td> <td>Fargo</td> <td>Store</td> </tr> </tbody> </table> </div> </div>				Level	ID	Description	Location Type	Store	1000000000	Fargo	Store
Level	ID	Description	Location Type								
Store	1000000000	Fargo	Store								
<div> <div>Item Selection</div> <div> <div>Clear</div> <div>Delete</div> <div>Select</div> </div> </div>											
<div> <div>Item Selection</div> <div> <table border="1"> <thead> <tr> <th>Level</th> <th>ID</th> <th>Diff ID</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>Parent Item</td> <td>100163000</td> <td></td> <td>CN-1</td> </tr> </tbody> </table> </div> </div>				Level	ID	Diff ID	Description	Parent Item	100163000		CN-1
Level	ID	Diff ID	Description								
Parent Item	100163000		CN-1								
<div> <div>Apply</div> </div>											

Price Change Maintenance pane

3. If necessary, change the status of the price change to Worksheet.
4. Edit the enabled fields as necessary.

Note: You cannot change the items and locations on a price change.


- Click **Apply** to add all any changes.
- Click **Done** to save any changes and close the window.


Copy a Price Change


1. From the list of results, select the price change you want to copy.
2. Click **Copy**. The price change details appear in the Price Change Maintenance pane.

Price Change Maintenance

Type: ☒ Regular ☐ Vendor Funded ☐ Link Code


Price Guide: 

* Reason Code: Code 2  All Code

* Effective Date: 03/02/2005 

Change Type: Change By Amount


Change Amount: 200.00

Selling UOM: 

Multi Unit Pricing: ☐

Multi Units:

Multi Unit Retail:

Multi Unit UOM: 

► Location Selection

Level	ID	Description	Location Type
Store	1000000000	Fargo	Store

► Item Selection

Level	ID	Diff ID	Description
Parent Item	100163000		CN-1

Price Change Maintenance pane

3. Edit the enabled fields as necessary.
4. Click **Apply** to add all any changes.
5. Click **Done** to save any changes and close the window.

Note: Effective dates, exceptions, and status are not copied when copying a price change.

Delete a Price Change

1. From the list of results, select the price change you want to delete.
2. Click **Delete**. You are prompted to confirm your decision.
3. Click **Yes**. The price change is deleted.
4. Click **Done** to close the window.

Note: Only price changes with a status of Worksheet can be deleted.

Check for Conflicts

1. From the list of results, select the price change you want to check.
2. Click **Conflict Check**. If the system option, background conflict check, is on and conflicts exist, the Conflict Review List window is displayed.

ID	Promotion Component	Item	Location	Change Type	Change Amount	Effective Date
3428		100098025	1000000013	Change By Percent	15%	12-20-2004

An approved price change for this item/location/date already exists.

Price Change Type	ID	Promotion Comp	Date	Unit Retail on E	Selling UOM	Multi Units	Multi-Unit Retail	Multi-Unit Selling
Price Change	3221		12-04-2004	\$26.84	EACH			
Price Change	3075		12-20-2004	\$33.55	EACH			
Price Change	3243		12-01-2005	\$35.22	EACH			

Conflict review list window

- If no conflicts exist, click **OK**.
- If conflicts exist, you must adjust the details of your price change before you can move the price change to the next status.

Note: See View conflict check results for more information on background conflict checking.

3. Click **Done** to save any changes and close the window.

Suggest a Date

1. From the list of results, select the price change you want to suggest a date for.
2. Click **Suggest Date**. The system runs a check of promotion constraints, then calculates an appropriate date and places it in the effective date field.
3. Click **Done** to save any changes and close the window.


Create a Location Exception


Note: Location exceptions can only be created for Zone Level price changes


1. From the list of results, select the price change.
2. Click **Location Exceptions**. The locations selection area of the Price Change Maintenance pane is enabled.

Price Change Maintenance

Type: ☒ Regular ☐ Vendor Funded ☐ Link Code


Price Guide: 

* Reason Code: 

* Effective Date: 

Change Type:


Change Amount:

Selling UOM: 

Multi Unit Pricing: ☐

Multi Units:

Multi Unit Retail:

Multi Unit UOM: 


► Location Selection

Level	ID	Description	Location Type
Store	1000000000	Fargo	Store

► Item Selection

Level	ID	Diff ID	Description
Parent Item	100163000		CN-1

Price Change Maintenance pane

3. In the Location field, enter the ID of the location where items are different than the zone on the price change, or click the LOV  button and select a location in the zone.
4. In the enable price change fields, enter information about the price change for the item/location.
5. Click **Apply** to add any changes.
6. Click **Done** to save any changes and close the window.


Create Item Exceptions at the Transaction Level


Note: Item exceptions at the transaction level can occur only when the price change was created at the item parent or item parent/diff level.


1. From the list of results, select the price change.
2. Click **Tran Exceptions**. The item selection area of the Price Change Maintenance pane is enabled.

Price Change Maintenance

Type: ☒ Regular ☐ Vendor Funded ☐ Link Code


Price Guide: 

* Reason Code: Code 2  All Code

* Effective Date: 03/02/2005 

Change Type: Change By Amount


Change Amount: 200.00

Selling UOM: 

Multi Unit Pricing: ☐

Multi Units:

Multi Unit Retail:

Multi Unit UOM: 


▶ Location Selection

Level	ID	Description	Location Type
Store	1000000000	Fargo	Store

▶ Item Selection

Level	ID	Diff ID	Description
Parent Item	100163000		CN-1

Price Change Maintenance pane

3. In the Item field, enter the ID of the item for which items are different than the parent item on the price change, or click the LOV  button and select an item.
4. In the enable price change fields, enter information about the price change for the item.
5. Click **Apply** to add any changes.
6. Click **Done** to save any changes and close the window.

Change the Status of a Price Change

When a price change is added to RPM, it must go through a series of checks before it can be applied to an item/location. Depending on your user role, you may not be able to move the retail price change to the next status. A change to submitted or approved status, or from worksheet back to approved, results in a conflict check. A change to approved status results in the application of area differential strategies for the price change. A price change may be in any of the following statuses:

Status	Definition
Worksheet	The price change has been started, but not reviewed or sent out.
Submitted	The price change has been completed and is pending review. Conflict checking has occurred for the price change.
Approved	The price change has been reviewed and accepted. The price change is communicated to the locations for which the price change is effective.
Executed	The new prices established are effective for the item/location.
Rejected	The price change has been reviewed and declined.

Change the Status of a Price Change

Navigate: From the Task Pad, select Price Changes > Maintain Price Change. The Maintain Price Changes workspace opens.

The screenshot displays the 'Maintain Price Changes' workspace. It features a 'Price Change Maintenance' section with various input fields and two selection tables.

Price Change Maintenance Section:

- Type:** Radio buttons for Regular (selected), Vendor Funded, and Link Code.
- Price Guide:** Text field.
- * Reason Code:** Text field with value 'test'.
- * Effective Date:** Date field with value '02/28/2005'.
- Change Type:** Dropdown menu with value 'Change By Amount'.
- Change Amount:** Text field with value '0.55'.
- Selling UOM:** Text field.
- Multi Unit Pricing:** Check box (unchecked).
- Multi Units:** Text field.
- Multi Unit Retail:** Text field.
- Multi Unit UOM:** Text field.

Location Selection Section:

Buttons: Clear, Delete, Select

Level	ID	Description	Location Type
Store	1000000001	Minneapolis	Store

Item Selection Section:

Buttons: Clear, Delete, Select

Level	ID	Diff ID	Description
Item	100013028		ALL Sec Test (1234-1000-1000):Ch...

Buttons at the bottom: Cancel, Save + Repeat, Done, Apply

Maintain Price Changes workspace

1. Search for and retrieve the price change you want to maintain. Your results are displayed in the Price Change List pane.

Price Change List

ID	Link Code	Item	Item Description	Item Level	Diff ID	Diff ID Description	Location	Location Description	Location Type	Price
Filter by: ▼	Filter by: ▼	Filter by: ▼	Filter by: ▼	Filter by: ▼	Filter by: ▼	Filter by: ▼	Filter by: ▼	Filter by: ▼	Filter by: ▼	Filter by: ▼
5701		100163000	CN-1	Parent Item			10000000...	Fargo	Store	
5700		100163000	CN-1	Parent Item			10000000...	Fargo	Store	
5698		100191001	Test Bug 8...	Transaction...			666	SH1-USD-5	Zone	
5697		100143092	SH2	Transaction...			666	SH1-USD-5	Zone	
5696		100143076	SH-1-Child2	Transaction...			666	SH1-USD-5	Zone	

Go To Page 1 of 5

Status: Worksheet Action: - Select - Update Conflict Check Suggest Date

Delete New Copy Loc Exception Tran Exception Select All

Price Change List pane

Note: If you are in the Create Price Change workspace your price changes are displayed in the Price Change List container when you click **Apply**. You do not need to open the Maintain Price Change workspace.

2. Select the price change for which you want to change the status.
 - In the table, select a row.
 - Click **Select All**. All records in the Price Change List pane are selected.
3. In the Action field, select the status to which you want to move the price change.
4. Click **Update**. You are prompted to confirm your decision.
5. Click **Yes**. If the system option, background conflict check, is off and conflicts exist, the Conflict Review List window is displayed.

Conflict Review List

Conflict Review List

ID	Promotion Component	Item	Location	Change Type	Change Amount	Effective Date
3428		100098025	1000000013	Change By Percent	15%	12-20-2004

An approved price change for this item/location/date already exists.

Price Change Type	ID	Promotion Component	Date	Unit Retail on Effective Date	Selling UOM	Multi Units	Multi-Unit Retail	Multi-Unit Selling
Price Change	3221		12-04-2004	\$26.84	EACH			
Price Change	3075		12-20-2004	\$33.55	EACH			
Price Change	3243		12-01-2005	\$35.22	EACH			

Close

Conflict review list window

Note: See View conflict check results for more information on background conflict checking. When background conflict check is on, a binocular icon appears in the conflict column when conflict checking is complete. Click the icon to open the Conflict Review List workspace.

- a. The current price change is displayed in the upper half of the window. Price changes promotions, and/or clearances for the same item/location are displayed in the lower half of the window.
 - b. Click **Close** to close the Conflict Review List. The Maintain a price change procedure contains additional information on how to adjust a price change.
6. Click **Done** to save any changes and close the window.

Create a Clearance

A clearance is designed to move out of date and slow selling merchandise out of a store. A clearance is considered a permanent price change, and inventory is consequently revalued. Once the reset date for a clearance has passed, the item's price and inventory value is returned to the regular price. The following clearances can be created.

- **Regular:** The clearance is occurring at the retailer's initiative.
- **Vendor Funded:** The supplier is subsidizing a portion of the clearance.

Create a Regular Clearance

Navigate: From the Task Pad, select Clearances > Create Clearance. The Create Clearance workspace opens.

The screenshot displays the 'Create Clearance' workspace. It features two main panes: 'Clearance List' and 'Clearance Maintenance'.


Clearance List: This pane contains a table with columns: ID, Item, Item Description, Item Level, Diff ID, Diff ID Description, Location, Location Description, Location Type, Primary Zone, Exception ID, Parent ID, Current Unit, and Currency. Below the table are buttons for 'Status', 'Action' (a dropdown menu), and 'Update'. At the bottom of this pane are buttons for 'Delete', 'New', 'Copy', 'Loc Exception', 'Tran Exception', 'Conflict Check', and 'Select All'.

Clearance Maintenance: This pane contains several input fields and sections:


- Type:** Radio buttons for 'Regular' (selected) and 'Vendor Funded'.
- * Effective Date:** A date field with a calendar icon.
- * Price Change Type:** A dropdown menu.
- Change Amount:** A text input field.
- Price Guide:** A text input field with a dropdown arrow.
- * Reason Code:** A text input field with a dropdown arrow.
- Out Of Stock Date:** A date field with a calendar icon.
- Reset Date:** A date field with a calendar icon.
- Earliest Reset Date:** A date field.
- Latest Reset Date:** A date field.
- Location Selection:** A section with 'Zone Group', 'Zone', and 'Location' fields, each with a dropdown arrow and a '+' button.
- Location Selection Table:** A table with columns: Level, ID, Description, and Location Type.
- Item Selection:** A section with 'Department' and 'Class' fields, each with a dropdown arrow and a '+' button.

 At the bottom right of the 'Clearance Maintenance' pane are buttons for 'Clear', 'Delete', and 'Select'. At the very bottom of the workspace are buttons for 'Cancel', 'Save + Repeat', and 'Done'.



Create Clearance workspace

1. In the Clearance Maintenance pane, in the Type field, select Regular.
2. In the Effective Date field, enter the date the clearance is enabled, or click the calendar  button and select a date.


Note: The Effective Date you can set depends on the number of days set in the system option Price Change Processing Days. The earliest date clearances can be created is today's date plus the price change processing days, unless you have emergency privileges.

3. In the Price Guide field, enter the ID of the price guide you want to apply to the clearance, or click the LOV  button and select a price guide.

Note: The price guide only applies to the items in the same department as the price guide and locations that share the same currency as the currency on the price guide.

4. In the Reason Code field, enter the ID of the reason you are creating the clearance, or click the LOV  button and select a reason code.
5. In the Out of Stock Date field, enter the date you expect the inventory to be consumed, or click the calendar  button and select a date.

Note: Depending on your system settings the date may default.

6. In the Reset Date field, enter the date the price of the item returns to regular price, or click the calendar  button and select a date.

Note: Depending on your system settings the date may default.

Setup Clearance Type




1. In the Price Change Type field, select the type of clearance that is occurring.

Note: If you selected locations with multiple currencies, you can only choose to create a clearance by percent.

- **Change By Percent:** A price for an item changed by is a percentage added to or removed from the basis retail price. The percent of change is determined by the percent entered in the Change Amount field.
 - **Change By Amount:** A price for an item is changed by an amount added or removed from the basis retail price. The amount of change is determined by the amount entered in the Change Amount field.
 - **Fixed Price:** The price for the item will be at a specified retail that will be defined in the change amount field.
2. In the Change Amount field, enter the amount, percent, or fixed amount for the clearance.


Note: There is no need to enter a negative sign before the number entered in the Change Amount field. A clearance can only exist as a decrease in price.

Select Locations


1. In the Location Selection area, select how you want to add locations to the clearance.
 - **Zone Group:** Enter the ID of the zone group that contains the locations to add to the clearance, or click the LOV  button and select a zone group.
 - **Zone:** Enter the ID of the zone to add to the clearance, or click the LOV  button and select a zone.
 - **Location:** Enter the ID of the location to add to the clearance, or click the LOV  button and select a location.
2. Click **Select**. Locations that meet your criteria are added to the table in the Location Selection area.


Select Items


1. In the Clearance Maintenance pane, in the Item Selection area, select items on the clearance using the available fields.





▼ Item Selection


Department  +


Class  +


Subclass  +

Item Type  +

Item Level  +

Diff Type  +


Item  +





Diff  +

Clear Delete Select

Level	ID	Diff ID	Description

Item selection area of Clearance Maintenance pane


Note: All fields with LOV  buttons allow multiple items to be selected.

- To select items from all available items, enter an ID in the Item field, or click the LOV  button and select item.
- Or
- a. Enter information in the enabled fields to limit the items available in the Item field.
 - In the Department field, enter a department number, or click the LOV  button and select a department.
 - In the Class field, enter a class number, or click the LOV  button and select a class.
 - In the Subclass field, enter a subclass number, or click the LOV  button and select a subclass.
 - In the Item Type drop-down, select Item or Item List.

Note: If you select Item List from the Item Type drop-down, only item lists will be selectable from the Item field. If you select Item, only single items that conform to the other criteria specified will be selectable.

- In the Item Level drop-down, select Parent Item, Parent Item/Diff, or Transaction Level Item.

Note: The Diff Type and Diff fields are only enabled if Parent Item/Diff is selected.

- In the Diff Type drop-down, select a diff type.
 - In the Diff drop-down, select a diff.
- b. In the Item field, click the LOV  button and select items.
2. Click **Select**. Items that meet your criteria are added to the table in the Item Selection area.


Complete the Clearance

1. Click **Apply** to add any changes.
2. Change the status of your clearance as appropriate.
3. Click **Done** to save any changes and close the workspace.


Create a Vendor Funded Clearance

Navigate: From the Task Pad, select Clearances > Create Clearance. The Create Clearance workspace opens.


Create Clearance workspace


1. In the Clearance Maintenance pane, in the Type field, select Vendor Funded.
2. In the Effective Date field, enter the date the clearance is enabled, or click the calendar  button and select a date.

Note: The Effective Date you can set depends on the number of days set in the system option Price Change Processing Days. The earliest date clearances can be created is today's date plus the price change processing days, unless you have emergency privileges.


3. In the Price Guide field, enter the ID of the price guide you want to apply to the clearance, or click the LOV  button and select a price guide.

Note: The price guide only applies to the items in the same department as the price guide and locations that share the same currency as the currency on the price guide.

4. In the Reason Code field, enter the ID of the reason you are creating the clearance, or click the LOV  button and select a reason code.




5. In the Out of Stock Date field, enter the date you expect the inventory to be consumed, or click the calendar  button and select a date.

Note: Depending on your system settings the date may default.


6. In the Reset Date field, enter the date the price of the item returns to regular price, or click the calendar  button and select a date.

Note: Depending on your system settings the date may default.

Select the Vendor and Deal

1. In the Clearance Maintenance pane, in the Partner Type drop-down, select the partner type.
 - Manufacturer
 - Distributor
 - Wholesaler
 - Supplier
2. In the Partner field, enter the ID of the partner with the deal, or click the LOV  button and select a partner.
3. In the Deal ID field, enter the ID of the deal, or click the LOV  button and select a deal.
4. In the Deal Detail ID field, enter the ID of the deal details, or click the LOV  button and select the deal details.

Select Locations

1. In the location area of the Clearance Maintenance pane, in the Location field, enter a location ID, or click the LOV + button and select locations.

Note: Only locations on the deal are selectable.

2. Click **Select**. Locations are added to the table in the Location Selection table.


Enter Funding Information

1. In the Clearance Maintenance pane, in the Funding Type drop-down, select Percent or Amount.

Note: If the selected locations have different currencies, only Percent is available.

2. In the Funding Amount field, enter an amount.

Select Items

1. In the Item Selection area of the Clearance Maintenance pane, in the Item field, enter an item ID, or click the LOV + button and select items.

Note: Only items on the deal are selectable.

2. Click **Select**. The items appear in the Item Selection table.

Complete the Clearance

1. Click **Apply** to add any changes.
2. Change the status of your clearance as appropriate.
3. Click **Done** to save any changes and close the workspace.

Maintain a Clearance

After you create a clearance, you can maintain different aspects of the clearance. You can create exceptions to the items and locations that exist on the clearance, you can change the specifics of the clearance and you can copy an existing clearance.

The procedures below allow you to navigate and search for clearances through the Maintain Clearances task on the Task Pad; however, you can accomplish these same tasks after you create a clearance and the clearance opens in the Clearance List pane in the Create Clearance workspace.

Search for a Clearance

Navigate: From the Task Pad, select Clearances > Maintain Clearances. The Maintain Clearances workspace opens.

Maintain Clearances workspace

1. Enter criteria as necessary to restrict the search to the clearances you want to maintain.
2. Click **Search**. Your results appear in the Clearance List pane.

ID	Item	Item Description	Item Level	Diff ID	Diff ID Description	Location	Location Description	Location Type	Primary Zone	Exception Ind	Parent ID	Current Unit	Current Unit Description
697	1000	DOC Item 1	Transaction...			203	dw test 27						

Clearance List pane

Maintain a Clearance

Navigate: From the Task Pad, select Clearances > Maintain Clearances. The Maintain Clearances workspace opens.

The screenshot shows the 'Maintain Clearances' workspace with a 'Clearance Search' form. The form includes various search criteria such as Type (Regular), Effective Date, Approved By, Reason Code, Deal ID, Deal Detail ID, Department, Class, Subclass, Item Type (Item), Item Level (Transaction Level Item), Diff Type, Item, Diff, Status, Created By, Create Date, Price Guide, Out Of Stock Date, Reset Date, Zone Group, Zone, Location, and Market Basket Code. There are also checkboxes for 'Search On This Level Only' and 'Search On This Level Only'. The form has 'Clear', 'Search', and 'Cancel' buttons at the bottom.

Maintain Clearances workspace

1. Search for and retrieve the clearance you want to maintain. Your results appear in the Clearance List pane.

The screenshot shows the 'Clearance List' pane with a table of clearance results. The table has columns for ID, Item, Item Description, Item Level, Diff ID, Diff ID Description, Location, Location Description, Location Type, Primary Zone, Exception Ind, Parent ID, Current Unit, and Current Unit Description. The first row of data shows ID 697, Item 1000, Item Description DOC Item 1, Item Level Transaction..., Location 283, Location Description dv test 27, Location Type, Primary Zone, Exception Ind, Parent ID, Current Unit \$4, and Current Unit Description.

ID	Item	Item Description	Item Level	Diff ID	Diff ID Description	Location	Location Description	Location Type	Primary Zone	Exception Ind	Parent ID	Current Unit	Current Unit Description
697	1000	DOC Item 1	Transaction...			283	dv test 27					\$4	

Below the table, there are buttons for 'Delete', 'New', 'Copy', 'Loc Exception', 'Tran Exception', 'Conflict Check', and 'Select All'. There is also a 'Status' dropdown set to 'Worksheet' and an 'Action' dropdown set to '- Select -'.

Clearance List pane

2. From the list of results, select the clearance you want to maintain. The clearance details appear in the Clearance Maintenance pane.

Clearance Maintenance

Type: ☒ Regular ☐ Vendor Funded

* Effective Date: 10/01/2004

* Price Change Type: Change By Amount

Change Amount: 2.00

Price Guide:

* Reason Code: 5-2

Clearance Reas...

Out Of Stock Date:

Reset Date: 10/12/2004

Earliest Reset Date: 10-12-2004

Latest Reset Date: 10-12-2004

Location Selection

Clear Delete Select

Level	ID	Description	Location Type
Zone	30	Z1-USD	

Item Selection

Clear Delete Select

Level	ID	Diff ID	Description
Item	12342		SH-Item for dev:32 Waist X32 Inseam

Apply

Clearance Maintenance pane

3. If necessary, change the status of the price change to Worksheet.
4. Edit the enabled fields as necessary.

Note: You cannot change the items and locations on a clearance.

5. Click **Apply** to add all any changes.
6. Click **Done** to save any changes and close the window.

Copy a Clearance

1. From the list of results, select the clearance you want to copy.
2. Click **Copy**. The clearance details appear in the Clearance Maintenance pane.

Clearance Maintenance

Type: ☒ Regular ☐ Vendor Funded

* Effective Date: 10/01/2004

* Price Change Type: Change By Amount

Change Amount: 2.00

Price Guide:

* Reason Code: 5-2

Out Of Stock Date:

Reset Date: 10/12/2004

Earliest Reset Date: 10-12-2004

Latest Reset Date: 10-12-2004

Location Selection

Clear Delete Select

Level	ID	Description	Location Type
Zone	30	Z1-USD	

Item Selection

Clear Delete Select

Level	ID	Diff ID	Description
Item	12342		SH-Item for dev:32 Waist X32 Inseam

Apply

Clearance Maintenance pane

3. Edit the enabled fields as necessary.
4. Click **Apply** to add all any changes.
5. Click **Done** to save any changes and close the window.

Delete a Clearance

1. From the list of results, select the clearance you want to delete.
2. Click **Delete**. You are prompted to confirm your decision.

Note: Only clearances in Deleted status can be deleted.

3. Click **Yes**. The clearance is deleted.
4. Click **Done** to close the window.

Check for Conflicting Clearance

1. From the list of results, select the clearance you want to check.
2. Click **Conflict Check**. If the system option, background conflict check, is on and conflicts exist, the Conflict Review List window is displayed.

ID	Promotion Component	Item	Location	Change Type	Change Amount	Effective Date
919		100098025	1000000001	Fixed Price	\$25.85	12-01-2005

Price Change Type	ID	Promotion Component	Date	Unit Retail on E	Selling UOM	Multi Units	Multi-Unit Retail	Multi-Unit Selling
Price Change	3410		12-10-2004	\$26.06	EACH			
Clearance	946		12-10-2004	\$5.06	EACH			

Conflict review list window

- If no conflicts exist, click **OK**.
- If conflicts exist, you must adjust the details of your clearance before you can move the clearance to the next status.

Note: See View conflict check results for more information on background conflict checking.

3. Click **Done** to save any changes and close the window.

Create a Location Exception

Note: Location exceptions can only be created for Zone Level clearances.

1. From the list of results, select the clearance.
2. Click **Location Exceptions**. The locations selection area of the Clearance Maintenance pane is enabled.

Clearance Maintenance

Type: ☒ Regular ☐ Vendor Funded

* Effective Date: 10/01/2004

* Price Change Type: Change By Amount

Change Amount: 2.00

Price Guide:

* Reason Code: 5-2

Out Of Stock Date:

Reset Date: 10/12/2004

Earliest Reset Date: 10-12-2004

Latest Reset Date: 10-12-2004

Location Selection

Clear Delete Select

Level	ID	Description	Location Type
Zone	30	Z1-USD	

Item Selection

Clear Delete Select

Level	ID	Diff ID	Description
Item	12342		SH-Item for dev:32 Waist X32 Inseam

Apply

Clearance Maintenance pane

3. In the Location field, enter the ID of the location where items are different than the zone on the clearance, or click the LOV button and select a location.
4. In the enabled clearance fields, enter information about the clearance for the item/location.
5. Click **Apply** to add any changes.
6. Click **Done** to save any changes and close the window.

Create Item Exceptions at the Transaction Level

Note: Item exceptions at the transaction level can occur only when the clearance was created at the item parent or item parent/diff level.

1. From the list of results, select the clearance.
2. Click **Tran Exceptions**. The item selection area of the Clearance Maintenance pane is enabled.

The screenshot shows the 'Clearance Maintenance' window. The 'Type' is set to 'Regular'. The 'Effective Date' is '10/01/2004'. The 'Price Change Type' is 'Change By Amount' with a 'Change Amount' of '2.00'. The 'Reason Code' is '5-2'. The 'Reset Date' is '10/12/2004'. The 'Earliest Reset Date' is '10-12-2004' and the 'Latest Reset Date' is '10-12-2004'. The 'Location Selection' pane is expanded, showing a table with columns 'Level', 'ID', 'Description', and 'Location Type'. The table contains one row: 'Zone', '30', 'Z1-USD', and an empty 'Location Type' cell. The 'Item Selection' pane is also expanded, showing a table with columns 'Level', 'ID', 'Diff ID', and 'Description'. The table contains one row: 'Item', '12342', an empty 'Diff ID' cell, and 'SH-Item for dev:32 Waist X32 Inseam'. The 'Apply' button is at the bottom right.

Level	ID	Description	Location Type
Zone	30	Z1-USD	

Level	ID	Diff ID	Description
Item	12342		SH-Item for dev:32 Waist X32 Inseam

Clearance Maintenance pane

3. In the Item field, enter the ID of the item for which items are different than the parent item on the clearance, or click the LOV button and select an item.
4. In the enabled clearance fields, enter information about the clearance for the item/location.
5. Click **Apply** to add any changes.
6. Click **Done** to save any changes and close the window.

Change the Status of a Clearance

When a clearance is added to RPM, it must go through a series of checks before it can be applied to an item/location. Depending on your user role, you may not be able to move the clearance to the next status. A clearance may be in any of the following statuses:

Status	Definition
Worksheet	The clearance has been started, but not reviewed or sent out.
Submitted	The clearance has been completed and is pending review. Conflict checking has occurred for the price change.
Approved	The clearance has been reviewed and accepted. The clearance is communicated to the locations for which the clearance is effective.
Executed	The clearance prices established are effective for the item/location.
Rejected	The clearance has been reviewed and declined.

Change the Status of a Clearance

Navigate: From the Task Pad, select Clearances > Maintain Clearances. The Maintain Clearances workspace opens.

The screenshot displays the 'Maintain Clearances' workspace. At the top, there is a 'Clearance Search' section with various filters. The filters are organized into two columns. The left column includes: Type (set to 'Regular'), Effective Date (with a calendar icon), Approved By, Approved Date (with a calendar icon), Reason Code, Deal ID, Deal Detail ID, Department, Class, Subclass, Item Type (set to 'Item'), Item Level (set to 'Transaction Level Item'), Diff Type (set to '- Select -'), Item, and Diff. The right column includes: Status (set to '- Select -'), Created By, Create Date (with a calendar icon), Price Guide, Out Of Stock Date (with a calendar icon), Reset Date (with a calendar icon), Zone Group, Zone, Location, and Market Basket Code. There are also checkboxes for 'Search On This Level Only' and a 'Clear' button. At the bottom right, there is a 'Cancel' button.

Maintain Clearances workspace


1. Search for and retrieve the clearance you want to maintain. Your results appear in the Clearance List pane.

Clearance List pane

Note: If you are in the Create Clearance workspace, your clearances appear in the Price Change List container when you click **Apply**. You do not need to open the Maintain Price Change workspace.

2. Select the price change for which you want to change the status.
 - In the table, select a row.
 - Click **Select All**. All records in the Clearance List pane are selected.
3. In the Action field, select the status to which you want to move the clearance.
4. Click **Update**. You are prompted to confirm your decision.
5. Click **Yes**. If the system option, background conflict check, is off and conflicts exist, the Conflict Review List window is displayed.

Conflict review list window

Note: See View conflict check results for more information on background conflict checking. When background conflict check is on, a binocular  icon appears in the conflict column when conflict checking is complete. Click the icon to open the Conflict Review List workspace.

- a. The current clearance opens in the upper half of the window. Price changes, promotions, and clearances affecting the same item/location appear in the lower half of the window.
 - b. Click **Close** to close the conflict review list. The Maintain a clearance procedure contains additional information on how to adjust a clearance.
6. Click **Done** to save any changes and close the window.

Set up Promotions

Create a Promotion Event



A promotion event is a method of grouping promotions that occur during a period of time. Each event can be associated with many promotions, but a promotion can only be associated with one event.

Create a Promotion Event

Navigate: From the Task Pad, select Promotion Events > Create/Maintain Events. The Maintain Promotion Events workspace is displayed.

Event Id	Event Description	Theme	Start Date	End Date
67	The Never Ending Event		10-31-2004	10-31-2005
73	RF 21 testing	I Don't Know	10-19-2004	10-31-2004
74	Alli Event		11-01-2004	12-01-2005
68	smm promo event	event	08-02-2005	08-31-2005
65	Fall Event	Apple	10-14-2004	10-15-2004
66	Starts today	Fun	10-01-2004	10-23-2004

Maintain Promotion Events workspace

1. In the Promotion Events section, click **New**.
2. In the Event Description field, enter a name for the event you are creating.
3. In the Theme field, enter any additional informative information about the event.
4. In the Start Date and Time fields:
 - a. In the first field, enter the date the event starts, or click the LOV  button and select a date.
 - b. In the second field, enter the time the event starts.
5. In the End Date and Time fields:
 - a. In the first field, enter the date the event ends, or click the LOV  button and select a date.
 - b. In the second field, enter the time the event ends.
6. Click **Apply**. The promotion event is added to the table.
7. Click **Done** to save any changes and close the window.

Add a Promotion to an Event

1. In the Maintain Promotion Events pane, click **Add Promotion**. The Create Promotion workspace is displayed.

The screenshot shows the 'Create Promotion' workspace. The top section, 'Promotion Header', contains fields for Promotion ID (1068), Description, Event, Currency (USD), Start Date, End Date, Status (Worksheet), and Valid Departments. There are also buttons for 'Comments', 'Referenced Deals', and a checkbox for 'Secondary Application of Discounts'. The bottom section, 'Promotion Components', features a table with columns: Component Id, Component Name, Type, Status, Secondary Application, and Conflicts. Below the table are input fields for Component Id, Component Name, Type, Status, and Secondary Application of Discounts, along with an 'Action' dropdown menu. At the bottom of the workspace are buttons for 'Conflict Check', 'Add Component', 'Delete Component', 'Edit', 'Update', 'Conflicts', 'Manage Overlaps', 'Cancel', 'Save + Repeat', and 'Done'. The Retek logo is visible in the bottom left corner.

Component Id	Component Name	Type	Status	Secondary Application	Conflicts
--------------	----------------	------	--------	-----------------------	-----------

Create Promotion workspace

2. Add the appropriate details to create a promotion.


Create a Threshold Definition

A threshold is a discount that a customer receives for purchasing a pre-determined amount of an item. You must define the levels that exist in the threshold, then associate the threshold definition to the threshold component.

Create a Threshold Definition

Navigate: From the Task Pad, select Promotion Threshold > Create Threshold. The Create Threshold workspace opens.

Create Threshold workspace

1. In the Name field, enter a description of the threshold you are creating.
2. In the Currency field, enter the ID of the appropriate currency, or click the LOV  button and select a currency.
3. In the Qualification Type field, select how the threshold is met:
 - **Threshold Level:** All items on the promotion can be counted together to meet the terms of the threshold and have the promotion applied.
 - **Item Level:** Each item on the promotion must meet the threshold to have the discount applied.
4. In the Threshold Type field, select the measure that indicates how the threshold is met:
 - **Quantity:** A number of units of an item must be purchased by the customer from the retailer.
 - **Amount:** A value of the item must be purchased by the customer from the retailer.
5. In the Discount Type field, select the method used to determine the new price of the item.
 - **Percent Off:** A price for an item is changed by a percentage removed from the original price. The percent of change is determined by the percent entered in the Change Amount field.
 - **Amount Off:** A price for an item is changed by an amount removed from the original price. The amount of change is determined by the amount entered in the Change Amount field.
 - **Fixed Price:** The price for the item will be at a specified retail that will be defined in the change amount field.
6. If you choose Fixed Price in the Discount type field, you must enter the Selling UOM for the item.

7. In the threshold area on the right, enter the amount or quantity that needs to be purchased in the Threshold Type field.
8. In the Discount Type field, enter the percent off, amount off, or fixed price received.
9. Press **Tab** to add additional threshold levels.
10. Click **Done** to save any changes and close the window.

Create Vendor Funding Defaults


When an item is on promotion at a retailer, part of the discount a customer receives may be contributed by the vendor. When you set up a promotion, you can define the vendor's contribution.

You can create billing information defaults at the vendor level, which allows you to apply the information to any deal that is created through the promotions dialog that is associated with the vendor

Create a Vendor Funded Default

Navigate: From the Task Pad, select Vendor Funding Defaults > Create Defaults. The Create Defaults workspace opens.

Create Defaults workspace

1. In the Vendor Type field, select the type of vendor that is contributing to the promotion.
2. In the Vendor field, enter the ID of the vendor, or click the LOV  button and select a vendor.
3. In the Deal Reporting Level field, select the frequency of deal reporting.
4. In the Bill Back Method field, select the type of invoice that is created for the supplier.
5. In the Bill Back Period field, select the frequency that the vendor is charged for the bill back.
6. In the Invoice Processing Logic field, select the method used to create invoices. Invoices are created automatically, manually, or not at all depending on the option selected.
7. Select the Include VAT in Deal Billing check box to indicate that VAT should be included in the invoice information.

8. Select the Include Deal Income in Stock Ledger check box to indicate that deal income accrual should be written to the stock ledger.
9. Click **Done** to save any changes and close the window.

Edit Vendor Funded Defaults

Navigate: From the Task Pad, select Vendor Funding Defaults > Maintain Defaults. The Maintain Defaults workspace opens.

Vendor Type	Vendor	Deal Reporting Level	Bill Back Method	Bill Back Period	Invoice Processing Logic	Inc VAT in Deal Billing	Inc D
Supplier	Test Supplier	Month	Credit Note	Annual	Automatic	<input type="checkbox"/>	
Distributor	LIQUOR MA...	Month	Credit Note	Annual	Automatic	<input type="checkbox"/>	
Supplier	Candidate R...	Week	Credit Note	Week	Automatic	<input type="checkbox"/>	
Manufacturer	WISE POT...	Quarter	Debit Note	Month	Manual	<input checked="" type="checkbox"/>	

* Vendor Type: - Select -

* Vendor:

* Deal Reporting Level: - Select -

* Invoice Processing Logic: - Select -

* Bill Back Method: - Select -

* Bill Back Period: - Select -

Include VAT in Deal Billing: ☐

Include Deal Income in Stock Ledger: ☐

Buttons: Delete, Edit, Apply, Cancel, Save + Repeat, Done

Maintain Defaults workspace

1. On the table, select a vendor.
2. Click **Edit**. The details area is enabled.
3. Update the enabled fields as necessary.
4. Click **Apply** to add your changes to the table.
5. Click **Done** to save any change and close the window.

Delete a Vendor Funded Default

1. On the table, select a vendor.
2. Click **Delete**. You are prompted to confirm your decision.
3. Click **Yes**.
4. Click **Done** to save any change and close the window.

Maintain a Promotion Constraint

The Maintain Promotion Constraint workspace allows you to maintain promotion constraints. You set up promotion constraints at the department, class, or subclass level for a particular zone or location. A warning will appear if a price change or promotion is created that would fall a certain number of days before or during another approved promotion or price change. The number of days before the promotion is the promotion constraint.

Maintain a Promotion Constraint

Navigate: From the Task Pad, select Promotion Constraints > Maintain Promotion Constraints. The Maintain Promotion Constraints workspace opens.

Department +
Class +
Subclass +

Zone Group +
Zone +
Location +





* Constraint

Apply


Department ID	Department	Class ID	Class	Subclass ID	Subclass	Location ID	Location	Constraint
22	DW working de...	1	DW Test Clas...	1	test subclass 1	1000001002	Mall of America	2
1414	Activewear	1000	Sports Clothes	1000	Mens Sports ...	1000000000	Fargo	2
1414	Activewear	1000	Sports Clothes	1000	Mens Sports ...	1000000001	Minneapolis	2
1414	Activewear	1000	Sports Clothes	1000	Mens Sports ...	1000000002	Madison	2
1414	Activewear	1000	Sports Clothes	1000	Mens Sports ...	1000000006	Hermosa Beach	2
1414	Activewear	1000	Sports Clothes	1000	Mens Sports ...	1000000007	Fresno	2
1414	Activewear	1000	Sports Clothes	1000	Mens Sports ...	1000000014	Baltimore	2
1414	Activewear	1000	Sports Clothes	1000	Mens Sports ...	1000001000	Edina	2
20	Merch Extract...	201	Merch Ext 1	2001	Merch Ext Sub...	1000000000	Fargo	10
20	Merch Extract...	201	Merch Ext 1	2001	Merch Ext Sub...	1000000001	Minneapolis	10
20	Merch Extract...	201	Merch Ext 1	2001	Merch Ext Sub...	1000000002	Madison	10
20	Merch Extract...	201	Merch Ext 1	2001	Merch Ext Sub...	1000000007	Fresno	10
20	Merch Extract...	201	Merch Ext 1	2001	Merch Ext Sub...	1000000014	Baltimore	10
20	Merch Extract...	201	Merch Ext 1	2002	Merch Ext Sub...	1000000000	Fargo	10
20	Merch Extract...	201	Merch Ext 1	2002	Merch Ext Sub...	1000000001	Minneapolis	10
20	Merch Extract...	201	Merch Ext 1	2002	Merch Ext Sub...	1000000002	Madison	10
20	Merch Extract...	201	Merch Ext 1	2002	Merch Ext Sub...	1000000007	Fresno	10
20	Merch Extract...	201	Merch Ext 1	2002	Merch Ext Sub...	1000000014	Baltimore	10
20	Merch Extract...	202	Merch Ext 2	2003	Merch Ext Sub...	1000000000	Fargo	10

Delete

Maintain Promotion Constraints workspace

1. Enter the ID of the merchandise level the promotion constraint should apply to, or click the LOV  + button and select the appropriate merchandise level
2. In the Location Selection area, select the locations the promotion constraint should apply to.
 - **Zone Group:** Enter the ID of the zone group the constraint should apply to, or click the LOV  button and select a zone group.
 - **Zone:** Enter the ID of the zone the constraint should apply to, or click the LOV  + button and select a zone.
 - **Location:** Enter the ID of the location the constraint should apply to, or click the LOV  + button and select a location.
3. In the Constraint field, enter the number of days for the promotion constraint.
4. Click **Apply**. A row is added to the table.

Delete a Promotion Constraint

1. In the Promotion Constraints table, select the row you want to delete by clicking the box  to the left of the row. Press and hold the Ctrl key while selecting to select multiple rows. Click **Select All** to select all the rows.

Department ID	Department	Class Id	Class	Subclass ID	Subclass	Location ID	Location	Constraint
Filter by: ▼	Filter by: ▼	Filter by: ▼	Filter by: ▼	Filter by: ▼	Filter by: ▼	Filter by: ▼	Filter by: ▼	Filter by: ▼
22	DW working de...	1	DW Test Clas...	1	test subclass 1	1000001002	Mall of America	2
1414	Activewear	1000	Sports Clothes	1000	Mens Sports ...	1000000000	Fargo	2
1414	Activewear	1000	Sports Clothes	1000	Mens Sports ...	1000000001	Minneapolis	2
1414	Activewear	1000	Sports Clothes	1000	Mens Sports ...	1000000002	Madison	2
1414	Activewear	1000	Sports Clothes	1000	Mens Sports ...	1000000006	Hermosa Beach	2
1414	Activewear	1000	Sports Clothes	1000	Mens Sports ...	1000000007	Fresno	2
1414	Activewear	1000	Sports Clothes	1000	Mens Sports ...	1000000014	Baltimore	2
1414	Activewear	1000	Sports Clothes	1000	Mens Sports ...	1000001000	Edina	2
20	Merch Extract...	201	Merch Ext 1	2001	Merch Ext Sub...	1000000000	Fargo	10
20	Merch Extract...	201	Merch Ext 1	2001	Merch Ext Sub...	1000000001	Minneapolis	10
20	Merch Extract...	201	Merch Ext 1	2001	Merch Ext Sub...	1000000002	Madison	10
20	Merch Extract...	201	Merch Ext 1	2001	Merch Ext Sub...	1000000007	Fresno	10
20	Merch Extract...	201	Merch Ext 1	2001	Merch Ext Sub...	1000000014	Baltimore	10
20	Merch Extract...	201	Merch Ext 1	2002	Merch Ext Sub...	1000000000	Fargo	10
20	Merch Extract...	201	Merch Ext 1	2002	Merch Ext Sub...	1000000001	Minneapolis	10
20	Merch Extract...	201	Merch Ext 1	2002	Merch Ext Sub...	1000000002	Madison	10
20	Merch Extract...	201	Merch Ext 1	2002	Merch Ext Sub...	1000000007	Fresno	10
20	Merch Extract...	201	Merch Ext 1	2002	Merch Ext Sub...	1000000014	Baltimore	10
20	Merch Extract...	202	Merch Ext 2	2003	Merch Ext Sub...	1000000000	Fargo	10

Promotion Constraints table

2. Click **Delete**. You are prompted to confirm your decision.
3. Click **Yes**.

Create a promotion

A promotion is a temporary reduction in price. In addition, you can track sales at one or more locations for a given time period as well as track the sales of merchandise with no price reductions, at given locations for a set time period.

Create a Promotion

Navigate: From the Task Pad, select Promotion > Create Promotion. The Create Promotion workspace opens.

OR


From the Maintain Promotion Events workspace, click **New Promotion**. The Create Promotion workspace opens.


The screenshot shows the 'Create Promotion' workspace. The top section, 'Promotion Header', contains fields for:

- * Promotion: 1068
- * Start Date: [calendar icon]
- Description: [text field]
- End Date: [calendar icon]
- Event: [text field]
- Status: Worksheet
- * Currency: USD (US Dollar)
- Referenced Deals: None
- * Valid Departments: [text field]
- Secondary Application of Discounts: [checkbox]

 The bottom section, 'Promotion Components', features a table with columns: Component Id, Component Name, Type, Status, Secondary Application, and Conflicts. Below the table are input fields for Component Id, Component Name, Type, Status, and Secondary Application of Discounts, along with an 'Action' dropdown menu. At the bottom of the workspace are buttons for 'Conflict Check', 'Add Component', 'Delete Component', 'Edit', 'Update', 'Conflicts', 'Manage Overlaps', 'Cancel', 'Save + Repeat', and 'Done'. The Retek logo is visible in the bottom left corner.


Create Promotion workspace

1. In the field to the left of the Promotion number field, enter the name of the promotion.
2. In the Description field, enter additional information as necessary.
3. In the Start Date field, enter the day the promotion begins.
4. In the End Date field, enter the day the promotion stops.
5. In the Event field, enter the ID of the event you want to associate with the promotion, or click the LOV  button and select an event.

6. Update the Currency field as necessary.
7. Select Secondary Application of Discounts as necessary.
8. In the Valid Department field, enter the departments for the promotion, or click the LOV  button and select the departments.

Associate a Deal to a Promotion

1. Click **Referenced Deals**. The Referenced Deals window opens



The screenshot shows the 'Referenced Deals' window. It has a title bar with a close button. The window is divided into two main sections: 'Available Deals' and 'Linked Deals'. The 'Available Deals' section contains a table with columns: Deal ID, Deal Type, Vendor Name, Status, Active Date, Close Date, and Currency. Below this table are two small arrow buttons. The 'Linked Deals' section is currently empty, with a table structure identical to the one above. At the bottom right of the window are 'Cancel' and 'Select' buttons.

Deal ID	Deal Type	Vendor Name	Status	Active Date	Close Date	Currency
9802	Promotional	*Nomo Dry S...	Approved	08-31-2001	08-31-2008	euro
9803	Promotional	WISE POTA...	Approved	08-31-2001	08-31-2008	euro
9804	Promotional	LIQUOR MA...	Approved	08-31-2001	08-31-2008	euro
9805	Promotional	LIQUOR MA...	Approved	08-31-2001	08-31-2008	euro
9807	Promotional	*Nomo Dry S...	Approved	08-29-2001	08-28-2008	euro
9809	Promotional	*Nomo Dry S...	Approved	08-29-2001	08-27-2008	euro
9811	Promotional	*Nomo Dry S...	Approved	08-29-2001	08-28-2008	US Dollar
9815	Promotional	*Nomo Dry S...	Approved	08-29-2001	08-31-2007	US Dollar
9816	Promotional	FAST FOOD ...	Approved	08-31-2001	08-31-2008	euro
9817	Promotional	LIQUOR MA...	Approved	08-31-2001	08-31-2008	US Dollar

Deal ID	Deal Type	Vendor Name	Status	Active Date	Close Date	Currency
---------	-----------	-------------	--------	-------------	------------	----------

Referenced Deals window

2. Select the deals you want to add to the promotion.
3. Click **Select**. The window closes.
4. Click **Done** to save any changes and close the workspace.

Add Components to a Promotion

1. In the Promotion Components pane, click **Add Component**. The Create Component workspace opens.

Create Component workspace

2. Add the appropriate type of component to the promotion to:
 - Create a simple component
 - Create a threshold component
 - Create a buy/get component

Create a Simple Component

A simple promotion component consists of an item, item group, or merchandise level that receives a discount at a specific location or group of locations when the customer purchases an item.

Create a Simple Component

Navigate: From the Task Pad, select Promotions > Create Component. The Create Component workspace opens.

OR

From the Create Promotion workspace, click **Add Component** in the Promotion Components pane. The Create Component workspace opens.

Create Component workspace

- | | | |
|----------------|---|--|
| Promotion | <input type="text" value="1727"/> | Defect 941 |
| Start Date | <input type="text" value="01/01/2006"/> | End Date <input type="text" value="12/31/2006"/> |
| Component | <input type="text" value="3082"/> | Defect 941 simpl |
| Component Type | <input type="text" value="Simple"/> | |

► Item Selection

Item Selection			
Level	ID	Diff ID	Description

► Location Selection

Location Selection			
Level	ID	Description	Location Type

* Change Type

Change Amount

Selling UOM

* Start Date & Time

End Date & Time

* Apply To


Price Guide

Add Items and Locations to a Promotion Component

- User Guide 195

5. In the Change Type field, select the price change that occurs during the promotion:
 - **Change By Percent:** A price for an item is changed by a percentage removed from the original price. The percent of change is determined by the percent entered in the Change Amount field.
 - **Change By Amount:** A price for an item is changed by an amount removed from the original price. The amount of change is determined by the amount entered in the Change Amount field.
 - **Fixed Price:** The price for the item will be at a specified retail that will be defined in the change amount field.
 - **No Change:** The price of the item is not changed. For reporting purposes, the item is recognized as being on promotion.
 - **Exclude:** The item will not be affected by price changes that occur as a result of the promotion.
6. In the Change Amount field, enter the amount, percent, or fixed amount the price changes.

Note: There is no need to enter a negative sign before the number entered in the Change Amount field. A promotion can only exist as a decrease in price.

7. In the Selling UOM field, enter the unit of measure for the items, or click the LOV  button and select the selling UOM.
8. Update the Start and End Date & Time fields as necessary.
9. In the Apply To fields, select the types of item pricing that you want to apply the promotion.
10. Click **Apply**. The promotion opens in the Promotion Component Detail Maintenance pane.
11. Click **Done** to save any changes and close the workspace.

Create a Threshold Component


A threshold promotion component consists of an item, item group, or merchandise level that receives a discount at a location or group of locations when the customer purchases a quantity or a amount of an item. You must define the threshold levels before you can create the threshold component.

Navigate: From the Task Pad, select Promotions > Create Component. The Create Component workspace opens.

OR

From the Create Promotion workspace, click **Add Component** in the Promotion Components pane. The Create Component workspace opens.



Create Component workspace

1. In the Promotion field, enter the ID the promotion is associated with, or click the LOV  button and select the promotion.
2. In the Description field, enter a description of the component.
3. In the Component Type field, select Threshold.
4. Click **Next**. The Promotion Component - Threshold pane opens.

Promotion Component - Threshold			
Promotion	<input type="text" value="1727"/>	<input type="button" value="Defect 941"/>	
Start Date	<input type="text" value="01/01/2006"/>	End Date	<input type="text" value="12/31/2006"/>
Component	<input type="text" value="3118"/>	Description	<input type="text" value="Desc"/>
Component Type	<input type="text" value="Threshold"/>		
<input type="button" value="Next"/>			
Item Selection			
<input type="button" value="Clear"/> <input type="button" value="Delete"/> <input type="button" value="Select"/>			
Item Selection			
Level	ID	Diff ID	Description
Location Selection			
<input type="button" value="Clear"/> <input type="button" value="Delete"/> <input type="button" value="Select"/>			
Location Selection			
Level	ID	Description	Location Type
* Threshold	<input type="text"/>	<input type="button" value="New Threshold"/>	
* Start Date & Time	<input type="text" value="01/01/2006"/>	<input type="text" value="12:00 AM"/>	
End Date & Time	<input type="text" value="12/31/2006"/>	<input type="text" value="11:59 PM"/>	
* Apply To	<input type="text" value="- Select -"/>		
		<input type="button" value="Apply & Repeat"/>	<input type="button" value="Clear"/>

Promotion Component - Threshold pane

Add Items and Locations to a Promotion Component

1. In the Item Selection area, enter the criteria you want to use to select the items on promotion, or click the LOV  button and select the criteria.
2. Click **Select**. The items are added to the Item Selection table.
3. In the Location Selection area, select how you want to add locations to the promotion, or click the LOV  button and select the criteria.
4. Click **Select**. The locations are added to the Location Selection table.
5. In the Threshold field, select the threshold you want to associate with the promotion, or click **New Threshold** to create a threshold definition.
6. Update the Start and End Date & Time fields as necessary.
7. In the Apply To fields, select the types of item pricing that you want to apply the promotion.
8. Click **Apply**. The promotion opens in the Promotion Component Detail Maintenance pane.
9. Click **Done** to save any changes and close the window.

Create a Buy/Get Component

A buy/get promotion component consists of an item, item group, or merchandise level allows you to define which items must purchased by the customer in order to receive a discount for an additional item.


Create a Buy/Get Component

Navigate: From the Task Pad, select Promotions > Create Component. The Create Component workspace opens.

OR

From the Create Promotion workspace, click **Add Component** in the Promotion Components pane. The Create Component workspace opens.

Create Component workspace

1. In the Promotion field, enter the ID the promotion is associated with, or click the LOV  button and select the promotion.
2. In the Description field, enter a description of the component.
3. In the Component Type field, select Buy/Get.
4. Click **Next**. The Promotion Component - Buy Get pane opens.

Promotion Component - Buy Get

Promotion: 1727 Defect 941

Start Date: 01/01/2006 End Date: 12/31/2006

Component: 3119 Description: BG

Component Type: Buy/Get

Buy Item

Type: ☐ All ☒ Any

* Quantity:

Get Item

* Change Type: - Select -

* Change Amount:

Selling UOM:

* Start Date & Time: 01/01/2006 12:00 AM

End Date & Time: 12/31/2006 11:59 PM

Item Selection

Department: +

Class: +

Subclass: +

Item Type: Item

Item Level: Transaction Level Item

Diff Type: - Select -

Item: +

Diff: +

Add to Buy Items Add to Get Items

Buy Items		Get Items	
Item	Description	Item	Description


Remove from Buy List Remove from Get List

Location Selection

Promotion Component - Buy Get pane

Define the Buy/Get Terms

- In the Buy Item area, select how the items on the list of buy items must be purchased.
 - All:** All the items on the Buy Items list must be purchased in order to receive the discount
 - Any:** Any of the items on the Buy Items list must be purchase in order to receive the discount.
- In the Quantity field, enter the number of items that need to be purchased in order to receive the discount.



3. In the Get Item area, select the type of discount received when the qualifying items and quantity is purchased.
 - **Percent Off:** A price for an item is changed by a percentage removed from the original price. The percent of change is determined by the percent entered in the Change Amount field.
 - **Amount Off:** A price for an item is changed by an amount removed from the original price. The amount of change is determined by the amount entered in the Change Amount field.
 - **Fixed Price:** The price for the item will be at a specified retail that will be defined in the change amount field.
4. In the Selling UOM field, enter the unit of measure for the items, or click the LOV  button and select the selling UOM.
5. In the Change Amount field, enter the amount, percent, or fixed amount the price changes.

Note: There is no need to enter a negative sign before the number entered in the Change Amount field. A promotion can only exist as a decrease in price.

6. Update the Start and End Date & Time fields as necessary.

Add Items and Locations to a Promotion Component

Note: You may have to expand the Item Selection and Location Selection area to view the criteria

1. In the Item Selection area, enter the criteria you want to use to select the items on promotion, or click the LOV  button and select the criteria.
2. Add the items to the Buy Items or Get Items table.
 - Click **Add to Buy Items** to add items to the list of items that qualify the purchaser for the discount.
 - Click **Add to Get Items** to add items to the list of items that receive the discount.
3. In the Location Selection area, select how you want to add locations to the promotion, or click the LOV  button and select the criteria.
4. Click **Select**. The locations are added to the Location Selection table.
5. In the Apply To field, select the types of item pricing that you want to apply the promotion.
6. Click **Apply**. The promotion opens in the Promotion Component Detail Maintenance pane.
7. Click **Done** to save any changes and close the window.

Add Funding to a Promotion

Funding is added to a promotion at the component level so that you can indicate the vendor that is contributing to the promotion. If you choose to create deals, based on the funded component, you must indicate the billing information for the deal. If the promotion is associated with an existing deal, the billing information defaults from the existing deal.

Add Funding to a Simple Component

1. Create a simple component
2. Expand the Funding pane.

Funding

Corporate Funding Percent: 10

Create Deals: ☒

Vendor Type: Supplier

Vendor: 5678 SUPPLIER-2

Deal ID:

Deal Comp ID:

Contribution %: 10

Use Deal Locations: ☐

Use Deal Items: ☐

Deal Billing

Clear Apply

Vendor Type	Vendor ID	Contribution %	Deal ID	Deal Comp ID	Use Deal Locations	Use Deal Items
-------------	-----------	----------------	---------	--------------	--------------------	----------------

Edit Delete

Funding pane for simple components

3. In the Corporate Funding Percent field, enter the percent that the retailer contributes to the promotion.
4. Select the Create Deals check box to create a deal based on this promotion component and funding.
5. In the Vendor Type field, select the type of vendor that is funding the component.
6. In the Vendor field, enter the ID of the vendor, or click the LOV button and select a vendor.
7. In the Deal ID field, enter the deal the promotion is associated with, or click the LOV button and select a deal.
8. In the Deal Comp ID, enter the ID of the deal component field, or click the LOV button and select a deal component.

Note: The Deal and Deal ID field are disabled if you selected the Create Deals check box.

9. In the Contribution % field, enter the percentage that this vendor contributes to the promotion component.
10. Select the Use Deal Locations check box to indicate that the locations on the deal should be used for the promotion.

11. Select the Use Deal Items check box to indicate that the items on the deal should be used for the promotion.

Note: The Use Deal Locations and Use Deal Items check boxes are disabled if the promotion component already has items or locations.

12. If you selected the Create Deals check box, add billing information for a deal to a funded component.
13. Click **Apply** to add your changes to the table.
14. Click **Done** to save any changes and close the workspace.

Add Funding to a Threshold Component

1. Create a threshold component.
2. Expand the Funding pane.

Funding

Corporate Funding Percent: 10.0000

▼ Threshold Uptake %

Threshold	Discount	Selling UOM	Uptake %
\$5.00	0%		10%
\$10.00	0%		15%
\$15.00	0%		

Threshold: \$10.00 Uptake %: 15 **Apply**

Create Deals: ☒

Vendor Type: Manufacturer

Vendor: 3333333333 WISE POTATO ...

Deal ID:

Deal Comp ID:

Contribution %: 10

Use Deal Locations: ☐

Use Deal Items: ☐




Deal Billing **Clear** **Apply**

Vendor Type	Vendor ID	Contribution %	Deal ID	Deal Comp ID	Use Deal Locations	Use Deal Items
Supplier	6399	10%	9819	Pending	<input type="checkbox"/>	<input type="checkbox"/>

Edit **Delete**

Funding pane for a threshold component

3. In the Corporate Funding Percent field, enter the percent that the retailer contributes to the promotion.
4. Select a threshold.
5. In the Uptake % field, enter the percentage of customers that you expect to take advantage of the promotion at this threshold.
6. Click **Apply** to add your changes to the table.
7. Select the Create Deals check box to create a deal based on this promotion component and funding.
8. In the Vendor Type field, select the type of vendor that is funding the component.

9. In the Vendor field, enter the ID of the vendor, or click the LOV  button and select a vendor.
10. In the Deal ID field, enter the deal the promotion is associated with, or click the LOV  button and select a deal.
11. In the Deal Comp ID, enter the ID of the deal component field, or click the LOV  button and select a deal component.

Note: The Deal and Deal ID field are disabled if you selected the Create Deals check box.


12. In the Contribution % field, enter the percentage that this vendor contributes to the promotion component.
13. Select the Use Deal Locations check box to indicate that the locations on the deal should be used for the promotion.
14. Select the Use Deal Items check box to indicate that the items on the deal should be used for the promotion.

Note: The Use Deal Locations and Use Deal Items check boxes are disabled if the promotion component already has items or locations.

15. If you selected the Create Deals check box, add billing information for a deal to a funded component.
16. Click **Apply** to add your changes to the table.
17. Click **Done** to save any changes and close the workspace.

Add Funding to a Buy/Get Component

1. Create a buy/get component.
2. Expand the Funding pane.



Funding

Corporate Funding Percent: 10

Uptake %: 10

Create Deals: ☒

Vendor Type: Manufacturer

Vendor: 3333333333 WISE POTATO ...

Deal ID:

Deal Comp ID:

Contribution %: 10

Use Deal Locations: ☐




Deal Billing:

Clear Apply

Vendor Type	Vendor ID	Contribution %	Deal ID	Deal Comp ID	Use Deal Locations

Edit Delete

Funding pane - Buy/Get component

3. In the Corporate Funding Percent field, enter the percent that the retailer contributes to the promotion.
4. In the Uptake % field, enter the percentage of customers that you expect to take advantage of the promotion at this threshold.
5. Select the Create Deals check box to create a deal based on this promotion component and funding.
6. In the Vendor Type field, select the type of vendor that is funding the component.
7. In the Vendor field, enter the ID of the vendor, or click the LOV  button and select a vendor.
8. In the Deal ID field, enter the deal the promotion is associated with, or click the LOV  button and select a deal.
9. In the Deal Comp ID, enter the ID of the deal component field, or click the LOV  button and select a deal component.

Note: The Deal and Deal ID field are disabled if you selected the Create Deals check box.

10. In the Contribution % field, enter the percentage that this vendor contributes to the promotion component.
11. Select the Use Deal Locations check box to indicate that the locations on the deal should be used for the promotion.

Note: The Use Deal Locations check boxes are disabled if the promotion component already has locations.

12. If you selected the Create Deals check box, add billing information for a deal to a funded component.
13. Click **Apply** to add your changes to the table.
14. Click **Done** to save any changes and close the workspace.

Add Billing Information for a Deal to a Funded Component

1. Click **Deal Billing**. The Deal Billing window opens.
2. Select the information about the deal that you require:
 - **Deal Reporting Level:** The frequency that the deal is reported.
 - **Bill Back Method:** The type of invoice that is created for the supplier. Select the appropriate option.
 - **Bill Back Period:** The frequency that the vendor is charged for the bill back. Select when to charge the vendor.
 - **Invoice Processing Logic:** The method used to create invoices. Invoices are created automatically, manually, or not at all depending on the option selected.
 - **Include VAT in Deal Billing:** Select the check box to indicate that VAT should be included in the invoice information.
 - **Include Deal Income in Stock Ledger:** Select the check box to indicate that deal income accrual should be written to the stock ledger.
3. Click **Done** to save any changes and close the window.

Maintain promotions

Maintain a Promotion

Updates can be made to the details of an existing promotion and promotion components can be added to an existing promotion.

Search for a Promotion

Navigate: From the Task Pad, select Promotions > Maintain Promotion. The Promotions Search workspace opens.

The screenshot displays the 'Promotions Search' workspace. It features a 'Promotion Search Criteria' section with various input fields for searching promotions, including Promotion, Currency, Start Date, End Date, Item, Event, Status, and Before. Below this section are expandable options for 'Location' and 'Advanced Search'. At the bottom right of the criteria section are 'Clear' and 'Search' buttons. The 'Promotion Search Results' section is currently empty. The Retek logo is visible in the bottom left corner, and a 'Cancel' button is in the bottom right corner.

Promotions Search workspace

1. Expand the Promotion Search Criteria pane.

Promotion Search Criteria

Promotion	<input type="text"/>		<input type="text"/>	Event	<input type="text"/>		<input type="text"/>
Currency	<input type="text"/>		<input type="text"/>	Status	<input type="text"/>		<input type="text"/>
Start Date: After	<input type="text"/>			Before	<input type="text"/>		<input type="text"/>
End Date: After	<input type="text"/>			Before	<input type="text"/>		<input type="text"/>
Item	<input type="text"/>		<input type="text"/>				

▼ Location

Store	<input type="text"/>		<input type="text"/>	Chain	<input type="text"/>		<input type="text"/>
				Area	<input type="text"/>		<input type="text"/>
				Region	<input type="text"/>		<input type="text"/>
				District	<input type="text"/>		<input type="text"/>

▼ Advanced Search

Diff Type	<input type="text"/>		<input type="text"/>	Theme	<input type="text"/>		
Diff ID	<input type="text"/>		<input type="text"/>	Department	<input type="text"/>		<input type="text"/>
Division	<input type="text"/>		<input type="text"/>	Class	<input type="text"/>		<input type="text"/>
Group	<input type="text"/>		<input type="text"/>	Subclass	<input type="text"/>		<input type="text"/>
Created By	<input type="text"/>		<input type="text"/>	Create Date	<input type="text"/>		<input type="text"/>
Approved By	<input type="text"/>		<input type="text"/>	Approved Date	<input type="text"/>		<input type="text"/>
Vendor Funding	<input type="text" value="- Select -"/>			Deal ID	<input type="text"/>		<input type="text"/>

Refresh Search

Promotion Search Criteria pane

2. Enter or select the criteria to limit your search.
3. Click **Search**. Promotions that match these criteria appear in the Promotion Search Results pane.

Maintain a Promotion

Navigate: From the Task Pad, select Promotions > Maintain Promotion. The Promotions Search workspace opens.

The screenshot shows the 'Promotions Search' workspace. It features a 'Promotion Search Criteria' section with fields for Promotion, Currency, Start Date: After, End Date: After, Item, Event, Status, Before, and Before. There are also 'Location' and 'Advanced Search' sections. At the bottom right of the criteria section are 'Clear' and 'Search' buttons. Below the criteria section is a 'Promotion Search Results' section, which is currently empty. The Retek logo is visible in the bottom left corner, and a 'Cancel' button is in the bottom right corner.

Promotions Search workspace

1. Search for a promotion.
2. In the Promotion Search Results pane, select the promotion you want to edit.
3. Click **Edit**. The Maintain Promotion workspace opens.

Maintain Promotion

Promotion Header

* Promotion: 1728 * Alli-Regression Comments: * Start Date: 02/28/2005 12:00 AM
 Description: End Date: 04/28/2005 11:59 PM
 Event: Status: Worksheet
 * Currency: USD US Dollar Total Markup %: N/A
 Referenced Deals: Referenced Deals: None ☐ Secondary Application of Discounts

Promotion Components

Component ID	Component Name	Type	Status	Secondary Application	Conflicts

Conflict Check Add Component Delete Component Edit

Component ID:
 Component Name:
 Type:
 Status: Action: - Select -
 Secondary Application of Discounts: ☐

Update

Conflicts Manage Overlaps Cancel Done

Maintain Promotion workspace

- In the Promotion Header pane, edit the enabled fields as necessary.
- Click **Done** to save any changes and close the workspace.

Check for Conflicts

1. From the Promotion Components pane, select the promotion component you want to check.

Promotion Components

Component ID	Component Name	Type	Status	Secondary Application	Conflicts
3082	Defect 941 simple	Simple	Worksheet	<input type="checkbox"/>	
3083	Defect 941 buy/get	Buy/Get	Worksheet	<input type="checkbox"/>	
3087	Defect 941 threshold	Threshold	Worksheet	<input type="checkbox"/>	

Component ID:
 Component Name:
 Type:
 Status:
 Secondary Application of Discounts: ☐

Action:

Promotion Components pane

2. Click **Conflict Check**. If the system option, background conflict check, is off and conflicts exist, the Conflict Review List window is displayed.


Conflict Review List

ID	Promotion Component	Item	Location	Change Type	Change Amount	Effective Date
3428		100098025	1000000013	Change By Percent	15%	12-20-2004

An approved price change for this item/location. Data already exists.

Price Change Type	ID	Promotion Component	Date	Unit Retail on Hand	Selling UOM	Multi Units	Multi-Unit Retail	Multi-Unit Selling
Price Change	3221		12-04-2004	\$26.84	EACH			
Price Change	3075		12-20-2004	\$33.55	EACH			
Price Change	3243		12-01-2005	\$35.22	EACH			


Conflict review list window

Note: See View conflict check results for more information on background conflict checking. When background conflict check is on, a binocular  icon appears in the conflict column when conflict checking is complete. Click the icon to open the Conflict Review List workspace.

- If no conflicts exist, click **OK**.
 - If conflicts exist, you must adjust the details of your promotion before you can move the promotion to the next status.
3. Click **Done** to save any changes and close the window.

Add a Component

1. Click **Add Component**. The Create Component workspace opens.



Create Component workspace

2. Add the appropriate type of component to the promotion to:
 - Create a simple component
 - Create a threshold component
 - Create a buy/get component

Associate a Deal to a Promotion

1. In the Promotion Search Results pane, select the promotion you want to edit.
2. Click **Edit**. The Maintain Promotion workspace opens.

The screenshot displays the 'Maintain Promotion' workspace, which is divided into two main sections: 'Promotion Header' and 'Promotion Components'.

Promotion Header: This section contains various input fields for promotion details. It includes a 'Promotion' field with the value '1728', an 'Alli-Regression' checkbox, a 'Comments' field, a 'Start Date' field with the value '02/28/2005' and a time of '12:00 AM', an 'End Date' field with the value '04/28/2005' and a time of '11:59 PM', a 'Description' field, an 'Event' field, a 'Status' dropdown menu set to 'Worksheet', a 'Currency' field with 'USD' and 'US Dollar' options, a 'Total Markup %' field with 'N/A', and a 'Secondary Application of Discounts' checkbox. A 'Referenced Deals' button is also present, with the text 'Referenced Deals: None' below it.

Promotion Components: This section features a table with the following columns: 'Component ID', 'Component Name', 'Type', 'Status', 'Secondary Application', and 'Conflicts'. Below the table, there are input fields for 'Component ID', 'Component Name', 'Type', 'Status', and 'Secondary Application of Discounts' (with a checkbox). To the right of these fields is an 'Action' dropdown menu set to '- Select -'. At the bottom of this section are buttons for 'Conflict Check', 'Add Component', 'Delete Component', 'Edit', and 'Update'.

At the very bottom of the workspace, there are buttons for 'Conflicts', 'Manage Overlaps', 'Cancel', and 'Done'.

Maintain Promotion workspace

3. Click **Referenced Deals**. The Referenced Deals window opens

Referenced Deals ✖

Available Deals

Deal ID	Deal Type	Vendor Name	Status	Active Date	Close Date	Currency	
9802	Promotional	*Nomo Dry S...	Approved	08-31-2001	08-31-2008	euro	▲
9803	Promotional	WISE POTA...	Approved	08-31-2001	08-31-2008	euro	
9804	Promotional	LIQUOR MA...	Approved	08-31-2001	08-31-2008	euro	
9805	Promotional	LIQUOR MA...	Approved	08-31-2001	08-31-2008	euro	
9807	Promotional	*Nomo Dry S...	Approved	08-29-2001	08-28-2008	euro	
9809	Promotional	*Nomo Dry S...	Approved	08-29-2001	08-27-2008	euro	
9811	Promotional	*Nomo Dry S...	Approved	08-29-2001	08-28-2008	US Dollar	
9815	Promotional	*Nomo Dry S...	Approved	08-29-2001	08-31-2007	US Dollar	
9816	Promotional	FAST FOOD ...	Approved	08-31-2001	08-31-2008	euro	
9817	Promotional	LIQUOR MA...	Approved	08-31-2001	08-31-2008	US Dollar	▼

▼ ▲

Linked Deals

Deal ID	Deal Type	Vendor Name	Status	Active Date	Close Date	Currency	
							▲

▼

Cancel Select

Referenced Deals window

4. Select the deals you want to add to the promotion.
5. Click **Select**. The window closes.
6. Click **Done** to save any changes and close the workspace.

Maintain a Promotion Event

Updates can be made to the details of existing promotion events.

Maintain a Promotion Event

Navigate: From the Task Pad, select Promotion Events > Create/Maintain Events. The Maintain Promotion Events workspace opens.

Maintain Promotion Events

Promotion Events

Event Id: 65 Event Description: Fall Event Theme: Apple Start Date & Time: 10/14/2004 12:00 AM End Date & Time: 10/15/2004 11:59 PM

New Apply

Event Id	Event Description	Theme	Start Date	End Date
67	The Never Ending Event		10-31-2004	10-31-2005
73	RF 21 testing	I Don't Know	10-19-2004	10-31-2004
74	Alli Event		11-01-2004	12-01-2005
68	smm promo event	event	08-02-2005	08-31-2005
65	Fall Event	Apple	10-14-2004	10-15-2004
66	Starts today	Fun	10-01-2004	10-23-2004

Delete New Promotion

Cancel Save + Repeat Done

Maintain Promotion Events workspace

1. Select the event you want to maintain from the table.
2. In the Promotion Events area, edit the enabled fields as necessary.
3. Click **Apply**. Your changes are added to the promotion event and appear on the table
4. Click **Done** to save any changes and close the window.

Delete a Promotion Event

1. Select the event you want to delete from the table.
2. Click **Delete**. You are prompted to confirm your decision.
3. Click **Yes**. The record is removed from the table.
4. Click **Done** to close the window.

Maintain a Promotion Component

Changes can be made to the details of a promotion component, and new details can be added to promotion components.

In the Promotion Component Detail Maintenance pane, records that contain item/location exceptions or exclusions are indicated by a down arrow. Records that are item/location exceptions or exclusions are indicated by a up arrow.

Maintain a Promotion Component

Navigate: From the Task Pad, select Promotion > Maintain Component. The Maintain Component workspace opens.

Maintain Promotion Component workspace

1. In the Promotion field, enter the ID of the promotion that the component is associated with, or click the LOV button and select a promotion.
2. In the Component field, enter the ID of the component you want to maintain, or click the LOV button and select a component.
3. Click **Next**. Additional component maintenance panes are displayed.

Note: Collapse and expand areas and panes to view the information needed to complete the task.


Maintain Component Details

1. In the Promotion Component Detail Maintenance pane, edit the name of the component as necessary.
2. Enter the consignment rate used for the item while it is on promotion, if necessary.
3. To edit a specific record, select a record, or click **Select All** to make changes to all records on the table.
4. Click **Edit**.
5. Edit the enabled fields as necessary.
6. Click **Apply**.
7. Click **Done** to save any changes and close the workspace.

Delete Component Details

1. In the Promotion Component Detail Maintenance pane, select the record you want to delete:
 - To edit a specific record, select a record
 - Click **Select All** to make changes to all records on the table.
2. Click **Delete**.
3. You are prompted to confirm your decision.
4. Click **Yes**. The item location is removed from the table.
5. Click **Done** to save any changes and close the workspace.


Define Item Exceptions and Exclusions

1. In the Promotion Component Detail Maintenance pane, select the record for which you want to create an item exception or exclusion. The Item Exceptions and Exclusion pane opens.
2. In the Location field, enter a location ID, or click the LOV  button and select a location.

Note: You can only create item exceptions or exclusions for items above the transaction level.

3. Create the exception or exclusion:
 - Click **Create Exceptions** to create an exception to the selected record.
 - Click **Create Exclusion** to create an exclusion.
4. The pane closes. In the Promotion Component Detail Maintenance pane exceptions and exclusions are indicated in the Exclusion/Exception Indicator column:
 - A down arrow indicates that the item/location records contains an exception or exclusion.
 - An up arrow indicates that the item/location records is an exception or exclusion.
5. Click **Done** to save any changes and close the pane.

Define Location Exceptions and Exclusions

1. In the Promotion Component Detail Maintenance pane, select the record for which you want to create a location exception or exclusion. The Location Exceptions and Exclusion pane opens.
2. In the Location field, enter a location ID, or click the LOV  button and select a location.

Note: You can only create location exceptions or exclusions for locations at the zone level.

3. Create the exception or exclusion:
 - Click **Create Exceptions** to create an exception to the selected record.
 - Click **Create Exclusions** to create an exclusion.
4. The pane closes. In the Promotion Component Detail Maintenance pane exceptions and exclusions are indicated in the Exclusion/Exception Indicator column:
 - A down arrow indicates that the item/location records that contain an exception or exclusion.
 - An up arrow indicates that the item/location records that is an exception or exclusion.
5. Click **Done** to save any changes and close the pane.

#

Days Rejects Held: The number of days, set in system options, after the effective date of a rejected price change or clearance that it is purged from the system.

A

Allow Complex Promotions: When selected in system options, indicates all promotion types are available. When cleared, the RPM user will only be allowed to create/maintain simple promotions.

Apply Promo Change Type First: Allows you to indicate which type of promotion should be applied first.

Area Differential: Area differential pricing allows you to set prices for items at a particular zone or zone group differently than another zone or zone group.

Auto Approve: When selected on a pricing strategy, indicates price changes created should be created in approved status.

B

Background Conflict Check: When selected in system options, indicates conflict checking for worksheets, price changes, promotions, and clearances will be performed in the background, or when the system is idle. When cleared, conflict checking will occur real-time.

Buy/Get Component: A component for which the items at specific locations are promoted at a percent off, amount off, or fixed price, based on the purchase of other items.

C

Candidate Rule: A set of criteria that is compared to each item/location processed by the merchandise extract program to determine if the item/location meets one or more conditions. RPM uses two types of candidate rules, inclusion or exclusion

Class: The fifth level in the merchandise hierarchy. The class breaks down the merchandise hierarchy. A class can belong to one department.

Clearance: A clearance is designed to move out of date and slow selling merchandise out of a store. A clearance is considered a permanent price change, and inventory is consequently revalued. Once the reset date for a clearance has passed, the items price and inventory value is returned to the regular price.

Clearance/Promotions Overlap: When selected in system options, indicates an item/location can be on clearance and promotion at the same time.

Component: The details of a promotion. A component can be simple, threshold, or buy/get.

Cost Calculation Method: The way cost is determined for the zone. Choose Highest Location Cost or Average Location Cost.

Cost Change Forward Days: The number of days into the next review period that a maintain margin pricing strategy will consider cost changes when proposing price changes. Cost change forward days should not exceed the length of a review period.

Currency: On System Defaults, the primary currency used in RPM. In other areas of RPM, the currency for a particular task

D

Deal: The agreement between a retailer and a vendor for rebates or discounts applied to an item when ordered from the supplier or sold to the customer in certain quantities.

Default Out of Stock Days: The number of days, set in system options, that should be added to the effective date of a clearance in order to calculate the Out of Stock date. The default is applied to generate the out of stock date when the clearance is first created.

Default Reset Date: When selected in system options, indicates that a reset date should be defaulted when a clearance is created. The reset date is defaulted to one day greater than the out of stock date.

Department: Belongs to a group in the merchandise hierarchy and provides a way to define the areas of a group. A department is the fourth division in the merchandise hierarchy.

Diff: A characteristic of an item that distinguishes it from another item. An item may have up to four diffs.

Diff Type: The category to which a diff belongs.

Dynamic Area Differentials: When selected in system options, allows the worksheet to dynamically update secondary locations based on changes to the primary location.

E

Effective Date: The date on which an event becomes available or active in the system.

End Date: The last day an element is effective in the system.

Ends In Digits for Zero Decimal Currencies: The number of digit fields, set in system options, that are available in the Ends In definition area. This field is used for currencies that do not contain a place after the decimal point. For currencies that contain places after the decimal point, the digit fields that are available.

Event: The top level of a promotion, used to group several promotions together.

Event ID Required: When selected in system options, a promotion event must be assigned to the promotion.

Exact Deal / Funded Promotion Dates: When selected in system options, indicates that the dates of a deal associated with a vendor funded promotion must match exactly. When selected, only deals with the same begin and end dates as the promotion component being created will appear in the deal

Exclusion Candidate Rule: When the exclusion rule is met, the item/zone will not be brought into the worksheet for review

External Prices Allowed: When selected, RPM will accept pricing events created in other systems.

I

Inclusion Candidate Rule: When the inclusion rule is met, the item is flagged by the system in the worksheet for a pricing review

Item: The merchandise received from a supplier. In the system, the item field or column will display the item number, the item description, or both.

Item Level: The level of an item in an item group.

L

Link Code: Link codes are used to associate items to each other at a location and price them exactly the same.

Location: The store or warehouse involved in an event. In the system, the location field or column will display the location number, the location description, or both.

Location Move Lead Time: The number of days, set in system options, required before a location can be moved between zones in RPM.

Location Move Purge Days: The number of days RPM will retain location moves that have either successfully completed or are the same number of days past the scheduled effective date but have had no action taken on them.

Location Price Exception: When selected in system options, exceptions should populate the Zone Location Retail Exception container for items where the current retail at a given location is not equal to the current retail for the zone.

M

Market Basket Code: A market basket code is a mechanism for grouping items within a hierarchy level in order to apply similar pricing rules.

Markup: An amount added to the cost price to determine the selling price.

Multiple Item/Location Promotions: When selected in system options, an item/location can exist on more than one promotion (and more than one component within the promotion).

O

Open Zone Use: When selected in system options, indicates a zone can be used across different types of pricing, regardless of zone type.

Out of Stock Date: The date when the inventory is expected to be exhausted.

P

Partner: A person or entity that has an association with your organization in various areas of the procurement process. Partners can include those involved in transporting goods, escheatment, providing credit, and providing services. A partner does not provide items to a retailer.

Price Change: The permanent change in the price of an item.

Price Change Diff Type: A default indicator to define the diff type that will be displayed when the user enters the price change and clearance dialogs. This default will only be applied in the price change/clearance dialogs when the Item level default is set to Parent / Diff Type.

Price Change Item Level: Indicates the item level that is displayed when the user enters the price change and clearance dialogs.

Price Change Processing Days: The number of days, set in system options, between the creation date of a price change and the first date it can become effective. It allows the retailer to insure that price changes are created with enough advance timing that stores and other process areas can react.

Price Change Type: On System Defaults, indicates the price change type that will be displayed when the user enters the price change and clearance dialogs. The options for the drop down list are:

Price Change/Promotions Overlap: When selected in system options, indicates an item/location can have a price change occur during the middle of an active promotion.

Price Guide: A price guide allows you to create a uniform price strategy. You can use them to maintain a consistent price points. You can determine if the prices in a guide should be rounded in the same manner or if they should all end in the same digits.

Pricing Strategy: A pricing strategy allows you to decide how item retails will be proposed when pricing worksheets are generated.

Primary Zone Group: The primary zone group is used to determine:how to items are initially priced in the merchandising system. which zone structure to store regular zone retails against when creating price changes. When you create a primary zone group, you identify the merchandise hierarchy level, the zone group, the markup percent, the markup type, and the price guide. The merchandise hierarchy assigned to a new item in merchandising system will determine the primary zone group definition in RPM used to initially price the item. Based on the information associated with the primary zone group and the cost of the item, as entered in merchandising system, prices will be proposed.

Promotion: A promotion is a temporary reduction in price. In addition, you can track sales at one or more locations for a given time period as well as track the sales of merchandise with no price reductions, at given locations for a set time period.

Promotion # Days Rejects Held: The number of days, set in system options, after the end date (or start date for promotions with no end date) of a rejected promotion that it is purged from the system.

Promotion Constraint: A warning will appear if a price change or promotion is created that would fall a certain number of days before or during another approved promotion or price change. The number of days before the promotion is the promotion constraint.

Promotion History Months: The number of months, set in system options, after a promotion is completed that is purged. This parameter is also used to purge cancelled promotions.

R

Reason code: The resolution or reason that is applied to an event that occurs within a system.

Rule Variable: The portion of the candidate rule conditions that allows a rule value to vary at the department level

S

Sales Calculation Method: The method used by the merchandise extract program to populate the Projected Sales column in the worksheet.

Simple Component: A component for which the items at specific locations are promoted at a percent off, amount off, or fixed price.

Start Date: The first day an element is effective in the system.

T

Threshold Component: A component for which the items at specific locations are promoted by achieving a specific purchasing level.

Z

Zone: A zone is a group of locations that are priced the same within a zone group. Locations within a zone must have the same currency. Not all locations must be assigned to a zone.

Zone Group: Zone groups are a collection of zones. You can define multiple zone groups that are suited to your business. After you define the zone group, you can define the zones in the zone group. Multiple currencies may exist within a zone group.

Zone Parent Ranging: When selected, RPM should perform ranging checks for price changes, promotions, and clearances that are created at a higher level than transaction/location. If the indicator is set to yes, the system will not let you create a price change at the parent or zone level if none of the transaction item/location combinations are ranged. If the indicator is set to no, the system will let you create a price change at the parent or zone level even if none of the transaction item/location combinations are ranged.

Index

A

Accept the recommendations..... 114
Acceptable Range From... 75, 82, 86, 89, 93
Acceptable Range To.. 75, 82, 86, 89, 93
Access to preformatted 3
Action 61, 111, 165, 182
Add 27, 33, 54, 75, 93, 128
Add Component..... 194, 197, 199, 206
Add Criteria 114
Add Details 27
Add Promotion..... 185
Add Row 80
Add to Buy Items 199
Add to Get Items 199
Adjust All Columns 128
Adjust Last Column Only 128
Adjust Next Column Only 128
Adjust Subsequent Columns 128
Advanced Filter..... 3, 114
Advanced Filter window..... 3
Aggregation Level 15
Aggregation Level Settings..... 15
Aggregation Level Settings workspace 15
Alert 128
All 156
Allow Complex Promotions 17
Amount 22, 145, 169
Amount Off..... 187, 199
Apply Filter..... 114
Apply To 194, 197, 199
Approve 75, 89, 93, 111
Approve a Pricing Worksheet..... 111
Approved By 156
Approved Date 156
Area Differential 22, 75, 93
Area Differential Strategy Details 75
Ascending 128

Autofill 27
Average Location Cost 17
Average Price 27

B

Background Conflict Check 17
Base Cost..... 128
Basis Cost 128
Basis Multi-unit Retail..... 128
Basis Multi-unit Retail UOM 128
Basis Regular Retail 128
Basis Retail 128
Basis Retail Multi-units 128
Basis Retail UOM..... 128
Before VAT 128
Bill Back Method..... 188, 202
Bill Back Period..... 188, 202
Both 67
Both - Both 64
Buy Get..... 199
Buy Item 199
Buy Items list..... 199
Buy/Get..... 199, 202

C

Calculate Review Periods 64, 67
Calendar..... 64, 67, 80, 82, 86, 89
Calendar Detail 67
Calendar List 67
Calendar Setup..... 64
Cancel 33
Candidate Rule Maintenance 33
Candidate Rule Maintenance window 33
Candidate Rules 33
Candidate Rules window 33
Cause the Last Cost Change 15
Cause the Last Price Change 15
Change..... 194
Change Amount 145, 169, 187, 194, 199
Change By Amount 145, 169, 194
Change By Percent 145, 169, 194

- Change for the item/location..... 156
- Change the SIM24
- Change to Worksheet..... 156, 175
- Change Type145, 194
- Changes to a left/right.....3
- Changes to Approved..... 111
- Changes to Rejected..... 111
- Changes to Submitted 111
- Choose Highest Location Cost.....17
- Class54, 145, 169
- Class Description 128
- Class ID 128
- Clear Filter3, 114
- Clear the Ascending..... 128
- Clearance Indicator 128
- Clearance List 175, 182
- Clearance Maintenance..... 169, 175
- Clearance Retail69
- Clearance Retail UOM.....69
- Clearance Strategies.....93
- Clearance/Promotion Overlaps 17
- Clearances54, 80, 128, 142, 169, 175, 182
- Code24, 75, 82, 86, 89, 93
- Code Maintenance24
- Code Maintenance workspace24
- Column display 128
- Column Resizing..... 128
- Columns 114, 128
- Comma Separated Value 114
- Compete Percent 75, 82
- Compete Type.....75, 82, 89, 93
- Competitive.....82
- Competitive Market Basket Code.....49
- Competitive Market Basket Code dialog49
- Competitor 75, 82, 89, 93
- Competitor A's 128
- Competitor B's 128
- Competitor C's 128
- Competitor D's 128
- Competitor E's 128
- Competitor Store..... 75, 82, 89, 93
- Competitor's 128
- Complex Promotion..... 69
- Component 215
- Component Type 194, 197, 199
- Condition 33, 114
- Conflict 61, 142
- Conflict Check 142, 156, 175, 206
- Conflict Check Results 142
- Conflict Check Results workspace ... 142
- Conflict Review List..... 165
- Constraint 190
- Contribution..... 202
- Control..... 3
- Copy 27, 156, 175
- Copy Price Guide..... 27
- Corporate Funding Percent..... 202
- Cost Calculation Method..... 17
- Cost Change Amount..... 89, 93
- Cost Change Forward Days 89, 93
- Cost Changes During Review Period128
- Cost Markup 54, 128
- Create..... 80, 82, 86, 89
- Create a buy/get 199
- Create Calendar 64
- Create calendar workspace 64
- Create candidate rule workspace 33
- Create Candidate Rules 33
- Create Clearance..... 169, 175, 182
- Create Clearance workspace..... 169
- Create Component 194, 197, 199, 206
- Create Component workspace . 194, 197, 199
- Create Copy Price Guide 27
- Create Date 156
- Create Defaults 188
- Create Defaults workspace 188
- Create Exceptions..... 215
- Create Exclusion..... 215
- Create Price Change 145, 156, 165

Create Price Change workspace.....	145	Default Out of Stock Days.....	17, 128
Create Price Guide	27	Default Reset Date.....	17
Create Price Guide workspace	27	Defaults to Out	128
Create Price Strategy ..	75, 80, 82, 86, 89	Define Secondary Areas	75
Create Pricing Strategy workspace	75	Define Strategy Details.....	80, 82, 86, 89
Create Promotion	185, 194, 197, 199	Define the buy/get	199
Create Threshold.....	187	Delete.....	24, 33, 42, 49, 54, 61, 67, 93, 111, 128, 142, 156, 175, 188, 190, 214, 215
Create Threshold workspace.....	187	Delete a Pricing Worksheet	111
Create Zone Group.....	54	Delete Filter	114
Create Zone Group workspace.....	54	Delete Intervals.....	27
Create/Maintain Events.....	185, 214	Delete Pending.....	111
Created By	156	Delete Rejected.....	111
Created for Zone Level	156, 175	Delete the Pricing Worksheet	114
Csv	114	Department	3, 27, 33, 54, 145, 169
Currency.....	27, 54, 145, 187	Department Pricing Guides	27
Current	128	Department-level	27
Current Basis.....	128	Descending	128
Current Clearance Retail.....	128	Description	24, 27, 33, 64, 128, 194, 197, 199
Current Clearance Retail UOM	128	Diff	22, 42, 49, 69, 145, 156, 169
Current Cost.....	128	Diff Four.....	128
Current Cost Markup	128	Diff ID	69
Current Margin	22, 89, 93	Diff One.....	128
Current Multi-Units	128	Diff Three	128
Current Multi-units Retail.....	128	Diff Two	128
Current Multi-units UOM	128	Diff Type ..	22, 42, 49, 69, 145, 156, 169
Current Regular Retail	128	Differential	75
Current Retail.....	128	Differentiator	128
Current Retail Markup	128	Differentiators.....	69
Current Retail UOM	128	Digits for Zero Decimal Currencies ...	17
Current Retail/UOM	128	Discount.....	187
Current-New	15	Discount Percent.....	80, 93
D		Discount Type.....	187
Days Between Review Periods	64	Drag the resizer.....	3
Days Reject Held	17	Dynamic Area Differentials.....	17, 111
Deal.....	202	E	
Deal Billing.....	188, 202	Edit	27, 33, 54, 67, 93, 188, 206, 215
Deal Billing window	202	Edit the Zone Group Name.....	54
Deal Comp ID	202	Edited Value	42, 49
Deal Detail ID.....	145, 156, 169	Effective Date	61, 128, 145, 156, 169
Deal ID.....	145, 156, 169, 202		
Deal Reporting Level.....	188, 202		

- Effective Dave75
- End Date64, 67, 185, 194, 197, 199
- End of Review Period128
- End Price.....27
- Ends In17
- Ends In Digits27
- Enter.....3
- Enter a Reason111
- Enter a username.....156
- Enter a Value33
- Enter a Variable33
- Enter an ID.....145, 169
- Enter the Department33
- Enter the ID....27, 33, 42, 49, 54, 75, 80,
82, 86, 89, 145, 156, 169, 175, 187,
188, 190, 194, 197, 199, 202, 215
- Enter the Selling UOM187
- Enter the wildcard.....3
- Entering the Pricing Strategy22
- Equal to Pending Cost Change Window
Days.....15
- Event Description185
- Event ID Required17
- Exact Deal/Funded Promotion Dates..17
- Exception Frequency64
- Exceptions.....64
- Exclusion33, 67, 215
- Exclusion - Items64
- Exclusion/Exception Indicator.....215
- Executed.....156
- Existing Conditions.....33
- Exit RPM3
- Expand the Competitor75
- Expand the Item Exclusion75, 93
- Expand the Item Selection199
- Expand the Reference Competitor75
- Expand/collapse toolbar icon.....3
- Export button69, 114
- External Prices Allowed17
- F**
- Failed61
- Field33
- Field item.....33
- File menu3
- File Name69, 114
- Filter3, 114
- Filter button114
- First Received Date128
- Fit All.....128
- Fixed Price..22, 145, 169, 187, 194, 199
- Foundation.....24
- Funding Amount.....145, 169
- Funding pane202
- Funding to a buy/get.....202
- Funding Type.....145, 169
- G**
- Get Item199
- Greater Than33
- H**
- Hide128
- Hide Column128
- Hierarchy/zone.....75, 82
- Historical Sales.....15, 128
- Historical Sales Units128
- Hold the Ctrl key42, 49, 69, 114, 190
- Hyperlink128
- I**
- ID27, 54, 75, 93, 128, 145, 169, 202,
215
- ID for the item128
- ID/Description69
- IDs156
- If window.....114
- Ignore Constraint Handling22
- In Progress111
- Include Deal Income.....202
- Include On Order In Sell Thru.....15
- Include VAT202
- Include WH Inventory15
- Inclusion - Items64
- Increment.....27
- Indicates an item/location17
- Initial Price Settings.....54

Inventory	128	Lowest Definable Level.....	15
Inventory for the item/location	128	M	
Invoice Processing Logic	188, 202	Maintain Aggregation Levels	15
It's	3	Maintain Calendar	64, 67
Item Exceptions	215	Maintain calendar workspace	67
Item Level	42, 49, 114, 145, 169	Maintain Candidate Rules	33
Item List	145, 169	Maintain Clearances	175, 182
Item Selection ...	145, 169, 194, 197, 199	Maintain Clearances workspace	175, 182
Item Type	42, 49, 145, 169	Maintain Component	215
Item/location	17, 42, 49, 69, 111, 128, 145, 165, 175, 182, 215	Maintain Defaults	188
Item/zone	49, 75, 86, 89, 93	Maintain link code workspace	42
Item's	128, 169	Maintain Link Codes	42
L		Maintain Location Move	61
Last Cost Change	128	Maintain location move workspace	61
Last Price Change	128	Maintain Margin	22, 89
Last Received Date	128	Maintain Margin Strategy Maintenance	93
Less Than	33	Maintain Margin Strategy Method	22
Level	22, 69, 156, 187	Maintain Market Basket Codes	49
Level Only checkbox	156	Maintain Market Basket Codes workspace.....	49
Like Group	54	Maintain Price Change	156, 165, 182
Link	27	Maintain Price Changes workspace..	165
Link Code dialog	42	Maintain Price Changes workspace Price Change Search pane	156
Link Codes	42, 128, 145, 156	Maintain Price Guide	27
Link Price Guide	27	Maintain Pricing Strategy	93
Location ...	17, 54, 61, 69, 145, 156, 169, 175, 215	Maintain Pricing Strategy workspace.	93
Location Assignment	54	Maintain Primary Zone Group	54
Location Exceptions	156, 175, 215	Maintain Promotion	206
Location Move Lead Time.....	17, 61	Maintain Promotion Component workspace.....	215
Location Move Purge Days	17	Maintain Promotion Constraint	190
Location Move Request	61	Maintain Promotion Constraints workspace.....	190
Location Moves	61	Maintain Promotion Events	185
Location Selection ...	145, 169, 190, 194, 197, 199	Maintain Promotion Events workspace	185, 214
Location/Description	69	Maintain Rule Variables	33
Logout	3	Maintain Strategy Details	89, 93
LOV	3, 33, 145, 169	Maintain View	128
LOV button	3, 27, 33, 42, 49, 54, 61, 75, 80, 82, 86, 89, 93, 145, 156, 169, 175, 185, 187, 188, 190, 194, 197, 199, 202, 215	Maintain View dialog	128

- Maintain Zone Group.....54
- Make Primary Sort.....128
- Margin.....86
- Margin Market Basket Code.....49, 128
- Margin Market Basket Code dialog....49
- Margin Strategy Details86, 93
- Margin Target86, 89, 93
- Markdown.....93
- Markdown Percent.....80
- Market Basket Code.....49, 156
- Market Basket Margin22, 89, 93
- Markup.....54
- Maximize3
- Maximize the RPM window3
- Merchandise Level.....69, 156
- Merchandising System.....22
- Method.....33
- Microsoft Windows3
- Minimize3
- Modify the Review Period Duration...64
- Move Results61
- Moved to Delete Pending.....111
- Moved to Deleted.....111
- Multi Unit Retail.....145
- Multi Unit UOM.....145
- Multi Units.....145
- Multiple Item/Loc Promotions.....17
- Multi-select LOV button.....3
- N**
- Name.....27, 33, 64, 187
- Navigating RPM3
- New.....24, 61, 75, 111, 114, 185
- New Calendar80, 82, 86, 89
- New Calendar to Assign67
- New Compete Percent114
- New Compete Type114
- New Cost.....128
- New Item Location Ind128
- New Margin Target.....114
- New Markdown Percent114
- New Multi-Units.....128
- New Multi-units Retail128
- New Multi-units UOM128
- New Retail27, 114, 128
- New Retail Based On27
- New Retail Ends In.....27
- New Retail Markup128
- New Retail UOM.....128
- New Retail/UOM.....128
- New Threshold197
- New Zone61
- New-Current15
- Next54, 75, 80, 82, 86, 89, 194, 197, 199, 215
- None67, 128
- None - No64
- NOT54
- O**
- OK . 3, 27, 33, 42, 49, 54, 114, 128, 156, 175, 206
- Open the Conflict Review List 165, 182, 206
- Open the Paging Configuration window3
- Open Zone Use17
- Operator.....33
- OR.....194, 197, 199
- Ordering.....128
- Ordering window128
- Original Retail128
- Out of Stock.....17
- Out of Stock Date169
- P**
- Package Size128
- Package UOM.....128
- Paging Configuration window3
- Parent ID.....128
- Parent Item.....22, 42, 49, 69, 145, 169
- Parent Item Description.....128
- Parent Item/Diff 22, 42, 49, 69, 145, 169
- Parent/diff69, 156, 175
- Partner.....145, 169
- Partner Type145, 169

Past Cost Change Highlight Days.....	15	Price Inquiry workspace	69
Past Retail Change Highlight Days.....	15	Price List.....	93
Pending	128	Price Lower	75
Pending Cost Change Highlight Days	15	Price Maintenance	145
Pending Cost Change Window Days..	15	Price of the item/location.....	69
Pending Cost Changes	15, 128	Price Prior Create Days	128
Pending Pricing Worksheet.....	111	Price Strategy... 1, 22, 61, 75, 80, 82, 86, 89, 93	
Percent	22, 75, 145, 169	Price Zone.....	54, 75
Percent Off.....	187, 199	Price Zone Group ID	128
Press Shift	3	Price Zone ID.....	128
Press Tab.....	187	Pricing Guide Copy Details	27
Press the Calculate Review Periods button.....	67	Pricing Strategies List.....	93
Press the Enter key.....	3	Pricing Worksheet	111
Price	27	Pricing-focused.....	1
Price Above.....	75, 82, 89, 93	Primary Competitor Alert.....	128
Price Below.....	75, 82, 89, 93	Primary Competitor Multi-Unit Retail	128
Price Change Amount.....	128	Primary Competitor Multi-Units	128
Price Change Amount Calc.....	15	Primary Competitor Multi-units UOM	128
Price Change ID.....	156	Primary Competitor Retail.....	128
Price Change Indicator.....	114, 128	Primary Competitor Retail Changed Ind	128
Price Change List.....	145, 156, 165, 182	Primary Competitor Retail UOM	128
Price Change Maintenance	145, 156	Primary Supplier.....	128
Price Change Processing Days... 17, 128, 145, 169		Primary Zone	69
Price Change Type.....	145, 169	Priority Column	128
Price Change/Promotion Overlaps.....	17	Projected Sales.....	17
Price Changes 1, 128, 142, 145, 156, 165		Projected Sales Units	128
Price Equal.....	75	Promo Change Type 1st	17
Price Guide 27, 54, 75, 80, 82, 86, 89, 145, 156, 169		Promotion # Days Rejects Held.....	17
Price Guide Definition window	54	Promotion Component Detail Maintenance	194, 197, 199, 215
Price Guide Details Create.....	27	Promotion Components ... 194, 197, 199, 206	
Price Guide Maintenance Details.....	27	Promotion Constraints	190
Price Guide Type	27	Promotion Events	185, 214
Price Guides Destination	27	Promotion Header.....	206
Price Guides List.....	27	Promotion History Months	17
Price Guides Maintenance	27	Promotion Search Criteria	206
Price Guides Origin	27	Promotion Search Results.....	206
Price Higher	75		
Price Inquiry	69		
Price Inquiry Results.....	69		

- Promotion Threshold 187
- Promotional..... 54
- Promotional Retail 69
- Promotional Retail UOM..... 69
- Promotions 142, 194, 197, 199, 206, 215
- Promotions Search 206
- Promotions Search workspace 206
- Proposed Cost Markup..... 128
- Proposed Effective Date 128
- Proposed Retail 128
- Proposed Retail Markdown 128
- Proposed Retail Markup 128
- Proposed Retail UOM..... 128
- Proposed Retail/UOM..... 128
- Purge Reset Clearance Months 17
- Q**
- Qualification Type 187
- Quantity 199
- R**
- Reason..... 111
- Reason Code 145, 156, 169
- Recognize WHs 17
- Reference Competitors 75, 82, 89
- Referenced Deals 206
- Referenced Deals window 206
- Refers to Clearance Retail 69
- Refers to Regular Retail..... 69
- Regular..... 54, 145, 169
- Regular Multi-Units 69
- Regular Multi-Units Retail 69
- Regular Multi-Units Retail UOM..... 69
- Regular Retail 69, 80, 128
- Regular Retail UOM..... 69
- Reject a Pricing Worksheet..... 111
- Rejected 111, 156
- Remove 75, 93
- Remove All 114
- Remove Criteria 114
- Remove Markdown..... 93
- Repeat 24, 93
- Replace..... 33
- Replenishment Indicator..... 128
- Reset 111, 114
- Reset Date..... 128, 169
- Reset POS Price..... 145
- Reset the POS 145
- Resizer 3
- Restore 3
- Retail..... 128
- Retail Label Type 128
- Retail Label Value 128
- Retail Markup 54
- Retailer's..... 1
- Retek Price Management..... 1, 3, 15
- Retek Price Management™ 1
- Retek® Price Management™ 1
- Retrieve Item Price 69
- Retrieve Price 69
- Return to the Candidate Rules window
..... 33
- Revert to Default 114
- Review Period Details 64, 67
- Review Period Duration 64
- Review Period Setup 64
- RMS..... 27
- RPM. 1, 3, 15, 17, 22, 27, 33, 54, 61, 64,
111, 114, 128, 165, 182
- RPM button 3
- RPM toolbar 3
- RPM window 3
- RPM Workspace..... 3
- Rule Variable Maintenance By Variable
..... 33
- Rule?..... 33
- Rules 64
- S**
- Sales..... 128
- Sales Calculation Method..... 17, 128
- Sales Change Amount 128
- Sales Exposure..... 128
- Save As 114
- Save Filter dialog..... 114
- Save In..... 69, 114

Schedule - There	61	Select the Remove Competitive Market	
Scheduled.....	61	Basket Code checkbox	49
Search	156, 175, 206	Select the Remove Margin Market	
Season/Phase.....	128	Basket Code checkbox	49
Seasonal Sell Thru	128	Select the Sales Totals	114
See LOV button on System Default....	22	Select the Search.....	156
See the Delete	33	Select the Suspend	80, 82, 86, 89
See the Select	33	Select the Suspend checkbox.....	93
Select.....	3, 114, 128, 145, 169, 194, 197, 199, 206	Select the Use Deal Items	202
Select a diff	42, 49, 145, 169	Select the Use Deal Locations	202
Select a Link Code	156	Select the Variable.....	33
Select a Location.....	61	Select Value.....	114
Select a Market Basket Code	156	Select Worksheet	61
Select All.....	42, 49, 114, 165, 182, 190, 215	Select Zone Groups	69, 156
Select Approved.....	156	Select/Clear checkbox	22
Select Close Window.....	3	Selection	145
Select Column.....	114	Sell Thru	128
Select Column Display	128	Selling UOM	145, 194, 199
Select Column Locking	128	Shift	3
Select Exit	3	Show	128
Select Inclusion.....	67	SIM	24
Select Items.....	169	Simple.....	194
Select of Enter.....	114	Simple components.....	202
Select Regular	156	Simple Filter	3
Select Schedule	61	Size Content.....	128
Select Sort Table.....	128	Start.....	194, 197, 199
Select the Auto Approve.....	75, 89, 93	Start Date	64, 185
Select the Competitive Analysis Totals	114	Start Price	27
Select the Condition.....	33	Status	33
Select the Create Deals	202	Stock Date	128
Select the Create Price Changes	75	Stock Ledger.....	188, 202
Select the Default View checkbox....	128	Stock On Hand.....	128
Select the Include Deal Income	188	Store In_Transit	128
Select the Include VAT.....	188	Store Inventory Management	24
Select the Like Group	54	Store OBNP_INV	128
Select the Markdown	93	Store On Hand	128
Select the Multi Unit Pricing	145	Store On Order.....	128
Select the New	33	Strategies	67
Select the Price Change Totals	114	Strategy Maintenance	75, 93
		Strategy workspace.....	80, 82, 86, 89
		Subclass	54, 145, 169

Subclass ID	128	Unit Of Measure	128
Submit a Pricing Worksheet	111	UOM.....	194, 199
Submitted	111, 156	Up/down	3
Suggest Date	156	Update.....	61, 165, 182
Suspend.....	80, 82, 86, 89	Update Item Attributes	17
System Default.....	22	Updated to In Progress	111
System Defaults Edit	22	Uptake.....	202
System Defaults Edit workspace	22	Use.....	33
System Defaults View	22	Use Deal Items.....	202
System Option.....	17, 22	Use Deal Locations.....	202
System Options Edit	17	Use the Advanced Filter	3
System Options View	17	Use the Reset	111
System Options workspace	17	V	
System Tasks	1	Valid diff	22
T		Value.....	33, 54
Task Pad... 15, 17, 22, 24, 27, 33, 42, 49,		Value for a Department	33
54, 61, 64, 67, 69, 75, 80, 82, 86, 89,		Variable	33
93, 111, 114, 142, 145, 156, 165, 169,		Variable Name	33
175, 182, 185, 187, 188, 190, 194,		Variable Value	33
197, 199, 206, 214, 215		Variable/Department	33
Theme	185	VAT.....	128, 188, 202
Threshold	197	Vendor	188, 202
Threshold Level	187	Vendor Funded	145, 156, 169
Threshold Type	187	Vendor Funding Defaults	188
Time	185, 194, 197, 199	Vendor Type	188, 202
Today's	61, 128, 145, 169	Verify Intervals.....	27
Total Inventory	128	View	33
Total Sales.....	128	View Conflict Check Results	142
Total Sales For the Season.....	128	VPN	128
Total Store Inventory	128	W	
Total Warehouse Inventory.....	128	Want to continue?.....	33
Total Weeks of Sales	128	Warehouse In Transit.....	128
Totals button	114	Warehouse On Hand.....	128
Totals window.....	114	Warehouse On Order	128
Tran Exceptions	156, 175	Warehouse Stock On Hand.....	128
Transaction Level Item 22, 42, 49, 69,		Weeks Since First Sale	128
145, 169		WH	128
Transaction/location.....	17	WH Stock On Hand.....	128
Type ... 24, 33, 54, 69, 75, 80, 82, 86, 89,		What If.....	114
145, 156, 169		What If window	114
U		Windows.....	3
UDA.....	128		

Worksheet 61, 111, 114, 156
 Worksheet Detail 111, 114, 128
 Worksheet Detail Filter 114
 Worksheet Detail Filter window 114
 Worksheet Level 15
 Worksheet on the Location Move list 61
 Worksheet Status 111, 114, 128
 Worksheet Status window 111
 Worksheet status workspace 111, 114

Y

Yes 27, 42, 49, 61, 67, 93, 128, 156, 165,
 175, 182, 188, 190, 214, 215

Z

Zone 61, 69, 145, 156

Zone Group 42, 49, 54, 61, 75, 80, 82,
 86, 89, 145, 169, 190
 Zone Group Field 61
 Zone Group ID 54
 Zone Group Name 54
 Zone ID 54
 Zone Name 54
 Zone Retail Definition Maintenance 54
 Zone Structure 54, 61
 Zone Structure menu 54
 Zone/Location 69, 128, 156
 Zone/Parent Ranging 17