

**Oracle® Retail Workspace**  
Release Notes  
Release 13.0

April 2008



Copyright © 2008, Oracle. All rights reserved.

Primary Author: Rich Olson

The Programs (which include both the software and documentation) contain proprietary information; they are provided under a license agreement containing restrictions on use and disclosure and are also protected by copyright, patent, and other intellectual and industrial property laws. Reverse engineering, disassembly, or decompilation of the Programs, except to the extent required to obtain interoperability with other independently created software or as specified by law, is prohibited.

The information contained in this document is subject to change without notice. If you find any problems in the documentation, please report them to us in writing. This document is not warranted to be error-free. Except as may be expressly permitted in your license agreement for these Programs, no part of these Programs may be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose.

If the Programs are delivered to the United States Government or anyone licensing or using the Programs on behalf of the United States Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the Programs, including documentation and technical data, shall be subject to the licensing restrictions set forth in the applicable Oracle license agreement, and, to the extent applicable, the additional rights set forth in FAR 52.227-19, Commercial Computer Software – Restricted Rights (June 1987). Oracle Corporation, 500 Oracle Parkway, Redwood City, CA 94065

The Programs are not intended for use in any nuclear, aviation, mass transit, medical, or other inherently dangerous applications. It shall be the licensee's responsibility to take all appropriate fail-safe, backup, redundancy and other measures to ensure the safe use of such applications if the Programs are used for such purposes, and we disclaim liability for any damages caused by such use of the Programs.

Oracle, JD Edwards, PeopleSoft, and Siebel are registered trademarks of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

The Programs may provide links to Web sites and access to content, products, and services from third parties. Oracle is not responsible for the availability of, or any content provided on, third-party Web sites. You bear all risks associated with the use of such content. If you choose to purchase any products or services from a third party, the relationship is directly between you and the third party. Oracle is not responsible for: (a) the quality of third-party products or services; or (b) fulfilling any of the terms of the agreement with the third party, including delivery of products or services and warranty obligations related to purchased products or services. Oracle is not responsible for any loss or damage of any sort that you may incur from dealing with any third party.

---

## Value-Added Reseller (VAR) Language

- (i) the software component known as **ACUMATE** developed and licensed by Lucent Technologies Inc. of Murray Hill, New Jersey, to Oracle and imbedded in the Oracle Retail Predictive Application Server – Enterprise Engine, Oracle Retail Category Management, Oracle Retail Item Planning, Oracle Retail Merchandise Financial Planning, Oracle Retail Advanced Inventory Planning and Oracle Retail Demand Forecasting applications.
- (ii) the **MicroStrategy** Components developed and licensed by MicroStrategy Services Corporation (MicroStrategy) of McLean, Virginia to Oracle and imbedded in the MicroStrategy for Oracle Retail Data Warehouse and MicroStrategy for Oracle Retail Planning & Optimization applications.
- (iii) the **SeeBeyond** component developed and licensed by Sun Microsystems, Inc. (Sun) of Santa Clara, California, to Oracle and imbedded in the Oracle Retail Integration Bus application.
- (iv) the **Wavelink** component developed and licensed by Wavelink Corporation (Wavelink) of Kirkland, Washington, to Oracle and imbedded in Oracle Retail Store Inventory Management.
- (v) the software component known as **Crystal Enterprise Professional and/or Crystal Reports Professional** licensed by Business Objects Software Limited (“Business Objects”) and imbedded in Oracle Retail Store Inventory Management.
- (vi) the software component known as **Access Via™** licensed by Access Via of Seattle, Washington, and imbedded in Oracle Retail Signs and Oracle Retail Labels and Tags.
- (vii) the software component known as **Adobe Flex™** licensed by Adobe Systems Incorporated of San Jose, California, and imbedded in Oracle Retail Promotion Planning & Optimization application.
- (viii) the software component known as **Style Report™** developed and licensed by InetSoft Technology Corp. of Piscataway, New Jersey, to Oracle and imbedded in the Oracle Retail Value Chain Collaboration application.
- (ix) the software component known as **WebLogic™** developed and licensed by BEA Systems, Inc. of San Jose, California, to Oracle and imbedded in the Oracle Retail Value Chain Collaboration application.
- (x) the software component known as **DataBeacon™** developed and licensed by Cognos Incorporated of Ottawa, Ontario, Canada, to Oracle and imbedded in the Oracle Retail Value Chain Collaboration application.

---

---

# Preface

A Release Notes document can include some or all of the following sections, depending upon the release:

- Overview of the release
- Functional, technical, integration, and performance enhancements
- Assumptions
- Fixed defects
- Known issues

## Audience

Release Notes are a critical communication link between Oracle Retail and its retailer clients. There are four general audiences for whom a Release Notes document is written:

- Retail clients who want to understand the contents of this release
- Staff who have the overall responsibility for implementing Oracle Retail Workspace in their enterprise
- Business analysts who want high-level functional information about this release
- System analysts and system operation personnel who want high-level functional and technical content related to this release

## Related Documents

For more information, see the following documents in the Oracle Retail Workspace Release 13.0 documentation set:

- Oracle Retail Workspace Online Help and Administration Guide
- Oracle Retail Workspace Implementation Guide
- Oracle Retail Workspace Installation Guide

## Customer Support

<https://metalink.oracle.com>

When contacting Customer Support, please provide the following:

- Product version and program/module name
- Functional and technical description of the problem (include business impact)
- Detailed step-by-step instructions to re-create
- Exact error message received
- Screen shots of each step you take

## Oracle Retail Documentation on the Oracle Technology Network

In addition to being packaged with each product release (on the base or patch level), all Oracle Retail documentation is available on the following Web site:

[http://www.oracle.com/technology/documentation/oracle\\_retail.html](http://www.oracle.com/technology/documentation/oracle_retail.html)

Documentation should be available on this Web site within a month after a product release. Note that documentation is always available with the packaged code on the release date.

---

## Conventions

**Navigate:** This is a navigate statement. It tells you how to get to the start of the procedure and ends with a screen shot of the starting point and the statement “the Window Name window opens.”

---

---

**Note:** This is a note. It is used to call out information that is important, but not necessarily part of the procedure.

---

---

This is a code sample  
It is used to display examples of code

[A hyperlink appears like this.](#)

---

---

# Release Notes

## Product Overview

This is the initial release of Oracle Retail Workspace (ORW).

## Functional Overview

Oracle Retail Workspace is a retail-specific next-generation portal that provides an integrated, targeted user experience for interacting with Oracle Retail applications and data.

Workspace 13.0 delivers the following capabilities:

- Single sign-on
- Central launch
- Role-based dashboards

The primary goal of Workspace is to provide greater productivity for Oracle Retail users through an integrated user experience. Less time spent on navigating a desktop is more time spent on resolving retail issues. Relevant information provided in role-based dashboards reduces research time, raises resolution quality, and brings issues to attention.

### Single Sign-On

A majority of Oracle Retail applications provide single sign-on through enablement of Oracle Single Sign-On. The hub for single sign-on is Oracle Retail Workspace, where users can launch Oracle Retail applications and reports without having to log in. This reduces the need for users to remember different passwords for different applications, and it reduces security exposure from passwords being written down in view at a desk. It also increases user productivity and satisfaction in using the Oracle Retail application suite.

### Central Launch

Users have central, immediate access to all Oracle Retail applications, reports, and reporting tools assigned to their role or their user ID. This brings all Oracle Retail applications to users' fingertips, rather than requiring users to navigate to each application or remember where each report or reporting tool is located. Simplified and central availability promotes application and report use, thus raising return on investment for the implementation.


### Role-Based Dashboards

Role-based dashboards can contain any of the following:

- Oracle Business Intelligence (Oracle BI) reports for operational information
- Oracle BI reports for analytical information
- RSS feeds
- Any URL-based information
- Any JSR-168 portlet
- Any ADF code

Role-based dashboards can be key channels to provide timely information to support decision-making.

## Technical Overview



Oracle Retail Workspace is a JavaServer Faces (JSF) Java Enterprise Edition (Java EE) application that provides a single point of entry to participating Oracle Retail applications. In addition, Workspace provides navigation to various types of content including reports created with Oracle BI Enterprise Edition and Oracle BI Publisher. Workspace requires Oracle Application Server 10g Release 3 (10.1.3.3).

Workspace was developed with Oracle JDeveloper (10.1.3.3) and the Oracle Application Development Framework (ADF) using Oracle ADF Faces JSF components. ADF Faces is a set of user interface components based on the JavaServer Faces JSR (JSR-127). In addition, ADF Faces also provides a number of JSF application framework features. Workspace takes advantage of a number of these features, including:

- Partial page rendering
- Internationalization and accessibility support
- Look and feel “skinning” support

Workspace also requires the Oracle WebCenter Framework component of Oracle WebCenter Suite 10g (10.1.3.3). WebCenter Suite is a suite of technologies that brings together standards-based development using JavaServer Faces with the flexibility and power of portals, to provide the ability to build context-rich applications. WebCenter Framework makes it possible to consume JSR-168 standards based portlets within a JSF application.

Workspace uses Oracle Internet Directory for its user repository and Oracle Single Sign-On. These are components of Oracle Identity Management 10gR2 (10.1.2), which is included in Oracle Application Server Infrastructure 10g Release 2 (10.1.2.0.2).

---

Workspace includes support for a Tools work list that provides links to Oracle Delegated Administration Service units. Delegated Administration Service is a Web-based interface that is used to create and manage users and groups in Oracle Internet Directory.

Workspace is a highly configurable application that allows customers to develop their own content using JDeveloper, ADF Faces, and WebCenter Framework. The Retail Workspace navigation panel and content can be configured using an XML configuration file. The default Workspace navigation panel includes a set of four work lists. Customers can delete or change the configuration of existing work lists, add new work lists, and assign role-based home pages. Customers can control access to work list content by assigning permission grants to roles (Oracle Internet Directory groups).

Workspace includes a set of reusable JSR-168 portlets:

- URL portlet— A simple portlet that can be used to display the contents of a Web page
- Reports portlet— A specialized version of the URL Portlet that can be used to display reports developed using Oracle BI, or using other reporting tools that expose reports through URLs
- RSS portlet— A portlet that can be used to display the contents of an RSS feed that conforms to RSS 2.0

Workspace also provides example dashboard content that has been developed using the Reports and RSS portlets.

## Automated Installation in UNIX Environments

An installation tool is available to install Workspace in UNIX environments. This tool is Java-based and automates the following:

- Deployment of the Oracle Retail portlets
- Deployment of the example dashboards
- Deployment of the Workspace application
- WebHelp setup

Complete installation instructions are in the *Oracle Retail Workspace Installation Guide*.

## Supplemental Documentation in Metalink Notes

The following documents are available through Metalink. Access Metalink at the following URL:

<https://metalink.oracle.com>

### Metalink Note 559554.1: Oracle Retail Reports Resizing Guide

Due to the space constraints of the content area in Oracle Retail Workspace, reports accessed in a dashboard may need to be resized. This guide provides a quick and simple step-by-step process for resizing reports in both Oracle Business Intelligence Enterprise Edition (Oracle BI) and Oracle BI Publisher.

### Metalink Note 559552.1: Oracle Retail Workspace Dashboard Examples Guide

This document includes dashboard examples that provide content examples for the Executive, Merchant, Planner, and Store Manager roles in a retail organization. These dashboard examples can help you assess and plan the Workspace content you need for your business. For more information on creating or customizing your dashboards, see the *Oracle Retail Workspace Implementation Guide*.

---

## Integration

### Integration with Oracle Retail Applications

Oracle Retail Workspace provides a single point of access to Oracle Retail applications and reports. Workspace provides single sign-on capability with the following Oracle Retail applications and reporting tools:

- Oracle Business Intelligence Enterprise Edition
- Oracle Business Intelligence Publisher
- Oracle Retail Active Retail Intelligence
- Oracle Retail Allocation
- Oracle Retail Invoice Matching
- Oracle Retail Merchandising System
- Oracle Retail Predictive Application Server
- Oracle Retail Price Management
- Oracle Retail Price Optimization
- Oracle Retail Promotion Planning and Optimization
- Oracle Retail Sales Audit
- Oracle Retail Store Inventory Management
- Oracle Retail Trade Management

---

---

**Note:** Oracle Retail Data Warehouse (RDW) is integrated with Workspace through Oracle BI Enterprise Edition, which serves as the front-end reporting tool for RDW.

---

---

### Oracle Configuration Manager

Oracle Configuration Manager is an optional configuration data collector that provides continuous tracking of key Oracle and system configuration settings for machines on which it is installed. This tool collects configuration details for customer environments and uploads them to a repository that is viewable through the Software Configuration Manager Metalink Web site. The OCM collector is optionally installed as part of your application installation.

Using Oracle Configuration Manager can reduce a retailer's support costs by providing extra configuration information that otherwise requires a phone call or e-mail correspondence.

---

---

**Note:** Sensitive configuration information (such as passwords) is not included in Oracle Configuration Manager collection.

---

---

The first OCM collector distribution that will be aware of the Oracle Retail applications is in Oracle development. For more information, see the *Oracle Retail Workspace Installation Guide*.

## Known Issues

The following are known issues discovered during the development of this release of Workspace. Administrators and users should review this information before they begin implementation.

Issue	Area	Functional Impact	Mitigation
The Demo Executive dashboard has been developed as a JSF subview of the Workspace page, rather than as an external application. This means that this dashboard was coded as part of the Workspace application. (Its content is still configurable, however.) Because of the way the ADF security framework is designed and the way in which the subview is imported into the Workspace page, this dashboard needs to be granted the "anyone" permission.	Dashboards	The Demo Executive dashboard is viewable outside the Workspace application.	Customers should not use the Demo Executive dashboard if the data displayed in it is sensitive.
Internet Explorer has a URL length limitation of 2,083 characters.	Dashboard Launching	If the URL for an external dashboard (including parameters) exceeds the 2,083 character limit, the dashboard will not display in the content area of Workspace.	Customers should limit the individual size of the URLs and other parameters for each of the portlets within the dashboard. See the Troubleshooting section of the Implementation Guide for more details.
Some of the images used in Workspace are not transparent when viewed in Internet Explorer 6.	User Interface	Internet Explorer 6 does not correctly display PNG images that have Alpha transparency. The result is that images that are intended to be transparent do not appear transparent.	The Alpha transparent PNG images will be replaced with transparent GIF images in a future release. There are also indications that the issue is fixed in IE7, but that has not been verified yet.
Right-clicking over a dashboard link and selecting Open in New Window from the browser context menu does not change the selection, and it does not launch that link in a new browser window. Instead, a new copy of Workspace is launched.	User Interface	This has impact for any link in the navigation panel that is configured as show-in-content-area = "true", such as links in the Dashboard work list. This also affects the About link. Selecting Open in New Window launches a new copy of Workspace, with the currently selected work item displayed in the content area.	This is the expected behavior of the ADF "command link" component used to render the link.

Issue	Area	Functional Impact	Mitigation
<p>Oracle BI “Bookmark Link Error On Windows With FAT32” – see Section 1.4.7 at the following URL:  <a href="http://download.oracle.com/docs/cd/E10415_01/doc/bi.1013/e10404/chapter.htm">http://download.oracle.com/docs/cd/E10415_01/doc/bi.1013/e10404/chapter.htm</a></p>	<p>Reports URLs</p>	<p>The portlet on the dashboard displays an error instead of the Oracle BI report.</p>	<p>This issue occurs when Oracle BI Presentation Services is running on a Microsoft Windows machine with a FAT32 file system. Convert the FAT volumes to NTFS. Refer to your Windows operating system documentation for instructions for the file system conversion.</p>
<p>Some Oracle Retail applications such as Promote do not support multibyte user names and passwords. Therefore, when Promote is enabled for Oracle Single Sign-On, user names and passwords setup in Oracle Internet Directory (OID) should not be multibyte values.</p>	<p>Single Sign-On</p>	<p>User IDs and passwords cannot be set up as multibyte values if applications not supporting multibyte values are to be included in Oracle Single Sign-On.</p>	<p>Do not use multibyte values for user IDs and passwords in OID. Another option is not to enable applications for Oracle Single Sign-On if they do not support multibyte values for user IDs and passwords.</p>
<p>If the server name for different content configured to display in Workspace is not fully qualified (for example, server01 rather than server01.us.mycompany.com), the content may not be displayed.</p>	<p>Dashboards Launching / Portlets Content</p>	<p>Dashboards may not launch, or content such as reports within portlets may not appear.</p>	<p>All server names used in the Workspace configuration should be fully qualified, especially when used in URLs.</p>
<p>Content in portlets within dashboards sometimes does not appear when a dashboard is first launched.</p>	<p>Portlets Content</p>	<p>Content within portlets such as reports may not appear.</p>	<p>Right-click inside the portlet. When the drop-down menu appears, click Refresh.</p>